


# CDC State Unintentional Drug Overdose Reporting System (SUDORS) - 2020 and 2021

## Summary of Unintentional and Undetermined Intent Drug Overdose Deaths in Nebraska Behavioral Health Region 1, 2, 3 and 4




50 Total Deaths (4 per 100,000 Population)

### Demographics




In 2020 and 2021, white males with a high school education between the ages 30-39 most frequently died from unintentional or undetermined drug overdose. Hispanic people were disproportionately impacted by unintentional or undetermined drug overdose in regions 1, 2, 3 and 4.

### What drugs were involved in Regions 1, 2, 3 and 4?




The top five drugs account for majority of all unintentional and undetermined intent drug overdose deaths in Region 1, 2, 3 and 4 in 2020 and 2021. Categories are not mutually exclusive.




Unintentional and undetermined intent drug overdose deaths in Regions 1, 2, 3 and 4 in 2020 and 2021 most commonly occurred in July to August.

### Death Rate by Census Tracts in Region 1 to 4



The darker blue areas on this map represent the highest rate of unintentional and undetermined intent drug overdose deaths in Regions 1 to 4 in 2020 and 2021.



22.2% of victims were perceived by others to be depressed at the time of death.

16.7% of total drug overdose deaths had history of mental illness.


19.4% of total victims were currently under pain treatment.

25.0% of total victims have a history of alcohol abuse.

13.9% of total victims had a bystander during the overdose death.

0.0% of total victims have served in military.

\*statistics based on 36 cases \*categories are not mutually exclusive



\* Includes Divorced, Married but Separated, Unknown and Widowed.

Males who never married were at the highest risk.