


Nebraska

2015 Statistical Report of Abortions



Helping People Live Better Lives
An Equal Opportunity/Affirmative Action Employer
printed with soy ink on recycled paper



NEBRASKA

2015 Statistical Report of Abortions

Nebraska Department of Health & Human Services

Jenifer Roberts-Johnson, JD
Deputy Director, Division of Public Health

Ming Qu, MEd, PhD
Administrator
Epidemiology & Informatics Unit

Stanley S. Cooper, MS, PhD
Administrator
Vital Records Office

Michelle Hood
Administrator
Office of Health Statistics

Report Prepared by:
Mark Miller
Health Data Coordinator
Office of Health Statistics

June 2016

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| NEBRASKA ABORTIONS, 2015 Summary | 1 |
| Table 1: Number of Abortions by Month..... | 2 |
| Table 2: Number of Abortions by State of Residence..... | 2 |
| Table 3: Number and Percent of Abortions by Age of Patient | 3 |
| Table 4: Number and Percent of Total Abortions by Reason | 3 |
| Table 5: Number and Percent of Abortions by Procedure that Terminated Pregnancy | 4 |
| Table 6: Number and Percent of Previous Abortions..... | 4 |
| Table 7: Number of Abortions by Number of Physicians..... | 4 |
| Table 8: Previous Parity by Age of Patient | 5 |
| Table 9: Gravidity by Age of Patient | 6 |
| Table 10: Number and Percent of Abortions by County of Occurrence | 7 |
| Table 11: Number and Percent of Abortions by Length of Fetus | 7 |
| Table 12: Number and Percent of Abortions by Weight of Fetus..... | 7 |
| Table 13: Number and Percent of Abortions by Complication(s) of Procedure(s)..... | 8 |
| Table 14: Number and Percent of Abortions Emergency Situation-caused Waiver of Informed Consent Law..... | 8 |
| Table 15: Number and Percent of Abortions by Marital Status of Patient..... | 8 |
| Table 16: Number and Percent of Abortions by Race of Patient | 9 |
| Table 17: Number and Percent of Abortions by Ancestry of Patient..... | 9 |
| Table 18: Number and Percent of Abortions by Patient’s Educational Level Completed..... | 10 |
| Table 19: Number and Percent of Abortions by Length of Gestation..... | 10 |
| Table 20: Number and Percent of Abortions by County of Residence | 11 |
| Table 21: Was a Determination of Probable Postfertilization Age Made? | 12 |
| Table 22a: If a Determination of Probable Postfertilization Age was made, what was the Probable Age (in number of weeks)?..... | 12 |
| Table 22b: What Method was used to make the Determination of Probable Postfertilization Age? | 12 |
| Table 22c: What was the Basis for the Determination of Probable Postfertilization Age?..... | 13 |
| Table 23a: If a Determination of Probable Postfertilization Age was not made, was there a Determination that a Medical Emergency Existed? | 13 |
| Table 23b: If a Determination of Probable Postfertilization Age was not made and there was a Determination that a Medical Emergency Existed, what was the Basis for that Determination? | 13 |
| Table 24a: If the Probable Postfertilization Age was Determined to be Twenty or more Weeks, was there a Determination that the Pregnant Woman had a Condition which so Complicated her Medical Condition as to Necessitate the Abortion of her Pregnancy to Avert her Death or to Avert Serious Risk of Substantial and Irreversible Physical Impairment of a Major Bodily Function? | 14 |

TABLE OF CONTENTS (continued)

| | <u>Page</u> |
|---|-------------|
| Table 24b: If the Probable Postfertilization Age was Determined to be Twenty or more Weeks and there was a Determination that the Pregnant Woman had a Condition which so Complicated her Medical Condition as to Necessitate the Abortion of her Pregnancy to Avert her Death or to Avert Serious Risk of Substantial and Irreversible Physical Impairment of a Major Bodily Function, what was the Basis of that Determination? | 14 |
| Table 25a: If the Probable Postfertilization Age was determined to be Twenty or more Weeks, was there was a Determination that the Abortion was Necessary to Preserve the Life of an Unborn Child? | 14 |
| Table 25b: If the Probable Postfertilization Age was determined to be Twenty or more Weeks and there was a Determination that the Abortion was Necessary to Preserve the Life of an Unborn Child, what was the Basis of that Determination? | 15 |
| Table 26: If any Abortion was performed when the Probable Postfertilization Age was determined to be Twenty or more Weeks, was the Method of Abortion used one that, in Reasonable Medical Judgement, Provided the Best Opportunity for an Unborn Child to Survive?..... | 15 |
| Table 27a: If such a Method was not used, was there a determination that Termination of the Pregnancy in that manner would pose a Greater Risk either of the Death of the Pregnant Woman or of the Substantial and Irreversible Physical Impairment of a Major Bodily Function of the Woman than would other Available Methods?..... | 15 |
| Table 27b: If such a Method was not used and there was a determination that Termination of the Pregnancy in that manner would pose a Greater Risk either of the Death of the Pregnant Woman or of the Substantial and Irreversible Physical Impairment of a Major Bodily Function of the Woman than would other Available Methods?..... | 16 |
| Table 28: Monthly Consent Report Summary..... | 16 |

NEBRASKA ABORTIONS, 2015

Summary

This report presents tabulations of statistical information reported on records of induced abortions performed in Nebraska during calendar year 2015. These data are in compliance with specifications set forth in Nebraska Statutes §28-343 through §28-345, §28-3,107 and §71-6909.

A total of 2,004 abortions were reported to the Nebraska Department of Health and Human Services for 2015, a decrease of 11.7% when compared to the 2014 total of 2,270. The following chart shows the number of abortions performed; the percentage of abortions in different age groups; the mean and modal age of the patient; and the number of abortions per 1,000 live births since 1995.

Chart I:

| <u>Year</u> | <u>Total</u> | <u>19 and Under</u> <u>Percent</u> | <u>20-29</u> <u>Percent</u> | <u>30 and Over</u> <u>Percent</u> | <u>Mean</u> <u>Age</u> | <u>Modal</u> <u>Age</u> | <u>Ratio*</u> |
|-------------|--------------|---------------------------------------|--------------------------------|--------------------------------------|---------------------------|----------------------------|---------------|
| 1995 | 4,838 | 22.2 | 55.0 | 22.9 | 24.8 | 23 | 205.4 |
| 1996 | 5,214 | 22.3 | 54.5 | 23.2 | 24.9 | 19,22 | 222.0 |
| 1997 | 5,129 | 21.6 | 55.6 | 22.9 | 24.8 | 21 | 217.0 |
| 1998 | 5,140 | 22.6 | 54.4 | 23.0 | 25.0 | 22 | 214.9 |
| 1999 | 4,565 | 22.5 | 54.9 | 22.6 | 25.0 | 19 | 188.6 |
| 2000 | 4,178 | 21.3 | 54.2 | 24.5 | 25.1 | 21 | 167.4 |
| 2001 | 3,982 | 20.8 | 55.3 | 23.9 | 25.1 | 21 | 158.6 |
| 2002 | 3,775 | 18.8 | 56.2 | 24.9 | 25.3 | 21 | 148.0 |
| 2003 | 3,990 | 18.0 | 57.3 | 24.7 | 25.4 | 22 | 153.0 |
| 2004 | 3,584 | 17.6 | 56.7 | 25.8 | 25.6 | 21,22 | 135.5 |
| 2005 | 3,173 | 17.3 | 57.1 | 25.6 | 25.6 | 23 | 120.4 |
| 2006 | 2,927 | 15.7 | 58.3 | 26.0 | 25.7 | 22 | 108.9 |
| 2007 | 2,481 | 16.2 | 57.9 | 25.9 | 25.6 | 21 | 91.5 |
| 2008 | 2,813 | 15.9 | 58.2 | 26.0 | 25.8 | 22 | 103.9 |
| 2009 | 2,551 | 16.3 | 57.2 | 26.5 | 25.7 | 21 | 93.8 |
| 2010 | 2,464 | 14.6 | 59.3 | 26.1 | 25.8 | 21 | 93.9 |
| 2011 | 2,372 | 15.5 | 58.0 | 26.5 | 25.8 | 22 | 90.9 |
| 2012 | 2,299 | 12.4 | 58.7 | 28.8 | 26.4 | 23 | 87.5 |
| 2013 | 2,177 | 12.2 | 59.8 | 28.0 | 26.2 | 24 | 82.4 |
| 2014 | 2,270 | 10.2 | 59.1 | 30.7 | 26.8 | 22 | 83.7 |
| 2015 | 2,004 | 10.0 | 57.6 | 32.4 | 27.0 | 25 | 73.9 |

*Abortions per 1,000 live births.

Mean Age = Average Age

Modal Age = The age of the patient at which abortions occurred most frequently.

**Table 1: Number of Abortions by Month
Nebraska, 2015**

Number by Month

| | | | |
|----------|-----|--------------------|-------|
| January | 203 | July | 151 |
| February | 232 | August | 199 |
| March | 167 | September | 128 |
| April | 153 | October | 160 |
| May | 123 | November | 153 |
| June | 176 | December | 159 |
| | | TOTAL | 2,004 |
| | | Average per Month: | 167 |

**Table 2: Number of Abortions by State of Residence
Nebraska, 2015**

State of Residence

| | | | |
|----------|-----|-----------------|--------------|
| Arizona | 1 | Missouri | 13 |
| Colorado | 1 | Montana | 1 |
| Florida | 1 | Nebraska | 1,775 |
| Indiana | 1 | New York | 1 |
| Iowa | 175 | South Dakota | 25 |
| Kansas | 10 | | |

**Table 3: Number and Percent of Abortions by Age of Patient
Nebraska, 2015**

| <u>Age of Patient</u> | <u>Number</u> | <u>Percent</u> |
|-----------------------|---------------|----------------|
| < 15 | 7 | 0.3 |
| 15-19 | 194 | 9.7 |
| 20-24 | 576 | 28.7 |
| 25-29 | 578 | 28.8 |
| 30-34 | 360 | 18.0 |
| 35-39 | 223 | 11.1 |
| 40-44 | 62 | 3.1 |
| > 44 | 4 | 0.2 |
| TOTAL | 2,004 | 100.0 |

Mean Age: 27.0 Median Age: 26 Modal Age: 25

**Table 4: Number and Percent of Total Abortions by Reason
Nebraska, 2015**

| <u>Reason for Abortion</u> | <u>Number</u> | <u>Percent of Total Abortions</u> |
|----------------------------|---------------|-----------------------------------|
| Contraceptive Failure | 296 | 14.8 |
| Fetal Anomaly | 15 | 0.7 |
| Incest | 0 | - |
| Maternal Life Endangered | 7 | 0.3 |
| Maternal Physical Health | 41 | 2.0 |
| Mental Health | 21 | 1.0 |
| No Contraception Used | 927 | 46.3 |
| Sexual Assault | 10 | 0.5 |
| Socio-Economic | 234 | 11.7 |
| Patient Declined to Answer | 498 | 24.9 |
| TOTAL | 2,049** | |

** This figure does not equal the total number of abortions due to the indication of multiple reasons on some reports.

**Table 5: Number and Percent of Abortions
by Procedure that Terminated Pregnancy
Nebraska, 2015**

| <u>Method</u> | <u>Number</u> | <u>Percent</u> |
|-----------------------------|---------------|----------------|
| Dilation & Evacuation (D&E) | 31 | 1.5 |
| Dilation & Extraction (D&X) | 84 | 4.2 |
| Medication Induced | 965 | 48.2 |
| Sharp – Curettage | 0 | - |
| Suction – Curettage | 924 | 46.1 |
| Other | 0 | - |
| Not classifiable/Left blank | 0 | - |
| TOTAL | 2,004 | 100.0 |

**Table 6: Number and Percent of Previous Abortions
Nebraska, 2015**

| <u>Previous Abortions</u> | <u>Number</u> | <u>Percent</u> |
|---------------------------|---------------|----------------|
| 0 | 1,250 | 62.4 |
| 1 | 503 | 25.1 |
| 2 | 182 | 9.1 |
| 3 | 49 | 2.4 |
| 4 | 16 | 0.8 |
| > 4 | 4 | 0.2 |
| TOTAL | 2,004 | 100.0 |

**Table 7: Number of Abortions by Number of Physicians
Nebraska, 2015**

| <u>Number of Abortions</u> | <u>Number of Physicians</u> | <u>Abortions Performed</u> |
|----------------------------|-----------------------------|----------------------------|
| < 25 | 1 | 1 |
| 25-1,000 | 5 | 2,003 |
| > 1,000 | 0 | 0 |
| TOTAL | 6 | 2,004 |

**Table 8: Previous Parity* by Age of Patient
Nebraska, 2015**

| <u>Age</u> | <u>Total</u> | <u>Number of Live Births</u> | | | | | | |
|------------|--------------|------------------------------|----------|----------|----------|----------|----------|------------|
| | | <u>0</u> | <u>1</u> | <u>2</u> | <u>3</u> | <u>4</u> | <u>5</u> | <u>≥ 5</u> |
| TOTAL | 2,004 | 770 | 432 | 422 | 238 | 100 | 27 | 15 |
| 12 | 1 | 1 | | | | | | |
| 13 | 1 | 1 | | | | | | |
| 14 | 5 | 5 | | | | | | |
| 15 | 9 | 8 | 1 | | | | | |
| 16 | 16 | 16 | | | | | | |
| 17 | 35 | 35 | | | | | | |
| 18 | 66 | 58 | 8 | | | | | |
| 19 | 68 | 53 | 14 | 1 | | | | |
| 20 | 89 | 57 | 29 | 3 | | | | |
| 21 | 109 | 60 | 38 | 8 | 3 | | | |
| 22 | 126 | 74 | 28 | 18 | 5 | 1 | | |
| 23 | 130 | 65 | 30 | 28 | 4 | 3 | | |
| 24 | 122 | 53 | 42 | 16 | 8 | 2 | | 1 |
| 25 | 136 | 51 | 32 | 30 | 17 | 5 | 1 | |
| 26 | 129 | 42 | 42 | 24 | 17 | 4 | | |
| 27 | 126 | 37 | 20 | 39 | 20 | 8 | 1 | 1 |
| 28 | 104 | 25 | 26 | 29 | 18 | 3 | 3 | |
| 29 | 83 | 16 | 17 | 22 | 18 | 8 | 1 | 1 |
| 30 | 102 | 28 | 16 | 26 | 21 | 8 | 1 | 2 |
| 31 | 70 | 17 | 18 | 18 | 12 | 3 | | 2 |
| 32 | 73 | 13 | 20 | 22 | 11 | 4 | | 3 |
| 33 | 57 | 14 | 7 | 15 | 16 | 1 | 4 | |
| 34 | 58 | 8 | 10 | 21 | 9 | 7 | 3 | |
| 35 | 64 | 6 | 8 | 21 | 19 | 9 | | 1 |
| 36 | 44 | 6 | 7 | 11 | 9 | 8 | 2 | 1 |
| 37 | 39 | 6 | 3 | 11 | 9 | 8 | 1 | 1 |
| 38 | 52 | 6 | 7 | 18 | 7 | 9 | 4 | 1 |
| 39 | 24 | 3 | 2 | 10 | 3 | 3 | 3 | |
| 40 | 16 | | 2 | 8 | 3 | 2 | 1 | |
| 41 | 16 | 2 | 1 | 7 | 2 | 4 | | |
| 42 | 13 | 3 | 1 | 5 | 4 | | | |
| 43 | 9 | | 1 | 8 | | | | |
| 44 | 8 | | 1 | 2 | 3 | | 2 | |
| 45 | 2 | | | 1 | | | | 1 |
| 46 | 1 | 1 | | | | | | |
| 47 | 1 | | 1 | | | | | |
| 48 | 0 | | | | | | | |

* Number of live births previous to this abortion.

**Table 9: Gravity* by Age of Patient
Nebraska, 2015**

| <u>Age</u> | <u>Total</u> | <u>Number of Pregnancies</u> | | | | | | | |
|------------|--------------|------------------------------|----------|----------|----------|----------|----------|----------|---------------|
| | | <u>1</u> | <u>2</u> | <u>3</u> | <u>4</u> | <u>5</u> | <u>6</u> | <u>7</u> | <u>> 7</u> |
| TOTAL | 2,004 | 571 | 368 | 334 | 285 | 214 | 126 | 51 | 55 |
| 12 | 1 | 1 | | | | | | | |
| 13 | 1 | 1 | | | | | | | |
| 14 | 5 | 5 | | | | | | | |
| 15 | 9 | 8 | 1 | | | | | | |
| 16 | 16 | 15 | 1 | | | | | | |
| 17 | 35 | 33 | 2 | | | | | | |
| 18 | 66 | 55 | 10 | 1 | | | | | |
| 19 | 68 | 48 | 16 | 4 | | | | | |
| 20 | 89 | 42 | 29 | 15 | 3 | | | | |
| 21 | 109 | 49 | 34 | 13 | 7 | 3 | 2 | | 1 |
| 22 | 126 | 59 | 32 | 18 | 9 | 6 | 2 | | |
| 23 | 130 | 46 | 23 | 31 | 19 | 7 | 1 | 3 | |
| 24 | 122 | 38 | 34 | 22 | 14 | 10 | 3 | 1 | |
| 25 | 136 | 36 | 26 | 25 | 22 | 15 | 9 | 1 | 2 |
| 26 | 129 | 23 | 33 | 28 | 17 | 19 | 7 | 2 | |
| 27 | 126 | 22 | 22 | 19 | 28 | 15 | 10 | 5 | 5 |
| 28 | 104 | 18 | 12 | 27 | 20 | 11 | 7 | 6 | 3 |
| 29 | 83 | 7 | 16 | 11 | 14 | 11 | 17 | 5 | 2 |
| 30 | 102 | 19 | 12 | 18 | 16 | 21 | 8 | 5 | 3 |
| 31 | 70 | 11 | 13 | 10 | 18 | 9 | 4 | 2 | 3 |
| 32 | 73 | 8 | 9 | 16 | 14 | 10 | 9 | 1 | 6 |
| 33 | 57 | 8 | 7 | 7 | 20 | 6 | 3 | 2 | 4 |
| 34 | 58 | 3 | 7 | 18 | 9 | 6 | 8 | 3 | 4 |
| 35 | 64 | 5 | 6 | 6 | 17 | 13 | 9 | 5 | 3 |
| 36 | 44 | 6 | 3 | 8 | 3 | 13 | 6 | 2 | 3 |
| 37 | 39 | 1 | 5 | 6 | 10 | 5 | 8 | 2 | 2 |
| 38 | 52 | 2 | 8 | 8 | 4 | 12 | 7 | 3 | 8 |
| 39 | 24 | 1 | 1 | 8 | 3 | 7 | 2 | | 2 |
| 40 | 16 | | 1 | 3 | 2 | 7 | | 1 | 2 |
| 41 | 16 | | 1 | 2 | 7 | 2 | 2 | 2 | |
| 42 | 13 | 1 | 3 | 3 | 3 | 2 | 1 | | |
| 43 | 9 | | | 5 | 3 | 1 | | | |
| 44 | 8 | | | | 3 | 3 | 1 | | 1 |
| 45 | 2 | | | 1 | | | | | 1 |
| 46 | 1 | | 1 | | | | | | |
| 47 | 1 | | | 1 | | | | | |
| 48 | 0 | | | | | | | | |

* Total pregnancies, including this abortion and all previous live births, still births, and abortions.

**Table 10: Number and Percent of Abortions
by County of Occurrence
Nebraska, 2015**

| <u>County of Occurrence</u> | <u>Number</u> | <u>Percent</u> |
|-----------------------------|---------------|----------------|
| Douglas | 654 | 32.6 |
| Lancaster | 397 | 19.8 |
| Sarpy | 953 | 47.6 |

**Table 11: Number and Percent of Abortions
by Length of Fetus
Nebraska, 2015**

| <u>Length of Fetus (Millimeters)</u> | <u>Number</u> | <u>Percent</u> |
|--------------------------------------|---------------|----------------|
| Under 10 | 172 | 8.6 |
| 10-19 | 234 | 11.7 |
| 20-29 | 181 | 9.0 |
| 30-39 | 96 | 4.8 |
| 40-49 | 65 | 3.2 |
| 50-59 | 61 | 3.0 |
| 60 and Over | 83 | 4.1 |
| Not Measurable | 1,112 | 55.5 |

**Table 12: Number and Percent of Abortions
by Weight of Fetus
Nebraska, 2015**

| <u>Weight of Fetus (Grams)</u> | <u>Number</u> | <u>Percent</u> |
|--------------------------------|---------------|----------------|
| Under 100 | 527 | 26.3 |
| 100-199 | 117 | 5.8 |
| 200-299 | 18 | 0.9 |
| 300-399 | 2 | 0.1 |
| 400 and Over | 10 | 0.5 |
| Not Measurable | 1,330 | 66.4 |

**Table 13: Number and Percent of Abortions
by Complication(s) of Procedure(s)
Nebraska, 2015**

| <u>Complication</u> | <u>Number</u> | <u>Percent</u> |
|------------------------------|---------------|----------------|
| No Complications | 2,002 | 99.9 |
| Cervical Laceration | 0 | - |
| Hemorrhage (more than 500cc) | 0 | - |
| Infection | 0 | - |
| Perforation | 0 | - |
| Retained Products | 0 | - |
| Other | 2 | 0.1 |
| Not Reported | 0 | - |

**Table 14: Number and Percent of Abortions
Emergency Situation-caused Waiver of Informed Consent Law
Nebraska, 2015**

| <u>Emergency Situation?</u> | <u>Number</u> | <u>Percent</u> |
|-----------------------------|---------------|----------------|
| No | 2,001 | 99.9 |
| Yes | 3 | 0.1 |

**Table 15: Number and Percent of Abortions
by Marital Status of Patient
Nebraska, 2015**

| <u>Marital</u> | <u>Number</u> | <u>Percent</u> |
|----------------|---------------|----------------|
| Divorced | 102 | 5.1 |
| Never Married | 1,570 | 78.3 |
| Now Married | 258 | 12.9 |
| Separated | 40 | 2.0 |
| Widowed | 2 | 0.1 |
| Not Reported | 32 | 1.6 |

**Table 16: Number and Percent of Abortions
by Race of Patient
Nebraska, 2015**

| <u>Race</u> | <u>Number**</u> | <u>Percent</u> |
|------------------------|-----------------|----------------|
| White | 1,285 | 64.1 |
| Black/African American | 352 | 17.6 |
| Native American | 24 | 1.2 |
| Asian | 88 | 4.4 |
| Other | 179 | 8.9 |
| Not Reported | 79 | 3.9 |

**Table 17: Number and Percent of Abortions
by Ancestry of Patient
Nebraska, 2015**

| <u>Ancestry</u> | <u>Number**</u> | <u>Percent</u> |
|--------------------|-----------------|----------------|
| Hispanic | 227 | 11.3 |
| African American | 231 | 11.5 |
| Chinese | 13 | 0.6 |
| Czech | 26 | 1.3 |
| English | 222 | 11.1 |
| French | 18 | 0.9 |
| German | 168 | 8.4 |
| Irish | 45 | 2.2 |
| Italian | 18 | 0.9 |
| Korean | 16 | 0.8 |
| Other non-Hispanic | 46 | 2.3 |
| Not Reported | 975 | 48.7 |

** This figure does not equal the total number of abortions due to the indication of multiple races/ancestries provided on some reports.

**Table 18: Number and Percent of Abortions
by Patient's Educational Level Completed
Nebraska, 2015**

| <u>Educational Level Completed</u> | <u>Number</u> | <u>Percent</u> |
|------------------------------------|---------------|----------------|
| None | 2 | 0.1 |
| Elementary | 7 | 0.3 |
| Middle School | 32 | 1.6 |
| High School | 1,163 | 58.1 |
| Some College | 515 | 25.7 |
| College Degree | 193 | 9.6 |
| Not Reported | 92 | 4.6 |

**Table 19: Number and Percent of Abortions
by Clinical Estimate of Gestation (in weeks)
Nebraska, 2015**

| <u>Estimated Gestation</u> | <u>Number</u> | <u>Percent</u> |
|----------------------------|---------------|----------------|
| Under 3 | 3 | 0.1 |
| 3 | 97 | 4.8 |
| 4 | 299 | 14.9 |
| 5 | 233 | 11.6 |
| 6 | 288 | 14.4 |
| 7 | 179 | 8.9 |
| 8 | 205 | 10.2 |
| 9 | 150 | 7.5 |
| 10 | 110 | 5.5 |
| 11 | 108 | 5.4 |
| 12 | 107 | 5.3 |
| 13 | 69 | 3.4 |
| 14 | 56 | 2.8 |
| 15 | 35 | 1.7 |
| 16 | 29 | 1.4 |
| 17 | 17 | 0.8 |
| 18 | 14 | 0.7 |
| 19 | 5 | 0.2 |
| 20 | 0 | - |
| 21 | 0 | - |
| Not Reported | 0 | - |

**Table 20: Number and Percent of Abortions
by County* of Residence
Nebraska, 2015**

| <u>County of Residence</u> | <u>Number</u> | <u>Percent</u> |
|----------------------------|---------------|----------------|
| Adams | 17 | 0.8 |
| Buffalo | 38 | 1.9 |
| Cass | 14 | 0.7 |
| Colfax | 6 | 0.3 |
| Crawford (Iowa) | 5 | 0.2 |
| Cuming | 6 | 0.3 |
| Dakota | 11 | 0.5 |
| Dawson | 16 | 0.8 |
| Dodge | 17 | 0.8 |
| Douglas | 843 | 42.1 |
| Fremont (Iowa) | 5 | 0.2 |
| Gage | 14 | 0.7 |
| Hall | 56 | 2.8 |
| Harrison (Iowa) | 7 | 0.3 |
| Knox | 8 | 0.4 |
| Lancaster | 381 | 19.0 |
| Lincoln | 7 | 0.3 |
| Madison | 14 | 0.7 |
| Mills (Iowa) | 11 | 0.5 |
| Minnehaha (South Dakota) | 8 | 0.4 |
| Montgomery (Iowa) | 5 | 0.2 |
| Otoe | 9 | 0.4 |
| Page (Iowa) | 6 | 0.3 |
| Platte | 21 | 1.0 |
| Pottawattamie (Iowa) | 65 | 3.2 |
| Saline | 14 | 0.7 |
| Sarpy | 183 | 9.1 |
| Saunders | 10 | 0.5 |
| Seward | 5 | 0.2 |
| Thayer | 5 | 0.2 |
| Washington | 7 | 0.3 |
| Wayne | 8 | 0.4 |
| Woodbury (Iowa) | 44 | 2.2 |
| York | 10 | 0.5 |
| Other | 128 | 6.4 |
| Not Reported | 0 | - |

* Counties of residence listed with at least 5 abortions. Counties listed are Nebraska counties unless otherwise specified.

**Table 21: Was a Determination of Probable Postfertilization Age Made?
Nebraska, 2015**

| <u>Determination Made?</u> | <u>Number</u> | <u>Percent</u> |
|----------------------------|---------------|----------------|
| No | 1 | 0.0 |
| Yes | 2,003 | 100.0 |

**Table 22a: If a Determination of Probable Postfertilization Age was made, what was the Probable Age (in number of weeks)?
Nebraska, 2015**

| <u>Probable Age</u> | <u>Number</u> | <u>Percent</u> |
|---------------------|---------------|----------------|
| Under 3 | 2 | 0.1 |
| 3 | 138 | 6.9 |
| 4 | 447 | 22.3 |
| 5 | 349 | 17.4 |
| 6 | 313 | 15.6 |
| 7 | 144 | 7.2 |
| 8 | 121 | 6.0 |
| 9 | 110 | 5.5 |
| 10 | 106 | 5.3 |
| 11 | 76 | 3.8 |
| 12 | 61 | 3.0 |
| 13 | 44 | 2.2 |
| 14 | 40 | 2.0 |
| 15 | 17 | 0.8 |
| 16 | 6 | 0.3 |
| 17 | 8 | 0.4 |
| 18 | 15 | 0.7 |
| 19 | 6 | 0.3 |
| Not Reported | 1 | 0.0 |

**Table 22b: What Method was used to make the Determination of Probable Postfertilization Age?
Nebraska, 2015**

| <u>Method</u> | <u>Number</u> | <u>Percent</u> |
|----------------------|---------------|----------------|
| Abdominal Ultrasound | 952 | 47.5 |
| Ultrasound | 1,049 | 52.3 |
| Unknown | 3 | 0.1 |

**Table 22c: What was the Basis for the Determination of Probable Postfertilization Age?
Nebraska, 2015**

| <u>Basis</u> | <u>Number</u> | <u>Percent</u> |
|--|---------------|----------------|
| Abdominal Ultrasound minus 2 weeks | 953 | 47.6 |
| Crown-Rump Length | 0 | - |
| Last Menstrual Period | 0 | - |
| Subtract 2 weeks from Ultrasound Results | 961 | 48.0 |
| Subtracted 2 weeks from Gestational Age | 51 | 2.5 |
| Ultrasound | 3 | 0.1 |
| Vaginal Ultrasound minus 2 weeks | 34 | 1.7 |
| Unknown | 2 | 0.1 |

**Table 23a: If a Determination of Probable Postfertilization Age was not made, was there a Determination that a Medical Emergency Existed?
Nebraska, 2015**

| <u>Medical Emergency Existed</u> | <u>Number</u> | <u>Percent</u> |
|----------------------------------|---------------|----------------|
| No | 1 | 0.0 |
| Yes | 0 | - |
| Not Applicable | 2,003 | 100.0 |

**Table 23b: If a Determination of Probable Postfertilization Age was not made and there was a Determination that a Medical Emergency Existed, what was the Basis for that Determination?
Nebraska, 2015**

| <u>Basis</u> | <u>Number</u> | <u>Percent</u> |
|----------------|---------------|----------------|
| Not Applicable | 2,004 | 100.0 |

**Table 24a: If the Probable Postfertilization Age was Determined to be Twenty or more Weeks, was there a Determination that the Pregnant Woman had a Condition which so Complicated her Medical Condition as to Necessitate the Abortion of her Pregnancy to Avert her Death or to Avert Serious Risk of Substantial and Irreversible Physical Impairment of a Major Bodily Function?
Nebraska, 2015**

| <u>20 or more weeks Condition</u> | <u>Number</u> | <u>Percent</u> |
|-----------------------------------|---------------|----------------|
| Yes | 0 | 0.0 |
| No | 0 | 0.0 |
| Not Applicable | 2,004 | 100.0 |

**Table 24b: If the Probable Postfertilization Age was Determined to be Twenty or more Weeks and there was a Determination that the Pregnant Woman had a Condition which so Complicated her Medical Condition as to Necessitate the Abortion of her Pregnancy to Avert her Death or to Avert Serious Risk of Substantial and Irreversible Physical Impairment of a Major Bodily Function, what was the Basis of that Determination?
Nebraska, 2015**

| <u>Basis</u> | <u>Number</u> | <u>Percent</u> |
|----------------|---------------|----------------|
| Not Applicable | 2,004 | 100.0 |

**Table 25a: If the Probable Postfertilization Age was determined to be twenty or more Weeks, was there a Determination that the Abortion was Necessary to Preserve the Life of an Unborn Child?
Nebraska, 2015**

| <u>20 or more weeks Necessary to Preserve Life</u> | <u>Number</u> | <u>Percent</u> |
|--|---------------|----------------|
| Yes | 0 | 0.0 |
| No | 0 | 0.0 |
| Not Applicable | 2,004 | 100.0 |

**Table 25b: If the Probable Postfertilization Age was determined to be twenty or more Weeks and there was a Determination that the Abortion was Necessary to Preserve the Life of an Unborn Child, what was the Basis of that Determination?
Nebraska, 2015**

| <u>Basis</u> | <u>Number</u> | <u>Percent</u> |
|----------------|---------------|----------------|
| Not Applicable | 2,004 | 100.0 |

**Table 26: If any Abortion was performed when the Probable Postfertilization Age was determined to be twenty or more Weeks, was the Method of Abortion used one that, in Reasonable Medical Judgement, Provided the Best Opportunity for an Unborn Child to Survive?
Nebraska, 2015**

| <u>20 or more weeks Best Opportunity to Survive</u> | <u>Number</u> | <u>Percent</u> |
|---|---------------|----------------|
| Yes | 0 | 0.0 |
| No | 0 | 0.0 |
| Not Applicable | 2,004 | 100.0 |

**Table 27a: If such a Method was not used, was there a determination that Termination of the Pregnancy in that manner would pose a Greater Risk either of the Death of the Pregnant Woman or of the Substantial and Irreversible Physical Impairment of a Major Bodily Function of the Woman than would other Available Methods?
Nebraska, 2015**

| <u>Greater Risk</u> | <u>Number</u> | <u>Percent</u> |
|---------------------|---------------|----------------|
| Yes | 0 | 0.0 |
| No | 0 | 0.0 |
| Not Applicable | 2,004 | 100.0 |

**Table 27b: If such a Method was not used and there was a determination that Termination of the Pregnancy in that manner would pose a Greater Risk either of the Death of the Pregnant Woman or of the Substantial and Irreversible Physical Impairment of a Major Bodily Function of the Woman than would other Available Methods, what was the Basis of that Determination?
Nebraska, 2015**

| <u>Basis</u> | <u>Number</u> | <u>Percent</u> |
|----------------|---------------|----------------|
| Not Applicable | 2,004 | 100.0 |

Table 28: Monthly Consent Report Summary*

| <u>Consent Obtained</u> | <u>Number</u> | <u>Percent</u> |
|-------------------------|---------------|----------------|
| No | 6 | 8.7 |
| Yes | 63 | 91.3 |

| <u>Were Exceptions Made</u> | <u>Number</u> | <u>Percent</u> |
|-----------------------------|---------------|----------------|
| No | 63 | 94.0 |
| Yes | 4 | 6.0 |

*Required if under 18 years of age



Office of Health Statistics
PO Box 95026
301 Centennial Mall South
Lincoln, NE 68509-5026
(402) 471-2180

06/2016 – 5

Alternate formats are available upon request.
Please contact the Office of Health Statistics at (402) 471-2180
or (402) 471-9570 (TDD).

ADA/EOE/AA