

CANCER INCIDENCE AND MORTALITY IN NEBRASKA

APPENDIX TO 2013 REPORT

INCIDENCE AND MORTALITY STATISTICS, BY PLACE OF RESIDENCE, NEBRASKA, 2009-2013

	<u>Content</u>	<u>Page</u>
Table 1A	Cancer (All Sites) Incidence Number of Cases and Rates, by County of Residence	1
Table 2A	Cancer (All Sites) Mortality Number of Deaths and Rates, by County of Residence	3
Table 3A	Lung & Bronchus Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	5
Table 4A	Female Breast Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	7
Table 5A	Colon & Rectum (Colorectal) Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	9
Table 6A	Prostate Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	11
Table 7A	Urinary Bladder Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	13
Table 8A	Non-Hodgkin Lymphoma Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	15
Table 9A	Leukemia Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	17
Table 10A	Kidney & Renal Pelvis Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	19
Table 11A	Melanoma of the Skin Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	21
Table 12A	Myelodysplastic Syndromes Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	23
Table 13A	Cancer (All Sites and Selected Primary Sites) Incidence Number of Cases and Rates, by Public Health Department Region	25

Table 14A	Cancer (All Sites and Selected Primary Sites) Mortality Number of Deaths and Rates, by Public Health Department Region	27
Table 15A	Public Health Department Regions in Nebraska	29
	Map of Public Health Department Regions in Nebraska	30

TABLE 1A: Cancer (All Sites) Incidence
Number of Cases and Rates, by County of Residence
 Nebraska & US (2013 and 2009-2013)

	<u>2013</u>		<u>2009-2013</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Cases</u>	<u>Rate</u>
US	1,559,130	439.0	7,800,258	456.6
NEBRASKA	9,338	445.1	46,260	454.3
<u>COUNTY</u>				
ADAMS	196	512.6	934	501.0△
ANTELOPE	42	446.6	217	455.1
ARTHUR	4	519.3	6	165.3▼
BANNER	0	0.0	8	110.5▼
BLAINE	3	345.8	15	416.4
BOONE	33	446.0	203	520.2
BOX BUTTE	54	377.0	297	432.1
BOYD	15	321.0	72	384.6
BROWN	25	559.5	107	430.2
BUFFALO	205	430.0	1,038	442.7
BURT	53	509.9	257	485.3
BUTLER	62	554.9	257	440.4
CASS	147	470.4	718	480.7
CEDAR	42	367.0	212	328.8▼
CHASE	21	355.0	134	459.5
CHERRY	29	323.9	155	364.0▼
CHEYENNE	54	466.4	260	429.6
CLAY	29	314.7▽	212	486.6
COLFAX	37	334.4	228	400.8
CUMING	52	371.5	249	371.4▼
CUSTER	56	349.3	328	416.0
DAKOTA	123	584.0△	454	443.0
DAWES	39	349.2	197	364.8▼
DAWSON	107	395.6	555	412.2▽
DEUEL	16	511.1	66	431.5
DIXON	32	396.1	184	446.8
DODGE	245	499.2	1,202	495.4△
DOUGLAS	2,474	473.8	12,241	487.5▲
DUNDY	13	396.9	70	455.7
FILLMORE	42	470.4	192	449.8
FRANKLIN	16	312.1	88	322.6▼
FRONTIER	9	197.6▼	70	375.5
FURNAS	34	410.9	183	479.4
GAGE	123	396.6	717	463.2
GARDEN	15	494.0	76	425.3
GARFIELD	21	698.3	96	565.5
GOSPER	14	462.9	71	460.7
GRANT	5	638.7	19	477.6
GREELEY	16	374.7	89	421.9
HALL	349	516.7△	1,635	503.5▲
HAMILTON	54	440.9	256	438.6
HARLAN	26	483.4	129	468.4
HAYES	4	267.6	27	337.3
HITCHCOCK	14	289.4	110	478.9
HOLT	73	478.3	336	443.1
HOOKER	3	355.8	31	447.9
HOWARD	28	311.5▽	191	447.6
JEFFERSON	60	528.7	258	436.3

TABLE 1A (continued): Cancer (All Sites) Incidence

<u>COUNTY</u>	<u>2013</u>		<u>2009-2013</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Cases</u>	<u>Rate</u>
JOHNSON	37	495.2	170	476.2
KEARNEY	35	396.3	199	454.0
KEITH	66	585.7	303	489.2
KEYA PAHA	*	*	21	332.9
KIMBALL	20	358.5	129	437.6
KNOX	63	466.8	305	466.4
LANCASTER	1,230	415.2	6,030	430.9▼
LINCOLN	205	446.7	1,063	476.5
LOGAN	10	1,136	33	654.9
LOUP	*	*	29	520.5
McPHERSON	0	0.0	7	176.1▼
MADISON	174	418.3	963	469.8
MERRICK	52	522.2	251	480.2
MORRILL	27	393.2	155	442.6
NANCE	24	431.8	106	390.0
NEMAHA	45	500.4	211	449.8
NUCKOLLS	35	495.0	160	439.8
OTOE	80	359.5	437	415.9
PAWNEE	26	664.1	117	497.4
PERKINS	19	445.9	83	366.8▽
PHELPS	45	394.4	252	416.1
PIERCE	50	498.7	211	434.8
PLATTE	173	450.7	832	440.3
POLK	33	433.2	172	426.0
RED WILLOW	56	369.7	324	429.2
RICHARDSON	67	504.2	319	491.9
ROCK	8	330.4	51	441.4
SALINE	87	532.4	427	529.9▲
SARPY	693	454.8	3,236	467.7
SAUNDERS	126	479.3	590	447.6
SCOTTS BLUFF	198	423.9	989	427.1
SEWARD	69	321.8▼	443	440.6
SHERIDAN	38	461.9	158	397.1
SHERMAN	24	530.7	111	446.7
SIOUX	*	*	15	151.9▼
STANTON	19	257.0▼	89	243.4▼
THAYER	41	505.8	214	472.3
THOMAS	8	798.7	33	603.6
THURSTON	35	529.8	156	468.1
VALLEY	18	266.0▼	117	348.6▼
WASHINGTON	131	527.4	539	443.0
WAYNE	38	367.5	187	377.1▼
WEBSTER	33	555.1	162	524.2
WHEELER	*	*	19	289.2▽
YORK	81	454.1	390	423.5

*Number and rate are not shown if based on fewer than three cases
Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 2A: Cancer (All Sites) Mortality
Number of Deaths and Rates, by County of Residence
 Nebraska & US (2013 and 2009-2013)

	<u>2013</u>		<u>2009-2013</u>	
	<u># Deaths</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	584,881	163.2	2,886,566	168.9
NEBRASKA	3,458	160.6	17,115	164.1
<u>COUNTY</u>				
ADAMS	71	182.6	314	157.4
ANTELOPE	16	131.2	80	139.9
ARTHUR	4	728.3	5	153.9
BANNER	0	0.0	*	*
BLAINE	*	*	7	179.6
BOONE	11	168.9	74	174.7
BOX BUTTE	26	204.3	116	162.4
BOYD	4	88.4	26	128.0
BROWN	10	172.9	47	154.6
BUFFALO	71	139.9	370	157.9
BURT	26	210.0	120	203.8△
BUTLER	17	132.6	104	167.6
CASS	59	193.5	293	191.8△
CEDAR	16	94.4▽	94	120.2▼
CHASE	11	169.0	53	165.2
CHERRY	16	160.0	69	147.1
CHEYENNE	16	127.9	80	120.7▼
CLAY	7	70.2▼	72	148.2
COLFAX	13	119.1	95	163.9
CUMING	17	112.0	96	130.8▽
CUSTER	28	153.8	143	160.4
DAKOTA	41	197.7	179	178.5
DAWES	15	117.1	93	156.1
DAWSON	40	144.4	197	139.4▽
DEUEL	7	182.5	20	104.9▽
DIXON	10	99.9	74	164.3
DODGE	96	176.9	470	178.9
DOUGLAS	896	177.4	4,395	179.8▲
DUNDY	7	173.8	28	146.1
FILLMORE	15	146.8	77	152.9
FRANKLIN	7	111.6	34	119.6▽
FRONTIER	4	88.0	27	127.8
FURNAS	14	164.4	64	152.0
GAGE	58	169.6	287	166.0
GARDEN	3	73.9	27	126.6
GARFIELD	9	219.1	29	146.1
GOSPER	6	192.7	31	189.5
GRANT	3	614.4	7	249.9
GREELEY	3	59.4▼	36	151.1
HALL	101	147.3	538	160.7
HAMILTON	19	131.9	98	156.7
HARLAN	12	190.6	72	229.7△
HAYES	*	*	12	142.4
HITCHCOCK	9	247.6	45	186.0
HOLT	24	133.0	131	155.2
HOOKE	*	*	9	100.1
HOWARD	15	153.0	70	153.5
JEFFERSON	26	189.0	133	201.9△

TABLE 2A (continued): Cancer Mortality

<u>COUNTY</u>	<u>2013</u>		<u>2009-2013</u>	
	<u># Deaths</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	20	263.0	71	184.9
KEARNEY	11	133.2	63	136.2
KEITH	25	183.5	107	163.2
KEYA PAHA	*	*	9	108.4
KIMBALL	12	177.5	64	205.2
KNOX	32	188.3	122	163.9
LANCASTER	420	146.4	2,111	153.6▽
LINCOLN	80	172.0	389	168.5
LOGAN	0	0.0	*	*
LOUP	0	0.0	4	74.4▽
McPHERSON	0	0.0	5	118.1
MADISON	71	160.2	347	161.3
MERRICK	13	122.4	92	165.6
MORRILL	13	171.0	47	132.6
NANCE	8	131.9	43	145.4
NEMAHA	17	162.7	88	169.2
NUCKOLLS	18	190.2	72	150.7
OTOE	35	157.0	171	149.4
PAWNEE	11	210.5	46	173.5
PERKINS	7	121.5	37	146.2
PHELPS	16	131.6	118	178.8
PIERCE	12	109.7	82	162.2
PLATTE	79	201.3	301	154.7
POLK	16	183.3	82	188.4
RED WILLOW	29	176.8	144	175.1
RICHARDSON	22	152.0	143	194.9
ROCK	5	263.8	22	188.6
SALINE	32	194.6	157	181.8
SARPY	242	175.5	1,062	168.3
SAUNDERS	49	174.8	237	176.8
SCOTTS BLUFF	75	151.7	391	159.9
SEWARD	34	148.8	162	152.4
SHERIDAN	18	228.8	76	170.7
SHERMAN	4	79.3	50	189.7
SIOUX	*	*	10	96.8▽
STANTON	10	123.4	50	138.0
THAYER	10	91.1▽	67	121.8▼
THOMAS	*	*	*	*
THURSTON	20	298.8△	69	211.2
VALLEY	6	67.9▼	60	154.6
WASHINGTON	38	148.0	194	159.6
WAYNE	15	147.7	74	145.2
WEBSTER	10	136.3	59	163.6
WHEELER	*	*	5	78.2▽
YORK	35	173.3	166	166.5

*Number and rate are not shown if based on fewer than three deaths
Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
▼county rate is significantly lower than the state rate (99% confidence level)
△county rate is significantly higher than the state rate (95% confidence level)
▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 3A: Lung and Bronchus Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska & US (2009-13)

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	1,067,959	62.5	786,896	46.0
NEBRASKA	6,113	59.6	4,491	43.6
<u>COUNTY</u>				
ADAMS	120	62.4	88	44.7
ANTELOPE	29	50.9	22	39.1
ARTHUR	*	*	*	*
BANNER	*	*	0	0.0
BLAINE	4	95.4	*	*
BOONE	21	57.3	10	21.3▼
BOX BUTTE	33	48.0	23	33.2
BOYD	13	58.5	11	54.6
BROWN	15	54.5	13	43.2
BUFFALO	115	49.2	81	35.0
BURT	37	65.9	32	58.5
BUTLER	29	49.6	23	37.6
CASS	98	65.7	77	50.1
CEDAR	23	32.0▼	19	27.6▽
CHASE	23	74.7	17	54.9
CHERRY	16	35.6▽	17	35.0
CHEYENNE	38	59.8	30	45.5
CLAY	25	54.4	19	40.5
COLFAX	25	43.7	19	33.7
CUMING	29	41.2▽	25	34.1
CUSTER	44	50.9	37	42.8
DAKOTA	74	72.5	53	52.5
DAWES	27	44.7	18	29.6
DAWSON	66	47.4	51	36.2
DEUEL	8	45.7	6	33.7
DIXON	29	66.2	17	35.3
DODGE	184	71.6△	137	51.7
DOUGLAS	1,717	70.5▲	1,224	50.9▲
DUNDY	5	34.1	3	15.5▼
FILLMORE	25	51.9	20	40.7
FRANKLIN	13	51.0	12	49.8
FRONTIER	8	38.7	10	51.9
FURNAS	27	66.9	15	37.6
GAGE	100	61.8	66	40.1
GARDEN	9	48.6	4	18.8▽
GARFIELD	12	61.7	8	40.6
GOSPER	10	64.7	9	55.5
GRANT	*	*	*	*
GREELEY	8	35.1	9	38.3
HALL	192	58.4	126	38.2
HAMILTON	31	50.9	22	34.5
HARLAN	12	36.3▽	12	37.8
HAYES	6	67.1	5	57.3
HITCHCOCK	13	50.1	15	55.4
HOLT	41	50.0	39	47.4
HOOKE	7	70.9	3	26.4
HOWARD	26	54.5	19	41.4
JEFFERSON	40	64.2	31	50.6

TABLE 3A (continued): Lung and Bronchus Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	34	96.1△	16	43.1
KEARNEY	28	63.2	22	47.6
KEITH	35	48.6	27	38.0
KEYA PAHA	0	0	*	*
KIMBALL	19	60.9	16	49.6
KNOX	43	61.5	38	51.4
LANCASTER	788	58.3	558	41.4
LINCOLN	134	59.0	102	44.5
LOGAN	4	82.0	*	*
LOUP	5	94.1	*	*
McPHERSON	0	0	0	0
MADISON	126	60.0	87	40.2
MERRICK	40	69.8	26	45.8
MORRILL	25	72.3	13	38.2
NANCE	15	50.1	13	43.4
NEMAHA	30	64.3	20	38.3
NUCKOLLS	26	61.8	19	43.4
OTOE	64	58.6	52	46.5
PAWNEE	16	63.2	11	38.5
PERKINS	10	40.9	7	30.6
PHELPS	32	47.4	26	39.3
PIERCE	28	56.4	24	47.0
PLATTE	109	55.6	78	40.7
POLK	27	63.5	22	48.3
RED WILLOW	41	51.2	38	47.2
RICHARDSON	45	63.2	37	51.6
ROCK	4	30.2	*	*
SALINE	62	77.7	39	48.9
SARPY	414	65.5	312	49.5
SAUNDERS	85	62.1	64	46.5
SCOTTS BLUFF	111	45.3▼	87	35.0
SEWARD	47	44.6▽	34	32.7
SHERIDAN	20	42.2	15	31.9
SHERMAN	11	41.5	16	63.8
SIOUX	0	0.0	*	*
STANTON	8	23.6▼	11	30.9
THAYER	25	58.1	15	32.0
THOMAS	*	*	*	*
THURSTON	21	64.4	18	54.4
VALLEY	14	37.5▽	12	29.5
WASHINGTON	57	44.3▽	50	39.8
WAYNE	17	31.6▼	14	25.0▽
WEBSTER	24	69.5	17	46.5
WHEELER	0	0.0	0	0.0
YORK	38	39.8▼	26	27.8▽

*Number and rate are not shown if based on fewer than three events
Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 4A: Female Breast Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	1,0117,483	123.4	204,618	21.6
NEBRASKA	6,388	120.8	1,133	19.7
<u>COUNTY</u>				
ADAMS	124	132.8	23	23.1
ANTELOPE	26	123.7	6	22.7
ARTHUR	0	0.0	0	0.0
BANNER	*	*	0	0.0
BLAINE	0	0	0	0.0
BOONE	30	133.2	7	29.5
BOX BUTTE	37	101.0	9	21.0
BOYD	9	139.9	0	0.0
BROWN	9	74.4	*	*
BUFFALO	174	141.9	30	21.8
BURT	34	137.4	10	36.2
BUTLER	39	133.5	8	28.2
CASS	96	124.0	17	20.7
CEDAR	31	95.7	6	12.8
CHASE	17	116.4	3	17.4
CHERRY	26	114.6	7	27.8
CHEYENNE	46	150.5	7	22.3
CLAY	29	134.0	3	8.8
COLFAX	34	116.5	7	21.8
CUMING	30	102.3	3	5.7▼
CUSTER	39	97.9	11	24.8
DAKOTA	55	100.4	8	13.6
DAWES	24	105.4	6	16.7
DAWSON	58	86.8▼	9	14.5
DEUEL	15	198.9	*	*▽
DIXON	21	94.3	3	12.9
DODGE	169	143.2	28	19.0
DOUGLAS	1,794	131.5△	308	22.2
DUNDY	6	64.3▽	*	*
FILLMORE	29	125.8	*	*
FRANKLIN	16	132.1	*	*
FRONTIER	6	72.0	0	0.0
FURNAS	27	153.0	*	*
GAGE	105	128.3	20	21.8
GARDEN	9	94.1	3	16.2
GARFIELD	6	57.2▽	3	30.8
GOSPER	8	100.7	0	0.0
GRANT	0	0.0	0	0.0
GREELEY	8	75.1	3	22.7
HALL	183	108.8	37	19.2
HAMILTON	29	94.6	9	27.6
HARLAN	12	117.4	4	28.3
HAYES	*	*	0	0.0
HITCHCOCK	6	50.6▼	*	*
HOLT	34	86.6▽	5	7.1▼
HOOKER	3	87.6	*	*
HOWARD	24	125.0	8	39.8
JEFFERSON	31	89.7	8	20.8

TABLE 4A (continued): Female Breast Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	18	102.8	6	24.8
KEARNEY	20	82.4	*	*
KEITH	47	164.4	9	27.2
KEYA PAHA	3	92.0	*	*
KIMBALL	14	102.2	*	*
KNOX	39	129.8	4	9.1▽
LANCASTER	933	125.8	120	15.4▽
LINCOLN	109	94.4▽	39	30.9△
LOGAN	*	*	0	0.0
LOUP	3	134.9	0	0.0
McPHERSON	*	*	*	*
MADISON	126	118.6	29	22.7
MERRICK	38	141.2	7	23.0
MORRILL	20	119.7	3	14.8
NANCE	14	103.5	*	*
NEMAHA	25	120.5	*	*
NUCKOLLS	15	97.7	*	*
OTOE	59	103.2	4	6.6▼
PAWNEE	13	116.5	3	20.4
PERKINS	8	61.0▼	3	14.8
PHELPS	36	108.7	10	30.7
PIERCE	16	61.0▼	3	8.3▽
PLATTE	112	114.7	21	21.7
POLK	25	110.0	10	50.1
RED WILLOW	41	108.4	11	24.6
RICHARDSON	40	127.9	6	11.5
ROCK	3	50.0▽	0	0.0
SALINE	50	123.8	10	18.7
SARPY	498	129.5	72	20.0
SAUNDERS	65	96.4	16	20.8
SCOTTS BLUFF	139	113.0	31	23.5
SEWARD	52	100.8	12	20.4
SHERIDAN	23	128.0	3	19.7
SHERMAN	12	123.1	5	51.4
SIOUX	4	83.4	*	*
STANTON	17	84.7	4	20.5
THAYER	19	71.2▼	*	*
THOMAS	5	200.5	0	0.0
THURSTON	27	152.8	10	59.0△
VALLEY	14	84.1	4	17.2
WASHINGTON	89	137.5	15	22.3
WAYNE	24	102.4	4	19.2
WEBSTER	13	81.2	0	0.0
WHEELER	*	*	0	0.0
YORK	46	92.9	15	24.9

*Number and rate are not shown if based on fewer than three events

Rates are per 100,000 female population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 5A: Colon & Rectum (Colorectal) Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	692,122	40.6	259,012	15.1
NEBRASKA	4,559	44.4	1,712	16.3
<u>COUNTY</u>				
ADAMS	104	52.2	33	16.7
ANTELOPE	26	55.9	10	16.0
ARTHUR	*	*	*	*
BANNER	0	0.0	0	0.0
BLAINE	*	*	*	*
BOONE	17	44.8	10	22.4
BOX BUTTE	30	45.7	14	20.7
BOYD	11	51.0	*	*
BROWN	12	43.1	6	20.8
BUFFALO	99	41.6	36	15.4
BURT	23	39.4	11	15.4
BUTLER	27	40.9	9	12.5
CASS	73	47.2	33	21.6
CEDAR	24	32.5	10	10.3
CHASE	11	35.6	7	20.9
CHERRY	19	39.1	9	17.9
CHEYENNE	18	28.6▽	9	13.0
CLAY	21	46.5	10	20.2
COLFAX	15	26.5▽	8	12.1
CUMING	30	42.7	13	17.7
CUSTER	34	42.6	14	15.2
DAKOTA	49	49.5	16	17.4
DAWES	22	39.3	7	10.4
DAWSON	74	54.2	25	17.4
DEUEL	4	23.6	*	*
DIXON	22	55.6	9	20.0
DODGE	118	47.6	50	19.1
DOUGLAS	1,095	44.7	376	15.3
DUNDY	13	73.7	3	12.1
FILLMORE	17	40.0	6	12.7
FRANKLIN	14	46.3	4	13.4
FRONTIER	11	53.2	3	14.1
FURNAS	22	54.9	10	21.3
GAGE	70	43.0	46	25.6△
GARDEN	7	50.2	3	15.6
GARFIELD	11	77.6	4	16.9
GOSPER	5	39.6	3	18.2
GRANT	*	*	*	*
GREELEY	11	51.0	4	14.7
HALL	170	51.0	62	18.6
HAMILTON	21	30.5	8	10.7
HARLAN	15	50.6	15	51.3△
HAYES	*	*	0	0.0
HITCHCOCK	11	46.9	*	*
HOLT	42	53.3	14	15.7
HOOKER	4	52.5	0	0.0
HOWARD	13	28.5	6	12.6
JEFFERSON	24	43.2	12	18.6

TABLE 5A (continued): Colon & Rectum (Colorectal) Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	17	44.1	9	24.6
KEARNEY	27	62.3	6	9.5
KEITH	38	59.4	13	19.7
KEYA PAHA	3	43.9	*	*
KIMBALL	8	26.7	6	18.5
KNOX	27	36.8	10	12.4
LANCASTER	539	39.0▽	191	13.8
LINCOLN	93	41.4	27	11.2▽
LOGAN	*	*	0	0.0
LOUP	6	109.6	0	0.0
McPHERSON	*	*	*	*
MADISON	118	56.6△	44	20.9
MERRICK	16	29.9	12	20.5
MORRILL	14	40.2	9	24.5
NANCE	17	55.3	9	28.4
NEMAHA	18	36.8	4	8.1
NUCKOLLS	20	54.9	11	22.1
OTOE	49	45.3	11	10.7
PAWNEE	11	39.3	*	*
PERKINS	12	54.1	5	17.2
PHELPS	30	48.0	14	21.0
PIERCE	38	72.0△	10	16.9
PLATTE	90	47.9	38	20.2
POLK	24	59.4	9	18.7
RED WILLOW	31	39.6	15	16.7
RICHARDSON	41	58.6	19	24.2
ROCK	10	77.8	3	31.1
SALINE	61	74.0▲	19	21.5
SARPY	279	42.8	96	16.1
SAUNDERS	58	43.8	23	18.0
SCOTTS BLUFF	108	46.7	48	19.5
SEWARD	49	47.1	11	10.0
SHERIDAN	19	48.7	11	26.1
SHERMAN	11	41.0	*	*
SIOUX	*	*	*	*
STANTON	11	28.3	6	16.5
THAYER	28	57.5	6	9.8
THOMAS	0	0.0	0	0.0
THURSTON	24	73.0	6	17.7
VALLEY	17	48.2	10	28.6
WASHINGTON	53	44.2	17	13.6
WAYNE	25	46.8	6	10.1
WEBSTER	23	63.6	13	32.8
WHEELER	3	45.2	0	0.0
YORK	24	24.0▼	19	19.8

*Number and rate are not shown if based on fewer than three events

Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 6A: Prostate Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	1,009,595	123.2	139,546	20.6
NEBRASKA	6,026	123.6	933	21.6
<u>COUNTY</u>				
ADAMS	107	119.9	15	18.1
ANTELOPE	35	140.3	6	23.6
ARTHUR	*	*	0	0.0
BANNER	0	0.0	0	0.0
BLAINE	*	*	0	0.0
BOONE	40	194.2△	5	22.4
BOX BUTTE	39	112.4	10	34.9
BOYD	11	111.9	*	*
BROWN	22	169.6	3	21.6
BUFFALO	131	119.1	15	15.9
BURT	38	143.9	4	14.7
BUTLER	42	142.7	8	26.1
CASS	88	112.5	14	24.1
CEDAR	28	85.4▽	6	17.3
CHASE	20	144.8	3	20.1
CHERRY	20	95.2	*	*
CHEYENNE	40	132.9	5	17.2
CLAY	31	134.3	6	29.0
COLFAX	35	132.6	9	35.5
CUMING	44	133.1	*	*
CUSTER	40	98.3	14	36.4
DAKOTA	64	131.3	10	28.2
DAWES	29	101.4	10	35.3
DAWSON	72	108.2	18	29.5
DEUEL	10	120.9	*	*
DIXON	35	169.6	3	16.5
DODGE	177	151.3△	26	22.3
DOUGLAS	1,471	127.7	198	21.4
DUNDY	6	69.4	0	0.0
FILLMORE	21	100.6	*	*
FRANKLIN	15	104.9	3	21.2
FRONTIER	12	117.4	*	*
FURNAS	14	71.5▽	*	*
GAGE	81	106.6	19	25.0
GARDEN	10	106.7	*	*
GARFIELD	13	152.2	*	*
GOSPER	12	158.0	*	*
GRANT	4	194.8	0	0.0
GREELEY	16	148.5	0	0.0
HALL	246	159.3▲	29	20.9
HAMILTON	33	115.9	10	36.6
HARLAN	20	132.8	6	39.1
HAYES	5	129.5	*	*
HITCHCOCK	14	117.6	4	34.3
HOLT	65	174.3△	11	27.7
HOOKER	4	131.4	*	*
HOWARD	40	181.7	5	24.0
JEFFERSON	22	77.3▼	7	22.6

TABLE 6A (continued): Prostate Cancer Incidence and Mortality

<u>COUNTY</u>	<u># Cases</u>	<u>Incidence</u>	<u># Deaths</u>	<u>Mortality</u>
		<u>Rate</u>		<u>Rate</u>
JOHNSON	22	128.0	8	50.3
KEARNEY	19	87.1	4	19.6
KEITH	40	122.5	6	20.1
KEYA PAHA	3	76.9	*	*
KIMBALL	17	116.5	*	*
KNOX	45	137.9	5	14.9
LANCASTER	703	105.2	119	21.6
LINCOLN	128	119.0	16	16.5
LOGAN	7	266.2	*	*
LOUP	5	152.1	*	*
McPHERSON	0	0.0	0	0.0
MADISON	163	169.9	22	23.4
MERRICK	42	161.3	*	*
MORRILL	26	151.1	*	*
NANCE	10	70.1	3	25.6
NEMAHA	25	107.1	12	54.5△
NUCKOLLS	31	161.1	6	23.0
OTOE	56	110.4	17	32.1
PAWNEE	15	126.3	6	48.4
PERKINS	12	105.0	3	29.4
PHELPS	30	98.6	11	34.1
PIERCE	30	124.9	3	12.6
PLATTE	133	146.2	15	17.4
POLK	20	107.4	*	*
RED WILLOW	39	110.3	6	17.0
RICHARDSON	35	108.7	8	22.8
ROCK	11	185.0	3	53.2
SALINE	56	141.3	9	22.6
SARPY	382	114.0	48	22.0
SAUNDERS	90	135.3	15	27.2
SCOTTS BLUFF	127	114.5	15	13.8
SEWARD	67	134.5	5	10.5▽
SHERIDAN	30	144.4	9	40.3
SHERMAN	15	121.1	6	40.6
SIOUX	4	69.6	0	0.0
STANTON	11	65.0	4	21.7
THAYER	34	158.3	6	23.1
THOMAS	8	286.1	0	0.0
THURSTON	14	91.9	3	21.4
VALLEY	17	95.2	*	*
WASHINGTON	72	119.5	12	24.7
WAYNE	29	119.5	8	33.6
WEBSTER	24	165.1	*	*
WHEELER	5	144.6	0	0.0
YORK	48	107.9	8	19.0

*Number and rate are not shown if based on fewer than three events

Rates are per 100,000 male population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 7A: Urinary Bladder Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	350,378	20.7	74,949	4.4
NEBRASKA	2,149	20.9	429	4.0
<u>COUNTY</u>				
ADAMS	30	15.0	6	2.4
ANTELOPE	4	6.9▼	*	*
ARTHUR	*	*	*	*
BANNER	0	0.0	0	0.0
BLAINE	0	0.0	0	0.0
BOONE	7	15.3	5	10.5
BOX BUTTE	15	20.6	4	4.5
BOYD	*	*	0	0.0
BROWN	4	11.8	3	8.3
BUFFALO	47	20.5	10	4.6
BURT	10	19.5	*	*
BUTLER	19	29.8	4	6.1
CASS	35	22.8	8	5.2
CEDAR	9	15.6	*	*
CHASE	11	32.8	4	12.3
CHERRY	7	15.6	*	*
CHEYENNE	14	22.3	*	*
CLAY	11	22.6	*	*
COLFAX	9	15.2	*	*
CUMING	8	10.7▽	*	*
CUSTER	20	24.5	8	8.2
DAKOTA	14	13.0▽	8	8.2
DAWES	15	25.2	0	0.0
DAWSON	33	23.4	6	3.8
DEUEL	*	*	*	*
DIXON	0	0.0	0	0.0
DODGE	52	20.0	6	2.0▽
DOUGLAS	566	23.7	116	5.0
DUNDY	3	15.5	*	*
FILLMORE	7	11.9	*	*
FRANKLIN	5	16.4	0	0.0
FRONTIER	3	13.2	*	*
FURNAS	14	31.9	4	8.6
GAGE	35	21.0	11	6.0
GARDEN	5	19.4	*	*
GARFIELD	8	35.8	*	*
GOSPER	7	42.7	0	0.0
GRANT	0	0.0	0	0.0
GREELEY	6	24.7	0	0.0
HALL	76	22.6	21	6.1
HAMILTON	22	36.8	3	5.4
HARLAN	5	15.1	*	*
HAYES	*	*	0	0.0
HITCHCOCK	*	*	*	*
HOLT	14	17.1	*	*
HOOKER	4	52.3	0	0.0
HOWARD	5	10.4▽	*	*
JEFFERSON	12	17.9	6	8.0

TABLE 7A (continued): Urinary Bladder Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	6	16.3	0	0.0
KEARNEY	8	15.6	4	8.2
KEITH	20	29.7	3	4.6
KEYA PAHA	*	*	*	*
KIMBALL	11	34.2	*	*
KNOX	21	26.5	*	*
LANCASTER	250	18.6	54	4.1
LINCOLN	73	31.8▲	8	3.3
LOGAN	3	67.7	0	0.0
LOUP	3	48.4	0	0.0
McPHERSON	*	*	*	*
MADISON	33	15.6	6	2.6
MERRICK	11	21.0	*	*
MORRILL	8	21.6	*	*
NANCE	3	8.8▽	0	0.0
NEMAHA	15	28.5	3	4.8
NUCKOLLS	6	15.4	*	*
OTOE	26	23.8	4	3.2
PAWNEE	7	22.9	0	0.0
PERKINS	10	37.5	*	*
PHELPS	5	9.2▽	4	5.8
PIERCE	9	17.0	*	*
PLATTE	40	20.0	9	4.3
POLK	6	13.8	*	*
RED WILLOW	15	19.4	4	5.0
RICHARDSON	12	17.1	*	*
ROCK	*	*	0	0.0
SALINE	18	22.0	3	4.1
SARPY	138	21.5	22	3.8
SAUNDERS	30	23.1	4	2.9
SCOTTS BLUFF	54	21.5	9	3.4
SEWARD	25	24.4	*	*
SHERIDAN	3	5.5▼	0	0.0
SHERMAN	8	24.9	0	0.0
SIOUX	*	*	0	0.0
STANTON	4	11.2	*	*
THAYER	8	15.8	4	6.4
THOMAS	*	*	0	0.0
THURSTON	8	24.2	0	0.0
VALLEY	4	12.9	3	5.4
WASHINGTON	22	18.4	*	*
WAYNE	9	18.5	*	*
WEBSTER	8	22.6	*	*
WHEELER	0	0.0	0	0.0
YORK	25	25.5	4	3.9

*Number and rate are not shown if based on fewer than three events
Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
▼county rate is significantly lower than the state rate (99% confidence level)
△county rate is significantly higher than the state rate (95% confidence level)
▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 8A: Non-Hodgkin Lymphoma Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	321,620	19.1	101,502	6.0
NEBRASKA	2,099	20.6	649	6.2
<u>COUNTY</u>				
ADAMS	40	21.6	11	5.1
ANTELOPE	12	23.2	6	9.9
ARTHUR	0	0.0	0	0.0
BANNER	0	0.0	0	0.0
BLAINE	0	0.0	0	0.0
BOONE	12	33.2	*	*
BOX BUTTE	19	26.6	5	7.1
BOYD	4	12.0	0	0.0
BROWN	5	16.9	3	9.6
BUFFALO	54	23.2	14	5.8
BURT	9	15.5	3	4.5
BUTLER	7	10.9▽	7	9.5
CASS	36	24.1	12	8.5
CEDAR	5	5.7▼	5	5.1
CHASE	3	8.7▽	*	*
CHERRY	10	28.4	4	8.2
CHEYENNE	19	30.9	3	3.9
CLAY	15	36.3	5	11.5
COLFAX	12	21.3	6	11.3
CUMING	14	20.6	3	3.7
CUSTER	16	19.6	7	8.6
DAKOTA	13	12.6▽	*	*
DAWES	9	15.7	*	*
DAWSON	17	12.9▽	*	*
DEUEL	5	41.8	0	0.0
DIXON	10	23.1	7	17.2
DODGE	48	18.3	17	5.9
DOUGLAS	526	21.1	145	6.1
DUNDY	*	*	*	*
FILLMORE	9	22.3	4	6.3
FRANKLIN	*	*	*	*
FRONTIER	4	18.8	*	*
FURNAS	9	22.8	4	8.5
GAGE	37	22.4	8	4.6
GARDEN	*	*	*	*
GARFIELD	5	25.0	*	*
GOSPER	4	25.7	0	0.0
GRANT	*	*	0	0.0
GREELEY	3	14.9	3	11.7
HALL	91	28.0▲	17	5.2
HAMILTON	16	27.5	6	11.2
HARLAN	6	20.7	3	8.9
HAYES	*	*	*	*
HITCHCOCK	7	29.8	*	*
HOLT	12	17.7	8	8.5
HOOKER	0	0.0	0	0.0
HOWARD	14	32.3	*	*
JEFFERSON	8	14.7	*	*

TABLE 8A (continued): Non-Hodgkin Lymphoma Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	13	33.7	5	10.2
KEARNEY	10	20.2	*	*
KEITH	20	33.7	*	*
KEYA PAHA	*	*	*	*
KIMBALL	7	24.1	3	11.5
KNOX	18	22.4	9	10.0
LANCASTER	236	17.2▽	84	6.2
LINCOLN	60	26.2	12	4.7
LOGAN	*	*	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	*	*	0	0.0
MADISON	37	17.7	16	8.0
MERRICK	8	16.2	0	0.0
MORRILL	*	*	*	*
NANCE	6	25.0	0	0.0
NEMAHA	14	31.2	5	10.1
NUCKOLLS	7	20.5	6	12.2
OTOE	15	12.3▽	7	5.2
PAWNEE	4	15.5	*	*
PERKINS	4	18.2	0	0.0
PHelps	13	18.4	4	4.9
PIERCE	8	18.1	3	5.3
PLATTE	40	21.9	7	3.3
POLK	14	38.4	4	9.5
RED WILLOW	16	20.3	8	9.5
RICHARDSON	19	25.5	7	8.4
ROCK	*	*	3	27.2
SALINE	17	19.6	9	8.8
SARPY	151	21.8	42	7.2
SAUNDERS	27	20.8	10	7.3
SCOTTS BLUFF	45	19.3	19	7.4
SEWARD	23	23.0	9	8.3
SHERIDAN	10	23.0	*	*
SHERMAN	6	22.7	3	9.8
SIOUX	0	0.0	0	0.0
STANTON	0	0.0	0	0.0
THAYER	9	17.2	*	*
THOMAS	4	68.1	0	0.0
THURSTON	4	10.7	0	0.0
VALLEY	5	10.4▽	*	*
WASHINGTON	29	23.6	8	6.4
WAYNE	13	24.4	3	5.4
WEBSTER	10	31.8	3	9.6
WHEELER	0	0.0	0	0.0
YORK	15	16.3	6	6.2

*Number and rate are not shown if based on fewer than three events

Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 9A: Leukemia Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	224,976	13.5	114,853	6.9
NEBRASKA	1,420	14.0	707	6.8
<u>COUNTY</u>				
ADAMS	39	20.1	16	7.9
ANTELOPE	7	11.4	4	6.3
ARTHUR	0	0.0	0	0.0
BANNER	0	0.0	0	0.0
BLAINE	0	0.0	0	0.0
BOONE	8	19.7	4	7.4
BOX BUTTE	3	7.0	4	4.7
BOYD	*	*	0	0.0
BROWN	0	0.0	0	0.0
BUFFALO	29	12.1	19	8.2
BURT	13	22.4	12	21.4Δ
BUTLER	8	14.9	*	*
CASS	24	17.2	9	5.8
CEDAR	6	9.5	7	8.7
CHASE	6	28.1	0	0.0
CHERRY	4	8.8	*	*
CHEYENNE	6	10.7	3	4.9
CLAY	4	10.5	*	*
COLFAX	10	19.6	5	7.5
CUMING	7	9.6	*	*
CUSTER	8	10.5	4	4.0
DAKOTA	16	15.5	8	8.1
DAWES	*	*	*	*
DAWSON	13	10.3	5	3.8
DEUEL	0	0.0	0	0.0
DIXON	6	13.6	5	11.0
DODGE	39	16.2	21	7.6
DOUGLAS	361	14.1	166	6.8
DUNDY	*	*	0	0.0
FILLMORE	8	23.3	3	6.3
FRANKLIN	*	*	*	*
FRONTIER	3	18.0	0	0.0
FURNAS	6	16.1	4	8.8
GAGE	25	15.6	10	5.8
GARDEN	3	16.8	0	0.0
GARFIELD	4	19.6	*	*
GOSPER	3	15.4	3	17.8
GRANT	*	*	*	*
GREELEY	8	35.7	*	*
HALL	49	15.3	19	5.6
HAMILTON	12	20.0	4	7.0
HARLAN	4	20.6	*	*
HAYES	0	0.0	0	0.0
HITCHCOCK	4	25.4	*	*
HOLT	14	20.9	8	11.2
HOOKE	0	0.0	0	0.0
HOWARD	7	15.6	5	10.0
JEFFERSON	10	14.6	4	5.2

TABLE 9A (continued): Leukemia Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	5	14.5	3	6.5
KEARNEY	5	11.9	*	*
KEITH	10	14.4	3	6.2
KEYA PAHA	*	*	0	0.0
KIMBALL	0	0.0	4	11.7
KNOX	9	15.1	9	12.9
LANCASTER	197	14.3	104	7.5
LINCOLN	34	15.8	21	8.8
LOGAN	0	0.0	0	0.0
LOUP	*	*	0	0.0
McPHERSON	*	*	*	*
MADISON	23	11.1	6	3.0▼
MERRICK	11	19.2	3	5.7
MORRILL	3	7.1	*	*
NANCE	3	9.7	*	*
NEMAHA	8	19.5	4	7.6
NUCKOLLS	5	15.3	3	6.1
OTOE	6	5.9	5	5.1
PAWNEE	4	15.8	*	*
PERKINS	*	*	0	0.0
PHELPS	6	11.7	6	10.8
PIERCE	6	11.8	*	*
PLATTE	22	12.5	11	6.3
POLK	5	13.4	*	*
RED WILLOW	16	21.5	10	13.1
RICHARDSON	6	9.2	*	*
ROCK	*	*	*	*
SALINE	11	12.9	7	8.1
SARPY	82	12.3	39	6.0
SAUNDERS	25	19.7	10	7.8
SCOTTS BLUFF	34	13.4	24	9.4
SEWARD	16	15.3	7	6.8
SHERIDAN	6	22.0	5	10.6
SHERMAN	5	20.8	*	*
SIOUX	*	*	*	*
STANTON	*	*	*	*
THAYER	7	15.4	*	*
THOMAS	4	81.8	0	0.0
THURSTON	4	10.8	4	13.5
VALLEY	5	16.3	3	10.0
WASHINGTON	16	14.3	10	8.8
WAYNE	6	16.1	4	9.8
WEBSTER	5	14.8	*	*
WHEELER	0	0.0	0	0.0
YORK	14	16.3	11	11.0

*Number and rate are not shown if based on fewer than three events
Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 10A: Kidney and Renal Pelvis Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	274,334	16.0	67,197	3.9
NEBRASKA	1,706	16.7	472	4.5
<u>COUNTY</u>				
ADAMS	23	12.6	9	4.9
ANTELOPE	11	22.3	3	5.4
ARTHUR	0	0.0	*	*
BANNER	0	0.0	0	0.0
BLAINE	*	*	*	*
BOONE	3	7.5	3	7.5
BOX BUTTE	14	21.7	3	4.6
BOYD	3	31.7	*	*
BROWN	*	*	*	*
BUFFALO	32	13.8	11	4.6
BURT	11	27.0	4	7.3
BUTLER	9	16.1	4	7.1
CASS	28	19.3	10	6.6
CEDAR	9	12.8	3	3.5
CHASE	*	*	0	0.0
CHERRY	4	11.7	*	*
CHEYENNE	9	15.9	0	0.0
CLAY	5	10.7	*	*
COLFAX	10	18.0	3	5.9
CUMING	12	19.1	5	7.7
CUSTER	9	12.6	*	*
DAKOTA	19	17.9	3	2.3
DAWES	3	5.0▼	3	5.2
DAWSON	20	15.2	5	3.6
DEUEL	*	*	*	*
DIXON	*	*	0	0.0
DODGE	55	22.9	14	5.4
DOUGLAS	470	18.6	130	5.3
DUNDY	3	19.0	*	*
FILLMORE	13	29.2	3	6.3
FRANKLIN	4	16.3	*	*
FRONTIER	*	*	0	0.0
FURNAS	8	21.2	*	*
GAGE	33	22.7	6	3.4
GARDEN	*	*	0	0.0
GARFIELD	3	19.1	*	*
GOSPER	*	*	0	0.0
GRANT	*	*	*	*
GREELEY	*	*	0	0.0
HALL	66	21.1	16	4.9
HAMILTON	14	22.4	5	8.3
HARLAN	4	12.1	*	*
HAYES	4	49.4	0	0.0
HITCHCOCK	4	15.2	*	*
HOLT	9	10.6	3	5.4
HOOKER	*	*	0	0.0
HOWARD	4	11.0	*	*
JEFFERSON	11	21.4	*	*

TABLE 10A (continued): Kidney and Renal Pelvis Cancer Incidence and Mortality

COUNTY	Incidence		Mortality	
	# Cases	Rate	# Deaths	Rate
JOHNSON	4	11.2	*	*
KEARNEY	8	17.9	0	0.0
KEITH	9	15.0	4	5.5
KEYA PAHA	*	*	0	0.0
KIMBALL	4	12.8	0	0.0
KNOX	0	11.9	0	0.0
LANCASTER	228	15.8	64	4.7
LINCOLN	40	18.2	14	5.7
LOGAN	3	53.7	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	0	0.0	0	0.0
MADISON	27	13.3	7	2.9
MERRICK	11	19.8	6	10.4
MORRILL	7	18.5	*	*
NANCE	5	23.8	0	0.0
NEMAHA	11	24.1	3	5.4
NUCKOLLS	4	10.7	0	0.0
OTOE	14	12.0	3	2.2
PAWNEE	7	33.5	*	*
PERKINS	*	*	*	*
PHELPS	12	20.1	4	6.7
PIERCE	4	7.8▽	*	*
PLATTE	24	12.6	7	3.4
POLK	7	13.9	4	8.8
RED WILLOW	8	9.3▽	4	3.9
RICHARDSON	16	22.2	*	*
ROCK	*	*	*	*
SALINE	6	8.1▽	3	3.2
SARPY	131	18.2	23	3.1
SAUNDERS	22	16.5	8	5.6
SCOTTS BLUFF	35	15.1	7	2.7
SEWARD	10	10.9	6	5.0
SHERIDAN	7	15.0	0	0.0
SHERMAN	5	19.5	*	*
SIOUX	0	0.0	0	0.0
STANTON	*	*	*	*
THAYER	10	20.1	4	8.9
THOMAS	0	0.0	0	0.0
THURSTON	8	24.4	3	8.1
VALLEY	4	14.8	*	*
WASHINGTON	14	12.4	7	6.0
WAYNE	6	11.2	0	0.0
WEBSTER	5	18.5	0	0.0
WHEELER	*	*	0	0.0
YORK	16	16.5	8	7.7

*Number and rate are not shown if based on fewer than three events
Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
▼county rate is significantly lower than the state rate (99% confidence level)
△county rate is significantly higher than the state rate (95% confidence level)
▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 11A: Melanoma of the Skin Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US	340,070	20.3	46,126	2.7
NEBRASKA	1,925	19.7	311	3.1
<u>COUNTY</u>				
ADAMS	50	30.1△	12	6.4
ANTELOPE	11	24.4	*	*
ARTHUR	0	0.0	0	0.0
BANNER	*	*	0	0.0
BLAINE	0	0.0	0	0.0
BOONE	9	30.3	0	0.0
BOX BUTTE	10	15.3	*	*
BOYD	3	13.9	0	0.0
BROWN	5	27.9	0	0.0
BUFFALO	33	14.7	11	4.7
BURT	11	28.9	*	*
BUTLER	8	16.7	5	8.2
CASS	33	22.5	5	3.0
CEDAR	11	18.9	*	*
CHASE	5	17.7	0	0.0
CHERRY	*	*	*	*
CHEYENNE	10	16.6	0	0.0
CLAY	7	17.1	*	*
COLFAX	12	21.0	*	*
CUMING	8	13.4	*	*
CUSTER	11	15.0	*	*
DAKOTA	17	17.2	9	9.5
DAWES	7	16.9	*	*
DAWSON	20	14.9	4	2.9
DEUEL	*	*	*	*
DIXON	12	36.2	*	*
DODGE	37	15.7	6	2.2
DOUGLAS	546	21.6	78	3.1
DUNDY	8	57.9	0	0.0
FILLMORE	5	16.1	*	*
FRANKLIN	*	*	0	0.0
FRONTIER	3	16.5	0	0.0
FURNAS	9	23.4	0	0.0
GAGE	19	13.8	5	2.6
GARDEN	3	14.5	*	*
GARFIELD	*	*	0	0.0
GOSPER	*	*	0	0.0
GRANT	*	*	0	0.0
GREELEY	*	*	0	0.0
HALL	59	18.7	4	1.1▼
HAMILTON	8	15.7	0	0.0
HARLAN	7	22.0	*	*
HAYES	*	*	0	0.0
HITCHCOCK	7	28.8	*	*
HOLT	11	17.8	*	*
HOOKER	0	0.0	0	0.0
HOWARD	5	10.2	*	*
JEFFERSON	11	21.4	6	8.7

TABLE 11A (continued): Melanoma of the Skin Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	*	*	0	0.0
KEARNEY	7	17.7	3	5.6
KEITH	4	8.6▽	*	*
KEYA PAHA	*	*	0	0.0
KIMBALL	*	*	0	0.0
KNOX	12	22.5	5	8.4
LANCASTER	251	17.9	34	2.6
LINCOLN	33	15.6	7	3.0
LOGAN	*	*	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	*	*	0	0.0
MADISON	50	25.7	*	*
MERRICK	8	15.8	0	0.0
MORRILL	5	13.3	0	0.0
NANCE	*	*	*	*
NEMAHA	6	12.6	*	*
NUCKOLLS	8	25.6	3	8.7
OTOE	11	10.6▽	3	3.1
PAWNEE	4	16.2	3	12.6
PERKINS	4	18.2	*	*
PHELPS	6	9.5▽	*	*
PIERCE	9	21.6	*	*
PLATTE	33	18.8	7	3.8
POLK	4	12.7	*	*
RED WILLOW	12	16.3	*	*
RICHARDSON	10	17.2	3	5.0
ROCK	*	*	0	0.0
SALINE	18	23.3	3	3.7
SARPY	180	24.9△	20	2.9
SAUNDERS	19	15.8	4	3.4
SCOTTS BLUFF	50	22.7	5	2.5
SEWARD	18	17.3	4	3.7
SHERIDAN	5	17.9	3	6.9
SHERMAN	5	17.0	*	*
SIOUX	0	0.0	*	*
STANTON	9	25.8	*	*
THAYER	10	20.4	3	5.0
THOMAS	*	*	0	0.0
THURSTON	*	*	*	*
VALLEY	5	13.5	*	*
WASHINGTON	28	25.4	4	3.7
WAYNE	9	19.8	3	5.4
WEBSTER	8	27.1	*	*
WHEELER	*	*	0	0.0
YORK	22	25.8	3	2.8

*Number and rate are not shown if based on fewer than three events
Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
▼county rate is significantly lower than the state rate (99% confidence level)
△county rate is significantly higher than the state rate (95% confidence level)
▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 12A: Myelodysplastic Syndromes Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska & US (2009-13)

	<u># Cases</u>	<u>Incidence</u> <u>Rate</u>	<u># Deaths</u>	<u>Mortality</u> <u>Rate</u>
US\$	21,488	4.9	31,632	1.9
NEBRASKA	407	4.0	251	2.3
<u>COUNTY</u>				
ADAMS	11	5.4	6	2.9
ANTELOPE	*	*	0	0.0
ARTHUR	0	0.0	0	0.0
BANNER	0	0.0	0	0.0
BLAINE	0	0.0	0	0.0
BOONE	*	*	*	*
BOX BUTTE	*	*	3	4.3
BOYD	0	0.0	0	0.0
BROWN	*	*	*	*
BUFFALO	10	4.2	7	3.0
BURT	*	*	*	*
BUTLER	*	*	*	*
CASS	3	2.2	*	*
CEDAR	0	0.0	4	4.4
CHASE	*	*	*	*
CHERRY	3	6.5	*	*
CHEYENNE	0	0.0	*	*
CLAY	*	*	*	*
COLFAX	*	*	*	*
CUMING	*	*	*	*
CUSTER	4	4.3	3	2.8
DAKOTA	6	6.5	0	0.0
DAWES	0	0.0	0	0.0
DAWSON	8	5.9	4	3.2
DEUEL	0	0.0	*	*
DIXON	0	0.0	0	0.0
DODGE	9	3.1	12	3.6
DOUGLAS	77	3.3	53	2.2
DUNDY	*	*	0	0.0
FILLMORE	0	0.0	0	0.0
FRANKLIN	*	*	0	0.0
FRONTIER	*	*	0	0.0
FURNAS	*	*	0	0.0
GAGE	3	1.6▽	4	2.0
GARDEN	*	*	*	*
GARFIELD	*	*	0	0.0
GOSPER	0	0.0	0	0.0
GRANT	*	*	0	0.0
GREELEY	*	*	*	*
HALL	41	11.7▲	11	3.2
HAMILTON	4	6.5	*	*
HARLAN	0	0.0	*	*
HAYES	*	*	0	0.0
HITCHCOCK	*	*	0	0.0
HOLT	*	*	*	*
HOOKER	*	*	0	0.0
HOWARD	*	*	0	0.0
JEFFERSON	*	*	0	0.0

TABLE 12A (continued): Myelodysplastic Syndromes Incidence and Mortality

COUNTY	Incidence		Mortality	
	# Cases	Rate	# Deaths	Rate
JOHNSON	4	6.5	0	0.0
KEARNEY	*	*	*	*
KEITH	4	5.7	*	*
KEYA PAHA	0	0.0	0	0.0
KIMBALL	*	*	*	*
KNOX	*	*	*	*
LANCASTER	44	3.3	33	2.4
LINCOLN	35	15.7▲	5	2.2
LOGAN	*	*	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	0	0.0	0	0.0
MADISON	*	*	7	3.5
MERRICK	*	*	*	*
MORRILL	*	*	0	0.0
NANCE	3	8.8	*	*
NEMAHA	*	*	3	5.4
NUCKOLLS	0	0.0	*	*
OTOE	4	3.6	*	*
PAWNEE	*	*	0	0.0
PERKINS	0	0.0	0	0.0
PHELPS	4	5.5	0	0.0
PIERCE	*	*	*	*
PLATTE	10	5.5	6	3.0
POLK	*	*	3	5.4
RED WILLOW	5	6.0	*	*
RICHARDSON	5	6.5	*	*
ROCK	0	0.0	0	0.0
SALINE	*	*	4	5.2
SARPY	24	3.9	11	2.1
SAUNDERS	6	4.3	5	3.6
SCOTTS BLUFF	4	1.7▽	9	3.4
SEWARD	6	5.4	5	4.8
SHERIDAN	*	*	*	*
SHERMAN	*	*	0	0.0
SIOUX	0	0.0	0	0.0
STANTON	*	*	0	0.0
THAYER	*	*	*	*
THOMAS	*	*	*	*
THURSTON	*	*	*	*
VALLEY	0	0.0	*	*
WASHINGTON	5	3.4	4	3.1
WAYNE	0	0.0	*	*
WEBSTER	*	*	0	0.0
WHEELER	0	0.0	*	*
YORK	5	5.2	*	*

§US incidence data are from the 18 cancer registries affiliated with the SEER Program, and do not represent the entire US population

*Number and rate are not shown if based on fewer than three events

Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 13A: Cancer Incidence
Number of Cases and Rates, All Sites and Selected Primary Sites, by Place of Residence
 Nebraska and Public Health Department Regions (2009-2013)

	All Sites		Lung & Bronchus		Female Breast		Colon & Rectum		Prostate	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	46,260	454.3	6,113	59.6	6,388	120.8	4,559	44.4	6,026	123.6
Central	2,142	490.9▲	263	58.9	250	110.7	207	45.6	321	153.1▲
Dakota County	454	443.0	74	72.5	55	100.4	49	49.5	64	131.3
Douglas County	12,241	487.5▲	1,717	70.5▲	1,794	131.5△	1,095	44.7	1,471	127.7
East Central	1,369	437.4	169	53.0	190	117.7	139	44.1	218	143.6
Elkhorn Logan Valley	1,558	429.4	200	53.2	207	113.6	182	48.3	256	148.0△
Four Corners	1,262	433.2	141	46.7▼	162	106.6	124	40.2	177	123.7
Lincoln/Lancaster County	6,030	430.9▼	788	58.3	933	125.8	539	39.0▽	703	105.2▼
Loup Basin	995	426.8	124	48.4▽	107	96.8▽	108	44.7	153	127.4
North Central	1,475	430.8	189	50.5▽	165	98.8▽	188	50.6	242	140.9
Northeast	739	389.6▼	90	45.1▼	103	107.6	95	48.4	106	114.3
Panhandle	1,380	402.1▼	182	49.5▽	193	117.4	125	36.1▽	209	120.0
Public Health Solutions	1,808	472.8	252	63.4	234	116.7	200	50.9	214	114.3
Sarpy Cass County	3,954	469.5	512	65.4	594	129.3	352	43.7	470	113.9
Scotts Bluff County	989	427.1	111	45.2▼	139	113.0	108	46.7	127	114.5
South Heartland	1,468	494.0▲	195	62.0	181	123.8	168	52.3	193	132.3
Southeast	1,254	452.8	189	65.5	155	113.3	136	46.5	153	113.6
Southwest	1,304	444.9	168	52.7	159	113.2	150	48.8	162	110.9
Three Rivers	2,331	470.1	326	62.6	323	128.3	229	45.4	339	138.8
Two Rivers	2,332	428.0▽	276	49.0▼	324	117.0	264	47.7	299	112.5
West Central	1,173	474.6	147	58.2	120	94.5▼	101	40.8	149	124.9

TABLE 13A (continued): Cancer Incidence

	Urinary Bladder		Non-Hodgkin Lymphoma		Leukemia		Kidney & Renal Pelvis		Melanoma of the Skin		Myelodysplastic Syndromes	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	2,149	20.9	2,099	20.6	1,420	14.0	1,706	16.7	1,925	19.7	407	4.0
Central	109	24.2	115	26.2	72	16.4	91	21.3	75	17.9	46	9.8▲
Dakota County	14	13.0▽	13	12.6▽	16	15.5	19	17.9	17	17.2	6	6.5
Douglas County	566	23.7	526	21.1	360	14.1	470	18.6	546	21.6	77	3.3
East Central	59	17.8	70	23.2	43	14.5	42	13.7	56	19.4	15	4.7
Elkhorn Logan Valley	55	14.9▽	60	16.4	44	11.8	52	15.0	78	23.4	6	1.5▼
Four Corners	75	24.4	59	20.5	43	15.2	42	14.1	52	18.9	13	4.1
Lincoln/Lancaster County	250	18.6	236	17.2▽	197	14.3	228	15.8	251	17.9	44	3.3
Loup Basin	54	21.2	49	20.0	38	16.1	29	14.0	31	12.7▽	11	4.0
North Central	62	16.0▽	72	20.6	46	13.9	43	12.9	56	19.1	12	3.3
Northeast	26	14.2▽	32	15.4	22	12.0	25	12.9	33	19.5	*	*
Panhandle	74	19.6	74	21.6	25	8.4▽	49	14.6	48	15.1	8	1.8▽
Public Health Solutions	80	19.3	80	20.1	61	15.5	73	19.8	63	18.2	8	2.0▽
Sarpy Cass County	173	21.8	187	22.4	105	13.0	159	18.4	213	24.3△	27	3.6
Scotts Bluff County	54	21.5	45	19.3	34	13.4	35	15.1	50	22.7	4	1.7▽
South Heartland	55	17.0	72	24.2	53	17.6	37	12.8	73	28.1△	14	4.3
Southeast	66	22.2	65	21.6	29	10.9	52	17.9	33	12.4▼	16	5.0
Southwest	79	24.0	67	23.0	48	17.4	42	13.8	53	18.7	17	5.2
Three Rivers	104	20.5	104	20.3	80	16.6	91	18.5	84	18.5	20	3.6
Two Rivers	110	19.6	106	19.1	62	11.7	82	15.2	76	14.5▽	24	4.2
West Central	84	32.9▲	67	26.2	39	16.3	45	18.3	37	15.7	38	15.2▲

▽regional rate is significantly lower than the state rate (95% confidence level)

▼regional rate is significantly lower than the state rate (99% confidence level)

△regional rate is significantly higher than the state rate (95% confidence level)

▲regional rate is significantly higher than the state rate (99% confidence level)

Rates are per 100,000 population (excluding gender-specific sites, which are per 100,000 male or female population) and are age-adjusted to the 2000 US population

TABLE 14A: Cancer Mortality
Number of Deaths and Rates, All Sites and Selected Primary Sites, by Place of Residence
 Nebraska and Public Health Department Regions (2009-2013)

	All Sites		Lung & Bronchus		Female Breast		Colon & Rectum		Prostate	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	17,115	164.1	4,491	43.6	1,133	19.7	1,712	16.3	933	21.6
Central	728	160.4	174	38.6	53	20.7	82	17.8	41	21.6
Dakota County	179	178.5	53	52.5	8	13.6	16	17.4	10	28.2
Douglas County	4,395	179.8▲	1,224	50.9▲	308	22.2	376	15.3	198	21.4
East Central	513	157.6	120	37.4	36	21.6	64	19.8	32	22.1
Elkhorn Logan Valley	613	159.3	155	40.2	46	21.4	74	19.3	31	17.7
Four Corners	514	164.6	105	34.4▽	45	27.1	48	14.8	22	15.3
Lincoln/Lancaster County	2,111	153.6▽	558	41.4	120	15.4▽	191	13.8	119	21.6
Loup Basin	404	155.8	104	40.7	34	28.8	41	15.0	28	23.2
North Central	588	153.4	167	43.8	28	12.3▽	66	16.1	36	20.4
Northeast	311	152.7	68	33.2▽	23	23.2	31	13.9	20	22.0
Panhandle	541	145.5▽	128	34.5▽	35	17.3	64	17.4	40	23.5
Public Health Solutions	721	168.1	171	42.4	42	17.5	89	20.3	43	21.9
Sarpy Cass County	1,355	172.8	389	49.5	89	20.1	129	17.1	62	22.5
Scotts Bluff County	391	159.9	87	35.0	31	23.5	48	19.5	15	13.8
South Heartland	517	156.8	143	44.5	28	16.9	67	19.9	28	19.5
Southeast	519	170.0	136	45.4	20	10.7▽	45	15.0	51	36.7△
Southwest	517	159.9	137	42.7	31	17.8	58	16.7	27	18.6
Three Rivers	901	173.6	251	47.7	59	20.3	90	17.6	53	23.5
Two Rivers	885	156.3	213	37.8	56	19.1	103	17.9	59	24.1
West Central	412	160.3	108	42.5	41	29.2	30	11.2▽	18	16.1

TABLE 14A (continued): Cancer Mortality

	Urinary Bladder		Non-Hodgkin Lymphoma		Leukemia		Kidney & Renal Pelvis		Melanoma of the Skin		Myelodysplastic Syndromes	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	429	4.0	649	6.2	707	6.8	472	4.5	311	3.1	251	2.3
Central	25	5.5	23	5.2	26	5.7	27	6.1	4	0.8▼	14	2.9
Dakota County	8	8.2	*	*	8	8.1	3	2.3	9	9.5	0	0.0
Douglas County	116	5.0	145	6.1	166	6.8	130	5.3	78	3.1	53	2.2
East Central	15	4.3	15	4.8	21	6.6	13	4.0	10	3.0	11	3.0
Elkhorn Logan Valley	11	2.5	22	6.0	20	5.5	18	4.8	5	1.1▼	11	2.7
Four Corners	12	3.8	26	8.0	21	6.7	22	6.8	13	4.2	11	3.2
Lincoln/Lancaster County	54	4.1	84	6.2	104	7.5	64	4.7	34	2.6	33	2.4
Loup Basin	14	4.8	18	6.8	18	6.8	9	3.4	6	2.3	7	2.2
North Central	12	2.8	37	8.9	26	7.1	12	4.1	10	3.4	7	1.8
Northeast	*	*	15	7.1	20	10.4	6	2.8	7	3.2	7	2.9
Panhandle	10	2.4	17	4.6	23	5.8	10	2.8	10	2.9	8	2.0
Public Health Solutions	25	5.7	25	5.3	25	5.7	17	4.0	19	4.4	10	2.3
Sarpy Cass County	30	4.1	54	7.6	48	6.1	33	3.9	25	3.0	12	1.8
Scotts Bluff County	9	3.4	19	7.4	24	9.4	7	2.7	5	2.5	9	3.4
South Heartland	9	2.2	25	7.4	23	6.8	11	3.9	18	6.0	9	2.7
Southeast	9	2.5	26	7.5	15	5.0	11	3.5	10	3.6	5	1.3
Southwest	21	6.1	22	6.5	19	7.0	12	3.9	5	1.5	3	0.8▽
Three Rivers	11	1.9▼	35	6.5	41	7.9	29	5.5	14	2.9	21	3.5
Two Rivers	26	4.6	27	4.6	37	6.8	23	4.1	22	3.8	14	2.4
West Central	10	3.6	12	4.2	22	8.3	15	5.5	7	2.8	6	2.3

*Number and rate are not shown if based on fewer than three deaths

▽regional rate is significantly lower than the state rate (95% confidence level)

▼regional rate is significantly lower than the state rate (99% confidence level)

△regional rate is significantly higher than the state rate (95% confidence level)

▲regional rate is significantly higher than the state rate (99% confidence level)

Rates are per 100,000 population (excluding gender-specific sites, which are per 100,000 male or female population) and are age-adjusted to the 2000 US population

Table 15A. Public Health Department Regions in Nebraska

#	<u>Public Health Department</u>	<u>Jurisdiction, by County</u>
1	Central	Hall, Hamilton, Merrick
2	Dakota County	Dakota
3	Douglas County	Douglas
4	East Central	Boone, Colfax, Nance, Platte
5	Elkhorn Logan Valley	Burt, Cuming, Madison, Stanton
6	Four Corners	Butler, Polk, Seward, York
7	Lincoln-Lancaster County	Lancaster
8	Loup Basin	Blaine, Custer, Garfield, Greeley, Howard, Loup, Sherman, Valley, Wheeler
9	North Central	Antelope, Boyd, Brown, Cherry, Holt, Keya Paha, Knox, Pierce, Rock
10	Northeast Nebraska	Cedar, Dixon, Thurston, Wayne
11	Panhandle	Banner, Box Butte, Cheyenne, Dawes, Deuel, Garden, Grant, Kimball, Morrill, Sheridan, Sioux
12	Public Health Solutions	Fillmore, Gage, Jefferson, Saline, Thayer
13	Sarpy Cass	Cass, Sarpy
14	Scotts Bluff County	Scotts Bluff
15	South Heartland	Adams, Clay, Nuckolls, Webster
16	Southeast	Johnson, Nemaha, Otoe, Pawnee, Richardson
17	Southwest Nebraska	Chase, Dundy, Frontier, Furnas, Hayes, Hitchcock, Keith, Perkins, Red Willow
18	Three Rivers	Dodge, Saunders, Washington
19	Two Rivers	Buffalo, Dawson, Franklin, Gosper, Harlan, Kearney, Phelps
20	West Central	Arthur, Hooker, Lincoln, Logan, McPherson, Thomas

This map illustrates the 169 counties of Nebraska, organized into 11 distinct Public Health Districts. Each district is represented by a unique color and contains a list of its constituent counties. The districts are as follows:

- Panhandle Public Health District (Green):** Sioux, Dawes, Sheridan, Box Butte, Morrill, Garden, Banner, Kimball, Cheyenne, Deuel.
- North Central District Health Dept. (Pink):** Cherry, Keya Paha, Boyd, Brown, Rock, Holt.
- Southwest Nebraska Public Health Dept. (Yellow):** Chase, Hayes, Frontier, Dundy, Hitchcock, Red Willow, Furnas.
- West Central District Health Dept. (Orange):** Grant, Hooker, Thomas, Blaine, Loup, Garfield, Wheeler, Arthur, McPherson, Logan, Custer, Sherman, Howard, Keith, Lincoln, Perkins, Dawson, Buffalo.
- Loup Basin Public Health Dept. (Light Orange):** (Note: This district is geographically located within the West Central District).
- Two Rivers Public Health Dept. (Purple):** Phelps, Kearney, Harlan, Franklin, Gosper.
- Central District Health Dept. (Cyan):** Hall, Hamilton, Adams, Clay.
- South Heartland District Health Dept. (Light Green):** Webster, Nuckolls.
- East Central District Health Dept. (Light Purple):** Boone, Nance, Platte, Merrick, Polk, Butler, York, Seward, Fillmore, Saline.
- Elkhorn Logan Valley Public Health Dept. (Blue):** Madison, Stanton, Cuming, Logan, Burt.
- Four Corners Health Dept. (Orange):** (Note: This district is geographically located within the East Central District).
- Public Health Solutions District Health Dept. (Dark Blue):** Thayer, Jefferson, Gage.
- Nebraska Public Health Dept. (Light Green):** Cedar, Dixon, Thurston, Wayne.
- South Central District Health Dept. (Pink):** Otoe, Southeast, Johnson, Nemaha, Pawnee, Richardson.
- Other Districts:**
 - Scotts' Bluff County Health Dept. (Hatched):** Scotts' Bluff.
 - Dakota County Health Dept. (Hatched):** Dakota.
 - Sarpy Cass Dept. of Health & Wellness (Purple):** Sarpy, Cass.
 - Douglas County Health Dept. (Light Green):** Douglas.
 - Lincoln County Health Dept. (Light Green):** Lincoln.
 - Lancaster County Health Dept. (Light Green):** Lancaster.
 - Washington County Health Dept. (Light Green):** Washington.
 - Three Rivers Public Health Dept. (Light Green):** Three Rivers.
 - Colfax Public Health Dept. (Light Purple):** Colfax.

0 50 100 Miles

*LB 692 passed during the 2001 Legislative Session and provides funds to qualifying local public health departments.

Map updated by:
Public Health GIS Analyst
DHHS GIS 2/15

DHHS
NEBRASKA