

**CANCER INCIDENCE AND MORTALITY IN NEBRASKA
APPENDIX TO 2014 REPORT**

**INCIDENCE AND MORTALITY STATISTICS, BY PLACE OF
RESIDENCE, NEBRASKA, 2010-2014**

	<u>Content</u>	<u>Page</u>
Table 1A	Cancer (All Sites) Incidence Number of Cases and Rates, by County of Residence	1
Table 2A	Cancer (All Sites) Mortality Number of Deaths and Rates, by County of Residence	3
Table 3A	Lung & Bronchus Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	5
Table 4A	Female Breast Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	7
Table 5A	Colon & Rectum (Colorectal) Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	9
Table 6A	Prostate Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	11
Table 7A	Urinary Bladder Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	13
Table 8A	Non-Hodgkin Lymphoma Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	15
Table 9A	Leukemia Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	17
Table 10A	Kidney & Renal Pelvis Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	19
Table 11A	Melanoma of the Skin Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	21
Table 12A	Pancreatic Cancer Incidence & Mortality Number of Cases, Deaths, and Rates, by County of Residence	23
Table 13A	Cancer (All Sites and Selected Primary Sites) Incidence Number of Cases and Rates, by Public Health Department Region	25

Table 14A	Cancer (All Sites and Selected Primary Sites) Mortality Number of Deaths and Rates, by Public Health Department Region	27
Table 15A	Public Health Department Regions in Nebraska	29
	Map of Public Health Department Regions in Nebraska	30

TABLE 1A: Cancer (All Sites) Incidence
Number of Cases and Rates, by County of Residence
 Nebraska (2014 and 2010-2014) & US (2013 and 2009-2013)

	<u>2014</u>		<u>2010-2014</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Cases</u>	<u>Rate</u>
US	1,559,130	439.0	7,800,258	456.6
NEBRASKA	9,514	444.9	47,020	454.4
<u>COUNTY</u>				
ADAMS	155	403.8	912	482.8
ANTELOPE	41	400.6	204	418.8
ARTHUR	3	395.0	10	283.2
BANNER	3	170.6▼	12	154.6▼
BLAINE	3	391.1	18	458.1
BOONE	38	488.5	194	498.5
BOX BUTTE	64	427.5	305	441.1
BOYD	22	643.5	82	437.8
BROWN	15	306.1	101	415.4
BUFFALO	199	406.3	1,014	426.8
BURT	38	368.4	254	488.7
BUTLER	45	366.7	254	431.8
CASS	150	467.0	717	467.7
CEDAR	47	341.2	240	376.9▼
CHASE	27	460.5	125	434.3
CHERRY	34	411.2	161	381.5▽
CHEYENNE	58	470.3	263	435.0
CLAY	29	332.0	200	454.1
COLFAX	44	384.4	228	405.2
CUMING	59	447.1	281	414.5
CUSTER	72	481.5	332	428.2
DAKOTA	78	358.9	437	422.9
DAWES	42	365.5	198	358.8▼
DAWSON	103	365.6▽	549	401.9▼
DEUEL	9	255.3▽	62	391.9
DIXON	43	504.5	193	460.7
DODGE	264	559.6▲	1,235	507.9▲
DOUGLAS	2,572	481.0△	12,421	484.5▲
DUNDY	15	416.8	80	514.5
FILLMORE	41	461.4	210	479.2
FRANKLIN	22	352.5	95	341.9▼
FRONTIER	15	432.3	69	356.5▽
FURNAS	39	490.4	175	449.9
GAGE	126	381.7	714	452.8
GARDEN	21	621.0	80	456.7
GARFIELD	17	506.1	89	515.8
GOSPER	14	494.1	68	459.5
GRANT	4	433.8	12	232.7▼
GREELEY	15	424.3	84	411.6
HALL	292	424.7	1,613	488.6△
HAMILTON	47	375.3	256	429.8
HARLAN	23	390.9	141	499.0
HAYES	*	*	24	310.2▽
HITCHCOCK	15	423.2	98	449.0
HOLT	61	424.6	333	438.3
HOOKER	4	195.4▽	29	404.2
HOWARD	45	469.5	195	446.0
JEFFERSON	53	435.6	265	447.3

TABLE 1A (continued): Cancer (All Sites) Incidence

<u>COUNTY</u>	<u>2014</u>		<u>2010-2014</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Cases</u>	<u>Rate</u>
JOHNSON	29	438.4	158	449.9
KEARNEY	47	574.6	217	504.0
KEITH	65	532.2	315	513.2
KEYA PAHA	5	293.1	24	370.8
KIMBALL	15	285.3▽	118	410.2
KNOX	51	366.7	280	413.9
LANCASTER	1,342	442.0	6,255	434.8▼
LINCOLN	223	478.3	1,099	487.3
LOGAN	4	474.3	31	636.9
LOUP	5	546.4	22	450.3
McPHERSON	*	*	8	195.6▼
MADISON	196	474.2	916	443.4
MERRICK	48	463.9	258	497.5
MORRILL	29	433.8	162	462.9
NANCE	25	495.5	119	435.4
NEMAHA	42	430.0	213	456.7
NUCKOLLS	32	489.6	179	519.6
OTOE	86	377.9	449	421.0
PAWNEE	27	572.6	127	544.8
PERKINS	11	241.6▼	85	374.3
PHELPS	62	490.9	259	427.5
PIERCE	44	484.3	220	458.2
PLATTE	179	456.3	867	454.0
POLK	30	377.8	173	440.5
RED WILLOW	61	403.2	325	429.5
RICHARDSON	66	500.7	315	485.6
ROCK	9	311.5	53	444.8
SALINE	83	522.4	409	505.2
SARPY	711	446.9	3,345	461.9
SAUNDERS	104	395.9	584	439.4
SCOTTS BLUFF	174	374.3▽	956	412.4▼
SEWARD	91	422.8	460	450.2
SHERIDAN	33	466.4	164	418.3
SHERMAN	33	683.8	120	488.6
SIOUX	7	346.5	32	309.3▽
STANTON	24	357.6	132	361.0▼
THAYER	41	472.5	211	477.4
THOMAS	5	679.0	34	691.6
THURSTON	22	322.7	133	397.6
VALLEY	25	361.7	131	387.2
WASHINGTON	124	479.6	610	492.0
WAYNE	58	589.7	236	479.3
WEBSTER	22	395.3	146	489.7
WHEELER	*	*	23	361.9
YORK	87	464.3	409	441.8

*Number and rate are not shown if based on fewer than three cases
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

- ▽county rate is significantly lower than the state rate (95% confidence level)
- ▼county rate is significantly lower than the state rate (99% confidence level)
- △county rate is significantly higher than the state rate (95% confidence level)
- ▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 2A: Cancer (All Sites) Mortality
Number of Deaths and Rates, by County of Residence
 Nebraska (2014 and 2010-2014) & US (2013 and 2009-2013)

	<u>2014</u>		<u>2010-2014</u>	
	<u># Deaths</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	584,881	163.2	2,886,566	168.9
NEBRASKA	3,443	158.2	17,205	162.6
<u>COUNTY</u>				
ADAMS	73	182.2	321	160.1
ANTELOPE	10	109.5	77	136.0
ARTHUR	0	0.0	5	159.9
BANNER	*	*	3	39.7▼
BLAINE	*	*	8	207.5
BOONE	13	184.6	64	158.1
BOX BUTTE	19	131.4	116	163.0
BOYD	9	201.5	30	144.0
BROWN	9	160.9	47	156.6
BUFFALO	68	138.9	352	148.2
BURT	24	208.0	121	208.2△
BUTLER	14	108.3	96	153.2
CASS	64	202.3	300	194.1△
CEDAR	17	107.7	94	118.6▼
CHASE	18	331.5△	60	198.5
CHERRY	11	124.4	63	134.4
CHEYENNE	16	122.7	79	120.9▼
CLAY	16	197.7	68	143.0
COLFAX	13	116.3	87	152.3
CUMING	24	148.8	101	134.0▽
CUSTER	24	127.6	129	145.1
DAKOTA	31	151.0	182	179.7
DAWES	15	130.0	84	136.3
DAWSON	40	141.0	201	142.1
DEUEL	6	157.2	23	118.4
DIXON	10	117.6	69	151.6
DODGE	109	209.1△	488	185.5△
DOUGLAS	862	165.3	4,420	177.5▲
DUNDY	11	298.9	31	163.8
FILLMORE	20	171.9	85	163.4
FRANKLIN	7	123.0	34	123.2
FRONTIER	7	151.0	25	115.5
FURNAS	12	138.7	64	152.9
GAGE	67	202.0	306	180.4
GARDEN	5	99.2	27	116.8
GARFIELD	5	153.2	30	155.7
GOSPER	5	177.8	31	194.0
GRANT	0	0.0	5	177.3
GREELEY	4	101.4	25	108.9▽
HALL	111	159.8	542	159.5
HAMILTON	16	131.0	90	143.3
HARLAN	*	*	59	188.1
HAYES	*	*	11	125.8
HITCHCOCK	9	191.5	46	193.0
HOLT	19	108.4	120	139.1
HOOKER		187.3	8	109.8
HOWARD	11	116.1	68	147.3
JEFFERSON	25	203.9	133	203.2△

TABLE 2A (continued): Cancer Mortality

<u>COUNTY</u>	<u>2014</u>		<u>2010-2014</u>	
	<u># Deaths</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	12	161.4	69	179.8
KEARNEY	15	159.2	69	148.5
KEITH	21	165.8	111	170.5
KEYA PAHA	*	*	7	79.7▼
KIMBALL	7	107.1	62	197.4
KNOX	27	181.7	127	168.1
LANCASTER	453	151.1	2,184	154.7
LINCOLN	86	187.3	395	170.0
LOGAN	*	*	3	53.2▼
LOUP	0	0.0	3	53.8▼
McPHERSON	*	*	5	118.6
MADISON	75	168.8	340	156.4
MERRICK	18	169.1	92	168.1
MORRILL	20	301.1△	62	177.3
NANCE	11	179.6	45	149.3
NEMAHA	14	143.3	85	166.2
NUCKOLLS	10	109.0	62	137.7
OTOE	50	197.4	184	156.2
PAWNEE	11	218.4	48	186.6
PERKINS	3	50.7▼	35	135.0
PHELPS	12	90.0▽	108	163.8
PIERCE	15	135.3	80	153.7
PLATTE	70	172.9	317	161.4
POLK	15	175.1	82	188.0
RED WILLOW	23	134.8	135	162.3
RICHARDSON	26	188.1	135	187.6
ROCK	8	240.3	25	198.0
SALINE	30	184.7	157	184.2
SARPY	229	159.2	1,102	167.2
SAUNDERS	42	142.5	233	169.7
SCOTTS BLUFF	64	129.0	380	154.9
SEWARD	33	148.5	165	151.2
SHERIDAN	9	91.0▽	64	144.5
SHERMAN	8	182.5	41	160.0
SIOUX	*	*	11	102.2
STANTON	6	76.1▽	49	130.7
THAYER	16	136.8	65	114.4▼
THOMAS	3	256.0	4	65.3▼
THURSTON	17	242.7	71	211.7
VALLEY	14	182.2	58	150.3
WASHINGTON	44	164.6	197	157.5
WAYNE	14	130.1	75	145.8
WEBSTER	15	231.5	64	180.2
WHEELER	*	*	5	81.6▽
YORK	34	180.5	166	168.7

*Number and rate are not shown if based on fewer than three deaths
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

- ▽county rate is significantly lower than the state rate (95% confidence level)
- ▼county rate is significantly lower than the state rate (99% confidence level)
- △county rate is significantly higher than the state rate (95% confidence level)
- ▲county rate is significantly higher than the state rate (99% confidence level)

**TABLE 3A: Lung and Bronchus Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska (2010-2014) & US (2009-2013)**

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	1,067,959	62.5	786,896	46.0
NEBRASKA	6,214	59.6	4,486	43.0
<u>COUNTY</u>				
ADAMS	118	60.7	90	45.4
ANTELOPE	25	44.1	23	43.4
ARTHUR	*	*	*	*
BANNER	*	*	0	0.0
BLAINE	3	70.6	3	83.0
BOONE	18	45.8	10	21.3▼
BOX BUTTE	32	43.1	21	28.9▽
BOYD	18	88.0	12	55.7
BROWN	13	48.6	11	38.5
BUFFALO	117	49.9	80	34.0
BURT	38	67.6	34	63.1
BUTLER	30	50.9	19	30.8
CASS	91	60.2	79	51.8
CEDAR	26	36.1▼	15	21.4▼
CHASE	20	66.8	17	55.8
CHERRY	16	36.4▽	13	26.4▽
CHEYENNE	36	56.1	31	47.4
CLAY	25	55.5	17	38.5
COLFAX	23	40.4▽	17	30.8
CUMING	33	46.9	25	34.3
CUSTER	43	50.2	30	34.7
DAKOTA	68	65.4	48	46.9
DAWES	28	45.4	19	30.7
DAWSON	74	52.7	49	33.7
DEUEL	9	49.4	7	37.7
DIXON	28	62.2	15	31.2
DODGE	180	69.8	131	49.4
DOUGLAS	1,729	69.3▲	1,227	49.9▲
DUNDY	6	30.9▽	5	22.1▽
FILLMORE	29	59.3	21	41.9
FRANKLIN	12	47.9	10	44.4
FRONTIER	7	31.2▽	8	40.0
FURNAS	25	60.6	14	34.1
GAGE	104	63.2	68	41.7
GARDEN	8	41.2	4	18.9▽
GARFIELD	11	56.2	8	40.4
GOSPER	7	49.4	9	56.3
GRANT	*	*	*	*
GREELEY	10	45.2	7	29.5
HALL	194	58.2	134	40.0
HAMILTON	36	58.6	24	37.5
HARLAN	13	40.1	10	31.0
HAYES	6	65.4	3	33.3
HITCHCOCK	12	45.8	11	39.7
HOLT	39	45.0	31	38.1
HOOKER	5	52.3	3	52.1
HOWARD	27	55.4	15	30.7
JEFFERSON	36	57.7	30	47.7

TABLE 3A (continued): Lung and Bronchus Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	30	84.6	16	43.0
KEARNEY	29	63.2	20	43.1
KEITH	37	51.6	25	34.5
KEYA PAHA	*	*	*	*
KIMBALL	16	49.5	14	43.0
KNOX	41	57.3	33	45.0
LANCASTER	805	57.9	572	41.4
LINCOLN	150	66.2	110	48.2
LOGAN	4	76.6	0	0.0
LOUP	4	75.9	*	*
McPHERSON	*	*	*	*
MADISON	124	59.1	88	40.4
MERRICK	42	73.9	30	53.4
MORRILL	26	72.7	17	49.5
NANCE	16	53.7	15	51.4
NEMAHA	32	69.6	17	34.1
NUCKOLLS	24	58.9	16	39.5
OTOE	67	60.1	57	51.0
PAWNEE	21	82.0	12	45.2
PERKINS	11	43.7	8	34.3
PHELPS	32	46.8	23	35.2
PIERCE	30	60.5	23	44.6
PLATTE	107	54.7	81	41.8
POLK	33	78.2	23	52.5
RED WILLOW	47	61.3	37	45.9
RICHARDSON	50	69.4	29	39.4
ROCK	8	60.0	4	30.7
SALINE	56	68.0	42	52.0
SARPY	429	64.8	324	49.5
SAUNDERS	92	66.0	62	44.1
SCOTTS BLUFF	107	44.1▽	90	36.6
SEWARD	43	40.9▼	35	32.2
SHERIDAN	21	45.3	17	36.5
SHERMAN	12	47.8	12	43.4
SIOUX	3	25.1▽	3	23.1
STANTON	15	41.9	11	30.2
THAYER	27	60.1	15	28.5
THOMAS	0	0.0	0	0.0
THURSTON	18	54.1	16	46.1
VALLEY	15	41.8	17	44.3
WASHINGTON	73	54.9	49	38.2
WAYNE	22	42.7	16	27.9
WEBSTER	21	61.5	15	40.6
WHEELER	0	0.0	0	0.0
YORK	37	38.8▼	28	29.7▽

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

**TABLE 4A: Female Breast Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska (2010-2014) & US (2009-2013)**

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	1,0117,483	123.4	204,618	21.6
NEBRASKA	6,547	122.0	1,168	20.0
<u>COUNTY</u>				
ADAMS	131	134.1	28	29.3
ANTELOPE	18	80.5▽	4	12.3
ARTHUR	0	0.0	0	0.0
BANNER	*	*	*	24.9
BLAINE	*	*	0	0.0
BOONE	35	152.7	6	26.7
BOX BUTTE	39	103.2	10	23.2
BOYD	11	178.3	*	*
BROWN	11	85.5	*	*
BUFFALO	164	132.5	27	19.5
BURT	25	114.1	10	35.7
BUTLER	43	150.0	6	22.6
CASS	97	122.5	22	25.5
CEDAR	34	107.4	5	9.4▽
CHASE	17	114.1	3	28.1
CHERRY	26	114.9	9	35.9
CHEYENNE	52	174.2△	7	21.5
CLAY	32	145.6	6	20.7
COLFAX	32	114.1	6	18.1
CUMING	34	108.1	5	10.1
CUSTER	36	87.0▽	14	32.9
DAKOTA	54	100.1	10	16.5
DAWES	20	79.6▽	4	10.5
DAWSON	67	98.9	9	14.6
DEUEL	11	156.5	*	*
DIXON	25	113.9	4	15.5
DODGE	165	134.5	29	20.7
DOUGLAS	1,845	132.9△	309	21.9
DUNDY	7	70.8	*	*
FILLMORE	26	108.3	3	9.5
FRANKLIN	19	145.7	*	*
FRONTIER	10	115.4	*	*
FURNAS	23	125.6	4	15.2
GAGE	102	121.1	20	21.7
GARDEN	10	113.2	3	17.4
GARFIELD	5	45.0▼	*	*
GOSPER	8	104.4	0	0.0
GRANT	0	0.0	0	0.0
GREELEY	9	80.9	3	23.0
HALL	177	103.9▽	33	17.1
HAMILTON	26	84.1▽	9	26.4
HARLAN	20	166.0	*	*
HAYES	*	*	0	0.0
HITCHCOCK	8	90.0	3	33.2
HOLT	39	100.6	7	9.6▽
HOOKER	4	115.2	*	*
HOWARD	25	122.0	9	43.9
JEFFERSON	31	95.7	6	16.3

TABLE 4A (continued): Female Breast Cancer Incidence and Mortality

<u>COUNTY</u>	<u># Cases</u>	<u>Incidence</u>		<u># Deaths</u>	<u>Mortality</u>	
			<u>Rate</u>			<u>Rate</u>
JOHNSON	18		107.8	5		19.2
KEARNEY	22		100.8	*		*
KEITH	52		188.0△	10		30.0
KEYA PAHA	4		112.0	0		0.0
KIMBALL	15		114.7	*		*
KNOX	37		117.2	6		18.5
LANCASTER	956		125.9	133		16.4
LINCOLN	106		89.9▼	34		26.9
LOGAN	*		*	*		*
LOUP	*		*	0		0.0
McPHERSON	*		*	*		*
MADISON	119		111.1	20		15.6
MERRICK	35		140.7	10		32.7
MORRILL	16		94.8	*		*
NANCE	16		121.6	*		*
NEMAHA	22		104.8	*		*
NUCKOLLS	18		100.7	*		*
OTOE	70		124.1	3		5.0▼
PAWNEE	14		125.2	*		*
PERKINS	8		60.7▼	3		14.8
PHELPS	39		117.9	9		27.8
PIERCE	25		103.0	*		*
PLATTE	112		114.7	20		20.4
POLK	29		134.6	8		36.0
RED WILLOW	39		105.1	13		28.2
RICHARDSON	38		123.0	6		13.1
ROCK	3		52.2▽	0		0.0
SALINE	49		120.0	14		29.2
SARPY	533		132.8	85		22.4
SAUNDERS	66		99.6	16		20.8
SCOTTS BLUFF	121		98.5▽	25		17.7
SEWARD	58		111.1	12		20.1
SHERIDAN	23		134.7	6		28.7
SHERMAN	15		149.3	6		57.2
SIOUX	7		160.4	*		*
STANTON	24		125.3	6		30.6
THAYER	21		86.2	5		18.6
THOMAS	5		204.7	0		0.0
THURSTON	24		134.8	9		52.4
VALLEY	19		111.7	3		14.0
WASHINGTON	90		136.7	16		22.8
WAYNE	35		151.9	3		15.1
WEBSTER	17		109.2	3		19.0
WHEELER	*		*	0		0.0
YORK	45		92.2▽	15		25.7

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 female population and are age-adjusted to the 2000 US population

- ▽county rate is significantly lower than the state rate (95% confidence level)
- ▼county rate is significantly lower than the state rate (99% confidence level)
- △county rate is significantly higher than the state rate (95% confidence level)
- ▲county rate is significantly higher than the state rate (99% confidence level)

**TABLE 5A: Colon & Rectum (Colorectal) Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska (2010-2014) & US (2009-2013)**

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	692,122	40.6	259,012	15.1
NEBRASKA	4,550	43.7	1,714	16.1
<u>COUNTY</u>			*	*
ADAMS	93	46.0	31	15.5
ANTELOPE	29	61.8	10	15.9
ARTHUR	0	0.0	*	*
BANNER	0	0.0	0	0.0
BLAINE	3	89.9	*	*
BOONE	17	44.8	9	21.2
BOX BUTTE	27	42.3	16	24.3
BOYD	11	53.5	*	*
BROWN	13	47.3	7	23.1
BUFFALO	104	43.7	37	16.0
BURT	19	33.3	10	13.8
BUTLER	26	39.2	9	12.8
CASS	66	42.1	32	20.2
CEDAR	29	41.8	12	13.8
CHASE	10	38.7	7	21.1
CHERRY	22	45.1	7	13.0
CHEYENNE	20	31.0	10	14.6
CLAY	14	28.7	6	11.8
COLFAX	16	26.9▽	5	8.6
CUMING	38	55.4	11	13.5
CUSTER	32	40.1	10	10.2
DAKOTA	44	43.3	17	18.3
DAWES	18	33.6	8	12.9
DAWSON	73	52.4	28	20.3
DEUEL	3	17.6▽	*	*
DIXON	24	60.2	8	17.6
DODGE	118	47.0	52	19.9
DOUGLAS	1,060	42.2	383	15.3
DUNDY	11	64.0	5	24.0
FILLMORE	20	46.7	3	7.4
FRANKLIN	13	42.7	5	15.9
FRONTIER	10	48.5	*	*
FURNAS	23	57.3	11	24.3
GAGE	69	41.7	41	23.0
GARDEN	9	56.5	3	14.1
GARFIELD	11	79.8	4	16.6
GOSPER	4	24.5	4	24.9
GRANT	*	*	*	*
GREELEY	7	31.2	*	*
HALL	169	49.8	53	15.3
HAMILTON	23	34.5	7	9.8
HARLAN	15	50.2	12	41.5△
HAYES	*	*	0	0.0
HITCHCOCK	10	43.3	3	10.1
HOLT	41	53.1	14	15.4
HOOKER	3	36.4	0	0.0
HOWARD	16	35.7	5	10.3
JEFFERSON	26	43.6	13	21.4

TABLE 5A (continued): Colon & Rectum (Colorectal) Cancer Incidence and Mortality

COUNTY	Incidence		Mortality	
	# Cases	Rate	# Deaths	Rate
JOHNSON	21	56.0	9	24.0
KEARNEY	30	69.6	6	9.5
KEITH	35	55.3	15	25.2
KEYA PAHA	3	44.3	*	*
KIMBALL	9	27.8	4	12.0
KNOX	20	26.8▽	11	13.6
LANCASTER	585	41.2	203	14.5
LINCOLN	90	38.4	30	12.4
LOGAN	*	*	0	0.0
LOUP	*	*	0	0.0
McPHERSON	0	0.0	*	*
MADISON	112	53.7	47	22.3
MERRICK	17	32.0	11	18.9
MORRILL	16	46.8	8	23.6
NANCE	18	58.4	8	24.1
NEMAHA	18	35.8	5	10.1
NUCKOLLS	24	77.5△	12	24.8
OTOE	49	44.5	16	13.9
PAWNEE	12	46.2	4	13.4
PERKINS	11	50.4	4	14.8
PHELPS	31	49.7	13	19.2
PIERCE	35	69.7△	9	14.9
PLATTE	97	51.2	46	23.8
POLK	24	64.3	11	24.1
RED WILLOW	30	38.5	12	12.8
RICHARDSON	36	50.8	16	24.4
ROCK	11	88.9	*	*
SALINE	60	72.0▲	20	23.6
SARPY	293	42.8	97	15.2
SAUNDERS	47	34.3	15	11.1
SCOTTS BLUFF	99	42.3	50	20.4
SEWARD	49	46.7	14	13.2
SHERIDAN	20	54.8	8	20.6
SHERMAN	12	44.6	*	*
SIOUX	3	27.0	*	*
STANTON	11	29.3	4	10.5
THAYER	29	60.0	6	8.6
THOMAS	*	*	0	0.0
THURSTON	23	70.3	8	24.0
VALLEY	22	60.7	8	23.7
WASHINGTON	53	44.1	19	14.9
WAYNE	27	48.6	7	11.7
WEBSTER	15	41.6	12	31.5
WHEELER	5	82.5	0	0.0
YORK	29	29.4▽	20	21.2

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
 ▼county rate is significantly lower than the state rate (99% confidence level)
 △county rate is significantly higher than the state rate (95% confidence level)
 ▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 6A: Prostate Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska (2010-2014) & US (2009-2013)

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	1,009,595	123.2	139,546	20.6
NEBRASKA	5,981	119.7	914	20.8
<u>COUNTY</u>				
ADAMS	105	115.7	14	16.1
ANTELOPE	33	133.0	7	27.6
ARTHUR	*	*	0	0.0
BANNER	0	0.0	0	0.0
BLAINE	*	*	0	0.0
BOONE	33	158.0	4	18.3
BOX BUTTE	46	124.6	10	35.1
BOYD	10	100.8	*	*
BROWN	18	138.9	*	*
BUFFALO	121	106.5	11	11.7▽
BURT	45	168.7	4	14.7
BUTLER	42	141.4	9	28.8
CASS	95	118.0	13	21.1
CEDAR	29	87.8	6	17.0
CHASE	20	145.2	3	19.4
CHERRY	20	95.6	*	*
CHEYENNE	43	138.8	4	14.0
CLAY	30	127.7	6	28.0
COLFAX	27	98.5	4	16.0
CUMING	45	135.6	3	7.7▽
CUSTER	36	89.4	13	34.0
DAKOTA	61	122.4	11	30.0
DAWES	23	83.0▽	7	24.0
DAWSON	68	103.9	17	27.9
DEUEL	10	120.8	*	*
DIXON	32	150.0	*	*
DODGE	180	153.1△	25	21.0
DOUGLAS	1,454	123.2	212	22.4
DUNDY	7	86.3	*	*
FILLMORE	21	101.0	*	*
FRANKLIN	10	70.3▽	5	36.1
FRONTIER	9	87.3	*	*
FURNAS	13	64.7▼	*	*
GAGE	81	105.2	18	23.6
GARDEN	11	115.9	*	*
GARFIELD	12	133.7	*	*
GOSPER	9	120.6	*	*
GRANT	3	123.8	0	0.0
GREELEY	15	139.8	0	0.0
HALL	238	148.1△	28	19.7
HAMILTON	31	108.4	6	22.4
HARLAN	24	155.8	5	32.7
HAYES	4	102.6	*	*
HITCHCOCK	8	69.0▽	3	25.8
HOLT	61	160.1	8	20.3
HOOKER	*	*	0	0.0
HOWARD	32	142.5	5	23.0
JEFFERSON	28	102.0	6	19.8

TABLE 6A (continued): Prostate Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	15	83.4	8	49.8
KEARNEY	23	105.6	4	19.7
KEITH	40	124.1	6	18.9
KEYA PAHA	3	77.1	*	*
KIMBALL	14	92.4	3	21.9
KNOX	40	122.0	5	14.8
LANCASTER	746	107.7▽	125	22.0
LINCOLN	134	123.9	17	16.9
LOGAN	7	256.2	*	*
LOUP	3	114.3	0	0.0
McPHERSON	0	0.0	0	0.0
MADISON	156	159.7▲	19	19.8
MERRICK	48	181.7△	*	*
MORRILL	23	136.4	3	18.7
NANCE	12	90.7	*	*
NEMAHA	26	115.1	10	46.5
NUCKOLLS	33	171.7	6	21.9
OTOE	54	104.0	16	30.1
PAWNEE	20	168.6	6	49.8
PERKINS	12	106.8	3	28.8
PHELPS	24	78.4▽	9	27.3
PIERCE	31	129.7	3	12.5
PLATTE	124	133.6	15	16.5
POLK	18	92.7	*	*
RED WILLOW	39	108.3	7	19.2
RICHARDSON	34	104.7	11	31.6
ROCK	8	135.6	3	49.8
SALINE	48	121.3	8	20.1
SARPY	383	107.2	53	22.7
SAUNDERS	90	132.2	14	24.9
SCOTTS BLUFF	117	104.8	9	8.7▼
SEWARD	72	142.4	6	12.4
SHERIDAN	31	145.2	7	31.7
SHERMAN	14	112.6	4	26.3
SIOUX	6	110.8	0	0.0
STANTON	23	129.2	4	21.1
THAYER	33	152.1	4	13.6
THOMAS	9	324.5	*	*
THURSTON	10	63.8▼	3	21.4
VALLEY	19	108.4	*	*
WASHINGTON	78	123.1	11	22.6
WAYNE	38	151.8	5	21.4
WEBSTER	19	129.9	0	0.0
WHEELER	5	162.0	0	0.0
YORK	54	120.0	8	18.5

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 male population and are age-adjusted to the 2000 US population

- ▽county rate is significantly lower than the state rate (95% confidence level)
- ▼county rate is significantly lower than the state rate (99% confidence level)
- △county rate is significantly higher than the state rate (95% confidence level)
- ▲county rate is significantly higher than the state rate (99% confidence level)

**TABLE 7A: Urinary Bladder Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska (2010-2014) & US (2009-2013)**

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	350,378	20.7	74,949	4.4
NEBRASKA	2,190	20.9	435	4.0
<u>COUNTY</u>				
ADAMS	34	16.9	5	2.4
ANTELOPE	6	10.1▽	0	0.0
ARTHUR	*	*	*	*
BANNER	0	0.0	0	0.0
BLAINE	*	*	0	0.0
BOONE	5	10.5▽	3	7.0
BOX BUTTE	19	26.1	4	4.5
BOYD	3	14.3	*	*
BROWN	3	8.3▽	3	8.4
BUFFALO	56	23.7	8	3.6
BURT	14	26.3	*	*
BUTLER	21	32.2	4	6.0
CASS	38	23.8	8	5.1
CEDAR	11	18.8	*	*
CHASE	11	30.9	5	14.8
CHERRY	8	17.2	*	*
CHEYENNE	8	12.5	*	*
CLAY	7	14.9	*	*
COLFAX	10	17.2	*	*
CUMING	7	9.4▼	*	*
CUSTER	20	23.8	7	7.2
DAKOTA	12	11.1▼	5	4.7
DAWES	15	24.9	0	0.0
DAWSON	35	24.6	7	4.5
DEUEL	*	*	*	*
DIXON	3	6.3▼	0	0.0
DODGE	55	21.0	6	2.0▽
DOUGLAS	574	23.7	109	4.6
DUNDY	4	22.1	*	*
FILLMORE	8	15.1	*	*
FRANKLIN	6	19.6	0	0.0
FRONTIER	*	*	*	*
FURNAS	13	29.6	4	9.6
GAGE	40	23.4	12	6.6
GARDEN	4	14.7	0	0.0
GARFIELD	5	24.7	*	*
GOSPER	5	29.6	*	*
GRANT	0	0.0	0	0.0
GREELEY	5	19.6	0	0.0
HALL	69	20.0	20	6.0
HAMILTON	22	35.4	*	*
HARLAN	3	9.0▽	*	*
HAYES	*	*	0	0.0
HITCHCOCK	*	*	*	*
HOLT	15	18.3	*	*
HOOKER	4	52.2	0	0.0
HOWARD	7	14.1	*	*
JEFFERSON	13	20.4	4	5.3

TABLE 7A (continued): Urinary Bladder Cancer Incidence and Mortality

COUNTY	# Cases	Incidence		# Deaths	Mortality	
			Rate			Rate
JOHNSON	5		13.7	0		0.0
KEARNEY	5		9.5▽	3		5.9
KEITH	17		25.3	4		6.1
KEYA PAHA	*		*	*		*
KIMBALL	10		30.6	*		*
KNOX	19		23.7	*		*
LANCASTER	255		18.2	59		4.4
LINCOLN	71		30.3△	10		4.1
LOGAN	*		*	0		0.0
LOUP	3		53.3	0		0.0
McPHERSON	0		0.0	*		*
MADISON	26		12.3▼	5		2.1
MERRICK	11		21.0	0		0.0
MORRILL	9		24.9	3		8.4
NANCE	3		8.0▽	0		0.0
NEMAHA	14		27.4	3		4.8
NUCKOLLS	10		24.7	*		*
OTOE	25		21.6	5		3.7
PAWNEE	8		27.2	*		*
PERKINS	11		41.9	*		*
PHELPS	5		9.3▽	4		5.9
PIERCE	10		19.6	*		*
PLATTE	46		23.1	7		3.1
POLK	6		14.0	*		*
RED WILLOW	14		15.9	4		5.0
RICHARDSON	15		20.1	*		*
ROCK	3		22.6	0		0.0
SALINE	17		21.0	3		4.0
SARPY	141		21.0	28		4.7
SAUNDERS	27		20.6	6		4.2
SCOTTS BLUFF	56		22.2	11		4.4
SEWARD	32		30.2	4		3.5
SHERIDAN	3		6.2▼	0		0.0
SHERMAN	8		23.8	0		0.0
SIOUX	*		*	0		0.0
STANTON	11		29.6	*		*
THAYER	9		17.0	4		6.4
THOMAS	*		*	0		0.0
THURSTON	5		15.0	*		*
VALLEY	5		15.7	*		*
WASHINGTON	27		21.5	*		*
WAYNE	10		21.6	*		*
WEBSTER	8		23.1	3		8.2
WHEELER	*		*	0		0.0
YORK	19		19.4	5		4.9

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
 ▼county rate is significantly lower than the state rate (99% confidence level)
 △county rate is significantly higher than the state rate (95% confidence level)
 ▲county rate is significantly higher than the state rate (99% confidence level)

**TABLE 8A: Non-Hodgkin Lymphoma Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska (2010-2014) & US (2009-2013)**

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	321,620	19.1	101,502	6.0
NEBRASKA	2,112	20.5	645	6.1
<u>COUNTY</u>				
ADAMS	40	21.1	12	5.4
ANTELOPE	10	19.5	5	8.1
ARTHUR	0	0.0	0	0.0
BANNER	*	12.5	0	0.0
BLAINE	*	32.1	0	0.0
BOONE	7	20.4	*	*
BOX BUTTE	18	24.4	4	6.3
BOYD	6	22.1	0	0.0
BROWN	6	20.8	3	10.1
BUFFALO	47	19.8	12	5.0
BURT	8	14.2	3	4.5
BUTLER	9	13.9	4	5.3
CASS	33	21.5	12	8.2
CEDAR	10	12.4	4	4.2
CHASE	*	6.7	3	8.7
CHERRY	9	25.9	3	6.4
CHEYENNE	13	21.4	4	5.7
CLAY	14	32.7	4	8.4
COLFAX	11	20.0	6	11.5
CUMING	16	22.0	4	5.0
CUSTER	14	16.3	7	8.6
DAKOTA	13	12.6▽	*	*
DAWES	10	17.3	3	4.4
DAWSON	21	15.9	*	*
DEUEL	4	26.8	0	0.0
DIXON	10	23.4	6	12.0
DODGE	47	18.1	16	5.9
DOUGLAS	545	21.5	148	6.1
DUNDY	3	31.7	*	*
FILLMORE	9	22.7	5	8.6
FRANKLIN	4	12.8	*	*
FRONTIER	5	23.0	*	*
FURNAS	9	26.0	3	6.1
GAGE	37	22.3	12	6.7
GARDEN	4	30.3	*	*
GARFIELD	9	42.7	3	14.6
GOSPER	4	28.7	0	0.0
GRANT	*	35.7	0	0.0
GREELEY	4	28.3	3	11.6
HALL	80	24.4	17	4.8
HAMILTON	14	25.1	8	14.5
HARLAN	4	14.4	4	14.2
HAYES	*	17.9	0	0.0
HITCHCOCK	5	22.2	*	*
HOLT	12	16.1	9	9.8
HOOKER	*	20.5	0	0.0
HOWARD	10	23.8	3	5.9
JEFFERSON	8	14.9		3.1

TABLE 8A (continued): Non-Hodgkin Lymphoma Incidence and Mortality

COUNTY	Incidence		Mortality	
	# Cases	Rate	# Deaths	Rate
JOHNSON	12	31.3	6	13.3
KEARNEY	15	31.7	3	6.3
KEITH	23	38.3△	4	5.7
KEYA PAHA	*	11.7	*	*
KIMBALL	4	14.7	*	*
KNOX	14	17.2	7	7.5
LANCASTER	233	16.5▼	70	4.9
LINCOLN	65	28.7△	14	5.4
LOGAN	*	35.4	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	*	23.4	0	0.0
MADISON	37	17.3	15	7.1
MERRICK	11	21.5	*	*
MORRILL	3	7.6▼	*	*
NANCE	8	26.9	0	0.0
NEMAHA	14	30.6	4	8.4
NUCKOLLS	7	25.4	5	10.8
OTOE	17	14.7	10	7.5
PAWNEE	4	16.1	*	*
PERKINS	5	20.3	0	0.0
PHELPS	15	21.1	4	4.8
PIERCE	7	16.3	4	7.4
PLATTE	44	24.3	9	4.2
POLK	13	35.8	5	12.3
RED WILLOW	17	21.8	5	6.0
RICHARDSON	19	25.5	7	8.3
ROCK	*	9.6	*	*
SALINE	23	26.9	6	6.2
SARPY	146	19.9	43	6.8
SAUNDERS	23	18.1	8	5.9
SCOTTS BLUFF	45	20.0	21	8.3
SEWARD	23	22.8	9	8.4
SHERIDAN	12	26.1	0	0.0
SHERMAN	6	21.6	3	9.2
SIOUX	*	9.7	0	0.0
STANTON	*	5.9	0	0.0
THAYER	10	18.4	3	5.2
THOMAS	4	68.8	0	0.0
THURSTON	4	10.7	*	*
VALLEY	7	16.9	*	*
WASHINGTON	29	23.6	10	7.8
WAYNE	14	26.4	3	5.2
WEBSTER	8	27.1	3	9.4
WHEELER	0	0.0	0	0.0
YORK	11	11.1▽	5	5.1

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)

▼county rate is significantly lower than the state rate (99% confidence level)

△county rate is significantly higher than the state rate (95% confidence level)

▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 9A: Leukemia Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska (2010-2014) & US (2009-2013)

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	224,976	13.5	114,853	6.9
NEBRASKA	1,486	14.5	738	7.0
<u>COUNTY</u>				
ADAMS	33	16.9	15	7.0
ANTELOPE	8	12.4	3	4.4
ARTHUR	3	84.5	0	0.0
BANNER	0	0.0	0	0.0
BLAINE	0	0.0	0	0.0
BOONE	5	14.0	3	6.1
BOX BUTTE	4	9.5	*	*
BOYD	*	15.2	0	0.0
BROWN	*	9.1	0	0.0
BUFFALO	26	10.6	17	7.1
BURT	13	23.0	11	18.6Δ
BUTLER	7	13.5	*	*
CASS	26	18.7	10	6.5
CEDAR	6	9.7	7	8.8
CHASE	7	29.8	*	*
CHERRY	3	6.6	*	*
CHEYENNE	4	7.5	*	*
CLAY	4	9.1	0	0.0
COLFAX	11	20.9	6	10.5
CUMING	10	15.2	*	*
CUSTER	11	14.7	5	5.2
DAKOTA	15	14.2	10	9.9
DAWES	*	3.4	*	*
DAWSON	13	9.8	6	4.2
DEUEL	0	0.0	0	0.0
DIXON	6	17.2	4	9.3
DODGE	45	19.2	27	9.4
DOUGLAS	379	14.7	165	6.7
DUNDY	3	14.7	0	0.0
FILLMORE	10	22.9	*	*
FRANKLIN	4	12.4	*	*
FRONTIER	5	26.7	*	*
FURNAS	6	11.8	5	11.2
GAGE	27	17.4	10	6.2
GARDEN	*	11.7	0	0.0
GARFIELD	4	19.7	*	*
GOSPER	3	22.7	*	*
GRANT	0	0.0	*	*
GREELEY	6	26.5	*	*
HALL	59	18.1	23	6.8
HAMILTON	12	20.0	4	7.0
HARLAN	4	14.2	*	*
HAYES	0	0.0	0	0.0
HITCHCOCK	4	17.3	3	22.6
HOLT	9	14.7	7	10.6
HOOKER	0	0.0	0	0.0
HOWARD	8	16.3	4	8.3
JEFFERSON	9	12.2	5	6.3

TABLE 9A (continued): Leukemia Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	3	10.1	*	*
KEARNEY	6	14.0	*	*
KEITH	14	19.4	4	7.3
KEYA PAHA	*	22.8	0	0.0
KIMBALL	*	3.3	4	11.9
KNOX	8	14.0	10	14.3
LANCASTER	206	14.6	113	8.1
LINCOLN	41	18.8	21	8.7
LOGAN	0	0.0	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	*	24.8	*	*
MADISON	21	9.7	7	3.3▽
MERRICK	11	21.8	3	7.2
MORRILL	5	12.3	3	7.5
NANCE	3	9.5	*	*
NEMAHA	9	21.7	4	7.6
NUCKOLLS	4	13.4	3	6.1
OTOE	9	8.3▽	7	6.5
PAWNEE	3	12.0	*	*
PERKINS	*	7.9	0	0.0
PHELPS	8	14.8	7	11.7
PIERCE	6	11.8	*	*
PLATTE	22	12.2	13	7.3
POLK	6	18.0	3	7.6
RED WILLOW	15	19.7	8	10.4
RICHARDSON	9	13.1	4	5.1
ROCK	*	9.6	*	*
SALINE	10	12.5	7	7.8
SARPY	82	11.6	42	6.4
SAUNDERS	27	20.9	13	9.8
SCOTTS BLUFF	39	15.8	30	11.5
SEWARD	18	16.8	7	6.6
SHERIDAN	5	19.9	3	6.5
SHERMAN	4	17.7	*	*
SIOUX	0	0.0	*	*
STANTON	0	0.0	*	*
THAYER	7	15.1	*	*
THOMAS	3	70.8	*	*
THURSTON	4	11.1	3	8.6
VALLEY	8	26.1	3	10.2
WASHINGTON	21	19.1	11	9.5
WAYNE	6	15.8	4	9.6
WEBSTER	5	16.1	3	8.2
WHEELER	0	0.0	*	*
YORK	13	15.1	9	8.9

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
 ▼county rate is significantly lower than the state rate (99% confidence level)
 △county rate is significantly higher than the state rate (95% confidence level)
 ▲county rate is significantly higher than the state rate (99% confidence level)

**TABLE 10A: Kidney and Renal Pelvis Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska (2010-2014) & US (2009-2013)**

	<u># Cases</u>	<u>Incidence</u>		<u># Deaths</u>	<u>Mortality</u>	
			<u>Rate</u>			<u>Rate</u>
US	274,334		16.0	67,197		3.9
NEBRASKA	1,730		16.7	474		4.4
<u>COUNTY</u>						
ADAMS	21		10.6▽	11		6.0
ANTELOPE	8		14.6	3		5.4
ARTHUR	0		0.0	*		*
BANNER	0		0.0	0		0.0
BLAINE	*		*	*		*
BOONE	6		13.3	*		*
BOX BUTTE	11		16.1	4		5.7
BOYD	3		18.9	*		*
BROWN	*		*	*		*
BUFFALO	33		14.4	10		4.3
BURT	11		27.2	5		10.3
BUTLER	11		19.3	4		6.9
CASS	27		17.7	11		7.0
CEDAR	9		13.4	4		5.2
CHASE	*		*	0		0.0
CHERRY	3		6.6▽	*		*
CHEYENNE	7		11.6	*		*
CLAY	4		8.7	0		0.0
COLFAX	11		20.2	*		*
CUMING	15		26.2	4		6.0
CUSTER	13		17.4	*		*
DAKOTA	22		21.1	*		*
DAWES	4		6.3▼	*		*
DAWSON	22		16.4	4		2.8
DEUEL	*		*	*		*
DIXON	3		6.3▽	0		0.0
DODGE	51		21.5	19		7.3
DOUGLAS	475		18.4	119		4.8
DUNDY	4		25.1	*		*
FILLMORE	10		22.0	5		9.5
FRANKLIN	4		16.6	*		*
FRONTIER	3		12.9	0		0.0
FURNAS	7		18.8	*		*
GAGE	32		21.2	11		6.5
GARDEN	*		*	0		0.0
GARFIELD	3		19.6	*		*
GOSPER	*		*	0		0.0
GRANT	0		0.0	0		0.0
GREELEY	*		*	0		0.0
HALL	59		18.6	18		5.5
HAMILTON	14		21.1	*		*
HARLAN	4		11.9	*		*
HAYES	*		*	0		0.0
HITCHCOCK	3		11.3	*		*
HOLT	8		9.7	3		3.8
HOOKER	*		*	0		0.0
HOWARD	6		14.5	3		6.2
JEFFERSON	13		26.1			1.5

TABLE 10A (continued): Kidney and Renal Pelvis Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON		2.9	0	0.0
KEARNEY	7	15.1	0	0.0
KEITH	11	17.8	5	6.8
KEYA PAHA	*	*	0	0.0
KIMBALL	3	9.5	*	*
KNOX	9	12.1	*	*
LANCASTER	230	15.6	69	4.9
LINCOLN	46	20.5	14	5.8
LOGAN	*	*	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	*	*	0	0.0
MADISON	26	12.7	9	3.8
MERRICK	12	21.3	5	8.5
MORRILL	6	16.7	3	7.5
NANCE	6	26.9	*	*
NEMAHA	9	20.2	3	5.5
NUCKOLLS	5	18.8	0	0.0
OTOE	17	14.6	5	3.6
PAWNEE	8	38.5	*	*
PERKINS	*	*	*	*
PHELPS	13	21.3	4	6.7
PIERCE	7	13.1	0	0.0
PLATTE	27	13.9	6	3.0
POLK	5	10.1	5	9.6
RED WILLOW	8	9.7	*	*
RICHARDSON	12	16.7	3	4.2
ROCK	*	*	*	*
SALINE	12	16.5	3	2.9
SARPY	127	16.7	22	2.8▽
SAUNDERS	24	18.0	6	4.3
SCOTTS BLUFF	38	17.2	6	2.3
SEWARD	13	11.1	6	4.6
SHERIDAN	9	20.9	0	0.0
SHERMAN	6	26.4	*	*
SIOUX	*	*	0	0.0
STANTON	3	8.9	*	*
THAYER	7	14.7	*	*
THOMAS	0	0.0	0	0.0
THURSTON	7	21.8	5	13.6
VALLEY	3	12.2	0	0.0
WASHINGTON	17	14.5	6	5.1
WAYNE	8	15.4	*	*
WEBSTER	5	17.4	0	0.0
WHEELER	*	*	0	0.0
YORK	19	21.1	7	6.7

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

- ▽county rate is significantly lower than the state rate (95% confidence level)
- ▼county rate is significantly lower than the state rate (99% confidence level)
- △county rate is significantly higher than the state rate (95% confidence level)
- ▲county rate is significantly higher than the state rate (99% confidence level)

**TABLE 11A: Melanoma of the Skin Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
Nebraska (2010-2014) & US (2009-2013)**

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	340,070	20.3	46,126	2.7
NEBRASKA	2,064	20.6	300	2.9
<u>COUNTY</u>				
ADAMS	46	27.9	13	7.1
ANTELOPE	11	27.4	*	*
ARTHUR	0	0.0	0	0.0
BANNER	*	*	0	0.0
BLAINE	0	0.0	0	0.0
BOONE	8	27.0	0	0.0
BOX BUTTE	13	20.6	*	*
BOYD	*	*	0	0.0
BROWN	5	28.3	0	0.0
BUFFALO	38	16.2	9	3.9
BURT	10	27.4	*	*
BUTLER	8	14.3	3	5.2
CASS	38	25.9	4	2.3
CEDAR	10	17.6	*	*
CHASE	3	9.9	0	0.0
CHERRY	3	5.9▼	0	0.0
CHEYENNE	10	17.9	0	0.0
CLAY	7	17.9	*	*
COLFAX	14	25.4	*	*
CUMING	11	16.7	*	*
CUSTER	15	19.4	0	0.0
DAKOTA	22	22.1	8	8.5
DAWES	14	30.1	*	*
DAWSON	17	12.1▽	*	*
DEUEL	*	*	*	*
DIXON	10	27.2	*	*
DODGE	43	19.1	6	2.0
DOUGLAS	579	22.5	80	3.2
DUNDY	10	70.7△	0	0.0
FILLMORE	8	25.6	3	9.1
FRANKLIN	*	*	0	0.0
FRONTIER	*	*	0	0.0
FURNAS	7	17.2	0	0.0
GAGE	21	14.2	3	1.8
GARDEN	4	20.6	*	*
GARFIELD	3	13.1	0	0.0
GOSPER	*	*	0	0.0
GRANT	*	*	0	0.0
GREELEY	3	13.9	0	0.0
HALL	68	20.9	7	2.1
HAMILTON	9	18.7	0	0.0
HARLAN	9	30.1	*	*
HAYES	*	*	0	0.0
HITCHCOCK	8	33.0	*	*
HOLT	10	18.4	3	4.2
HOOKER	*	*	0	0.0
HOWARD	6	12.4	*	*
JEFFERSON	13	24.6	4	5.3

TABLE 11A (continued): Melanoma of the Skin Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON		5.5	0	0.0
KEARNEY	9	24.1	3	5.6
KEITH	*	*	0	0.0
KEYA PAHA	*	*	0	0.0
KIMBALL	*	*	0	0.0
KNOX	7	12.2	5	8.5
LANCASTER	273	19.0	34	2.5
LINCOLN	40	18.2	7	2.7
LOGAN	3	59.3	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	*	*	0	0.0
MADISON	50	24.4	3	1.2
MERRICK	10	23.4	0	0.0
MORRILL	6	17.2	0	0.0
NANCE	3	11.1	*	*
NEMAHA	5	10.6	*	*
NUCKOLLS	7	18.4	*	*
OTOE	10	8.5▼	5	5.0
PAWNEE	3	12.2	3	12.5
PERKINS	3	15.4	*	*
PHELPS	7	11.4	*	*
PIERCE	9	21.9	*	*
PLATTE	36	20.5	7	3.9
POLK	4	14.2	*	*
RED WILLOW	10	12.0▽	*	*
RICHARDSON	11	18.0	3	5.1
ROCK	3	25.2	0	0.0
SALINE	16	20.3	*	*
SARPY	198	26.6△	19	2.6
SAUNDERS	18	15.1	3	2.7
SCOTTS BLUFF	53	23.3	4	1.8
SEWARD	16	14.9	5	4.7
SHERIDAN	7	21.9	*	*
SHERMAN	6	23.1	*	*
SIOUX	0	0.0	0	0.0
STANTON	11	29.2	*	*
THAYER	6	16.1	3	5.1
THOMAS	*	*	*	*
THURSTON	*	*	0	0.0
VALLEY	5	13.7	*	*
WASHINGTON	36	31.4	3	2.2
WAYNE	16	34.0	3	5.4
WEBSTER	6	19.3	*	*
WHEELER	*	*	0	0.0
YORK	21	24.9	3	2.7

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

▽county rate is significantly lower than the state rate (95% confidence level)
 ▼county rate is significantly lower than the state rate (99% confidence level)
 △county rate is significantly higher than the state rate (95% confidence level)
 ▲county rate is significantly higher than the state rate (99% confidence level)

TABLE 12A: Pancreatic Cancer Incidence and Mortality
Number of Cases, Deaths, and Rates, by County of Residence
 Nebraska (2010-2014) & US (2009-2013)

	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
US	212,021	12.4	187,653	10.9
NEBRASKA	1,252	12.0	1111	10.5
<u>COUNTY</u>				
ADAMS	25	12.8	23	10.9
ANTELOPE	4	8.4	3	4.8
ARTHUR	0	0.0	0	0.0
BANNER	0	0.0	*	14.8
BLAINE	*	*	0	0.0
BOONE	4	8.3	4	12.6
BOX BUTTE	7	9.4	6	8.8
BOYD	0	0.0	*	4.7
BROWN	*	*	*	3.5
BUFFALO	25	10.2	21	8.5
BURT	6	8.9	8	11.6
BUTLER	6	8.5	9	13.1
CASS	20	12.3	21	13.1
CEDAR	6	8.0	7	8.8
CHASE	6	24.0	5	17.3
CHERRY	4	11.4	*	4.2
CHEYENNE	8	12.8	6	10.1
CLAY	6	13.5	4	8.9
COLFAX	9	16.0	8	13.5
CUMING	10	13.5	8	10.3
CUSTER	8	9.1	8	9.0
DAKOTA	16	15.6	10	9.8
DAWES	8	12.5	10	15.8
DAWSON	12	9.0	12	8.8
DEUEL	*	*	*	3.9
DIXON	7	18.6	6	15.2
DODGE	38	15.5	35	13.9
DOUGLAS	350	14.0	284	11.3
DUNDY	3	19.2	0	0.0
FILLMORE	9	19.3	7	15.0
FRANKLIN	3	14.3	*	8.7
FRONTIER	*	*	*	8.9
FURNAS	4	11.2	4	11.2
GAGE	21	13.5	19	11.1
GARDEN	5	21.6	6	26.8
GARFIELD	*	*	0	0.0
GOSPER	*	*	*	6.5
GRANT	0	0.0	0	0.0
GREELEY	0	0.0	0	0.0
HALL	37	11.3	30	9.3
HAMILTON	8	12.7	7	11.3
HARLAN	6	18.3	7	20.9
HAYES	0	0.0	*	10.7
HITCHCOCK	*	*	*	7.5
HOLT	9	9.3	9	9.7
HOOKER	0	0.0	*	15.9
HOWARD	4	9.3	*	4.1
JEFFERSON	9	13.8	9	13.9

TABLE 12A (continued): Pancreatic Cancer Incidence and Mortality

<u>COUNTY</u>	<u>Incidence</u>		<u>Mortality</u>	
	<u># Cases</u>	<u>Rate</u>	<u># Deaths</u>	<u>Rate</u>
JOHNSON	6	16.1	4	10.4
KEARNEY	6	12.7	4	8.6
KEITH	7	10.6	9	13.7
KEYA PAHA	*	*	*	12.0
KIMBALL	10	32.2	11	32.3△
KNOX	6	8.1	8	9.2
LANCASTER	150	10.7	140	9.9
LINCOLN	30	13.1	21	9.3
LOGAN	0	0.0	0	0.0
LOUP	0	0.0	0	0.0
McPHERSON	0	0.0	0	0.0
MADISON	31	14.3	27	12.8
MERRICK	5	8.3	*	1.5
MORRILL	3	9.2	5	14.3
NANCE	*	*	6	18.8
NEMAHA	7	14.3	6	11.5
NUCKOLLS	6	16.7	*	5.1
OTOE	16	11.8	14	10.1
PAWNEE	3	11.9	4	15.9
PERKINS	0	0.0	*	4.7
PHELPS	*	*	*	2.4
PIERCE	*	*	3	5.5
PLATTE	17	9.4	13	7.1
POLK	3	8.8	3	8.8
RED WILLOW	10	11.6	10	11.1
RICHARDSON	10	15.7	14	20.8
ROCK	0	0.0	0	0.0
SALINE	11	12.8	9	10.2
SARPY	91	13.7	75	11.8
SAUNDERS	19	14.3	20	14.7
SCOTTS BLUFF	20	8.3	20	8.4
SEWARD	9	8.0	14	12.8
SHERIDAN	6	13.3	4	8.9
SHERMAN	0	0.0	0	0.0
SIOUX	0	0.0	0	0.0
STANTON	5	13.1	5	12.2
THAYER	5	8.3	4	5.5
THOMAS	*	*	*	14.5
THURSTON	*	*	*	3.1
VALLEY	*	*	*	5.2
WASHINGTON	16	12.4	14	10.5
WAYNE	4	8.3	5	8.7
WEBSTER	5	15.8	5	16.0
WHEELER	*	*	*	14.6
YORK	13	12.8	9	8.3

*Number and rate are not shown if based on fewer than three events
 Rates are per 100,000 population and are age-adjusted to the 2000 US population

- ▽ county rate is significantly lower than the state rate (95% confidence level)
- ▼ county rate is significantly lower than the state rate (99% confidence level)
- △ county rate is significantly higher than the state rate (95% confidence level)
- ▲ county rate is significantly higher than the state rate (99% confidence level)

TABLE 13A: Cancer Incidence
Number of Cases and Rates, All Sites and Selected Primary Sites, by Place of Residence
 Nebraska and Public Health Department Regions (2010-2014)

	All Sites		Lung & Bronchus		Female Breast		Colon & Rectum		Prostate	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	47,020	454.4	6,214	59.6	6,547	122.0	4,550	43.7	5,981	119.7
Central	2,128	481.0△	272	60.2	238	105.0▽	209	45.6	317	146.6▲
Dakota County	437	422.6	68	65.4	54	100.1	44	43.3	61	122.0
Douglas County	12,417	484.4▲	1,729	69.3▲	1,844	132.8△	1,060	42.2	1,452	123.1
East Central	1,409	447.7	165	51.1	195	121.4	148	46.5	196	126.8
Elkhorn Logan Valley	1,583	434.7	210	55.9	202	111.4	180	48.3	269	153.4▲
Four Corners	1,296	442.6	143	47.2▼	175	116.0	128	42.1	186	128.0
Lincoln/Lancaster County	6,253	434.7▼	805	57.9	955	125.8	585	41.2	746	107.7
Loup Basin	1,016	437.8	125	48.9▽	113	98.5▽	110	46.3	138	114.9
North Central	1,459	423.4▽	192	50.9	174	103.1▽	185	50.8	224	129.0
Northeast	800	421.6▽	94	46.4▽	118	124.7	103	52.4	109	115.1
Panhandle	2,362	410.8▼	289	46.8▼	316	110.0	225	39.0	326	113.2
Public Health Solutions	1,810	468.8	252	62.1	229	113.8	205	51.1	211	112.9
Sarpy Cass County	4,062	462.7	520	63.9	630	131.9	359	42.9	477	109.3
South Heartland	1,438	481.6	188	59.9	198	129.7	146	45.6	187	126.4
Southeast	1,260	454.1	200	68.7	162	118.7	136	46.4	149	108.9
Southwest	1,296	442.0	171	53.8	165	119.6	141	46.7	152	103.6
Three Rivers	2,431	487.4▲	345	65.5	321	125.4	218	42.6	349	140.5△
Two Rivers	2,343	425.9▼	284	50.2▽	339	121.7	270	48.5	279	103.7
West Central	1,210	485.2	161	64.0	118	91.3▼	97	37.5	153	127.1▼

TABLE 13A (continued): Cancer Incidence

	Urinary Bladder		Non-Hodgkin Lymphoma		Leukemia		Kidney & Renal Pelvis		Melanoma of the Skin		Pancreas	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	2,190	20.9	2,112	20.5	1,486	14.5	1,730	16.7	2,064	20.6	1,252	12.0
Central	102	22.1	102	23.1	75	16.8	85	19.5	87	20.4	50	11.2
Dakota County	12	11.1▼	13	12.6▽	13	12.5	22	21.1	22	22.1	16	15.6
Douglas County	573	23.6	540	21.4	344	13.4	475	18.4	578	22.5	350	14.0
East Central	64	19.2	69	22.9	38	12.7	50	15.9	61	21.1	32	10.2
Elkhorn Logan Valley	58	15.6▽	63	16.8	42	11.1	55	16.1	83	23.6	52	13.2
Four Corners	78	25.1	56	19.1	42	14.6	48	15.6	49	17.6	31	9.6
Lincoln/Lancaster County	255	18.2	229	16.2▼	187	13.3	230	15.6	273	19.0	149	10.6
Loup Basin	55	21.2	52	21.5	35	13.8	36	17.0	39	15.9	16	6.6▼
North Central	68	17.5	66	18.7	35	10.0	41	11.3▽	51	18.0	27	7.4▼
Northeast	29	16.0	38	18.4	17	10.0	27	14.1	37	21.1	18	9.5
Panhandle	126	20.0	117	20.2	62	11.2	82	14.4	113	20.8	68	11.0
Public Health Solutions	87	20.9	87	21.9	59	14.9	74	20.3	64	18.2	55	13.5
Sarpy Cass County	179	21.7	179	20.4	108	12.7	154	16.7	236	26.2△	111	13.3
South Heartland	59	18.0	69	23.4	42	13.1	35	11.6▽	66	25.4	42	13.7
Southeast	67	22.0	64	21.1	32	11.8	47	16.4	31	10.9▼	42	13.6
Southwest	75	21.9	69	24.2	53	16.6	42	13.7	46	15.7	33	11.2
Three Rivers	109	21.1	98	19.3	84	17.2△	92	18.8	97	21.4	73	14.8
Two Rivers	115	20.1	106	19.0	62	11.4	85	15.6	84	15.8▽	55	9.8
West Central	79	30.5△	74	29.1△	44	17.8	50	20.0	46	18.7	31	12.2

▽regional rate is significantly lower than the state rate (95% confidence level)

▼regional rate is significantly lower than the state rate (99% confidence level)

△regional rate is significantly higher than the state rate (95% confidence level)

▲regional rate is significantly higher than the state rate (99% confidence level)

Rates are per 100,000 population (excluding gender-specific sites, which are per 100,000 male or female population) and are age-adjusted to the 2000 US population

TABLE 14A: Cancer Mortality
Number of Deaths and Rates, All Sites and Selected Primary Sites, by Place of Residence
 Nebraska and Public Health Department Regions (2010-2014)

	All Sites		Lung & Bronchus		Female Breast		Colon & Rectum		Prostate	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	17,205	162.6	4,486	43.0	1,168	20.0	1,714	16.1	914	20.8
Central	724	157.9	188	41.3	52	20.3	71	15.1	36	18.6
Dakota County	182	179.7	48	46.9	10	16.5	17	18.3	11	30.0
Douglas County	4,420	177.5▲	1,227	49.9▲	309	21.9	383	15.3	212	22.4
East Central	513	157.3	123	38.2	33	20.0	68	20.8	25	16.7
Elkhorn Logan Valley	611	157.0	158	41.0	41	19.0	72	18.6	30	16.8
Four Corners	509	161.6	105	33.9▽	41	24.5	54	17.0	24	16.4
Lincoln/Lancaster County	2,184	154.7	572	41.4	133	16.4	203	14.5	125	22.0
Loup Basin	367	141.8▽	93	35.4	37	31.6△	31	11.5	24	19.7
North Central	576	148.3▽	151	40.0	31	13.6▽	63	14.9	34	19.1
Northeast	309	149.3	62	29.2▼	21	20.3	35	15.9	16	17.8
Panhandle	916	148.5▽	225	36.2▽	63	18.1	112	18.6	46	16.8
Public Health Solutions	746	175.3	176	43.3	48	21.2	83	19.3	38	19.3
Sarpy Cass County	1,402	172.2	403	49.8△	107	23.1	129	16.2	66	22.3
South Heartland	515	157.7	138	43.4	38	24.4	61	17.9	26	17.6
Southeast	521	170.8	131	44.1	18	10.5▼	50	17.1	51	36.6▲
Southwest	518	161.2	128	39.4	39	23.5	59	17.4	28	19.1
Three Rivers	918	174.9	242	45.4	61	21.2	86	16.5	50	21.7
Two Rivers	854	149.9▽	201	35.1▽	49	16.9	105	18.5	53	21.7
West Central	420	162.6	115	45.5	37	26.4	32	11.9	19	16.5

TABLE 14A (continued): Cancer Mortality

	Urinary Bladder		Non-Hodgkin Lymphoma		Leukemia		Kidney & Renal Pelvis		Melanoma of the Skin		Pancreas	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEBRASKA	435	4.0	645	6.1	738	7.0	474	4.4	300	2.9	1,111	10.5
Central	22	4.9	26	5.7	30	6.6	25	5.6	7	1.5	38	8.6
Dakota County	5	4.7	2	1.8▼	10	9.9	2	1.5▽	8	8.5	10	9.8
Douglas County	109	4.6	148	6.1	165	6.7	119	4.8	80	3.2	284	11.3
East Central	11	3.1	17	5.3	23	7.4	11	3.3	10	3.1	31	9.7
Elkhorn Logan Valley	11	2.4	22	5.8	21	5.5	19	4.8	7	1.6	48	12.1
Four Corners	14	4.3	23	7.2	20	6.4	22	6.4	12	3.9	35	10.8
Lincoln/Lancaster County	59	4.4	70	4.9	113	8.1	69	4.9	34	2.5	140	9.9
Loup Basin	12	4.1	21	7.8	18	6.9	9	3.4	6	2.3	13	5.0▼
North Central	13	2.8	34	8.2	24	6.7	14	4.4	11	3.8	28	6.8▽
Northeast	3	1.5▽	14	6.1	18	8.9	10	4.6	7	3.1	19	9.3
Panhandle	23	3.5	38	6.0	47	7.3	18	2.9	10	1.8	70	11.2
Public Health Solutions	24	5.5	28	6.1	25	5.6	22	5.0	14	3.4	48	11.1
Sarpy Cass County	36	4.7	55	7.2	52	6.5	33	3.6	23	2.6	96	12.0
South Heartland	10	2.7	24	7.0	21	6.0	11	3.8	18	6.2△	34	10.3
Southeast	10	2.9	29	8.5	19	6.2	12	3.7	12	4.5	42	13.4
Southwest	23	6.7	20	5.9	22	7.8	12	4.1	4	1.2▽	34	10.7
Three Rivers	14	2.4	34	6.5	51	9.6	31	5.9	12	2.3	69	13.6
Two Rivers	24	4.2	26	4.5	36	6.3	20	3.6	17	3.0	49	8.5
West Central	12	4.3	14	4.8	23	8.7	15	5.5	8	2.7	23	9.1

*Number and rate are not shown if based on fewer than three deaths

▽ regional rate is significantly lower than the state rate (95% confidence level)

▼ regional rate is significantly lower than the state rate (99% confidence level)

△ regional rate is significantly higher than the state rate (95% confidence level)



▲ regional rate is significantly higher than the state rate (99% confidence level)

Rates are per 100,000 population (excluding gender-specific sites, which are per 100,000 male or female population) and are age-adjusted to the 2000 US population

Table 15A. Public Health Department Regions in Nebraska

#	<u>Public Health Department</u>	<u>Jurisdiction, by County</u>
1	Central	Hall, Hamilton, Merrick
2	Dakota County	Dakota
3	Douglas County	Douglas
4	East Central	Boone, Colfax, Nance, Platte
5	Elkhorn Logan Valley	Burt, Cuming, Madison, Stanton
6	Four Corners	Butler, Polk, Seward, York
7	Lincoln-Lancaster County	Lancaster
8	Loup Basin	Blaine, Custer, Garfield, Greeley, Howard, Loup, Sherman, Valley, Wheeler
9	North Central	Antelope, Boyd, Brown, Cherry, Holt, Keya Paha, Knox, Pierce, Rock
10	Northeast Nebraska	Cedar, Dixon, Thurston, Wayne
11	Panhandle	Banner, Box Butte, Cheyenne, Dawes, Deuel, Garden, Grant, Kimball, Morrill, Sheridan, Sioux
12	Public Health Solutions	Fillmore, Gage, Jefferson, Saline, Thayer
13	Sarpy Cass	Cass, Sarpy
14	Scotts Bluff County	Scotts Bluff
15	South Heartland	Adams, Clay, Nuckolls, Webster
16	Southeast	Johnson, Nemaha, Otoe, Pawnee, Richardson
17	Southwest Nebraska	Chase, Dundy, Frontier, Furnas, Hayes, Hitchcock, Keith, Perkins, Red Willow
18	Three Rivers	Dodge, Saunders, Washington
19	Two Rivers	Buffalo, Dawson, Franklin, Gosper, Harlan, Kearney, Phelps
20	West Central	Arthur, Hooker, Lincoln, Logan, McPherson, Thomas

Nebraska Local Health Departments



Legend
 Local Health Department that does not Qualify for LB 692* Funding

*LB 692 passed during the 2001 Legislative Session and provides funds to qualifying local public health departments.

Source: Nebraska Department of Health and Human Services

Map updated by:
 Public Health GIS Analyst
 DHHS GIS 12/16

NEBRASKA
 Good Life. Great Mission.
 DEPT. OF HEALTH AND HUMAN SERVICES