

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Up-to-date on colon cancer screening, 50-75 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,488	64.2%	(60.9 - 67.3)	9,022	61.1%	(59.6 - 62.5)	NS	613	61.5%	(56.4 - 66.4)	3,733	58.4%	(56.1 - 60.6)	NS	875	66.7%	(62.6 - 70.6)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	720	64.5%	(59.8 - 69.0)	7,979	62.8%	(61.1 - 64.4)	NS	297	59.8%	(52.5 - 66.6)	3,275	61.0%	(58.5 - 63.6)	NS	423	68.8%	(62.4 - 74.5)	4,704	64.4%	(62.2 - 66.6)	NS	No
2014	1,169	70.1%	(66.6 - 73.4)	10,646	64.1%	(62.8 - 65.5)	+	505	71.7%	(66.6 - 76.4)	4,681	63.0%	(61.0 - 65.1)	+	664	68.5%	(63.6 - 73.0)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	971	68.1%	(64.2 - 71.8)	8,007	65.2%	(63.6 - 66.7)	NS	358	68.1%	(61.5 - 74.1)	3,446	63.7%	(61.3 - 66.1)	NS	613	68.1%	(63.3 - 72.5)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	705	69.0%	(64.7 - 73.0)	7,036	66.0%	(64.3 - 67.6)	NS	296	67.4%	(60.8 - 73.4)	3,073	65.2%	(62.8 - 67.6)	NS	409	70.4%	(64.6 - 75.6)	3,963	66.7%	(64.5 - 68.9)	NS	No
Up-to-date on breast cancer screening, female 50-74 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	870	78.3%	(74.7 - 81.5)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	870	78.3%	(74.7 - 81.5)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	659	82.7%	(78.9 - 86.0)	5,904	76.1%	(74.5 - 77.7)	+	-	-	-	-	-	-	-	659	82.7%	(78.9 - 86.0)	5,904	76.1%	(74.5 - 77.7)	+	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	400	76.1%	(70.4 - 80.9)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	400	76.1%	(70.4 - 80.9)	3,914	73.4%	(71.3 - 75.4)	NS	NA
Up-to-date on cervical cancer screening, female 21-65 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,065	85.5%	(82.6 - 87.9)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	1,065	85.5%	(82.6 - 87.9)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	737	85.9%	(82.1 - 89.1)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	737	85.9%	(82.1 - 89.1)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	469	74.3%	(69.1 - 78.9)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	469	74.3%	(69.1 - 78.9)	3,814	77.7%	(75.5 - 79.8)	NS	NA
Arthritis																						
Ever told they have arthritis																						
2011	4,392	20.8%	(19.2 - 22.4)	25,285	23.4%	(22.8 - 24.1)	-	1,778	17.5%	(15.5 - 19.8)	10,184	20.1%	(19.2 - 21.1)	NS	2,614	23.8%	(21.6 - 26.2)	15,101	26.6%	(25.7 - 27.6)	NS	Yes
2012	3,561	22.6%	(21.0 - 24.2)	19,089	24.6%	(23.8 - 25.4)	NS	1,486	19.5%	(17.2 - 22.1)	7,839	21.5%	(20.3 - 22.6)	NS	2,075	25.4%	(23.3 - 27.7)	11,250	27.7%	(26.6 - 28.8)	NS	Yes
2013	1,692	22.5%	(20.2 - 25.1)	17,017	24.7%	(23.8 - 25.7)	NS	696	20.5%	(17.0 - 24.5)	6,925	21.6%	(20.2 - 23.0)	NS	996	24.5%	(21.4 - 28.0)	10,092	27.8%	(26.5 - 29.2)	NS	No
2014	2,631	21.9%	(20.1 - 23.9)	22,307	24.6%	(23.8 - 25.4)	NS	1,108	19.7%	(17.1 - 22.7)	9,560	21.6%	(20.5 - 22.8)	NS	1,523	24.0%	(21.6 - 26.7)	12,747	27.4%	(26.3 - 28.6)	NS	No
2015	2,196	21.3%	(19.4 - 23.4)	17,472	23.4%	(22.6 - 24.3)	NS	889	17.0%	(14.4 - 20.0)	7,540	19.7%	(18.5 - 20.9)	NS	1,307	25.4%	(22.6 - 28.4)	9,932	27.1%	(25.9 - 28.4)	NS	Yes
2016	1,610	23.3%	(21.1 - 25.8)	15,137	24.6%	(23.6 - 25.6)	NS	705	19.8%	(16.7 - 23.3)	6,622	21.7%	(20.3 - 23.2)	NS	905	26.7%	(23.5 - 30.2)	8,515	27.4%	(26.0 - 28.8)	NS	Yes
Currently have activity limitations due to arthritis, among those ever told they have arthritis^a																						
2011	1,244	47.2%	(43.0 - 51.5)	7,973	45.2%	(43.6 - 46.8)	NS	414	46.9%	(40.2 - 53.7)	2,711	42.6%	(40.0 - 45.2)	NS	830	47.5%	(42.1 - 53.0)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	441	44.2%	(37.9 - 50.6)	5,460	42.4%	(40.3 - 44.6)	NS	149	44.9%	(34.6 - 55.6)	1,861	41.0%	(37.4 - 44.6)	NS	292	43.6%	(36.1 - 51.4)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	627	44.9%	(39.8 - 50.1)	5,146	44.0%	(41.9 - 46.1)	NS	200	40.5%	(32.3 - 49.3)	1,852	41.9%	(38.6 - 45.3)	NS	427	47.7%	(41.4 - 54.1)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma																						
Ever told they have asthma																						
2011	4,390	11.8%	(10.5 - 13.2)	25,327	11.5%	(10.9 - 12.1)	NS	1,780	10.9%	(9.0 - 13.0)	10,194	10.5%	(9.6 - 11.3)	NS	2,610	12.6%	(10.9 - 14.6)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	3,560	11.4%	(10.2 - 12.8)	19,105	10.8%	(10.2 - 11.5)	NS	1,485	10.0%	(8.3 - 12.1)	7,847	9.7%	(8.8 - 10.7)	NS	2,075	12.8%	(11.0 - 14.8)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	1,706	10.9%	(9.1 - 13.1)	17,068	11.2%	(10.5 - 12.0)	NS	702	9.5%	(6.9 - 12.8)	6,946	9.6%	(8.6 - 10.8)	NS	1,004	12.3%	(9.9 - 15.2)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	2,633	12.7%	(11.0 - 14.6)	22,355	12.2%	(11.5 - 13.0)	NS	1,113	10.6%	(8.5 - 13.3)	9,583	10.8%	(9.8 - 11.9)	NS	1,520	14.6%	(12.3 - 17.4)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	2,197	13.6%	(11.7 - 15.7)	17,492	12.1%	(11.3 - 12.9)	NS	889	13.0%	(10.2 - 16.4)	7,554	10.7%	(9.6 - 12.0)	NS	1,308	14.2%	(11.7 - 17.0)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	1,606	12.6%	(10.6 - 15.0)	15,144	12.4%	(11.5 - 13.4)	NS	702	10.0%	(7.4 - 13.4)	6,622	10.4%	(9.2 - 11.8)	NS	904	15.1%	(12.2 - 18.6)	8,522	14.3%	(13.1 - 15.7)	NS	No
Currently have asthma																						
2011	4,372	7.7%	(6.7 - 8.9)	25,257	7.3%	(6.9 - 7.8)	NS	1,773	6.1%	(4.8 - 7.8)	10,170	6.0%	(5.4 - 6.7)	NS	2,599	9.2%	(7.7 - 11.0)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	3,545	7.6%	(6.6 - 8.8)	19,053	7.4%	(6.9 - 7.9)	NS	1,480	6.2%	(4.8 - 7.9)	7,832	6.1%	(5.4 - 6.9)	NS	2,065	9.0%	(7.6 - 10.7)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	1,703	6.9%	(5.5 - 8.7)	17,024	7.3%	(6.7 - 8.0)	NS	701	5.2%	(3.4 - 8.0)	6,930	5.5%	(4.8 - 6.4)	NS	1,002	8.5%	(6.5 - 11.0)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	2,630	7.4%	(6.2 - 8.8)	22,289	7.7%	(7.2 - 8.3)	NS	1,112	5.0%	(3.6 - 6.9)	9,562	6.2%	(5.5 - 7.0)	NS	1,518	9.6%	(7.8 - 11.8)	12,727	9.2%	(8.4 - 10.1)	NS	Yes
2015	2,186	7.5%	(6.2 - 9.0)	17,435	7.2%	(6.6 - 7.8)	NS	887	5.5%	(4.0 - 7.7)	7,533	5.4%	(4.7 - 6.2)	NS	1,299	9.3%	(7.3 - 11.7)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	1,601	9.3%	(7.5 - 11.5)	15,116	8.3%	(7.5 - 9.1)	NS	699	6.7%	(4.5 - 9.7)	6,609	6.1%	(5.2 - 7.1)	NS	902	11.7%	(9.1 - 15.1)	8,507	10.4%	(9.3 - 11.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Current e-cigarette use																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,580	5.1%	(3.8 - 6.9)	14,819	4.9%	(4.3 - 5.6)	NS	692	6.4%	(4.3 - 9.3)	6,474	5.3%	(4.5 - 6.4)	NS	888	3.9%	(2.4 - 6.2)	8,345	4.5%	(3.7 - 5.6)	NS	No	
Overweight and Obesity																							
Obese (BMI=30+) [^]																							
2011	4,201	26.6%	(24.7 - 28.6)	24,366	28.4%	(27.6 - 29.2)	NS	1,755	26.7%	(24.0 - 29.6)	10,102	29.2%	(28.0 - 30.4)	NS	2,446	26.5%	(24.0 - 29.3)	14,264	27.6%	(26.5 - 28.8)	NS	No	
2012	3,389	28.0%	(26.1 - 30.0)	18,385	28.6%	(27.7 - 29.6)	NS	1,462	27.4%	(24.6 - 30.3)	7,781	29.2%	(27.9 - 30.6)	NS	1,927	28.6%	(26.0 - 31.4)	10,604	28.1%	(26.8 - 29.3)	NS	No	
2013	1,614	27.7%	(24.9 - 30.6)	16,250	29.6%	(28.4 - 30.7)	NS	682	28.2%	(24.0 - 32.8)	6,860	30.8%	(29.1 - 32.5)	NS	932	27.2%	(23.6 - 31.1)	9,390	28.4%	(26.9 - 29.9)	NS	No	
2014	2,462	28.3%	(26.0 - 30.8)	21,130	30.2%	(29.2 - 31.3)	NS	1,078	29.8%	(26.4 - 33.4)	9,399	31.7%	(30.2 - 33.2)	NS	1,384	26.8%	(23.8 - 30.1)	11,731	28.7%	(27.4 - 30.1)	NS	No	
2015	2,008	29.8%	(27.2 - 32.5)	16,265	31.4%	(30.3 - 32.5)	NS	859	32.8%	(28.9 - 37.0)	7,323	32.9%	(31.3 - 34.6)	NS	1,149	26.6%	(23.3 - 30.3)	8,942	29.8%	(28.3 - 31.3)	NS	No	
2016	1,494	30.9%	(28.1 - 33.9)	14,173	32.0%	(30.8 - 33.2)	NS	682	30.0%	(25.9 - 34.4)	6,460	32.6%	(30.8 - 34.3)	NS	812	31.9%	(27.9 - 36.0)	7,713	31.4%	(29.7 - 33.1)	NS	No	
Overweight or Obese (BMI=25+)																							
2011	4,201	63.7%	(61.5 - 65.8)	24,366	64.9%	(64.0 - 65.8)	NS	1,755	71.8%	(68.7 - 74.6)	10,102	72.8%	(71.5 - 74.1)	NS	2,446	55.5%	(52.5 - 58.5)	14,264	56.8%	(55.5 - 58.1)	NS	Yes	
2012	3,389	62.7%	(60.6 - 64.8)	18,385	65.0%	(64.0 - 66.0)	NS	1,462	70.4%	(67.3 - 73.3)	7,781	72.3%	(70.8 - 73.7)	NS	1,927	55.0%	(52.1 - 57.9)	10,604	57.6%	(56.2 - 59.0)	NS	Yes	
2013	1,614	62.2%	(58.9 - 65.3)	16,250	65.5%	(64.2 - 66.7)	NS	682	69.5%	(64.6 - 74.0)	6,860	72.2%	(70.4 - 74.0)	NS	932	55.0%	(50.7 - 59.2)	9,390	58.5%	(56.8 - 60.2)	NS	Yes	
2014	2,462	64.1%	(61.5 - 66.5)	21,130	66.7%	(65.6 - 67.8)	NS	1,078	70.8%	(67.1 - 74.3)	9,399	73.8%	(72.3 - 75.3)	NS	1,384	57.1%	(53.5 - 60.6)	11,731	59.2%	(57.7 - 60.7)	NS	Yes	
2015	2,008	65.0%	(62.1 - 67.7)	16,265	67.0%	(65.8 - 68.2)	NS	859	72.0%	(67.8 - 75.8)	7,323	73.4%	(71.7 - 75.1)	NS	1,149	57.7%	(53.7 - 61.5)	8,942	60.2%	(58.6 - 61.9)	NS	Yes	
2016	1,494	67.8%	(64.7 - 70.8)	14,173	68.5%	(67.3 - 69.8)	NS	682	75.8%	(71.4 - 79.7)	6,460	74.9%	(73.1 - 76.6)	NS	812	59.6%	(55.3 - 63.8)	7,713	61.8%	(59.9 - 63.6)	NS	Yes	
Nutrition																							
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	738	28.4%	(23.9 - 33.4)	7,822	28.5%	(26.8 - 30.3)	NS	284	34.0%	(26.7 - 42.2)	3,164	35.8%	(33.1 - 38.5)	NS	454	24.3%	(18.9 - 30.6)	4,658	21.7%	(19.7 - 24.0)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	738	47.8%	(43.1 - 52.6)	7,818	46.3%	(44.6 - 48.1)	NS	286	46.1%	(38.8 - 53.6)	3,165	43.4%	(40.8 - 46.0)	NS	452	49.1%	(42.9 - 55.3)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	997	47.3%	(43.0 - 51.5)	7,892	46.8%	(45.0 - 48.5)	NS	402	49.8%	(43.3 - 56.3)	3,436	46.0%	(43.4 - 48.7)	NS	595	45.0%	(39.6 - 50.6)	4,456	47.5%	(45.2 - 49.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																							
2011	4,167	1.07	(1.02 - 1.14)	24,090	1.02	(1.02 - 1.04)	NS	1,683	1.00	(0.99 - 1.02)	9,660	0.99	(0.99 - 1.00)	NS	2,484	1.14	(1.10 - 1.30)	14,430	1.14	(1.13 - 1.14)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,589	1.02	(1.00 - 1.11)	15,949	1.00	(1.00 - 1.00)	+	641	1.00	(0.98 - 1.13)	6,462	0.99	(0.99 - 1.00)	NS	948	1.03	(1.00 - 1.14)	9,487	1.07	(1.06 - 1.14)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	2,022	0.99	(0.97 - 1.03)	16,135	1.00	(1.00 - 1.00)	NS	815	0.97	(0.85 - 1.00)	6,899	0.99	(0.98 - 1.00)	NS	1,207	1.00	(0.99 - 1.09)	9,236	1.03	(1.02 - 1.09)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																							
2011	4,167	37.8%	(35.7 - 40.0)	24,090	40.1%	(39.2 - 41.1)	NS	1,683	42.8%	(39.6 - 46.1)	9,660	46.2%	(44.8 - 47.6)	NS	2,484	33.2%	(30.4 - 36.1)	14,430	34.3%	(33.1 - 35.6)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,589	38.3%	(35.1 - 41.5)	15,949	39.7%	(38.5 - 41.0)	NS	641	40.3%	(35.5 - 45.3)	6,462	45.4%	(43.4 - 47.3)	NS	948	36.4%	(32.3 - 40.7)	9,487	34.4%	(32.8 - 36.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	2,022	43.1%	(40.2 - 46.1)	16,135	41.1%	(39.9 - 42.4)	NS	815	48.7%	(44.3 - 53.2)	6,899	47.4%	(45.6 - 49.3)	NS	1,207	37.9%	(34.1 - 41.8)	9,236	35.1%	(33.5 - 36.7)	NS	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Median times per day consumed vegetables																						
2011	4,105	1.43	(1.41 - 1.50)	23,785	1.46	(1.44 - 1.50)	NS	1,654	1.32	(1.29 - 1.43)	9,534	1.35	(1.33 - 1.41)	NS	2,451	1.57	(1.49 - 1.63)	14,251	1.57	(1.57 - 1.61)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,562	1.57	(1.50 - 1.69)	15,700	1.57	(1.55 - 1.58)	NS	634	1.44	(1.39 - 1.58)	6,373	1.43	(1.42 - 1.50)	NS	928	1.72	(1.62 - 1.85)	9,327	1.70	(1.66 - 1.73)	NS	Yes
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,992	1.50	(1.43 - 1.58)	15,850	1.53	(1.50 - 1.58)	NS	803	1.43	(1.34 - 1.58)	6,786	1.42	(1.40 - 1.46)	NS	1,189	1.57	(1.45 - 1.68)	9,064	1.62	(1.58 - 1.69)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed vegetables less than 1 time per day																						
2011	4,105	28.0%	(26.0 - 30.1)	23,785	26.2%	(25.4 - 27.1)	NS	1,654	30.3%	(27.3 - 33.4)	9,534	29.7%	(28.4 - 31.0)	NS	2,451	25.9%	(23.3 - 28.7)	14,251	22.9%	(21.8 - 24.1)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,562	23.7%	(21.0 - 26.7)	15,700	23.3%	(22.2 - 24.4)	NS	634	25.3%	(21.2 - 29.9)	6,373	26.6%	(25.0 - 28.4)	NS	928	22.3%	(18.8 - 26.2)	9,327	20.1%	(18.7 - 21.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,992	25.1%	(22.6 - 27.7)	15,850	24.7%	(23.7 - 25.9)	NS	803	29.8%	(25.9 - 34.1)	6,786	28.3%	(26.6 - 30.0)	NS	1,189	20.6%	(17.7 - 23.9)	9,064	21.4%	(20.1 - 22.8)	NS	Yes
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Physical Activity																						
No leisure-time physical activity in past 30 days[^]																						
2011	4,201	24.4%	(22.5 - 26.3)	24,433	26.3%	(25.5 - 27.1)	NS	1,699	23.2%	(20.5 - 26.1)	9,795	27.2%	(26.0 - 28.5)	NS	2,502	25.5%	(23.0 - 28.2)	14,638	25.4%	(24.3 - 26.5)	NS	No
2012	3,572	20.6%	(18.9 - 22.4)	19,153	21.0%	(20.2 - 21.9)	NS	1,489	17.7%	(15.4 - 20.3)	7,865	20.4%	(19.3 - 21.7)	NS	2,083	23.3%	(20.9 - 25.8)	11,288	21.6%	(20.5 - 22.8)	NS	Yes
2013	1,587	23.9%	(21.2 - 26.9)	16,158	25.3%	(24.2 - 26.4)	NS	644	23.6%	(19.4 - 28.3)	6,567	26.3%	(24.7 - 28.1)	NS	943	24.3%	(20.8 - 28.1)	9,591	24.3%	(22.9 - 25.8)	NS	No
2014	2,637	18.1%	(16.2 - 20.1)	22,397	21.3%	(20.4 - 22.1)	-	1,112	16.7%	(14.0 - 19.8)	9,599	21.2%	(20.0 - 22.5)	-	1,525	19.4%	(16.9 - 22.1)	12,798	21.4%	(20.2 - 22.5)	NS	No
2015	2,048	25.7%	(23.2 - 28.4)	16,319	25.3%	(24.3 - 26.4)	NS	826	24.2%	(20.6 - 28.1)	6,997	25.3%	(23.8 - 26.9)	NS	1,222	27.1%	(23.8 - 30.8)	9,322	25.4%	(24.0 - 26.8)	NS	No
2016	1,612	22.2%	(19.7 - 24.8)	15,169	22.4%	(21.4 - 23.5)	NS	707	19.9%	(16.3 - 24.1)	6,633	20.7%	(19.3 - 22.3)	NS	905	24.3%	(21.1 - 27.8)	8,536	24.1%	(22.7 - 25.6)	NS	No
Met aerobic physical activity recommendation[^]																						
2011	4,079	49.6%	(47.3 - 51.8)	23,735	49.0%	(48.0 - 49.9)	NS	1,656	49.6%	(46.3 - 52.9)	9,544	47.2%	(45.8 - 48.6)	NS	2,423	49.5%	(46.5 - 52.5)	14,191	50.6%	(49.4 - 51.9)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,553	48.3%	(45.0 - 51.6)	15,730	50.1%	(48.8 - 51.4)	NS	634	47.3%	(42.3 - 52.4)	6,416	48.8%	(46.9 - 50.7)	NS	919	49.2%	(44.9 - 53.5)	9,314	51.4%	(49.7 - 53.1)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,993	51.0%	(48.1 - 53.9)	15,878	51.3%	(50.0 - 52.5)	NS	807	53.0%	(48.6 - 57.4)	6,832	51.1%	(49.2 - 53.0)	NS	1,186	49.1%	(45.2 - 53.0)	9,046	51.4%	(49.8 - 53.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met muscle strengthening recommendation[^]																						
2011	4,161	30.4%	(28.4 - 32.5)	24,204	28.1%	(27.3 - 29.0)	NS	1,687	36.1%	(32.9 - 39.3)	9,697	32.0%	(30.6 - 33.4)	NS	2,474	25.1%	(22.6 - 27.7)	14,507	24.5%	(23.4 - 25.6)	NS	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,573	29.8%	(26.9 - 32.8)	16,021	28.4%	(27.2 - 29.6)	NS	638	33.5%	(29.1 - 38.3)	6,499	31.0%	(29.2 - 32.8)	NS	935	26.4%	(22.8 - 30.4)	9,522	26.0%	(24.5 - 27.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	2,029	35.4%	(32.6 - 38.3)	16,117	31.2%	(30.1 - 32.5)	+	817	39.8%	(35.5 - 44.3)	6,893	34.9%	(33.1 - 36.8)	NS	1,212	31.3%	(27.8 - 34.9)	9,224	27.7%	(26.2 - 29.3)	NS	Yes
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met both aerobic physical activity and muscle strengthening recommendations[^]																						
2011	4,048	20.8%	(19.0 - 22.7)	23,567	19.0%	(18.2 - 19.8)	NS	1,649	22.6%	(19.9 - 25.5)	9,477	19.7%	(18.5 - 20.9)	NS	2,399	19.0%	(16.7 - 21.5)	14,090	18.4%	(17.4 - 19.4)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,542	18.9%	(16.5 - 21.5)	15,635	18.8%	(17.8 - 19.9)	NS	628	20.2%	(16.6 - 24.4)	6,366	19.4%	(17.9 - 21.0)	NS	914	17.7%	(14.7 - 21.2)	9,269	18.2%	(16.8 - 19.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,977	25.9%	(23.3 - 28.7)	15,724	21.8%	(20.7 - 22.9)	+	799	28.2%	(24.1 - 32.6)	6,757	23.3%	(21.6 - 25.1)	NS	1,178	23.7%	(20.5 - 27.2)	8,967	20.3%	(18.9 - 21.7)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Walk for at least 10 minutes at a time for any reason during a usual week																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	993	84.8%	(81.6 - 87.6)	7,895	84.6%	(83.3 - 85.8)	NS	401	85.6%	(80.7 - 89.5)	3,442	84.2%	(82.2 - 86.0)	NS	592	84.1%	(79.5 - 87.8)	4,453	85.1%	(83.4 - 86.6)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Have access to safe places to walk in their neighborhood																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	994	93.3%	(90.5 - 95.3)	7,893	88.4%	(87.2 - 89.4)	+	401	95.8%	(92.2 - 97.8)	3,439	88.8%	(87.2 - 90.3)	+	593	91.1%	(86.6 - 94.2)	4,454	87.9%	(86.3 - 89.3)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-		
Injury																							
Always wear a seatbelt when driving or riding in a car [^]																							
2011	4,153	80.4%	(78.6 - 82.1)	24,208	71.3%	(70.5 - 72.1)	+	1,677	75.8%	(72.9 - 78.4)	9,683	63.7%	(62.4 - 65.0)	+	2,476	84.8%	(82.5 - 86.9)	14,525	78.6%	(77.5 - 79.5)	+	Yes	
2012	3,503	78.4%	(76.5 - 80.1)	18,851	69.7%	(68.7 - 70.6)	+	1,460	72.6%	(69.6 - 75.4)	7,731	61.7%	(60.2 - 63.2)	+	2,043	83.8%	(81.4 - 85.9)	11,120	77.3%	(76.1 - 78.4)	+	Yes	
2013	1,572	82.9%	(80.1 - 85.4)	16,053	74.1%	(73.0 - 75.2)	+	637	79.0%	(74.4 - 83.0)	6,520	67.0%	(65.3 - 68.7)	+	935	86.4%	(83.0 - 89.2)	9,533	80.8%	(79.5 - 82.1)	+	No	
2014	2,524	81.1%	(78.9 - 83.1)	21,599	72.4%	(71.5 - 73.3)	+	1,060	76.8%	(73.2 - 80.1)	9,241	64.7%	(63.2 - 66.2)	+	1,464	85.1%	(82.3 - 87.4)	12,358	79.8%	(78.7 - 80.9)	+	Yes	
2015	2,028	82.6%	(80.2 - 84.9)	16,136	75.4%	(74.4 - 76.4)	+	815	76.5%	(72.4 - 80.2)	6,900	68.2%	(66.5 - 69.9)	+	1,213	88.3%	(85.4 - 90.7)	9,236	82.3%	(81.1 - 83.4)	+	Yes	
2016	1,558	82.1%	(79.4 - 84.4)	14,628	73.8%	(72.7 - 74.9)	+	678	78.1%	(73.9 - 81.8)	6,370	66.8%	(65.0 - 68.5)	+	880	85.8%	(82.5 - 88.6)	8,258	80.6%	(79.2 - 81.8)	+	Yes	
Texted while driving in past 30 days																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	2,567	26.7%	(24.4 - 29.2)	11,451	26.8%	(25.6 - 27.9)	NS	1,069	26.7%	(23.4 - 30.2)	4,757	29.2%	(27.5 - 31.0)	NS	1,498	26.8%	(23.6 - 30.3)	6,694	24.4%	(22.8 - 26.0)	NS	No	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	925	28.2%	(24.1 - 32.6)	7,620	24.9%	(23.3 - 26.6)	NS	364	32.2%	(25.8 - 39.4)	3,209	27.6%	(25.0 - 30.3)	NS	561	24.1%	(19.5 - 29.4)	4,411	22.3%	(20.3 - 24.4)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Talked on a cell phone while driving in past 30 days																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	2,562	66.6%	(64.3 - 68.9)	11,424	69.1%	(68.0 - 70.2)	NS	1,068	69.0%	(65.4 - 72.3)	4,742	71.5%	(69.9 - 73.2)	NS	1,494	64.4%	(61.3 - 67.5)	6,682	66.7%	(65.2 - 68.2)	NS	No	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	922	66.0%	(61.8 - 69.9)	7,604	67.0%	(65.3 - 68.6)	NS	361	71.2%	(64.8 - 76.9)	3,203	71.0%	(68.5 - 73.3)	NS	561	60.9%	(55.3 - 66.2)	4,401	63.1%	(60.8 - 65.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Had a fall in past year, aged 45 years and older																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	2,255	28.0%	(25.7 - 30.5)	13,738	28.8%	(27.7 - 29.9)	NS	902	24.1%	(20.7 - 27.9)	5,384	26.9%	(25.3 - 28.5)	NS	1,353	31.7%	(28.5 - 35.0)	8,354	30.5%	(29.1 - 31.9)	NS	Yes	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	1,728	24.5%	(22.0 - 27.2)	15,671	26.1%	(25.1 - 27.1)	NS	707	22.4%	(18.9 - 26.4)	6,513	24.5%	(23.0 - 26.1)	NS	1,021	26.3%	(22.9 - 30.1)	9,158	27.6%	(26.2 - 29.0)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,027	29.3%	(26.0 - 32.7)	10,369	29.0%	(27.7 - 30.3)	NS	429	26.3%	(21.8 - 31.4)	4,333	28.1%	(26.2 - 30.1)	NS	598	31.9%	(27.5 - 36.6)	6,036	29.7%	(28.0 - 31.5)	NS	No	
Injured due to a fall in past year, aged 45 years and older																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	2,249	9.5%	(8.1 - 11.1)	13,719	9.9%	(9.2 - 10.6)	NS	901	6.8%	(5.1 - 9.1)	5,377	7.7%	(6.7 - 8.7)	NS	1,348	12.0%	(9.9 - 14.5)	8,342	11.8%	(10.9 - 12.9)	NS	Yes	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	1,725	8.0%	(6.6 - 9.8)	15,647	8.8%	(8.2 - 9.5)	NS	707	6.2%	(4.3 - 8.8)	6,502	6.8%	(6.0 - 7.7)	NS	1,018	9.7%	(7.7 - 12.3)	9,145	10.6%	(9.7 - 11.6)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,027	11.5%	(9.4 - 14.0)	10,367	10.1%	(9.3 - 11.0)	NS	429	8.4%	(5.9 - 11.7)	4,333	7.8%	(6.8 - 9.0)	NS	598	14.3%	(11.2 - 18.2)	6,034	12.2%	(11.0 - 13.6)	NS	No	
Mental Health																							
Ever told they have depression																							
2011	4,401	16.7%	(15.3 - 18.3)	25,333	16.8%	(16.2 - 17.5)	NS	1,779	11.6%	(9.8 - 13.6)	10,198	11.5%	(10.7 - 12.4)	NS	2,622	21.6%	(19.4 - 24.1)	15,135	22.0%	(21.0 - 23.0)	NS	Yes	
2012	3,566	18.1%	(16.5 - 19.8)	19,115	16.7%	(16.0 - 17.5)	NS	1,488	14.7%	(12.5 - 17.3)	7,853	12.4%	(11.4 - 13.5)	NS	2,078	21.2%	(19.0 - 23.7)	11,262	20.9%	(19.8 - 22.1)	NS	Yes	
2013	1,701	20.5%	(18.1 - 23.2)	17,065	18.2%	(17.3 - 19.2)	NS	699	14.5%	(11.5 - 18.1)	6,940	12.9%	(11.6 - 14.2)	NS	1,002	26.2%	(22.6 - 30.1)	10,125	23.4%	(22.0 - 24.8)	NS	Yes	
2014	2,630	18.8%	(16.9 - 21.0)	22,346	17.7%	(16.9 - 18.6)	NS	1,108	14.5%	(11.8 - 17.6)	9,582	13.0%	(11.8 - 14.2)	NS	1,522	22.9%	(20.2 - 25.9)	12,764	22.3%	(21.1 - 23.5)	NS	Yes	
2015	2,199	18.6%	(16.5 - 20.9)	17,485	17.5%	(16.7 - 18.5)	NS	887	14.1%	(11.2 - 17.5)	7,534	12.4%	(11.3 - 13.7)	NS	1,312	22.9%	(20.0 - 26.2)	9,951	22.5%	(21.2 - 23.8)	NS	Yes	
2016	1,609	19.3%	(17.0 - 21.9)	15,138	17.8%	(16.8 - 18.8)	NS	702	12.7%	(9.9 - 16.2)	6,609	12.1%	(10.9 - 13.4)	NS	907	25.6%	(22.1 - 29.5)	8,529	23.4%	(21.8 - 25.0)	NS	Yes	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Frequent Mental Distress in past 30 days																						
2011	4,356	9.1%	(8.0 - 10.4)	25,036	9.2%	(8.7 - 9.7)	NS	1,766	8.3%	(6.8 - 10.1)	10,097	7.7%	(7.0 - 8.4)	NS	2,590	9.9%	(8.4 - 11.8)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	3,535	10.3%	(9.0 - 11.8)	18,935	9.0%	(8.4 - 9.7)	NS	1,472	9.6%	(7.7 - 11.9)	7,786	7.4%	(6.6 - 8.3)	NS	2,063	11.0%	(9.2 - 13.0)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	1,682	9.7%	(8.0 - 11.6)	16,889	8.9%	(8.2 - 9.6)	NS	690	6.2%	(4.3 - 9.0)	6,889	6.8%	(5.9 - 7.9)	NS	992	12.9%	(10.3 - 15.9)	10,000	10.9%	(9.8 - 12.0)	NS	Yes
2014	2,610	8.0%	(6.7 - 9.5)	22,132	8.2%	(7.6 - 8.8)	NS	1,101	5.9%	(4.3 - 8.0)	9,483	6.4%	(5.6 - 7.3)	NS	1,509	9.9%	(8.1 - 12.2)	12,649	9.9%	(9.0 - 10.8)	NS	Yes
2015	2,182	10.0%	(8.4 - 11.8)	17,369	8.9%	(8.2 - 9.6)	NS	885	7.1%	(5.1 - 9.7)	7,491	6.9%	(6.0 - 7.9)	NS	1,297	12.8%	(10.5 - 15.6)	9,878	10.8%	(9.8 - 11.9)	NS	Yes
2016	1,599	9.8%	(8.0 - 12.0)	15,035	9.5%	(8.7 - 10.4)	NS	699	7.1%	(4.7 - 10.4)	6,568	7.0%	(6.0 - 8.1)	NS	900	12.4%	(9.8 - 15.5)	8,467	12.0%	(10.8 - 13.3)	NS	No
Currently taking medication or receiving treatment for a mental health condition																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	731	10.0%	(7.7 - 12.9)	6,643	11.0%	(10.0 - 12.1)	NS	312	7.9%	(5.0 - 12.2)	2,693	7.4%	(6.2 - 8.9)	NS	419	12.0%	(8.8 - 16.2)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms of serious mental illness in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	724	3.9%	(2.3 - 6.3)	6,555	3.2%	(2.6 - 3.9)	NS	309	3.5%	(1.6 - 7.5)	2,657	2.5%	(1.8 - 3.7)	NS	415	4.2%	(2.1 - 7.9)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol and Drug Use																						
Any alcohol consumption in past 30 days																						
2011	4,119	64.8%	(62.6 - 66.9)	24,051	61.8%	(60.9 - 62.7)	NS	1,659	69.0%	(65.7 - 72.1)	9,597	67.7%	(66.4 - 69.1)	NS	2,460	60.8%	(57.9 - 63.6)	14,454	56.2%	(55.0 - 57.4)	+	Yes
2012	3,518	63.9%	(61.8 - 65.9)	18,891	61.3%	(60.3 - 62.3)	NS	1,468	70.7%	(67.7 - 73.5)	7,749	68.7%	(67.2 - 70.1)	NS	2,050	57.5%	(54.7 - 60.2)	11,142	54.2%	(52.8 - 55.6)	NS	Yes
2013	1,647	57.6%	(54.4 - 60.8)	16,614	57.5%	(56.2 - 58.7)	NS	671	62.2%	(57.1 - 67.0)	6,754	63.3%	(61.4 - 65.2)	NS	976	53.5%	(49.3 - 57.6)	9,860	51.8%	(50.2 - 53.5)	NS	No
2014	2,522	60.7%	(58.1 - 63.2)	21,612	59.2%	(58.1 - 60.3)	NS	1,059	64.2%	(60.4 - 67.9)	9,246	65.2%	(63.6 - 66.8)	NS	1,463	57.3%	(53.8 - 60.8)	12,366	53.4%	(52.0 - 54.9)	NS	No
2015	2,115	60.7%	(57.9 - 63.5)	16,939	57.6%	(56.4 - 58.8)	NS	858	67.6%	(63.5 - 71.5)	7,282	63.8%	(62.0 - 65.5)	NS	1,257	54.1%	(50.3 - 57.8)	9,657	51.6%	(50.0 - 53.2)	NS	Yes
2016	1,569	61.1%	(58.0 - 64.1)	14,723	59.8%	(58.5 - 61.0)	NS	684	69.8%	(65.3 - 74.0)	6,421	68.0%	(66.1 - 69.8)	NS	885	52.8%	(48.6 - 57.0)	8,302	51.8%	(50.0 - 53.6)	NS	Yes
Binge drank in past 30 days^a																						
2011	4,102	24.4%	(22.6 - 26.4)	23,948	22.7%	(21.9 - 23.5)	NS	1,648	31.3%	(28.3 - 34.4)	9,533	30.2%	(28.9 - 31.5)	NS	2,454	18.0%	(15.7 - 20.5)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	3,483	22.6%	(20.8 - 24.4)	18,742	22.1%	(21.3 - 23.0)	NS	1,450	28.3%	(25.5 - 31.4)	7,664	29.1%	(27.6 - 30.5)	NS	2,033	17.1%	(15.1 - 19.4)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	1,643	19.8%	(17.3 - 22.6)	16,500	20.0%	(19.0 - 21.1)	NS	669	22.2%	(18.4 - 26.6)	6,687	25.2%	(23.6 - 26.9)	NS	974	17.6%	(14.4 - 21.3)	9,813	15.0%	(13.8 - 16.4)	NS	No
2014	2,506	20.5%	(18.4 - 22.8)	21,443	20.3%	(19.4 - 21.3)	NS	1,050	24.9%	(21.6 - 28.6)	9,149	26.8%	(25.3 - 28.3)	NS	1,456	16.4%	(13.8 - 19.3)	12,294	14.1%	(13.0 - 15.3)	NS	Yes
2015	2,103	21.9%	(19.4 - 24.5)	16,832	19.5%	(18.5 - 20.5)	NS	853	30.1%	(26.1 - 34.5)	7,216	26.0%	(24.4 - 27.8)	NS	1,250	14.0%	(11.5 - 16.9)	9,616	13.1%	(12.0 - 14.3)	NS	Yes
2016	1,554	20.3%	(17.8 - 23.1)	14,620	20.0%	(18.9 - 21.1)	NS	675	27.5%	(23.4 - 32.0)	6,367	27.2%	(25.4 - 29.0)	NS	879	13.6%	(10.9 - 16.9)	8,253	13.1%	(11.9 - 14.4)	NS	Yes
Heavy drinking in past 30 days																						
2011	4,082	8.6%	(7.4 - 10.0)	23,906	7.5%	(7.0 - 8.1)	NS	1,639	8.9%	(7.2 - 11.0)	9,514	9.2%	(8.4 - 10.2)	NS	2,443	8.3%	(6.6 - 10.4)	14,392	5.9%	(5.2 - 6.6)	+	No
2012	3,486	7.6%	(6.5 - 8.9)	18,738	7.2%	(6.6 - 7.7)	NS	1,449	7.1%	(5.6 - 9.0)	7,668	8.5%	(7.7 - 9.4)	NS	2,037	8.1%	(6.6 - 9.9)	11,070	5.9%	(5.3 - 6.6)	+	No
2013	1,638	7.1%	(5.6 - 8.9)	16,513	6.8%	(6.2 - 7.5)	NS	665	6.7%	(4.6 - 9.7)	6,698	7.3%	(6.4 - 8.3)	NS	973	7.4%	(5.5 - 10.0)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	2,502	6.8%	(5.6 - 8.3)	21,447	6.4%	(5.9 - 7.0)	NS	1,047	7.0%	(5.2 - 9.4)	9,158	7.5%	(6.7 - 8.5)	NS	1,455	6.7%	(5.1 - 8.7)	12,289	5.3%	(4.7 - 6.1)	NS	No
2015	2,096	7.0%	(5.6 - 8.9)	16,815	5.7%	(5.1 - 6.4)	NS	846	7.6%	(5.2 - 10.8)	7,214	7.0%	(6.0 - 8.1)	NS	1,250	6.6%	(4.9 - 8.7)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	1,559	6.1%	(4.7 - 7.9)	14,634	6.6%	(5.9 - 7.3)	NS	677	6.5%	(4.5 - 9.3)	6,376	8.0%	(7.0 - 9.1)	NS	882	5.8%	(4.0 - 8.3)	8,258	5.2%	(4.4 - 6.2)	NS	No
Alcohol impaired driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	3,509	3.4%	(2.7 - 4.2)	18,895	3.4%	(3.1 - 3.8)	NS	1,459	4.4%	(3.3 - 5.8)	7,741	5.5%	(4.9 - 6.3)	NS	2,050	2.4%	(1.7 - 3.4)	11,154	1.4%	(1.1 - 1.8)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	2,523	2.8%	(2.0 - 3.7)	21,627	2.5%	(2.2 - 2.9)	NS	1,054	4.3%	(3.0 - 6.1)	9,242	4.2%	(3.5 - 4.9)	NS	1,469	1.3%	(0.8 - 2.3)	12,385	1.0%	(0.7 - 1.3)	NS	Yes
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,561	3.6%	(2.6 - 4.9)	14,666	3.4%	(2.9 - 3.9)	NS	679	5.0%	(3.4 - 7.3)	6,383	5.1%	(4.3 - 6.0)	NS	882	2.3%	(1.3 - 4.1)	8,283	1.7%	(1.3 - 2.4)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	2,653	31.3%	(29.0 - 33.6)	11,767	30.2%	(29.1 - 31.4)	NS	1,090	27.7%	(24.5 - 31.2)	4,835	27.3%	(25.7 - 29.0)	NS	1,563	34.6%	(31.5 - 37.8)	6,932	33.0%	(31.5 - 34.6)	NS	Yes	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	962	34.0%	(30.1 - 38.1)	7,858	33.5%	(31.9 - 35.1)	NS	377	28.0%	(22.6 - 34.3)	3,283	28.9%	(26.6 - 31.4)	NS	585	39.8%	(34.7 - 45.2)	4,575	37.9%	(35.8 - 40.1)	NS	Yes	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	904	52.6%	(48.2 - 56.9)	3,848	49.2%	(46.9 - 51.4)	NS	320	49.4%	(42.2 - 56.6)	1,423	43.9%	(40.4 - 47.4)	NS	584	54.9%	(49.5 - 60.3)	2,425	53.4%	(50.5 - 56.3)	NS	No	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	344	45.0%	(38.1 - 52.2)	2,684	45.7%	(42.8 - 48.7)	NS	112	42.0%	(30.7 - 54.1)	995	42.6%	(37.9 - 47.4)	NS	232	47.2%	(38.8 - 55.8)	1,689	48.0%	(44.4 - 51.7)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,496	7.1%	(5.4 - 9.2)	14,160	4.9%	(4.2 - 5.7)	NS	644	10.2%	(7.3 - 14.2)	6,143	7.2%	(6.0 - 8.6)	NS	852	4.1%	(2.7 - 6.4)	8,017	2.7%	(2.1 - 3.5)	NS	Yes	
Immunization and Infectious Disease																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	4,140	43.2%	(41.1 - 45.4)	24,156	41.1%	(40.2 - 42.0)	NS	1,670	36.4%	(33.4 - 39.6)	9,663	35.1%	(33.8 - 36.5)	NS	2,470	49.7%	(46.7 - 52.6)	14,493	46.8%	(45.6 - 48.1)	NS	Yes	
2012	3,513	45.5%	(43.4 - 47.6)	18,903	42.2%	(41.2 - 43.2)	+	1,463	40.1%	(37.0 - 43.2)	7,754	36.8%	(35.4 - 38.2)	NS	2,050	50.7%	(47.9 - 53.5)	11,149	47.5%	(46.1 - 48.8)	NS	Yes	
2013	1,565	45.0%	(41.8 - 48.3)	16,022	45.2%	(43.9 - 46.4)	NS	633	42.5%	(37.6 - 47.5)	6,506	41.2%	(39.4 - 43.1)	NS	932	47.3%	(43.1 - 51.6)	9,516	48.9%	(47.2 - 50.6)	NS	No	
2014	2,530	47.5%	(44.9 - 50.1)	21,638	43.9%	(42.9 - 45.0)	NS	1,063	42.6%	(38.9 - 46.4)	9,262	38.8%	(37.3 - 40.4)	NS	1,467	52.0%	(48.5 - 55.5)	12,376	48.9%	(47.4 - 50.3)	NS	Yes	
2015	2,022	48.3%	(45.4 - 51.2)	16,091	47.2%	(46.0 - 48.4)	NS	812	41.3%	(37.1 - 45.6)	6,883	40.8%	(39.0 - 42.6)	NS	1,210	54.7%	(50.8 - 58.5)	9,208	53.4%	(51.7 - 55.0)	NS	Yes	
2016	1,564	48.6%	(45.5 - 51.7)	14,685	44.4%	(43.1 - 45.7)	NS	683	43.8%	(39.2 - 48.4)	6,401	39.4%	(37.5 - 41.3)	NS	881	53.1%	(48.9 - 57.3)	8,284	49.3%	(47.6 - 51.1)	NS	Yes	
Had a flu vaccination in past year, aged 65 years and older ^h																							
2011	1,139	60.8%	(56.3 - 65.2)	8,185	61.8%	(60.3 - 63.3)	NS	415	60.9%	(53.8 - 67.6)	2,875	59.6%	(57.1 - 62.1)	NS	724	60.7%	(54.8 - 66.3)	5,310	63.4%	(61.5 - 65.3)	NS	No	
2012	972	68.1%	(64.1 - 71.8)	6,625	62.9%	(61.2 - 64.6)	NS	335	69.2%	(62.4 - 75.2)	2,327	60.9%	(58.1 - 63.6)	NS	637	67.3%	(62.3 - 71.9)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	392	66.9%	(60.5 - 72.8)	5,652	66.2%	(64.2 - 68.1)	NS	148	68.3%	(57.4 - 77.5)	2,067	67.6%	(64.4 - 70.6)	NS	244	65.9%	(57.8 - 73.0)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	840	68.5%	(64.4 - 72.2)	7,610	64.7%	(63.2 - 66.2)	NS	320	69.3%	(62.9 - 75.1)	2,971	65.9%	(63.5 - 68.3)	NS	520	67.8%	(62.6 - 72.7)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	635	66.2%	(61.3 - 70.7)	5,578	65.2%	(63.4 - 67.0)	NS	215	63.2%	(54.7 - 71.0)	2,119	64.1%	(61.1 - 66.9)	NS	420	68.3%	(62.5 - 73.5)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	470	69.6%	(64.5 - 74.3)	5,130	62.7%	(60.8 - 64.6)	NS	180	72.1%	(64.4 - 78.7)	1,967	62.8%	(59.8 - 65.6)	NS	290	67.8%	(60.8 - 74.1)	3,163	62.7%	(60.2 - 65.1)	NS	No	
Ever had a pneumonia vaccination, aged 65 years and older ^h																							
2011	1,108	72.6%	(68.5 - 76.4)	7,997	70.3%	(68.8 - 71.7)	NS	399	70.3%	(63.4 - 76.4)	2,772	66.7%	(64.2 - 69.1)	NS	709	74.5%	(69.3 - 79.0)	5,225	72.9%	(71.2 - 74.5)	NS	No	
2012	945	72.6%	(68.7 - 76.3)	6,413	70.0%	(68.4 - 71.6)	NS	322	67.9%	(61.0 - 74.1)	2,225	66.9%	(64.1 - 69.6)	NS	623	75.8%	(71.1 - 80.0)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	380	76.0%	(70.0 - 81.1)	5,478	71.7%	(69.8 - 73.4)	NS	141	77.7%	(67.9 - 85.2)	1,970	71.5%	(68.5 - 74.3)	NS	239	74.7%	(66.7 - 81.2)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	812	76.7%	(73.0 - 80.0)	7,372	72.3%	(70.9 - 73.7)	NS	302	74.1%	(68.0 - 79.5)	2,849	70.3%	(67.9 - 72.5)	NS	510	78.6%	(73.9 - 82.7)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	617	74.5%	(69.9 - 78.7)	5,452	73.8%	(72.1 - 75.4)	NS	207	70.3%	(62.0 - 77.4)	2,056	70.3%	(67.4 - 73.0)	NS	410	77.4%	(71.8 - 82.2)	3,396	76.5%	(74.5 - 78.4)	NS	No	
2016	463	79.3%	(74.7 - 83.3)	5,060	75.9%	(74.2 - 77.5)	NS	175	77.4%	(69.6 - 83.6)	1,927	73.7%	(70.9 - 76.3)	NS	288	80.8%	(74.8 - 85.6)	3,133	77.6%	(75.5 - 79.7)	NS	No	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	1,431	61.3%	(57.8 - 64.6)	14,650	60.2%	(58.9 - 61.5)	NS	586	60.8%	(55.5 - 65.8)	6,015	63.1%	(61.1 - 65.0)	NS	845	61.8%	(57.3 - 66.0)	8,635	57.4%	(55.6 - 59.1)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,425	63.2%	(60.0 - 66.3)	13,574	64.2%	(62.9 - 65.4)	NS	615	63.7%	(58.8 - 68.3)	5,939	67.5%	(65.5 - 69.3)	NS	810	62.8%	(58.6 - 66.9)	7,635	60.9%	(59.2 - 62.7)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Ever had a shingles vaccination, aged 50 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,540	27.7%	(25.1 - 30.5)	14,246	27.9%	(26.9 - 28.9)	NS	618	25.0%	(21.3 - 29.2)	5,892	25.7%	(24.2 - 27.3)	NS	922	30.0%	(26.5 - 33.8)	8,354	29.8%	(28.4 - 31.3)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever been tested for HIV, 18-64 year olds (excluding blood donation)																							
2011	2,900	36.6%	(34.2 - 39.0)	15,561	30.8%	(29.7 - 31.8)	+	1,218	33.1%	(29.8 - 36.6)	6,612	28.4%	(27.0 - 29.9)	NS	1,682	39.9%	(36.6 - 43.3)	8,949	33.1%	(31.7 - 34.6)	+	Yes	
2012	2,446	37.2%	(34.8 - 39.6)	11,879	30.9%	(29.8 - 32.1)	+	1,086	32.8%	(29.5 - 36.3)	5,254	27.9%	(26.3 - 29.5)	NS	1,360	41.5%	(38.3 - 44.8)	6,625	34.0%	(32.4 - 35.7)	+	Yes	
2013	1,138	38.7%	(35.0 - 42.5)	10,049	31.8%	(30.3 - 33.3)	+	476	37.0%	(31.5 - 42.8)	4,304	29.1%	(27.0 - 31.3)	+	662	40.3%	(35.6 - 45.3)	5,745	34.4%	(32.5 - 36.4)	NS	No	
2014	1,610	38.5%	(35.5 - 41.5)	13,474	30.9%	(29.6 - 32.2)	+	704	35.7%	(31.4 - 40.2)	6,042	28.6%	(26.8 - 30.5)	+	906	41.2%	(37.1 - 45.3)	7,432	33.2%	(31.4 - 35.0)	+	No	
2015	1,337	40.9%	(37.5 - 44.4)	10,152	32.0%	(30.6 - 33.5)	+	574	39.3%	(34.4 - 44.5)	4,604	29.2%	(27.2 - 31.4)	+	763	42.4%	(37.9 - 47.1)	5,548	34.9%	(32.9 - 36.9)	+	No	
2016	1,050	39.0%	(35.4 - 42.7)	9,145	31.9%	(30.4 - 33.5)	+	483	36.5%	(31.4 - 42.0)	4,263	28.5%	(26.4 - 30.7)	+	567	41.4%	(36.6 - 46.5)	4,882	35.4%	(33.2 - 37.6)	NS	No	
Oral Health																							
Visited a dentist or dental clinic for any reason in past year ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	3,552	68.4%	(66.4 - 70.4)	19,052	67.6%	(66.6 - 68.5)	NS	1,483	64.1%	(61.0 - 67.2)	7,827	64.2%	(62.7 - 65.6)	NS	2,069	72.5%	(69.9 - 74.9)	11,225	70.9%	(69.6 - 72.1)	NS	Yes	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	2,624	68.7%	(66.2 - 71.0)	22,258	66.4%	(65.4 - 67.4)	NS	1,105	66.4%	(62.7 - 70.0)	9,544	63.2%	(61.7 - 64.8)	NS	1,519	70.8%	(67.4 - 73.9)	12,714	69.5%	(68.1 - 70.8)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,611	69.4%	(66.3 - 72.2)	15,089	68.7%	(67.5 - 69.9)	NS	704	68.6%	(63.9 - 72.9)	6,597	65.9%	(64.1 - 67.7)	NS	907	70.1%	(66.1 - 73.8)	8,492	71.4%	(69.8 - 73.0)	NS	No	
Had any permanent teeth extracted due to tooth decay or gum disease																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	3,518	37.0%	(35.0 - 39.0)	18,824	39.8%	(38.8 - 40.8)	NS	1,475	35.8%	(32.9 - 38.8)	7,750	39.2%	(37.7 - 40.6)	NS	2,043	38.0%	(35.4 - 40.8)	11,074	40.4%	(39.1 - 41.7)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	2,597	35.4%	(33.1 - 37.8)	22,085	39.1%	(38.1 - 40.1)	-	1,102	34.7%	(31.3 - 38.4)	9,490	39.4%	(37.9 - 40.9)	NS	1,495	36.0%	(32.9 - 39.2)	12,595	38.9%	(37.5 - 40.2)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,595	36.2%	(33.4 - 39.2)	14,988	38.2%	(37.0 - 39.4)	NS	698	33.7%	(29.6 - 38.0)	6,559	37.6%	(35.8 - 39.3)	NS	897	38.7%	(34.8 - 42.7)	8,429	38.9%	(37.3 - 40.5)	NS	No	
Had any permanent teeth extracted due to tooth decay or gum disease, 45-64 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,281	47.2%	(43.8 - 50.6)	7,138	47.7%	(46.1 - 49.3)	NS	563	47.5%	(42.5 - 52.7)	3,077	48.7%	(46.3 - 51.1)	NS	718	46.8%	(42.3 - 51.4)	4,061	46.7%	(44.6 - 48.8)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	907	43.3%	(39.4 - 47.3)	8,200	45.9%	(44.3 - 47.5)	NS	398	44.7%	(39.0 - 50.6)	3,631	47.5%	(45.1 - 50.0)	NS	509	41.8%	(36.6 - 47.2)	4,569	44.3%	(42.1 - 46.5)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	556	44.7%	(40.0 - 49.6)	5,356	45.1%	(43.1 - 47.1)	NS	248	42.0%	(35.0 - 49.3)	2,446	46.4%	(43.5 - 49.3)	NS	308	47.4%	(41.0 - 53.8)	2,910	43.8%	(41.2 - 46.5)	NS	No	
Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	953	12.2%	(9.8 - 15.3)	6,502	13.4%	(12.3 - 14.5)	NS	336	10.5%	(6.9 - 15.6)	2,313	12.0%	(10.3 - 13.9)	NS	617	13.5%	(10.3 - 17.5)	4,189	14.4%	(13.0 - 16.0)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	840	9.0%	(6.9 - 11.6)	7,657	14.1%	(13.0 - 15.2)	-	325	10.8%	(7.3 - 15.6)	3,010	14.4%	(12.8 - 16.3)	NS	515	7.7%	(5.5 - 10.6)	4,647	13.8%	(12.5 - 15.2)	-	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	480	14.6%	(11.1 - 18.9)	5,179	13.2%	(11.9 - 14.6)	NS	183	7.7%	(4.4 - 13.2)	1,993	10.6%	(9.0 - 12.5)	NS	297	19.7%	(14.5 - 26.2)	3,186	15.3%	(13.5 - 17.3)	NS	Yes	
Had all permanent teeth extracted due to tooth decay or gum disease, 65-74 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	460	10.7%	(7.6 - 15.0)	3,149	11.3%	(9.9 - 12.8)	NS	186	7.3%	(3.6 - 14.3)	1,268	9.3%	(7.5 - 11.4)	NS	274	13.5%	(9.1 - 19.5)	1,881	13.1%	(11.1 - 15.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	478	6.8%	(4.5 - 9.9)	4,089	10.9%	(9.6 - 12.3)	NS	208	8.0%	(4.4 - 14.1)	1,804	12.0%	(9.9 - 14.4)	NS	270	5.6%	(3.4 - 9.2)	2,285	9.8%	(8.3 - 11.7)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	290	10.6%	(7.3 - 15.3)	2,815	10.4%	(9.0 - 12.0)	NS	115	6.9%	(3.2 - 14.4)	1,168	8.8%	(6.9 - 11.2)	NS	175	13.6%	(8.8 - 20.3)	1,647	11.8%	(9.9 - 14.1)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Douglas County			State of NE			Douglas County			State of NE			Douglas County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,479	67.4%	(64.2 - 70.5)	13,764	67.4%	(66.1 - 68.6)	NS	660	65.5%	(60.6 - 70.1)	6,092	63.9%	(62.0 - 65.8)	NS	819	69.3%	(65.0 - 73.3)	7,672	70.8%	(69.1 - 72.5)	NS	No	
Social Context																							
Housing insecurity in past year, among those who own or rent their home [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	669	28.9%	(24.9 - 33.4)	6,089	26.6%	(25.0 - 28.3)	NS	282	26.9%	(21.1 - 33.7)	2,481	24.7%	(22.3 - 27.3)	NS	387	30.7%	(25.3 - 36.8)	3,608	28.5%	(26.3 - 30.8)	NS	No	
2013	699	34.3%	(29.7 - 39.2)	7,324	28.8%	(27.1 - 30.5)	NS	269	30.9%	(23.8 - 39.1)	2,961	25.0%	(22.5 - 27.7)	NS	430	36.8%	(30.9 - 43.1)	4,363	32.3%	(30.0 - 34.7)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	908	32.1%	(28.0 - 36.5)	7,461	28.5%	(26.8 - 30.2)	NS	357	29.5%	(23.6 - 36.2)	3,109	26.6%	(24.2 - 29.2)	NS	551	34.7%	(29.2 - 40.5)	4,352	30.3%	(28.1 - 32.5)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Food insecurity in past year [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	730	19.8%	(16.3 - 23.7)	6,621	17.6%	(16.2 - 19.0)	NS	312	14.7%	(10.3 - 20.6)	2,684	13.9%	(12.1 - 16.0)	NS	418	24.4%	(19.5 - 30.1)	3,937	21.1%	(19.1 - 23.2)	NS	No	
2013	737	21.6%	(17.8 - 26.1)	7,828	19.0%	(17.6 - 20.6)	NS	283	16.3%	(10.9 - 23.6)	3,159	15.4%	(13.4 - 17.7)	NS	454	25.7%	(20.5 - 31.6)	4,669	22.5%	(20.5 - 24.6)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	967	24.4%	(20.9 - 28.3)	7,918	21.0%	(19.5 - 22.5)	NS	379	20.7%	(15.7 - 26.8)	3,309	17.9%	(15.8 - 20.2)	NS	588	28.1%	(23.4 - 33.3)	4,609	24.0%	(22.1 - 26.1)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Caregiving																							
Provided regular care/assistance in past month to friend or family member with health issue																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	991	26.3%	(22.7 - 30.3)	7,883	24.7%	(23.2 - 26.2)	NS	398	21.1%	(16.3 - 26.9)	3,434	21.1%	(19.1 - 23.4)	NS	593	30.9%	(25.7 - 36.5)	4,449	28.0%	(25.9 - 30.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Cognitive Decline																							
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	715	7.7%	(5.7 - 10.4)	5,767	9.4%	(8.4 - 10.5)	NS	280	6.2%	(3.7 - 10.0)	2,436	10.2%	(8.7 - 12.0)	NS	435	9.0%	(6.1 - 13.2)	3,331	8.6%	(7.3 - 10.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Inadequate Sleep																							
Get less than 7 hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	1,694	35.8%	(32.8 - 39.0)	16,972	31.8%	(30.6 - 33.0)	NS	697	36.5%	(31.9 - 41.4)	6,927	32.6%	(30.8 - 34.4)	NS	997	35.2%	(31.3 - 39.2)	10,045	31.0%	(29.5 - 32.6)	NS	No	
2014	2,615	30.1%	(27.8 - 32.5)	22,172	30.0%	(29.0 - 31.0)	NS	1,108	31.0%	(27.5 - 34.6)	9,527	30.7%	(29.2 - 32.2)	NS	1,507	29.3%	(26.3 - 32.5)	12,645	29.4%	(28.1 - 30.7)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,606	30.6%	(27.8 - 33.6)	15,097	29.6%	(28.4 - 30.8)	NS	706	31.2%	(27.0 - 35.8)	6,610	29.7%	(27.9 - 31.5)	NS	900	30.0%	(26.3 - 33.9)	8,487	29.5%	(27.9 - 31.2)	NS	No	
Average hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	1,694	7.0	(6.9 - 7.0)	16,972	7.1	(7.0 - 7.1)	NS	697	6.9	(6.8 - 7.1)	6,927	7.0	(7.0 - 7.1)	NS	997	7.0	(6.9 - 7.1)	10,045	7.1	(7.0 - 7.1)	NS	No	
2014	2,615	7.0	(6.9 - 7.1)	22,172	7.1	(7.0 - 7.1)	NS	1,108	7.0	(6.9 - 7.1)	9,527	7.0	(7.0 - 7.1)	NS	1,507	7.1	(7.0 - 7.1)	12,645	7.1	(7.1 - 7.1)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,606	7.1	(7.0 - 7.2)	15,097	7.1	(7.1 - 7.1)	NS	706	7.0	(6.9 - 7.1)	6,610	7.1	(7.0 - 7.2)	NS	900	7.1	(7.0 - 7.3)	8,487	7.1	(7.1 - 7.2)	NS	No	

Indicators	Overall									Men						Women						LHD Gender Diff. ^e
	Douglas County			State of NE			Sig ^d	Douglas County			State of NE			Sig ^d	Douglas County			State of NE			Sig ^d	
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2013	519	4.3%	(2.4 - 7.6)	4,952	4.8%	(3.9 - 5.8)	NS	237	4.2%	(1.9 - 9.0)	2,246	6.1%	(4.8 - 7.7)	NS	282	4.3%	(1.8 - 10.0)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	773	4.7%	(2.7 - 7.9)	6,966	4.9%	(4.1 - 5.9)	NS	348	4.6%	(2.5 - 8.3)	3,403	5.4%	(4.4 - 6.7)	NS	425	4.7%	(2.0 - 10.7)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	665	5.1%	(3.3 - 7.8)	5,434	5.7%	(4.7 - 6.8)	NS	301	5.5%	(3.0 - 10.1)	2,727	7.1%	(5.6 - 9.0)	NS	364	4.6%	(2.4 - 8.5)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being landline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

