

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Diabetes																						
Ever told they have diabetes (excluding pregnancy) ^a																						
2011	958	7.1%	(5.6 - 9.0)	25,393	8.4%	(7.9 - 8.8)	NS	379	6.7%	(4.6 - 9.8)	10,222	8.6%	(7.9 - 9.3)	NS	579	7.4%	(5.5 - 9.9)	15,171	8.2%	(7.6 - 8.8)	NS	No
2012	749	7.2%	(5.4 - 9.6)	19,156	8.1%	(7.6 - 8.6)	NS	297	7.3%	(4.7 - 11.2)	7,861	8.3%	(7.6 - 9.1)	NS	452	7.1%	(4.9 - 10.2)	11,295	7.9%	(7.3 - 8.5)	NS	No
2013	821	10.7%	(8.5 - 13.4)	17,110	9.2%	(8.5 - 9.9)	NS	337	11.3%	(7.9 - 15.9)	6,968	10.1%	(9.0 - 11.2)	NS	484	10.1%	(7.6 - 13.3)	10,142	8.3%	(7.5 - 9.2)	NS	No
2014	1,187	9.7%	(8.0 - 11.7)	22,388	9.2%	(8.6 - 9.7)	NS	505	9.9%	(7.4 - 13.0)	9,598	9.7%	(8.9 - 10.6)	NS	682	9.6%	(7.4 - 12.4)	12,790	8.6%	(7.9 - 9.3)	NS	No
2015	925	10.0%	(8.0 - 12.4)	17,547	8.8%	(8.2 - 9.4)	NS	401	11.5%	(8.5 - 15.4)	7,565	9.0%	(8.2 - 9.9)	NS	524	8.5%	(6.2 - 11.5)	9,982	8.6%	(7.8 - 9.3)	NS	No
2016	807	9.9%	(7.9 - 12.4)	15,171	8.8%	(8.2 - 9.5)	NS	361	10.3%	(7.4 - 14.2)	6,630	8.7%	(7.8 - 9.7)	NS	446	9.5%	(6.9 - 13.1)	8,541	8.9%	(8.1 - 9.8)	NS	No
Ever told they have pre-diabetes (excluding pregnancy)																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	416	5.5%	(3.5 - 8.8)	8,549	5.5%	(4.8 - 6.3)	NS	172	5.2%	(2.4 - 11.1)	3,452	5.9%	(4.8 - 7.2)	NS	244	5.9%	(3.4 - 10.0)	5,097	5.1%	(4.1 - 6.2)	NS	No
2014	590	6.1%	(4.3 - 8.6)	11,165	5.8%	(5.1 - 6.5)	NS	248	3.8%	(2.0 - 6.9)	4,723	5.8%	(4.8 - 6.9)	NS	342	8.0%	(5.2 - 12.0)	6,442	5.7%	(4.9 - 6.7)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	796	5.2%	(3.8 - 7.0)	14,986	6.0%	(5.5 - 6.6)	NS	352	5.0%	(3.1 - 7.9)	6,547	5.3%	(4.6 - 6.2)	NS	444	5.3%	(3.5 - 8.0)	8,439	6.7%	(5.9 - 7.6)	NS	No
Cancer																						
Ever told they have skin cancer																						
2011	958	4.7%	(3.6 - 6.2)	25,359	5.6%	(5.3 - 6.0)	NS	379	4.3%	(2.7 - 6.8)	10,205	6.3%	(5.8 - 6.8)	NS	579	5.1%	(3.7 - 7.0)	15,154	5.0%	(4.6 - 5.5)	NS	No
2012	748	6.6%	(4.8 - 9.0)	19,133	5.6%	(5.2 - 6.0)	NS	297	7.1%	(4.5 - 11.1)	7,859	5.8%	(5.3 - 6.4)	NS	451	6.1%	(4.0 - 9.2)	11,274	5.4%	(4.9 - 6.0)	NS	No
2013	820	7.8%	(5.9 - 10.1)	17,087	5.9%	(5.5 - 6.3)	NS	337	9.6%	(6.8 - 13.5)	6,956	6.3%	(5.7 - 7.1)	NS	483	5.9%	(3.9 - 9.0)	10,131	5.4%	(4.9 - 6.0)	NS	No
2014	1,183	4.8%	(3.7 - 6.3)	22,370	5.7%	(5.4 - 6.1)	NS	503	5.0%	(3.3 - 7.4)	9,586	5.9%	(5.4 - 6.5)	NS	680	4.7%	(3.3 - 6.6)	12,784	5.6%	(5.1 - 6.1)	NS	No
2015	924	5.8%	(4.4 - 7.6)	17,512	6.0%	(5.6 - 6.4)	NS	401	6.2%	(4.2 - 9.2)	7,566	6.4%	(5.7 - 7.0)	NS	523	5.4%	(3.7 - 7.8)	9,956	5.6%	(5.1 - 6.2)	NS	No
2016	805	5.1%	(3.7 - 7.1)	15,150	5.5%	(5.0 - 5.9)	NS	360	5.8%	(3.5 - 9.2)	6,616	5.8%	(5.1 - 6.5)	NS	445	4.5%	(3.0 - 6.9)	8,534	5.2%	(4.6 - 5.8)	NS	No
Ever told they have cancer other than skin cancer																						
2011	957	7.7%	(6.0 - 9.9)	25,369	6.6%	(6.2 - 7.0)	NS	379	7.5%	(5.0 - 11.1)	10,219	5.0%	(4.6 - 5.5)	NS	578	8.0%	(5.8 - 10.8)	15,150	8.1%	(7.5 - 8.6)	NS	No
2012	747	6.1%	(4.4 - 8.4)	19,136	6.5%	(6.0 - 6.9)	NS	296	4.7%	(2.8 - 7.7)	7,858	5.0%	(4.5 - 5.6)	NS	451	7.5%	(4.9 - 11.4)	11,278	7.9%	(7.2 - 8.5)	NS	No
2013	820	8.8%	(6.9 - 11.1)	17,104	6.8%	(6.3 - 7.3)	NS	336	8.4%	(5.7 - 12.1)	6,965	5.6%	(5.0 - 6.4)	NS	484	9.2%	(6.9 - 12.1)	10,139	8.0%	(7.3 - 8.8)	NS	No
2014	1,186	6.7%	(5.4 - 8.2)	22,380	6.1%	(5.7 - 6.5)	NS	505	4.6%	(3.0 - 6.8)	9,590	4.6%	(4.1 - 5.1)	NS	681	8.7%	(6.7 - 11.2)	12,790	7.6%	(7.0 - 8.3)	NS	No
2015	925	8.4%	(6.7 - 10.5)	17,524	6.9%	(6.4 - 7.3)	NS	401	4.9%	(3.1 - 7.5)	7,557	5.2%	(4.6 - 5.8)	NS	524	11.9%	(9.1 - 15.3)	9,967	8.5%	(7.8 - 9.2)	NS	Yes
2016	808	7.9%	(6.0 - 10.3)	15,165	6.9%	(6.3 - 7.4)	NS	362	7.5%	(4.9 - 11.1)	6,629	5.5%	(4.9 - 6.2)	NS	446	8.3%	(5.7 - 11.8)	8,536	8.2%	(7.4 - 9.0)	NS	No
Ever told they have cancer (in any form)																						
2011	957	11.2%	(9.2 - 13.6)	25,315	11.2%	(10.7 - 11.7)	NS	379	10.2%	(7.4 - 14.0)	10,192	10.1%	(9.5 - 10.8)	NS	578	12.2%	(9.6 - 15.4)	15,123	12.2%	(11.5 - 12.9)	NS	No
2012	746	11.2%	(8.8 - 14.1)	19,100	10.8%	(10.3 - 11.4)	NS	296	10.6%	(7.3 - 15.0)	7,846	9.6%	(8.9 - 10.4)	NS	450	11.7%	(8.4 - 16.0)	11,254	11.9%	(11.2 - 12.7)	NS	No
2013	819	14.8%	(12.3 - 17.7)	17,062	11.4%	(10.8 - 12.1)	+	336	15.6%	(11.8 - 20.2)	6,946	10.6%	(9.7 - 11.6)	+	483	14.1%	(11.0 - 17.8)	10,116	12.3%	(11.4 - 13.2)	NS	No
2014	1,182	10.5%	(8.8 - 12.5)	22,338	10.7%	(10.2 - 11.2)	NS	503	8.9%	(6.6 - 11.8)	9,568	9.3%	(8.6 - 10.0)	NS	679	12.1%	(9.7 - 14.9)	12,770	12.1%	(11.4 - 12.9)	NS	No
2015	923	13.3%	(11.1 - 15.8)	17,481	11.6%	(11.0 - 12.2)	NS	401	10.2%	(7.5 - 13.7)	7,541	10.2%	(9.5 - 11.1)	NS	522	16.4%	(13.2 - 20.2)	9,940	12.9%	(12.1 - 13.8)	NS	No
2016	805	11.5%	(9.3 - 14.2)	15,132	11.2%	(10.6 - 11.9)	NS	360	11.2%	(8.0 - 15.3)	6,607	10.1%	(9.3 - 11.1)	NS	445	11.9%	(8.8 - 15.8)	8,525	12.3%	(11.3 - 13.3)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Up-to-date on colon cancer screening, 50-75 year olds ^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	377	60.6%	(54.5 - 66.3)	9,022	61.1%	(59.6 - 62.5)	NS	153	56.2%	(46.8 - 65.2)	3,733	58.4%	(56.1 - 60.6)	NS	224	64.1%	(56.4 - 71.1)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	385	53.3%	(47.3 - 59.3)	7,979	62.8%	(61.1 - 64.4)	-	168	52.9%	(44.0 - 61.7)	3,275	61.0%	(58.5 - 63.6)	NS	217	53.8%	(46.1 - 61.3)	4,704	64.4%	(62.2 - 66.6)	-	No
2014	590	59.8%	(55.2 - 64.3)	10,646	64.1%	(62.8 - 65.5)	NS	260	55.2%	(48.4 - 61.7)	4,681	63.0%	(61.0 - 65.1)	NS	330	64.5%	(58.3 - 70.3)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	423	57.3%	(51.3 - 63.0)	8,007	65.2%	(63.6 - 66.7)	-	184	50.7%	(41.6 - 59.8)	3,446	63.7%	(61.3 - 66.1)	-	239	63.0%	(55.6 - 69.8)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	371	58.9%	(53.1 - 64.4)	7,036	66.0%	(64.3 - 67.6)	NS	172	56.4%	(48.1 - 64.3)	3,073	65.2%	(62.8 - 67.6)	NS	199	61.3%	(53.3 - 68.7)	3,963	66.7%	(64.5 - 68.9)	NS	No
Up-to-date on breast cancer screening, female 50-74 year olds ^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	224	75.5%	(68.2 - 81.6)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	224	75.5%	(68.2 - 81.6)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	328	77.2%	(71.7 - 81.9)	5,904	76.1%	(74.5 - 77.7)	NS	-	-	-	-	-	-	-	328	77.2%	(71.7 - 81.9)	5,904	76.1%	(74.5 - 77.7)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	199	73.7%	(66.2 - 80.0)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	199	73.7%	(66.2 - 80.0)	3,914	73.4%	(71.3 - 75.4)	NS	NA
Up-to-date on cervical cancer screening, female 21-65 year olds ^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	184	84.2%	(76.1 - 89.9)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	184	84.2%	(76.1 - 89.9)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	292	80.3%	(73.0 - 86.1)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	292	80.3%	(73.0 - 86.1)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	212	78.3%	(70.4 - 84.6)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	212	78.3%	(70.4 - 84.6)	3,814	77.7%	(75.5 - 79.8)	NS	NA
Arthritis																						
Ever told they have arthritis																						
2011	949	25.7%	(22.7 - 28.9)	25,285	23.4%	(22.8 - 24.1)	NS	376	21.9%	(17.8 - 26.7)	10,184	20.1%	(19.2 - 21.1)	NS	573	29.4%	(25.3 - 33.9)	15,101	26.6%	(25.7 - 27.6)	NS	No
2012	747	25.0%	(21.6 - 28.8)	19,089	24.6%	(23.8 - 25.4)	NS	297	19.3%	(14.9 - 24.5)	7,839	21.5%	(20.3 - 22.6)	NS	450	30.6%	(25.5 - 36.1)	11,250	27.7%	(26.6 - 28.8)	NS	Yes
2013	818	27.0%	(23.7 - 30.5)	17,017	24.7%	(23.8 - 25.7)	NS	335	21.7%	(17.4 - 26.9)	6,925	21.6%	(20.2 - 23.0)	NS	483	32.1%	(27.5 - 37.0)	10,092	27.8%	(26.5 - 29.2)	NS	Yes
2014	1,184	26.8%	(24.1 - 29.7)	22,307	24.6%	(23.8 - 25.4)	NS	504	24.3%	(20.5 - 28.7)	9,560	21.6%	(20.5 - 22.8)	NS	680	29.3%	(25.5 - 33.3)	12,747	27.4%	(26.3 - 28.6)	NS	No
2015	925	23.3%	(20.4 - 26.5)	17,472	23.4%	(22.6 - 24.3)	NS	401	19.7%	(15.7 - 24.4)	7,540	19.7%	(18.5 - 20.9)	NS	524	26.8%	(22.7 - 31.3)	9,932	27.1%	(25.9 - 28.4)	NS	No
2016	806	26.6%	(23.3 - 30.1)	15,137	24.6%	(23.6 - 25.6)	NS	362	20.5%	(16.5 - 25.2)	6,622	21.7%	(20.3 - 23.2)	NS	444	32.5%	(27.6 - 37.9)	8,515	27.4%	(26.0 - 28.8)	NS	Yes
Currently have activity limitations due to arthritis, among those ever told they have arthritis ^a																						
2011	300	40.6%	(34.2 - 47.3)	7,973	45.2%	(43.6 - 46.8)	NS	102	34.5%	(24.9 - 45.5)	2,711	42.6%	(40.0 - 45.2)	NS	198	44.8%	(36.7 - 53.2)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	256	40.5%	(33.5 - 47.9)	5,460	42.4%	(40.3 - 44.6)	NS	81	38.9%	(27.7 - 51.4)	1,861	41.0%	(37.4 - 44.6)	NS	175	41.5%	(32.9 - 50.7)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	243	40.7%	(33.6 - 48.3)	5,146	44.0%	(41.9 - 46.1)	NS	87	33.7%	(23.0 - 46.3)	1,852	41.9%	(38.6 - 45.3)	NS	156	45.6%	(36.5 - 55.0)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma																						
Ever told they have asthma																						
2011	954	10.9%	(8.6 - 13.9)	25,327	11.5%	(10.9 - 12.1)	NS	377	10.5%	(7.2 - 15.1)	10,194	10.5%	(9.6 - 11.3)	NS	577	11.3%	(8.2 - 15.4)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	747	8.0%	(5.8 - 11.0)	19,105	10.8%	(10.2 - 11.5)	NS	297	6.7%	(4.0 - 11.0)	7,847	9.7%	(8.8 - 10.7)	NS	450	9.3%	(6.2 - 13.8)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	817	8.6%	(6.6 - 11.1)	17,068	11.2%	(10.5 - 12.0)	NS	334	6.2%	(4.1 - 9.3)	6,946	9.6%	(8.6 - 10.8)	NS	483	10.9%	(7.9 - 15.0)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	1,185	11.3%	(9.1 - 13.9)	22,355	12.2%	(11.5 - 13.0)	NS	504	8.8%	(6.1 - 12.6)	9,583	10.8%	(9.8 - 11.9)	NS	681	13.6%	(10.4 - 17.6)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	923	11.6%	(9.3 - 14.3)	17,492	12.1%	(11.3 - 12.9)	NS	399	8.9%	(6.0 - 13.0)	7,554	10.7%	(9.6 - 12.0)	NS	524	14.3%	(11.1 - 18.2)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	806	10.0%	(7.8 - 12.8)	15,144	12.4%	(11.5 - 13.4)	NS	361	5.8%	(3.8 - 8.9)	6,622	10.4%	(9.2 - 11.8)	-	445	14.1%	(10.5 - 18.7)	8,522	14.3%	(13.1 - 15.7)	NS	Yes
Currently have asthma																						
2011	951	6.9%	(5.1 - 9.2)	25,257	7.3%	(6.9 - 7.8)	NS	376	5.9%	(3.7 - 9.4)	10,170	6.0%	(5.4 - 6.7)	NS	575	7.8%	(5.2 - 11.4)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	746	6.4%	(4.5 - 9.1)	19,053	7.4%	(6.9 - 7.9)	NS	297	4.8%	(2.7 - 8.3)	7,832	6.1%	(5.4 - 6.9)	NS	449	8.1%	(5.2 - 12.4)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	814	5.8%	(4.2 - 7.9)	17,024	7.3%	(6.7 - 8.0)	NS	334	3.9%	(2.3 - 6.6)	6,930	5.5%	(4.8 - 6.4)	NS	480	7.7%	(5.2 - 11.2)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	1,184	8.2%	(6.3 - 10.6)	22,289	7.7%	(7.2 - 8.3)	NS	504	7.1%	(4.7 - 10.7)	9,562	6.2%	(5.5 - 7.0)	NS	680	9.2%	(6.6 - 12.8)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	921	7.9%	(6.1 - 10.2)	17,435	7.2%	(6.6 - 7.8)	NS	398	4.1%	(2.4 - 6.9)	7,533	5.4%	(4.7 - 6.2)	NS	523	11.6%	(8.7 - 15.4)	9,902	8.9%	(8.0 - 9.9)	NS	Yes
2016	804	7.4%	(5.4 - 9.9)	15,116	8.3%	(7.5 - 9.1)	NS	360	4.3%	(2.6 - 7.0)	6,609	6.1%	(5.2 - 7.1)	NS	444	10.3%	(7.1 - 14.7)	8,507	10.4%	(9.3 - 11.6)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. ^e					
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE								
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d		
Current e-cigarette use																								
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	784	3.6%	(2.2 - 5.9)	14,819	4.9%	(4.3 - 5.6)	NS	352	5.8%	(3.2 - 10.2)	6,474	5.3%	(4.5 - 6.4)	NS	432	1.5%	(0.6 - 3.7)	8,345	4.5%	(3.7 - 5.6)	-	-	-	No
Overweight and Obesity																								
Obese (BMI=30+) [^]																								
2011	922	29.5%	(26.0 - 33.3)	24,366	28.4%	(27.6 - 29.2)	NS	373	31.9%	(26.4 - 37.9)	10,102	29.2%	(28.0 - 30.4)	NS	549	27.0%	(22.7 - 31.8)	14,264	27.6%	(26.5 - 28.8)	NS	-	-	No
2012	715	27.1%	(23.1 - 31.5)	18,385	28.6%	(27.7 - 29.6)	NS	292	23.7%	(18.2 - 30.2)	7,781	29.2%	(27.9 - 30.6)	NS	423	30.6%	(25.1 - 36.8)	10,604	28.1%	(26.8 - 29.3)	NS	-	-	No
2013	766	34.2%	(30.3 - 38.3)	16,250	29.6%	(28.4 - 30.7)	NS	330	35.6%	(30.0 - 41.7)	6,860	30.8%	(29.1 - 32.5)	NS	436	32.7%	(27.5 - 38.3)	9,390	28.4%	(26.9 - 29.9)	NS	-	-	No
2014	1,101	31.0%	(27.8 - 34.5)	21,130	30.2%	(29.2 - 31.3)	NS	488	34.3%	(29.4 - 39.5)	9,399	31.7%	(30.2 - 33.2)	NS	613	27.5%	(23.5 - 31.9)	11,731	28.7%	(27.4 - 30.1)	NS	-	-	No
2015	859	35.4%	(31.6 - 39.4)	16,265	31.4%	(30.3 - 32.5)	NS	385	37.5%	(31.8 - 43.6)	7,323	32.9%	(31.3 - 34.6)	NS	474	33.3%	(28.4 - 38.5)	8,942	29.8%	(28.3 - 31.3)	NS	-	-	No
2016	746	32.4%	(28.6 - 36.5)	14,173	32.0%	(30.8 - 33.2)	NS	348	35.1%	(29.4 - 41.2)	6,460	32.6%	(30.8 - 34.3)	NS	398	29.6%	(24.7 - 35.1)	7,713	31.4%	(29.7 - 33.1)	NS	-	-	No
Overweight or Obese (BMI=25+)																								
2011	922	67.1%	(63.2 - 70.8)	24,366	64.9%	(64.0 - 65.8)	NS	373	77.1%	(71.5 - 81.9)	10,102	72.8%	(71.5 - 74.1)	NS	549	56.8%	(51.5 - 61.9)	14,264	56.8%	(55.5 - 58.1)	NS	-	-	Yes
2012	715	68.7%	(63.6 - 73.4)	18,385	65.0%	(64.0 - 66.0)	NS	292	75.8%	(67.9 - 82.3)	7,781	72.3%	(70.8 - 73.7)	NS	423	61.3%	(54.5 - 67.6)	10,604	57.6%	(56.2 - 59.0)	NS	-	-	Yes
2013	766	68.4%	(64.4 - 72.2)	16,250	65.5%	(64.2 - 66.7)	NS	330	75.1%	(69.2 - 80.1)	6,860	72.2%	(70.4 - 74.0)	NS	436	61.3%	(55.7 - 66.7)	9,390	58.5%	(56.8 - 60.2)	NS	-	-	Yes
2014	1,101	65.5%	(61.9 - 68.9)	21,130	66.7%	(65.6 - 67.8)	NS	488	73.3%	(68.1 - 77.9)	9,399	73.8%	(72.3 - 75.3)	NS	613	57.1%	(52.2 - 61.8)	11,731	59.2%	(57.7 - 60.7)	NS	-	-	Yes
2015	859	69.5%	(65.6 - 73.2)	16,265	67.0%	(65.8 - 68.2)	NS	385	77.2%	(71.4 - 82.0)	7,323	73.4%	(71.7 - 75.1)	NS	474	61.7%	(56.3 - 66.8)	8,942	60.2%	(58.6 - 61.9)	NS	-	-	Yes
2016	746	69.4%	(65.0 - 73.5)	14,173	68.5%	(67.3 - 69.8)	NS	348	76.7%	(70.5 - 82.0)	6,460	74.9%	(73.1 - 76.6)	NS	398	61.6%	(55.3 - 67.6)	7,713	61.8%	(59.9 - 63.6)	NS	-	-	Yes
Nutrition																								
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																								
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	369	31.0%	(25.6 - 37.0)	7,822	28.5%	(26.8 - 30.3)	NS	150	41.9%	(33.2 - 51.0)	3,164	35.8%	(33.1 - 38.5)	NS	219	21.9%	(15.8 - 29.4)	4,658	21.7%	(19.7 - 24.0)	NS	-	-	Yes
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																								
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	366	49.3%	(43.4 - 55.2)	7,818	46.3%	(44.6 - 48.1)	NS	146	45.3%	(36.5 - 54.3)	3,165	43.4%	(40.8 - 46.0)	NS	220	52.6%	(44.7 - 60.4)	4,653	49.1%	(46.8 - 51.5)	NS	-	-	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	426	44.5%	(38.4 - 50.8)	7,892	46.8%	(45.0 - 48.5)	NS	193	46.1%	(36.7 - 55.7)	3,436	46.0%	(43.4 - 48.7)	NS	233	42.9%	(35.3 - 51.0)	4,456	47.5%	(45.2 - 49.8)	NS	-	-	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																								
2011	906	1.02	(0.98 - 1.14)	24,090	1.02	(1.02 - 1.04)	NS	358	0.97	(0.85 - 1.05)	9,660	0.99	(0.99 - 1.00)	NS	548	1.13	(1.00 - 1.25)	14,430	1.14	(1.13 - 1.14)	NS	-	-	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	757	0.98	(0.97 - 1.00)	15,949	1.00	(1.00 - 1.00)	NS	313	0.97	(0.84 - 0.99)	6,462	0.99	(0.99 - 1.00)	-	444	0.99	(0.98 - 1.13)	9,487	1.07	(1.06 - 1.14)	NS	-	-	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	846	1.00	(0.99 - 1.08)	16,135	1.00	(1.00 - 1.00)	NS	363	0.99	(0.91 - 1.05)	6,899	0.99	(0.98 - 1.00)	NS	483	1.03	(0.99 - 1.14)	9,236	1.03	(1.02 - 1.09)	NS	-	-	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																								
2011	906	39.8%	(35.8 - 43.9)	24,090	40.1%	(39.2 - 41.1)	NS	358	46.6%	(40.2 - 53.0)	9,660	46.2%	(44.8 - 47.6)	NS	548	33.2%	(28.5 - 38.3)	14,430	34.3%	(33.1 - 35.6)	NS	-	-	Yes
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	757	43.1%	(39.0 - 47.3)	15,949	39.7%	(38.5 - 41.0)	NS	313	46.7%	(40.4 - 53.0)	6,462	45.4%	(43.4 - 47.3)	NS	444	39.7%	(34.3 - 45.3)	9,487	34.4%	(32.8 - 36.1)	NS	-	-	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	846	42.0%	(38.0 - 46.1)	16,135	41.1%	(39.9 - 42.4)	NS	363	44.4%	(38.2 - 50.7)	6,899	47.4%	(45.6 - 49.3)	NS	483	39.7%	(34.6 - 45.0)	9,236	35.1%	(33.5 - 36.7)	NS	-	-	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall					Men					Women					LHD Gender Diff. ^e						
	Elkhorn Logan Valley		State of NE		Sig ^d	Elkhorn Logan Valley		State of NE		Sig ^d	Elkhorn Logan Valley		State of NE		Sig ^d							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)			n ^a	mean or % ^b	95% C.I. ^c (Low - High)			
Immunization and Infectious Disease																						
Had a flu vaccination in past year, aged 18 years and older																						
2011	906	42.4%	(38.5 - 46.4)	24,156	41.1%	(40.2 - 42.0)	NS	352	39.1%	(33.1 - 45.3)	9,663	35.1%	(33.8 - 36.5)	NS	554	45.5%	(40.5 - 50.6)	14,493	46.8%	(45.6 - 48.1)	NS	No
2012	738	41.4%	(36.7 - 46.3)	18,903	42.2%	(41.2 - 43.2)	NS	290	36.3%	(29.6 - 43.6)	7,754	36.8%	(35.4 - 38.2)	NS	448	46.3%	(40.1 - 52.7)	11,149	47.5%	(46.1 - 48.8)	NS	No
2013	764	43.4%	(39.3 - 47.5)	16,022	45.2%	(43.9 - 46.4)	NS	318	41.2%	(35.2 - 47.5)	6,506	41.2%	(39.4 - 43.1)	NS	446	45.6%	(40.1 - 51.1)	9,516	48.9%	(47.2 - 50.6)	NS	No
2014	1,133	41.9%	(38.4 - 45.5)	21,638	43.9%	(42.9 - 45.0)	NS	484	31.9%	(27.3 - 36.8)	9,262	38.8%	(37.3 - 40.4)	-	649	51.8%	(47.0 - 56.5)	12,376	48.9%	(47.4 - 50.3)	NS	Yes
2015	849	47.8%	(43.7 - 51.9)	16,091	47.2%	(46.0 - 48.4)	NS	367	38.8%	(32.9 - 45.0)	6,883	40.8%	(39.0 - 42.6)	NS	482	56.7%	(51.4 - 61.9)	9,208	53.4%	(51.7 - 55.0)	NS	Yes
2016	777	40.5%	(36.5 - 44.7)	14,685	44.4%	(43.1 - 45.7)	NS	349	37.4%	(31.7 - 43.4)	6,401	39.4%	(37.5 - 41.3)	NS	428	43.6%	(37.9 - 49.4)	8,284	49.3%	(47.6 - 51.1)	NS	No
Had a flu vaccination in past year, aged 65 years and older ^a																						
2011	342	66.3%	(60.3 - 71.8)	8,185	61.8%	(60.3 - 63.3)	NS	118	61.1%	(50.8 - 70.5)	2,875	59.6%	(57.1 - 62.1)	NS	224	70.2%	(63.2 - 76.4)	5,310	63.4%	(61.5 - 65.3)	NS	No
2012	278	60.3%	(52.7 - 67.4)	6,625	62.9%	(61.2 - 64.6)	NS	89	55.2%	(42.5 - 67.3)	2,327	60.9%	(58.1 - 63.6)	NS	189	63.9%	(54.7 - 72.1)	4,298	64.4%	(62.4 - 66.5)	NS	No
2013	246	68.5%	(61.3 - 74.9)	5,652	66.2%	(64.2 - 68.1)	NS	95	69.9%	(58.5 - 79.3)	2,067	67.6%	(64.4 - 70.6)	NS	151	67.1%	(57.8 - 75.3)	3,585	65.0%	(62.6 - 67.4)	NS	No
2014	371	58.3%	(52.3 - 64.1)	7,610	64.7%	(63.2 - 66.2)	NS	126	57.7%	(47.2 - 67.4)	2,971	65.9%	(63.5 - 68.3)	NS	245	58.8%	(51.7 - 65.6)	4,639	63.8%	(61.8 - 65.7)	NS	No
2015	271	68.4%	(61.2 - 74.8)	5,578	65.2%	(63.4 - 67.0)	NS	108	70.1%	(58.8 - 79.5)	2,119	64.1%	(61.1 - 66.9)	NS	163	66.9%	(57.4 - 75.2)	3,459	66.1%	(63.9 - 68.2)	NS	No
2016	236	57.6%	(50.1 - 64.8)	5,130	62.7%	(60.8 - 64.6)	NS	86	55.1%	(42.4 - 67.1)	1,967	62.8%	(59.8 - 65.6)	NS	150	59.4%	(50.3 - 67.9)	3,163	62.7%	(60.2 - 65.1)	NS	No
Ever had a pneumonia vaccination, aged 65 years and older ^a																						
2011	338	70.9%	(65.0 - 76.1)	7,997	70.3%	(68.8 - 71.7)	NS	116	66.2%	(55.7 - 75.2)	2,772	66.7%	(64.2 - 69.1)	NS	222	74.5%	(67.9 - 80.2)	5,225	72.9%	(71.2 - 74.5)	NS	No
2012	271	68.8%	(61.6 - 75.1)	6,413	70.0%	(68.4 - 71.6)	NS	86	61.6%	(48.6 - 73.1)	2,225	66.9%	(64.1 - 69.6)	NS	185	73.7%	(65.7 - 80.4)	4,188	72.3%	(70.3 - 74.1)	NS	No
2013	237	64.3%	(56.9 - 71.1)	5,478	71.7%	(69.8 - 73.4)	NS	90	62.1%	(50.2 - 72.8)	1,970	71.5%	(68.5 - 74.3)	NS	147	66.3%	(57.2 - 74.3)	3,508	71.8%	(69.4 - 74.0)	NS	No
2014	359	66.9%	(60.9 - 72.2)	7,372	72.3%	(70.9 - 73.7)	NS	121	64.5%	(53.8 - 73.9)	2,849	70.3%	(67.9 - 72.5)	NS	238	68.6%	(61.5 - 74.9)	4,523	73.9%	(72.1 - 75.7)	NS	No
2015	262	70.9%	(63.7 - 77.2)	5,452	73.8%	(72.1 - 75.4)	NS	102	68.2%	(56.4 - 78.1)	2,056	70.3%	(67.4 - 73.0)	NS	160	73.0%	(63.8 - 80.7)	3,396	76.5%	(74.5 - 78.4)	NS	No
2016	231	69.3%	(62.0 - 75.8)	5,060	75.9%	(74.2 - 77.5)	NS	84	66.6%	(53.6 - 77.4)	1,927	73.7%	(70.9 - 76.3)	NS	147	71.3%	(62.6 - 78.6)	3,133	77.6%	(75.5 - 79.7)	NS	No
Had a tetanus vaccination since 2005																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	706	56.7%	(52.3 - 60.9)	14,650	60.2%	(58.9 - 61.5)	NS	296	62.7%	(56.3 - 68.8)	6,015	63.1%	(61.1 - 65.0)	NS	410	50.4%	(44.6 - 56.1)	8,635	57.4%	(55.6 - 59.1)	NS	Yes
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	726	62.7%	(58.3 - 66.8)	13,574	64.2%	(62.9 - 65.4)	NS	330	71.9%	(65.9 - 77.2)	5,939	67.5%	(65.5 - 69.3)	NS	396	53.2%	(47.1 - 59.3)	7,635	60.9%	(59.2 - 62.7)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Elkhorn Logan Valley			State of NE			Sig ^d	Elkhorn Logan Valley			State of NE			Sig ^d	Elkhorn Logan Valley			State of NE			Sig ^d		
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b		95% C.I. ^c (Low - High)	
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																							
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	731	63.3%	(58.8 - 67.5)	13,764	67.4%	(66.1 - 68.6)	NS	323	61.1%	(54.5 - 67.4)	6,092	63.9%	(62.0 - 65.8)	NS	408	65.3%	(59.4 - 70.7)	7,672	70.8%	(69.1 - 72.5)	NS	No	
Social Context																							
Housing insecurity in past year, among those who own or rent their home [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	271	31.3%	(24.0 - 39.7)	6,089	26.6%	(25.0 - 28.3)	NS	117	34.2%	(23.8 - 46.4)	2,481	24.7%	(22.3 - 27.3)	NS	154	27.9%	(18.6 - 39.6)	3,608	28.5%	(26.3 - 30.8)	NS	No	
2013	351	27.1%	(22.3 - 32.6)	7,324	28.8%	(27.1 - 30.5)	NS	142	25.7%	(18.6 - 34.3)	2,961	25.0%	(22.5 - 27.7)	NS	209	28.3%	(22.0 - 35.6)	4,363	32.3%	(30.0 - 34.7)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	376	26.2%	(20.6 - 32.6)	7,461	28.5%	(26.8 - 30.2)	NS	148	32.0%	(23.0 - 42.6)	3,109	26.6%	(24.2 - 29.2)	NS	228	21.1%	(15.2 - 28.5)	4,352	30.3%	(28.1 - 32.5)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Food insecurity in past year [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	288	17.4%	(11.7 - 24.9)	6,621	17.6%	(16.2 - 19.0)	NS	122	15.1%	(8.1 - 26.5)	2,684	13.9%	(12.1 - 16.0)	NS	166	20.0%	(12.1 - 31.1)	3,937	21.1%	(19.1 - 23.2)	NS	No	
2013	373	18.4%	(14.2 - 23.5)	7,828	19.0%	(17.6 - 20.6)	NS	150	10.5%	(6.1 - 17.5)	3,159	15.4%	(13.4 - 17.7)	NS	223	25.0%	(18.7 - 32.6)	4,669	22.5%	(20.5 - 24.6)	NS	Yes	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	411	15.8%	(11.9 - 20.7)	7,918	21.0%	(19.5 - 22.5)	NS	167	12.3%	(7.6 - 19.2)	3,309	17.9%	(15.8 - 20.2)	NS	244	19.2%	(13.5 - 26.6)	4,609	24.0%	(22.1 - 26.1)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caregiving																							
Provided regular care/assistance in past month to friend or family member with health issue																							
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	426	25.7%	(20.7 - 31.5)	7,883	24.7%	(23.2 - 26.2)	NS	192	21.1%	(14.2 - 30.2)	3,434	21.1%	(19.1 - 23.4)	NS	234	30.1%	(23.3 - 38.0)	4,449	28.0%	(25.9 - 30.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cognitive Decline																							
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																							
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	313	6.1%	(3.7 - 9.8)	5,767	9.4%	(8.4 - 10.5)	NS	139	5.9%	(3.1 - 11.0)	2,436	10.2%	(8.7 - 12.0)	NS	174	6.2%	(3.0 - 12.4)	3,331	8.6%	(7.3 - 10.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Inadequate Sleep																							
Get less than 7 hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	809	31.0%	(27.2 - 34.9)	16,972	31.8%	(30.6 - 33.0)	NS	332	30.5%	(25.0 - 36.7)	6,927	32.6%	(30.8 - 34.4)	NS	477	31.4%	(26.6 - 36.6)	10,045	31.0%	(29.5 - 32.6)	NS	No	
2014	1,173	29.2%	(26.1 - 32.6)	22,172	30.0%	(29.0 - 31.0)	NS	501	29.3%	(24.8 - 34.2)	9,527	30.7%	(29.2 - 32.2)	NS	672	29.1%	(24.8 - 33.8)	12,645	29.4%	(28.1 - 30.7)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	801	28.6%	(24.9 - 32.5)	15,097	29.6%	(28.4 - 30.8)	NS	360	25.0%	(20.1 - 30.6)	6,610	29.7%	(27.9 - 31.5)	NS	441	32.1%	(26.8 - 37.8)	8,487	29.5%	(27.9 - 31.2)	NS	No	
Average hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	809	7.1	(7.0 - 7.2)	16,972	7.1	(7.0 - 7.1)	NS	332	7.1	(6.9 - 7.3)	6,927	7.0	(7.0 - 7.1)	NS	477	7.1	(7.0 - 7.2)	10,045	7.1	(7.0 - 7.1)	NS	No	
2014	1,173	7.1	(7.0 - 7.2)	22,172	7.1	(7.0 - 7.1)	NS	501	7.1	(7.0 - 7.3)	9,527	7.0	(7.0 - 7.1)	NS	672	7.2	(7.0 - 7.3)	12,645	7.1	(7.1 - 7.1)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	801	7.1	(7.0 - 7.2)	15,097	7.1	(7.1 - 7.1)	NS	360	7.2	(7.0 - 7.4)	6,610	7.1	(7.0 - 7.2)	NS	441	7.0	(6.9 - 7.2)	8,487	7.1	(7.1 - 7.2)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		Sig ^d		
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2013	263	6.3%	(3.6 - 10.8)	4,952	4.8%	(3.9 - 5.8)	NS	118	6.8%	(3.2 - 14.0)	2,246	6.1%	(4.8 - 7.7)	NS	145	5.6%	(2.4 - 12.6)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	415	5.3%	(3.1 - 8.9)	6,966	4.9%	(4.1 - 5.9)	NS	201	9.0%	(5.1 - 15.4)	3,403	5.4%	(4.4 - 6.7)	NS	214	1.1%	(0.2 - 6.3)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	297	4.0%	(2.1 - 7.5)	5,434	5.7%	(4.7 - 6.8)	NS	138	5.7%	(2.5 - 12.3)	2,727	7.1%	(5.6 - 9.0)	NS	159	2.1%	(0.8 - 5.1)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Data reflect the four county LHD region of Burt, Cuming, Madison, and Stanton Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

