

BRFSS Detailed Summary Table for Elkhorn Logan Valley Public Health Department Adults 18 and Older, 2011-2016

Indicators	Overall					Men					Women					LHD Gender Diff. ^o						
	Elkhorn Logan Valley		State of NE		Sig ^d	Elkhorn Logan Valley		State of NE		Sig ^d	Elkhorn Logan Valley		State of NE		Sig ^d							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)			n ^a	mean or % ^b	95% C.I. ^c (Low - High)			
General Health Status																						
General health fair or poor																						
2011	952	15.1%	(12.4 - 18.3)	25,347	14.3%	(13.7 - 14.9)	NS	375	15.9%	(11.8 - 21.2)	10,198	14.8%	(13.9 - 15.7)	NS	577	14.4%	(11.2 - 18.2)	15,149	13.9%	(13.1 - 14.7)	NS	No
2012	746	15.4%	(12.4 - 19.0)	19,132	14.4%	(13.7 - 15.2)	NS	297	9.3%	(6.4 - 13.3)	7,855	14.6%	(13.5 - 15.7)	-	449	21.3%	(16.4 - 27.3)	11,277	14.3%	(13.4 - 15.2)	+	Yes
2013	820	18.7%	(15.6 - 22.2)	17,106	13.9%	(13.1 - 14.8)	+	336	20.8%	(16.3 - 26.2)	6,963	13.4%	(12.2 - 14.7)	+	484	16.6%	(12.8 - 21.3)	10,143	14.4%	(13.3 - 15.6)	NS	No
2014	1,186	16.9%	(14.5 - 19.5)	22,370	13.2%	(12.5 - 13.9)	+	505	18.5%	(15.0 - 22.7)	9,585	13.5%	(12.4 - 14.5)	+	681	15.2%	(12.3 - 18.7)	12,785	12.9%	(12.0 - 13.8)	NS	No
2015	924	12.8%	(10.5 - 15.5)	17,539	13.9%	(13.1 - 14.8)	NS	400	11.6%	(8.4 - 15.6)	7,564	13.7%	(12.5 - 14.9)	NS	524	13.9%	(10.8 - 17.8)	9,975	14.2%	(13.1 - 15.3)	NS	No
2016	807	15.5%	(12.8 - 18.7)	15,166	14.7%	(13.8 - 15.6)	NS	361	16.9%	(12.8 - 22.1)	6,633	13.8%	(12.6 - 15.1)	NS	446	14.2%	(10.9 - 18.3)	8,533	15.5%	(14.3 - 16.8)	NS	No
Average number of days physical health was not good in past 30 days																						
2011	942	3.1	(2.6 - 3.7)	24,901	3.2	(3.0 - 3.3)	NS	372	2.9	(2.0 - 3.8)	10,067	2.9	(2.7 - 3.1)	NS	570	3.3	(2.6 - 3.9)	14,834	3.4	(3.2 - 3.6)	NS	No
2012	735	3.2	(2.5 - 3.9)	18,819	3.2	(3.1 - 3.4)	NS	296	2.4	(1.5 - 3.2)	7,759	2.9	(2.7 - 3.1)	NS	439	4.0	(2.9 - 5.0)	11,060	3.6	(3.4 - 3.8)	NS	No
2013	806	3.2	(2.6 - 3.8)	16,808	3.1	(2.9 - 3.3)	NS	335	2.8	(2.0 - 3.5)	6,877	2.8	(2.5 - 3.0)	NS	471	3.6	(2.7 - 4.4)	9,931	3.4	(3.2 - 3.7)	NS	No
2014	1,169	3.0	(2.5 - 3.5)	22,024	3.0	(2.9 - 3.1)	NS	498	2.8	(2.1 - 3.5)	9,464	2.8	(2.6 - 3.0)	NS	671	3.2	(2.6 - 3.8)	12,560	3.2	(3.0 - 3.4)	NS	No
2015	917	2.9	(2.3 - 3.4)	17,315	3.1	(3.0 - 3.3)	NS	397	2.4	(1.6 - 3.1)	7,476	2.8	(2.6 - 3.0)	NS	520	3.3	(2.6 - 4.1)	9,839	3.5	(3.3 - 3.7)	NS	No
2016	797	3.2	(2.6 - 3.8)	14,984	3.3	(3.1 - 3.5)	NS	360	2.7	(1.9 - 3.5)	6,561	2.9	(2.6 - 3.1)	NS	437	3.7	(2.9 - 4.6)	8,423	3.7	(3.4 - 4.0)	NS	No
Physical health was not good on 14 or more of the past 30 days																						
2011	942	10.1%	(8.0 - 12.7)	24,901	9.6%	(9.1 - 10.1)	NS	372	9.6%	(6.5 - 14.1)	10,067	9.0%	(8.3 - 9.8)	NS	570	10.6%	(8.1 - 13.6)	14,834	10.1%	(9.4 - 10.8)	NS	No
2012	735	10.3%	(7.9 - 13.4)	18,819	9.8%	(9.2 - 10.4)	NS	296	6.8%	(4.3 - 10.5)	7,759	8.6%	(7.8 - 9.5)	NS	439	13.9%	(9.9 - 19.0)	11,060	11.0%	(10.1 - 11.8)	NS	No
2013	806	10.3%	(8.2 - 12.9)	16,808	9.2%	(8.5 - 9.9)	NS	335	9.5%	(6.8 - 13.2)	6,877	7.9%	(7.0 - 8.9)	NS	471	11.1%	(8.2 - 15.0)	9,931	10.4%	(9.4 - 11.5)	NS	No
2014	1,169	9.2%	(7.5 - 11.2)	22,024	9.0%	(8.4 - 9.6)	NS	498	8.3%	(6.0 - 11.3)	9,464	8.3%	(7.4 - 9.1)	NS	671	10.1%	(7.7 - 13.0)	12,560	9.7%	(9.0 - 10.5)	NS	No
2015	917	9.3%	(7.4 - 11.6)	17,315	9.6%	(9.0 - 10.3)	NS	397	7.0%	(4.7 - 10.4)	7,476	8.6%	(7.7 - 9.6)	NS	520	11.5%	(8.8 - 15.0)	9,839	10.7%	(9.8 - 11.6)	NS	No
2016	797	9.3%	(7.3 - 11.7)	14,984	9.8%	(9.1 - 10.6)	NS	360	6.7%	(4.4 - 10.1)	6,561	8.4%	(7.4 - 9.4)	NS	437	11.8%	(8.8 - 15.6)	8,423	11.2%	(10.2 - 12.3)	NS	No
Average number of days mental health was not good in past 30 days																						
2011	944	2.7	(2.1 - 3.2)	25,036	3.1	(2.9 - 3.2)	NS	373	2.1	(1.3 - 2.8)	10,097	2.5	(2.3 - 2.7)	NS	571	3.2	(2.5 - 4.0)	14,939	3.6	(3.4 - 3.8)	NS	No
2012	735	2.7	(2.0 - 3.4)	18,935	3.0	(2.9 - 3.2)	NS	294	1.9	(1.2 - 2.7)	7,786	2.6	(2.4 - 2.8)	NS	441	3.4	(2.3 - 4.6)	11,149	3.5	(3.3 - 3.7)	NS	No
2013	809	3.1	(2.5 - 3.8)	16,889	3.0	(2.8 - 3.1)	NS	331	2.7	(1.7 - 3.8)	6,889	2.3	(2.1 - 2.6)	NS	478	3.5	(2.8 - 4.2)	10,000	3.5	(3.3 - 3.8)	NS	No
2014	1,179	2.8	(2.3 - 3.3)	22,132	2.8	(2.6 - 2.9)	NS	503	2.0	(1.4 - 2.6)	9,483	2.3	(2.1 - 2.5)	NS	676	3.6	(2.8 - 4.3)	12,649	3.3	(3.1 - 3.5)	NS	Yes
2015	918	2.6	(2.1 - 3.0)	17,369	2.9	(2.7 - 3.1)	NS	397	1.8	(1.2 - 2.3)	7,491	2.3	(2.1 - 2.6)	NS	521	3.3	(2.6 - 4.1)	9,878	3.5	(3.2 - 3.7)	NS	Yes
2016	800	3.2	(2.5 - 3.8)	15,035	3.2	(3.0 - 3.4)	NS	357	2.5	(1.6 - 3.4)	6,568	2.4	(2.1 - 2.6)	NS	443	3.8	(2.8 - 4.8)	8,467	4.0	(3.6 - 4.3)	NS	No
Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)																						
2011	944	7.2%	(5.3 - 9.6)	25,036	9.2%	(8.7 - 9.7)	NS	373	4.9%	(2.8 - 8.6)	10,097	7.7%	(7.0 - 8.4)	NS	571	9.4%	(6.7 - 13.0)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	735	8.0%	(5.6 - 11.4)	18,935	9.0%	(8.4 - 9.7)	NS	294	5.6%	(3.1 - 10.0)	7,786	7.4%	(6.6 - 8.3)	NS	441	10.4%	(6.6 - 16.0)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	809	9.4%	(7.2 - 12.1)	16,889	8.9%	(8.2 - 9.6)	NS	331	8.4%	(5.2 - 13.2)	6,889	6.8%	(5.9 - 7.9)	NS	478	10.4%	(7.7 - 13.9)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	1,179	8.3%	(6.6 - 10.3)	22,132	8.2%	(7.6 - 8.8)	NS	503	5.0%	(3.3 - 7.6)	9,483	6.4%	(5.6 - 7.3)	NS	676	11.4%	(8.7 - 14.8)	12,649	9.9%	(9.0 - 10.8)	NS	Yes
2015	918	8.1%	(6.2 - 10.4)	17,369	8.9%	(8.2 - 9.6)	NS	397	5.9%	(3.9 - 8.9)	7,491	6.9%	(6.0 - 7.9)	NS	521	10.2%	(7.4 - 13.9)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	800	9.2%	(6.9 - 12.3)	15,035	9.5%	(8.7 - 10.4)	NS	357	6.8%	(4.0 - 11.1)	6,568	7.0%	(6.0 - 8.1)	NS	443	11.6%	(8.1 - 16.4)	8,467	12.0%	(10.8 - 13.3)	NS	No
Average days poor physical or mental health limited usual activities in past 30 days																						
2011	952	1.5	(1.2 - 1.9)	25,183	1.9	(1.8 - 2.0)	NS	376	1.5	(1.0 - 2.1)	10,136	1.7	(1.6 - 1.9)	NS	576	1.6	(1.1 - 2.0)	15,047	2.0	(1.9 - 2.1)	NS	No
2012	743	1.5	(1.0 - 1.9)	19,022	2.0	(1.8 - 2.1)	NS	295	1.1	(0.5 - 1.7)	7,819	1.7	(1.5 - 1.9)	NS	448	1.8	(1.2 - 2.5)	11,203	2.2	(2.0 - 2.4)	NS	No
2013	811	2.0	(1.6 - 2.5)	16,986	1.9	(1.7 - 2.0)	NS	333	1.8	(1.1 - 2.5)	6,936	1.7	(1.5 - 1.9)	NS	478	2.3	(1.6 - 2.9)	10,050	2.0	(1.9 - 2.2)	NS	No
2014	1,179	1.5	(1.2 - 1.9)	22,228	1.8	(1.7 - 1.9)	NS	501	1.5	(1.0 - 2.0)	9,541	1.6	(1.5 - 1.8)	NS	678	1.5	(1.1 - 2.0)	12,687	1.9	(1.8 - 2.1)	NS	No
2015	918	1.6	(1.2 - 2.0)	17,430	1.9	(1.7 - 2.0)	NS	398	1.4	(0.8 - 2.0)	7,529	1.6	(1.4 - 1.8)	NS	520	1.8	(1.2 - 2.3)	9,901	2.1	(1.9 - 2.3)	NS	No
2016	801	2.1	(1.5 - 2.6)	15,084	2.0	(1.8 - 2.2)	NS	357	1.8	(0.9 - 2.6)	6,592	1.7	(1.5 - 1.9)	NS	444	2.3	(1.6 - 3.0)	8,492	2.3	(2.1 - 2.6)	NS	No
Poor physical or mental health limited usual activities on 14 or more of the past 30 days																						
2011	952	4.9%	(3.6 - 6.6)	25,183	5.8%	(5.4 - 6.2)	NS	376	4.7%	(2.9 - 7.6)	10,136	5.4%	(4.8 - 6.0)	NS	576	5.1%	(3.5 - 7.4)	15,047	6.2%	(5.7 - 6.8)	NS	No
2012	743	5.0%	(3.5 - 7.3)	19,022	6.4%	(5.9 - 6.9)	NS	295	3.8%	(1.9 - 7.4)	7,819	5.3%	(4.7 - 6.0)	NS	448	6.2%	(4.0 - 9.6)	11,203	7.4%	(6.7 - 8.2)	NS	No
2013	811	6.9%	(5.2 - 8.9)	16,986	5.8%	(5.3 - 6.4)	NS	333	6.2%	(4.0 - 9.5)	6,936	5.2%	(4.4 - 6.1)	NS	478	7.5%	(5.3 - 10.4)	10,050	6.5%	(5.7 - 7.3)	NS	No
2014	1,179	5.0%	(3.8 - 6.5)	22,228	5.8%	(5.4 - 6.4)	NS	501	4.8%	(3.2 - 7.3)	9,541	5.3%	(4.6 - 6.1)	NS	678	5.1%	(3.6 - 7.2)	12,687	6.4%	(5.7 - 7.1)	NS	No
2015	918	5.0%	(3.7 - 6.9)	17,430	5.9%	(5.4 - 6.4)	NS	398	5.0%	(3.1 - 8.2)	7,529	5.1%	(4.5 - 5.9)	NS	520	5.0%	(3.3 - 7.6)	9,901	6.6%	(6.0 - 7.3)	NS	No
2016	801	6.5%	(4.8 - 8.9)	15,084	6.2%	(5.6 - 6.8)	NS	357	5.3%	(2.9 - 9.3)	6,592	4.9%	(4.2 - 5.7)	NS	444	7.8%	(5.4 - 11.1)	8,492	7.4%	(6.6 - 8.5)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Health Care Access and Utilization																						
No health care coverage, 18-64 year olds																						
2011	587	18.7%	(14.8 - 23.3)	16,614	19.1%	(18.3 - 20.0)	NS	249	19.9%	(14.0 - 27.5)	7,107	22.0%	(20.7 - 23.4)	NS	338	17.4%	(12.9 - 23.1)	9,507	16.2%	(15.2 - 17.3)	NS	No
2012	459	22.0%	(16.7 - 28.3)	12,310	18.0%	(17.0 - 19.0)	NS	203	25.0%	(17.1 - 35.0)	5,450	20.3%	(18.8 - 21.8)	NS	256	18.8%	(12.7 - 27.0)	6,860	15.7%	(14.5 - 17.0)	NS	No
2013	556	18.2%	(14.6 - 22.6)	10,939	17.6%	(16.4 - 18.9)	NS	239	23.6%	(17.7 - 30.8)	4,720	18.4%	(16.6 - 20.4)	NS	317	12.7%	(9.1 - 17.6)	6,219	16.9%	(15.3 - 18.5)	NS	Yes
2014	795	15.3%	(12.2 - 19.0)	14,323	15.3%	(14.3 - 16.4)	NS	375	16.6%	(12.1 - 22.4)	6,443	17.0%	(15.4 - 18.7)	NS	420	13.8%	(10.0 - 18.8)	7,880	13.5%	(12.3 - 14.9)	NS	No
2015	623	13.4%	(10.3 - 17.3)	11,342	14.4%	(13.3 - 15.5)	NS	276	16.5%	(11.4 - 23.2)	5,187	15.4%	(13.8 - 17.1)	NS	347	10.3%	(7.1 - 14.8)	6,155	13.4%	(12.0 - 14.9)	NS	No
2016	545	17.5%	(13.5 - 22.5)	9,749	14.7%	(13.6 - 16.0)	NS	266	18.8%	(13.4 - 25.7)	4,538	15.0%	(13.3 - 16.9)	NS	279	16.1%	(10.6 - 23.8)	5,211	14.4%	(12.9 - 16.2)	NS	No
Has health care coverage, 18-64 year olds ^a																						
2011	587	81.3%	(76.7 - 85.2)	16,614	80.9%	(80.0 - 81.7)	NS	249	80.1%	(72.5 - 86.0)	7,107	78.0%	(76.6 - 79.3)	NS	338	82.6%	(76.9 - 87.1)	9,507	83.8%	(82.7 - 84.8)	NS	No
2012	459	78.0%	(71.7 - 83.3)	12,310	82.0%	(81.0 - 83.0)	NS	203	75.0%	(65.0 - 82.9)	5,450	79.7%	(78.2 - 81.2)	NS	256	81.2%	(73.0 - 87.3)	6,860	84.3%	(83.0 - 85.5)	NS	No
2013	556	81.8%	(77.4 - 85.4)	10,939	82.4%	(81.1 - 83.6)	NS	239	76.4%	(69.2 - 82.3)	4,720	81.6%	(79.6 - 83.4)	NS	317	87.3%	(82.4 - 90.9)	6,219	83.1%	(81.5 - 84.7)	NS	Yes
2014	795	84.7%	(81.0 - 87.8)	14,323	84.7%	(83.6 - 85.7)	NS	375	83.4%	(77.6 - 87.9)	6,443	83.0%	(81.3 - 84.6)	NS	420	86.2%	(81.2 - 90.0)	7,880	86.5%	(85.1 - 87.7)	NS	No
2015	623	86.6%	(82.7 - 89.7)	11,342	85.6%	(84.5 - 86.7)	NS	276	83.5%	(76.8 - 88.6)	5,187	84.6%	(82.9 - 86.2)	NS	347	89.7%	(85.2 - 92.9)	6,155	86.6%	(85.1 - 88.0)	NS	No
2016	545	82.5%	(77.5 - 86.5)	9,749	85.3%	(84.0 - 86.4)	NS	266	81.2%	(74.3 - 86.6)	4,538	85.0%	(83.1 - 86.7)	NS	279	83.9%	(76.2 - 89.4)	5,211	85.6%	(83.8 - 87.1)	NS	No
No personal doctor or health care provider																						
2011	956	24.7%	(21.1 - 28.7)	25,340	18.4%	(17.6 - 19.1)	+	378	29.3%	(23.7 - 35.6)	10,192	25.1%	(23.8 - 26.3)	NS	578	20.3%	(16.1 - 25.3)	15,148	12.0%	(11.1 - 12.8)	+	No
2012	748	24.2%	(19.6 - 29.4)	19,132	17.2%	(16.4 - 18.1)	+	297	33.3%	(26.1 - 41.4)	7,847	23.7%	(22.3 - 25.1)	+	451	15.3%	(10.4 - 22.0)	11,285	11.0%	(10.1 - 12.0)	NS	Yes
2013	816	22.2%	(18.8 - 26.0)	17,093	20.9%	(19.8 - 22.0)	NS	334	30.2%	(24.6 - 36.4)	6,956	27.5%	(25.7 - 29.4)	NS	482	14.4%	(10.9 - 18.8)	10,137	14.4%	(13.2 - 15.7)	NS	Yes
2014	1,183	26.1%	(22.9 - 29.5)	22,354	20.2%	(19.2 - 21.2)	+	501	33.3%	(28.3 - 38.7)	9,569	27.0%	(25.5 - 28.5)	NS	682	19.1%	(15.3 - 23.5)	12,785	13.6%	(12.5 - 14.8)	+	Yes
2015	922	21.8%	(18.5 - 25.5)	17,509	19.7%	(18.7 - 20.8)	NS	398	29.8%	(24.3 - 36.0)	7,542	25.7%	(24.1 - 27.5)	NS	524	14.1%	(10.8 - 18.3)	9,967	13.9%	(12.7 - 15.2)	NS	Yes
2016	802	21.8%	(18.3 - 25.8)	15,138	19.1%	(18.0 - 20.2)	NS	360	29.6%	(24.1 - 35.7)	6,617	24.5%	(22.8 - 26.2)	NS	442	14.1%	(9.9 - 19.6)	8,521	13.8%	(12.5 - 15.2)	NS	Yes
Has a personal doctor or health care provider (one or more than one) ^a																						
2011	956	75.3%	(71.3 - 78.9)	25,340	81.6%	(80.9 - 82.4)	-	378	70.7%	(64.4 - 76.3)	10,192	74.9%	(73.7 - 76.2)	NS	578	79.7%	(74.7 - 83.9)	15,148	88.0%	(87.2 - 88.9)	-	No
2012	748	75.8%	(70.6 - 80.4)	19,132	82.8%	(81.9 - 83.6)	-	297	66.7%	(58.6 - 73.9)	7,847	76.3%	(74.9 - 77.7)	-	451	84.7%	(78.0 - 89.6)	11,285	89.0%	(88.0 - 89.9)	NS	Yes
2013	816	77.8%	(74.0 - 81.2)	17,093	79.1%	(78.0 - 80.2)	NS	334	69.8%	(63.6 - 75.4)	6,956	72.5%	(70.6 - 74.3)	NS	482	85.6%	(81.2 - 89.1)	10,137	85.6%	(84.3 - 86.8)	NS	Yes
2014	1,183	73.9%	(71.5 - 77.1)	22,354	79.8%	(78.8 - 80.8)	-	501	66.7%	(61.3 - 71.7)	9,569	73.0%	(71.5 - 74.5)	NS	682	80.9%	(76.5 - 84.7)	12,785	86.4%	(85.2 - 87.5)	-	Yes
2015	922	78.2%	(74.5 - 81.5)	17,509	80.3%	(79.2 - 81.3)	NS	398	70.2%	(64.0 - 75.7)	7,542	74.3%	(72.5 - 75.9)	NS	524	85.9%	(81.7 - 89.2)	9,967	86.1%	(84.8 - 87.3)	NS	Yes
2016	802	78.2%	(74.2 - 81.7)	15,138	80.9%	(79.8 - 82.0)	NS	360	70.4%	(64.3 - 75.9)	6,617	75.5%	(73.8 - 77.2)	NS	442	85.9%	(80.4 - 90.1)	8,521	86.2%	(84.8 - 87.5)	NS	Yes
Has a personal doctor or health care provider (one or more than one), aged 65 years and older ^a																						
2011	364	95.7%	(92.8 - 97.4)	8,584	95.7%	(95.1 - 96.2)	NS	126	94.1%	(88.4 - 97.1)	3,033	94.4%	(93.4 - 95.3)	NS	238	96.9%	(93.6 - 98.5)	5,551	96.6%	(95.9 - 97.1)	NS	No
2012	283	92.2%	(86.2 - 95.7)	6,711	95.6%	(94.7 - 96.3)	NS	93	87.2%	(74.6 - 94.0)	2,368	93.6%	(91.9 - 95.0)	NS	190	96.0%	(90.8 - 98.3)	4,343	97.1%	(96.3 - 97.7)	NS	No
2013	261	92.4%	(86.8 - 95.8)	6,015	93.9%	(92.9 - 94.8)	NS	96	88.5%	(77.0 - 94.7)	2,188	92.3%	(90.4 - 93.8)	NS	165	95.7%	(91.1 - 98.0)	3,827	95.2%	(93.9 - 96.2)	NS	No
2014	382	92.2%	(88.4 - 94.8)	7,833	95.1%	(94.4 - 95.7)	NS	125	91.9%	(84.6 - 95.9)	3,057	93.5%	(92.2 - 94.6)	NS	257	92.3%	(87.6 - 95.3)	4,776	96.4%	(95.7 - 96.9)	-	No
2015	290	93.0%	(88.3 - 95.8)	6,022	94.8%	(93.9 - 95.5)	NS	116	89.0%	(79.9 - 94.3)	2,297	93.6%	(92.1 - 94.8)	NS	174	96.2%	(91.4 - 98.4)	3,725	95.7%	(94.6 - 96.6)	NS	No
2016	246	95.2%	(90.8 - 97.6)	5,270	95.1%	(94.2 - 95.9)	NS	90	92.4%	(82.3 - 96.9)	2,025	94.5%	(93.1 - 95.6)	NS	156	97.3%	(93.3 - 98.9)	3,245	95.6%	(94.4 - 96.6)	NS	No
Needed to see a doctor but could not due to cost in past year ^a																						
2011	957	12.6%	(10.0 - 15.7)	25,350	12.5%	(11.9 - 13.2)	NS	378	11.5%	(7.8 - 16.7)	10,203	10.7%	(9.9 - 11.6)	NS	579	13.6%	(10.2 - 17.8)	15,147	14.2%	(13.4 - 15.2)	NS	No
2012	748	11.9%	(8.5 - 16.4)	19,144	12.8%	(12.1 - 13.6)	NS	296	8.3%	(4.3 - 15.7)	7,859	11.1%	(10.0 - 12.2)	NS	452	15.4%	(10.6 - 21.8)	11,285	14.4%	(13.4 - 15.5)	NS	No
2013	821	13.1%	(10.4 - 16.4)	17,103	13.0%	(12.1 - 13.9)	NS	337	12.6%	(8.8 - 17.7)	6,963	10.9%	(9.7 - 12.2)	NS	484	13.6%	(10.1 - 18.0)	10,140	15.0%	(13.8 - 16.4)	NS	No
2014	1,186	9.4%	(7.5 - 11.8)	22,359	11.8%	(11.1 - 12.6)	NS	505	7.4%	(5.0 - 11.0)	9,588	10.2%	(9.1 - 11.3)	NS	681	11.3%	(8.6 - 14.8)	12,771	13.4%	(12.4 - 14.6)	NS	No
2015	924	10.4%	(8.1 - 13.2)	17,522	11.5%	(10.7 - 12.3)	NS	401	10.8%	(7.3 - 15.6)	7,559	9.8%	(8.7 - 11.1)	NS	523	10.0%	(7.4 - 13.6)	9,963	13.1%	(12.0 - 14.3)	NS	No
2016	808	8.6%	(6.6 - 11.2)	15,156	12.1%	(11.2 - 13.1)	NS	362	8.3%	(5.6 - 12.1)	6,623	10.1%	(8.9 - 11.4)	NS	446	9.0%	(6.2 - 12.8)	8,533	14.0%	(12.7 - 15.5)	NS	No
Had a routine checkup in past year																						
2011	950	58.0%	(53.9 - 62.0)	24,983	57.7%	(56.8 - 58.7)	NS	375	52.0%	(45.7 - 58.2)	10,049	50.6%	(49.2 - 52.0)	NS	575	63.8%	(58.7 - 68.7)	14,934	64.6%	(63.4 - 65.8)	NS	Yes
2012	736	52.4%	(47.3 - 57.4)	18,929	60.4%	(59.4 - 61.4)	-	295	43.0%	(35.9 - 50.4)	7,789	55.0%	(53.5 - 56.6)	-	441	61.7%	(55.1 - 67.9)	11,140	65.6%	(64.3 - 66.9)	NS	Yes
2013	810	64.1%	(60.0 - 67.9)	16,919	61.6%	(60.4 - 62.8)	NS	334	60.0%	(53.7 - 65.9)	6,899	56.2%	(54.3 - 58.1)	NS	476	68.0%	(62.7 - 72.9)	10,020	66.8%	(65.3 - 68.4)	NS	No
2014	1,172	61.4%	(57.8 - 64.8)	22,090	63.3%	(62.3 - 64.4)	NS	500	55.7%	(50.3 - 60.8)	9,488	57.7%	(56.1 - 59.3)	NS	672	67.0%	(62.3 - 71.3)	12,602	68.8%	(67.4 - 70.2)	NS	Yes
2015	913	64.6%	(60.6 - 68.4)	17,331	63.9%	(62.8 - 65.1)	NS	396	58.5%	(52.3 - 64.5)	7,470	58.7%	(56.9 - 60.5)	NS	517	70.5%	(65.6 - 74.9)	9,861	69.1%	(67.5 - 70.6)	NS	Yes
2016	795	65.5%	(61.3 - 69.5)	15,060	65.4%	(64.1 - 66.6)	NS	356	60.2%	(54.0 - 66.1)	6,582	60.6%	(58.7 - 62.5)	NS	439	70.7%	(64.8 - 75.9)	8,478	70.0%	(68.4 - 71.6)	NS	No

Indicators	Overall					Men					Women					LHD Gender Diff. ^e						
	Elkhorn Logan Valley		State of NE		Sig ^d	Elkhorn Logan Valley		State of NE		Sig ^d	Elkhorn Logan Valley		State of NE		Sig ^d							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)			n ^a	mean or % ^b	95% C.I. ^c (Low - High)			
Heart Disease and Stroke																						
Ever told they had a heart attack																						
2011	954	4.7%	(3.5 - 6.2)	25,292	4.3%	(4.0 - 4.7)	NS	378	6.2%	(4.3 - 9.0)	10,194	5.7%	(5.2 - 6.3)	NS	576	3.2%	(2.1 - 4.9)	15,098	2.9%	(2.6 - 3.3)	NS	No
2012	746	3.6%	(2.4 - 5.3)	19,102	4.1%	(3.7 - 4.4)	NS	295	4.7%	(2.7 - 8.1)	7,842	5.3%	(4.8 - 6.0)	NS	451	2.5%	(1.5 - 4.2)	11,260	2.9%	(2.5 - 3.2)	NS	No
2013	817	6.5%	(4.9 - 8.5)	17,035	4.0%	(3.6 - 4.4)	+	334	8.5%	(5.9 - 12.0)	6,925	5.2%	(4.6 - 5.9)	+	483	4.5%	(3.0 - 6.8)	10,110	2.9%	(2.4 - 3.4)	NS	No
2014	1,182	4.4%	(3.3 - 6.0)	22,309	3.8%	(3.5 - 4.2)	NS	502	6.0%	(4.2 - 8.6)	9,541	5.1%	(4.6 - 5.6)	NS	680	2.9%	(1.7 - 5.0)	12,768	2.6%	(2.3 - 3.0)	NS	No
2015	924	3.8%	(2.6 - 5.5)	17,455	3.9%	(3.5 - 4.3)	NS	401	5.2%	(3.3 - 8.0)	7,530	5.3%	(4.7 - 6.0)	NS	523	2.5%	(1.3 - 4.7)	9,925	2.5%	(2.2 - 2.9)	NS	No
2016	802	4.3%	(3.1 - 5.9)	15,111	4.0%	(3.6 - 4.4)	NS	359	4.0%	(2.5 - 6.5)	6,598	5.0%	(4.4 - 5.6)	NS	443	4.6%	(2.9 - 7.0)	8,513	3.0%	(2.6 - 3.6)	NS	No
Ever told they have coronary heart disease																						
2011	947	3.5%	(2.6 - 4.8)	25,121	3.9%	(3.6 - 4.2)	NS	376	4.4%	(2.9 - 6.6)	10,110	4.8%	(4.4 - 5.3)	NS	571	2.7%	(1.7 - 4.4)	15,011	3.1%	(2.7 - 3.4)	NS	No
2012	742	3.6%	(2.5 - 5.1)	18,988	3.9%	(3.6 - 4.3)	NS	295	3.9%	(2.4 - 6.4)	7,796	4.9%	(4.4 - 5.5)	NS	447	3.2%	(1.9 - 5.5)	11,192	3.0%	(2.6 - 3.4)	NS	No
2013	808	5.9%	(4.4 - 7.9)	16,942	4.1%	(3.7 - 4.5)	NS	332	8.3%	(5.7 - 11.9)	6,884	5.1%	(4.5 - 5.8)	NS	476	3.6%	(2.3 - 5.6)	10,058	3.0%	(2.6 - 3.6)	NS	Yes
2014	1,177	3.7%	(2.7 - 5.0)	22,202	3.9%	(3.6 - 4.3)	NS	503	5.3%	(3.6 - 7.7)	9,509	4.8%	(4.3 - 5.4)	NS	674	2.1%	(1.2 - 3.5)	12,693	3.1%	(2.7 - 3.5)	NS	Yes
2015	915	3.4%	(2.4 - 4.8)	17,403	4.0%	(3.6 - 4.3)	NS	395	3.8%	(2.3 - 6.2)	7,503	5.0%	(4.4 - 5.7)	NS	520	3.0%	(1.7 - 5.0)	9,900	2.9%	(2.6 - 3.3)	NS	No
2016	800	3.6%	(2.5 - 5.1)	15,078	3.8%	(3.4 - 4.2)	NS	360	4.1%	(2.6 - 6.5)	6,590	4.4%	(3.9 - 5.0)	NS	440	3.1%	(1.8 - 5.3)	8,488	3.1%	(2.7 - 3.7)	NS	No
Ever told they had a heart attack or coronary heart disease																						
2011	948	6.8%	(5.4 - 8.6)	25,158	6.4%	(6.0 - 6.7)	NS	378	8.5%	(6.2 - 11.6)	10,143	8.0%	(7.4 - 8.7)	NS	570	5.2%	(3.6 - 7.3)	15,015	4.8%	(4.4 - 5.2)	NS	No
2012	739	5.2%	(3.7 - 7.1)	18,998	6.2%	(5.8 - 6.6)	NS	293	6.1%	(3.8 - 9.6)	7,806	7.8%	(7.1 - 8.5)	NS	446	4.3%	(2.7 - 6.7)	11,192	4.6%	(4.2 - 5.1)	NS	No
2013	812	9.1%	(7.2 - 11.3)	16,935	6.2%	(5.7 - 6.7)	+	333	11.4%	(8.4 - 15.4)	6,882	7.7%	(7.0 - 8.6)	NS	479	6.8%	(4.8 - 9.4)	10,053	4.7%	(4.1 - 5.3)	NS	No
2014	1,175	6.5%	(5.1 - 8.3)	22,180	6.0%	(5.6 - 6.4)	NS	502	8.4%	(6.2 - 11.3)	9,493	7.4%	(6.8 - 8.1)	NS	673	4.7%	(3.1 - 7.0)	12,687	4.6%	(4.1 - 5.0)	NS	No
2015	917	5.6%	(4.2 - 7.5)	17,383	5.8%	(5.4 - 6.3)	NS	398	7.0%	(4.9 - 10.1)	7,503	7.5%	(6.7 - 8.3)	NS	519	4.3%	(2.6 - 6.9)	9,880	4.3%	(3.9 - 4.8)	NS	No
2016	795	5.4%	(4.0 - 7.1)	15,021	5.8%	(5.4 - 6.3)	NS	357	5.5%	(3.6 - 8.2)	6,558	6.9%	(6.2 - 7.7)	NS	438	5.3%	(3.5 - 7.9)	8,463	4.7%	(4.1 - 5.3)	NS	No
Ever told they had a stroke																						
2011	956	2.4%	(1.6 - 3.6)	25,355	2.6%	(2.4 - 2.9)	NS	378	2.3%	(1.3 - 4.1)	10,209	2.4%	(2.1 - 2.8)	NS	578	2.5%	(1.4 - 4.3)	15,146	2.8%	(2.5 - 3.2)	NS	No
2012	748	2.3%	(1.3 - 4.0)	19,118	2.4%	(2.2 - 2.7)	NS	297	3.5%	(1.8 - 6.9)	7,851	2.7%	(2.3 - 3.1)	NS	451	1.2%	(0.6 - 2.5)	11,267	2.2%	(1.9 - 2.6)	NS	No
2013	819	3.5%	(2.3 - 5.4)	17,080	2.5%	(2.2 - 2.8)	NS	337	3.0%	(1.6 - 5.6)	6,954	2.2%	(1.9 - 2.6)	NS	482	3.9%	(2.2 - 7.0)	10,126	2.8%	(2.4 - 3.3)	NS	No
2014	1,186	3.2%	(2.2 - 4.7)	22,359	2.6%	(2.4 - 2.9)	NS	505	3.6%	(2.1 - 6.3)	9,576	2.7%	(2.3 - 3.1)	NS	681	2.8%	(1.6 - 4.8)	12,783	2.6%	(2.2 - 3.0)	NS	No
2015	924	1.3%	(0.7 - 2.6)	17,509	2.5%	(2.3 - 2.9)	NS	400	1.2%	(0.4 - 3.4)	7,550	2.7%	(2.2 - 3.1)	NS	524	1.5%	(0.6 - 3.4)	9,959	2.4%	(2.1 - 2.8)	NS	No
2016	807	3.0%	(1.9 - 4.7)	15,154	2.8%	(2.5 - 3.2)	NS	362	3.1%	(1.7 - 5.8)	6,627	2.6%	(2.1 - 3.1)	NS	445	2.9%	(1.5 - 5.5)	8,527	3.0%	(2.5 - 3.6)	NS	No
Blood Pressure and Cholesterol																						
Had blood pressure checked in past year																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	369	83.5%	(78.1 - 87.7)	7,804	84.6%	(83.1 - 86.0)	NS	150	79.1%	(70.1 - 85.9)	3,150	81.2%	(78.8 - 83.4)	NS	219	87.2%	(80.4 - 91.9)	4,654	87.8%	(85.8 - 89.5)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	430	90.7%	(86.2 - 93.8)	7,947	88.0%	(86.6 - 89.2)	NS	195	87.6%	(79.5 - 92.8)	3,461	85.2%	(83.1 - 87.1)	NS	235	93.7%	(88.9 - 96.6)	4,486	90.6%	(88.8 - 92.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever told they have high blood pressure (excluding pregnancy) ^a																						
2011	954	28.7%	(25.6 - 32.1)	25,356	28.5%	(27.8 - 29.3)	NS	377	26.4%	(21.8 - 31.6)	10,212	30.3%	(29.1 - 31.5)	NS	577	31.0%	(27.0 - 35.4)	15,144	26.9%	(25.9 - 27.9)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	817	34.5%	(30.8 - 38.3)	17,085	30.3%	(29.2 - 31.4)	NS	335	34.4%	(29.0 - 40.2)	6,956	32.5%	(30.8 - 34.1)	NS	482	34.5%	(29.7 - 39.8)	10,129	28.2%	(26.9 - 29.6)	+	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	922	31.5%	(28.1 - 35.1)	17,515	29.9%	(28.9 - 30.9)	NS	399	33.7%	(28.4 - 39.4)	7,546	32.6%	(31.1 - 34.2)	NS	523	29.4%	(25.2 - 33.9)	9,969	27.2%	(26.0 - 28.5)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently taking blood pressure medication, among those ever told they have high BP																						
2011	364	80.7%	(74.1 - 85.9)	9,505	77.9%	(76.5 - 79.2)	NS	135	77.3%	(65.6 - 85.9)	3,877	72.0%	(69.8 - 74.1)	NS	229	83.5%	(76.0 - 89.0)	5,628	84.2%	(82.5 - 85.7)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	320	85.0%	(78.5 - 89.8)	6,747	78.5%	(76.6 - 80.3)	NS	132	83.4%	(73.8 - 90.0)	2,828	73.1%	(70.2 - 75.9)	NS	188	86.5%	(76.5 - 92.6)	3,919	84.5%	(82.3 - 86.4)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	347	78.1%	(71.2 - 83.8)	6,685	77.8%	(75.9 - 79.6)	NS	158	69.1%	(58.2 - 78.1)	3,016	73.0%	(70.1 - 75.7)	NS	189	88.1%	(80.6 - 93.0)	3,669	83.4%	(80.9 - 85.6)	NS	Yes
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Diabetes																						
Ever told they have diabetes (excluding pregnancy) ^a																						
2011	958	7.1%	(5.6 - 9.0)	25,393	8.4%	(7.9 - 8.8)	NS	379	6.7%	(4.6 - 9.8)	10,222	8.6%	(7.9 - 9.3)	NS	579	7.4%	(5.5 - 9.9)	15,171	8.2%	(7.6 - 8.8)	NS	No
2012	749	7.2%	(5.4 - 9.6)	19,156	8.1%	(7.6 - 8.6)	NS	297	7.3%	(4.7 - 11.2)	7,861	8.3%	(7.6 - 9.1)	NS	452	7.1%	(4.9 - 10.2)	11,295	7.9%	(7.3 - 8.5)	NS	No
2013	821	10.7%	(8.5 - 13.4)	17,110	9.2%	(8.5 - 9.9)	NS	337	11.3%	(7.9 - 15.9)	6,968	10.1%	(9.0 - 11.2)	NS	484	10.1%	(7.6 - 13.3)	10,142	8.3%	(7.5 - 9.2)	NS	No
2014	1,187	9.7%	(8.0 - 11.7)	22,388	9.2%	(8.6 - 9.7)	NS	505	9.9%	(7.4 - 13.0)	9,598	9.7%	(8.9 - 10.6)	NS	682	9.6%	(7.4 - 12.4)	12,790	8.6%	(7.9 - 9.3)	NS	No
2015	925	10.0%	(8.0 - 12.4)	17,547	8.8%	(8.2 - 9.4)	NS	401	11.5%	(8.5 - 15.4)	7,565	9.0%	(8.2 - 9.9)	NS	524	8.5%	(6.2 - 11.5)	9,982	8.6%	(7.8 - 9.3)	NS	No
2016	807	9.9%	(7.9 - 12.4)	15,171	8.8%	(8.2 - 9.5)	NS	361	10.3%	(7.4 - 14.2)	6,630	8.7%	(7.8 - 9.7)	NS	446	9.5%	(6.9 - 13.1)	8,541	8.9%	(8.1 - 9.8)	NS	No
Ever told they have pre-diabetes (excluding pregnancy)																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	416	5.5%	(3.5 - 8.8)	8,549	5.5%	(4.8 - 6.3)	NS	172	5.2%	(2.4 - 11.1)	3,452	5.9%	(4.8 - 7.2)	NS	244	5.9%	(3.4 - 10.0)	5,097	5.1%	(4.1 - 6.2)	NS	No
2014	590	6.1%	(4.3 - 8.6)	11,165	5.8%	(5.1 - 6.5)	NS	248	3.8%	(2.0 - 6.9)	4,723	5.8%	(4.8 - 6.9)	NS	342	8.0%	(5.2 - 12.0)	6,442	5.7%	(4.9 - 6.7)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	796	5.2%	(3.8 - 7.0)	14,986	6.0%	(5.5 - 6.6)	NS	352	5.0%	(3.1 - 7.9)	6,547	5.3%	(4.6 - 6.2)	NS	444	5.3%	(3.5 - 8.0)	8,439	6.7%	(5.9 - 7.6)	NS	No
Cancer																						
Ever told they have skin cancer																						
2011	958	4.7%	(3.6 - 6.2)	25,359	5.6%	(5.3 - 6.0)	NS	379	4.3%	(2.7 - 6.8)	10,205	6.3%	(5.8 - 6.8)	NS	579	5.1%	(3.7 - 7.0)	15,154	5.0%	(4.6 - 5.5)	NS	No
2012	748	6.6%	(4.8 - 9.0)	19,133	5.6%	(5.2 - 6.0)	NS	297	7.1%	(4.5 - 11.1)	7,859	5.8%	(5.3 - 6.4)	NS	451	6.1%	(4.0 - 9.2)	11,274	5.4%	(4.9 - 6.0)	NS	No
2013	820	7.8%	(5.9 - 10.1)	17,087	5.9%	(5.5 - 6.3)	NS	337	9.6%	(6.8 - 13.5)	6,956	6.3%	(5.7 - 7.1)	NS	483	5.9%	(3.9 - 9.0)	10,131	5.4%	(4.9 - 6.0)	NS	No
2014	1,183	4.8%	(3.7 - 6.3)	22,370	5.7%	(5.4 - 6.1)	NS	503	5.0%	(3.3 - 7.4)	9,586	5.9%	(5.4 - 6.5)	NS	680	4.7%	(3.3 - 6.6)	12,784	5.6%	(5.1 - 6.1)	NS	No
2015	924	5.8%	(4.4 - 7.6)	17,512	6.0%	(5.6 - 6.4)	NS	401	6.2%	(4.2 - 9.2)	7,566	6.4%	(5.7 - 7.0)	NS	523	5.4%	(3.7 - 7.8)	9,956	5.6%	(5.1 - 6.2)	NS	No
2016	805	5.1%	(3.7 - 7.1)	15,150	5.5%	(5.0 - 5.9)	NS	360	5.8%	(3.5 - 9.2)	6,616	5.8%	(5.1 - 6.5)	NS	445	4.5%	(3.0 - 6.9)	8,534	5.2%	(4.6 - 5.8)	NS	No
Ever told they have cancer other than skin cancer																						
2011	957	7.7%	(6.0 - 9.9)	25,369	6.6%	(6.2 - 7.0)	NS	379	7.5%	(5.0 - 11.1)	10,219	5.0%	(4.6 - 5.5)	NS	578	8.0%	(5.8 - 10.8)	15,150	8.1%	(7.5 - 8.6)	NS	No
2012	747	6.1%	(4.4 - 8.4)	19,136	6.5%	(6.0 - 6.9)	NS	296	4.7%	(2.8 - 7.7)	7,858	5.0%	(4.5 - 5.6)	NS	451	7.5%	(4.9 - 11.4)	11,278	7.9%	(7.2 - 8.5)	NS	No
2013	820	8.8%	(6.9 - 11.1)	17,104	6.8%	(6.3 - 7.3)	NS	336	8.4%	(5.7 - 12.1)	6,965	5.6%	(5.0 - 6.4)	NS	484	9.2%	(6.9 - 12.1)	10,139	8.0%	(7.3 - 8.8)	NS	No
2014	1,186	6.7%	(5.4 - 8.2)	22,380	6.1%	(5.7 - 6.5)	NS	505	4.6%	(3.0 - 6.8)	9,590	4.6%	(4.1 - 5.1)	NS	681	8.7%	(6.7 - 11.2)	12,790	7.6%	(7.0 - 8.3)	NS	No
2015	925	8.4%	(6.7 - 10.5)	17,524	6.9%	(6.4 - 7.3)	NS	401	4.9%	(3.1 - 7.5)	7,557	5.2%	(4.6 - 5.8)	NS	524	11.9%	(9.1 - 15.3)	9,967	8.5%	(7.8 - 9.2)	NS	Yes
2016	808	7.9%	(6.0 - 10.3)	15,165	6.9%	(6.3 - 7.4)	NS	362	7.5%	(4.9 - 11.1)	6,629	5.5%	(4.9 - 6.2)	NS	446	8.3%	(5.7 - 11.8)	8,536	8.2%	(7.4 - 9.0)	NS	No
Ever told they have cancer (in any form)																						
2011	957	11.2%	(9.2 - 13.6)	25,315	11.2%	(10.7 - 11.7)	NS	379	10.2%	(7.4 - 14.0)	10,192	10.1%	(9.5 - 10.8)	NS	578	12.2%	(9.6 - 15.4)	15,123	12.2%	(11.5 - 12.9)	NS	No
2012	746	11.2%	(8.8 - 14.1)	19,100	10.8%	(10.3 - 11.4)	NS	296	10.6%	(7.3 - 15.0)	7,846	9.6%	(8.9 - 10.4)	NS	450	11.7%	(8.4 - 16.0)	11,254	11.9%	(11.2 - 12.7)	NS	No
2013	819	14.8%	(12.3 - 17.7)	17,062	11.4%	(10.8 - 12.1)	+	336	15.6%	(11.8 - 20.2)	6,946	10.6%	(9.7 - 11.6)	+	483	14.1%	(11.0 - 17.8)	10,116	12.3%	(11.4 - 13.2)	NS	No
2014	1,182	10.5%	(8.8 - 12.5)	22,338	10.7%	(10.2 - 11.2)	NS	503	8.9%	(6.6 - 11.8)	9,568	9.3%	(8.6 - 10.0)	NS	679	12.1%	(9.7 - 14.9)	12,770	12.1%	(11.4 - 12.9)	NS	No
2015	923	13.3%	(11.1 - 15.8)	17,481	11.6%	(11.0 - 12.2)	NS	401	10.2%	(7.5 - 13.7)	7,541	10.2%	(9.5 - 11.1)	NS	522	16.4%	(13.2 - 20.2)	9,940	12.9%	(12.1 - 13.8)	NS	No
2016	805	11.5%	(9.3 - 14.2)	15,132	11.2%	(10.6 - 11.9)	NS	360	11.2%	(8.0 - 15.3)	6,607	10.1%	(9.3 - 11.1)	NS	445	11.9%	(8.8 - 15.8)	8,525	12.3%	(11.3 - 13.3)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Up-to-date on colon cancer screening, 50-75 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	377	60.6%	(54.5 - 66.3)	9,022	61.1%	(59.6 - 62.5)	NS	153	56.2%	(46.8 - 65.2)	3,733	58.4%	(56.1 - 60.6)	NS	224	64.1%	(56.4 - 71.1)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	385	53.3%	(47.3 - 59.3)	7,979	62.8%	(61.1 - 64.4)	-	168	52.9%	(44.0 - 61.7)	3,275	61.0%	(58.5 - 63.6)	NS	217	53.8%	(46.1 - 61.3)	4,704	64.4%	(62.2 - 66.6)	-	No
2014	590	59.8%	(55.2 - 64.3)	10,646	64.1%	(62.8 - 65.5)	NS	260	55.2%	(48.4 - 61.7)	4,681	63.0%	(61.0 - 65.1)	NS	330	64.5%	(58.3 - 70.3)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	423	57.3%	(51.3 - 63.0)	8,007	65.2%	(63.6 - 66.7)	-	184	50.7%	(41.6 - 59.8)	3,446	63.7%	(61.3 - 66.1)	-	239	63.0%	(55.6 - 69.8)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	371	58.9%	(53.1 - 64.4)	7,036	66.0%	(64.3 - 67.6)	NS	172	56.4%	(48.1 - 64.3)	3,073	65.2%	(62.8 - 67.6)	NS	199	61.3%	(53.3 - 68.7)	3,963	66.7%	(64.5 - 68.9)	NS	No
Up-to-date on breast cancer screening, female 50-74 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	224	75.5%	(68.2 - 81.6)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	224	75.5%	(68.2 - 81.6)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	328	77.2%	(71.7 - 81.9)	5,904	76.1%	(74.5 - 77.7)	NS	-	-	-	-	-	-	-	328	77.2%	(71.7 - 81.9)	5,904	76.1%	(74.5 - 77.7)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	199	73.7%	(66.2 - 80.0)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	199	73.7%	(66.2 - 80.0)	3,914	73.4%	(71.3 - 75.4)	NS	NA
Up-to-date on cervical cancer screening, female 21-65 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	184	84.2%	(76.1 - 89.9)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	184	84.2%	(76.1 - 89.9)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	292	80.3%	(73.0 - 86.1)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	292	80.3%	(73.0 - 86.1)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	212	78.3%	(70.4 - 84.6)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	212	78.3%	(70.4 - 84.6)	3,814	77.7%	(75.5 - 79.8)	NS	NA
Arthritis																						
Ever told they have arthritis																						
2011	949	25.7%	(22.7 - 28.9)	25,285	23.4%	(22.8 - 24.1)	NS	376	21.9%	(17.8 - 26.7)	10,184	20.1%	(19.2 - 21.1)	NS	573	29.4%	(25.3 - 33.9)	15,101	26.6%	(25.7 - 27.6)	NS	No
2012	747	25.0%	(21.6 - 28.8)	19,089	24.6%	(23.8 - 25.4)	NS	297	19.3%	(14.9 - 24.5)	7,839	21.5%	(20.3 - 22.6)	NS	450	30.6%	(25.5 - 36.1)	11,250	27.7%	(26.6 - 28.8)	NS	Yes
2013	818	27.0%	(23.7 - 30.5)	17,017	24.7%	(23.8 - 25.7)	NS	335	21.7%	(17.4 - 26.9)	6,925	21.6%	(20.2 - 23.0)	NS	483	32.1%	(27.5 - 37.0)	10,092	27.8%	(26.5 - 29.2)	NS	Yes
2014	1,184	26.8%	(24.1 - 29.7)	22,307	24.6%	(23.8 - 25.4)	NS	504	24.3%	(20.5 - 28.7)	9,560	21.6%	(20.5 - 22.8)	NS	680	29.3%	(25.5 - 33.3)	12,747	27.4%	(26.3 - 28.6)	NS	No
2015	925	23.3%	(20.4 - 26.5)	17,472	23.4%	(22.6 - 24.3)	NS	401	19.7%	(15.7 - 24.4)	7,540	19.7%	(18.5 - 20.9)	NS	524	26.8%	(22.7 - 31.3)	9,932	27.1%	(25.9 - 28.4)	NS	No
2016	806	26.6%	(23.3 - 30.1)	15,137	24.6%	(23.6 - 25.6)	NS	362	20.5%	(16.5 - 25.2)	6,622	21.7%	(20.3 - 23.2)	NS	444	32.5%	(27.6 - 37.9)	8,515	27.4%	(26.0 - 28.8)	NS	Yes
Currently have activity limitations due to arthritis, among those ever told they have arthritis^a																						
2011	300	40.6%	(34.2 - 47.3)	7,973	45.2%	(43.6 - 46.8)	NS	102	34.5%	(24.9 - 45.5)	2,711	42.6%	(40.0 - 45.2)	NS	198	44.8%	(36.7 - 53.2)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	256	40.5%	(33.5 - 47.9)	5,460	42.4%	(40.3 - 44.6)	NS	81	38.9%	(27.7 - 51.4)	1,861	41.0%	(37.4 - 44.6)	NS	175	41.5%	(32.9 - 50.7)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	243	40.7%	(33.6 - 48.3)	5,146	44.0%	(41.9 - 46.1)	NS	87	33.7%	(23.0 - 46.3)	1,852	41.9%	(38.6 - 45.3)	NS	156	45.6%	(36.5 - 55.0)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma																						
Ever told they have asthma																						
2011	954	10.9%	(8.6 - 13.9)	25,327	11.5%	(10.9 - 12.1)	NS	377	10.5%	(7.2 - 15.1)	10,194	10.5%	(9.6 - 11.3)	NS	577	11.3%	(8.2 - 15.4)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	747	8.0%	(5.8 - 11.0)	19,105	10.8%	(10.2 - 11.5)	NS	297	6.7%	(4.0 - 11.0)	7,847	9.7%	(8.8 - 10.7)	NS	450	9.3%	(6.2 - 13.8)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	817	8.6%	(6.6 - 11.1)	17,068	11.2%	(10.5 - 12.0)	NS	334	6.2%	(4.1 - 9.3)	6,946	9.6%	(8.6 - 10.8)	NS	483	10.9%	(7.9 - 15.0)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	1,185	11.3%	(9.1 - 13.9)	22,355	12.2%	(11.5 - 13.0)	NS	504	8.8%	(6.1 - 12.6)	9,583	10.8%	(9.8 - 11.9)	NS	681	13.6%	(10.4 - 17.6)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	923	11.6%	(9.3 - 14.3)	17,492	12.1%	(11.3 - 12.9)	NS	399	8.9%	(6.0 - 13.0)	7,554	10.7%	(9.6 - 12.0)	NS	524	14.3%	(11.1 - 18.2)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	806	10.0%	(7.8 - 12.8)	15,144	12.4%	(11.5 - 13.4)	NS	361	5.8%	(3.8 - 8.9)	6,622	10.4%	(9.2 - 11.8)	-	445	14.1%	(10.5 - 18.7)	8,522	14.3%	(13.1 - 15.7)	NS	Yes
Currently have asthma																						
2011	951	6.9%	(5.1 - 9.2)	25,257	7.3%	(6.9 - 7.8)	NS	376	5.9%	(3.7 - 9.4)	10,170	6.0%	(5.4 - 6.7)	NS	575	7.8%	(5.2 - 11.4)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	746	6.4%	(4.5 - 9.1)	19,053	7.4%	(6.9 - 7.9)	NS	297	4.8%	(2.7 - 8.3)	7,832	6.1%	(5.4 - 6.9)	NS	449	8.1%	(5.2 - 12.4)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	814	5.8%	(4.2 - 7.9)	17,024	7.3%	(6.7 - 8.0)	NS	334	3.9%	(2.3 - 6.6)	6,930	5.5%	(4.8 - 6.4)	NS	480	7.7%	(5.2 - 11.2)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	1,184	8.2%	(6.3 - 10.6)	22,289	7.7%	(7.2 - 8.3)	NS	504	7.1%	(4.7 - 10.7)	9,562	6.2%	(5.5 - 7.0)	NS	680	9.2%	(6.6 - 12.8)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	921	7.9%	(6.1 - 10.2)	17,435	7.2%	(6.6 - 7.8)	NS	398	4.1%	(2.4 - 6.9)	7,533	5.4%	(4.7 - 6.2)	NS	523	11.6%	(8.7 - 15.4)	9,902	8.9%	(8.0 - 9.9)	NS	Yes
2016	804	7.4%	(5.4 - 9.9)	15,116	8.3%	(7.5 - 9.1)	NS	360	4.3%	(2.6 - 7.0)	6,609	6.1%	(5.2 - 7.1)	NS	444	10.3%	(7.1 - 14.7)	8,507	10.4%	(9.3 - 11.6)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Chronic Obstructive Pulmonary Disease (COPD)																						
Ever told they have COPD																						
2011	954	4.9%	(3.4 - 7.0)	25,280	5.0%	(4.6 - 5.3)	NS	377	5.7%	(3.4 - 9.3)	10,171	4.4%	(3.9 - 4.9)	NS	577	4.2%	(2.5 - 6.7)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	742	5.9%	(4.1 - 8.5)	19,075	5.3%	(4.9 - 5.8)	NS	294	4.2%	(2.3 - 7.3)	7,832	4.7%	(4.1 - 5.3)	NS	448	7.6%	(4.8 - 12.0)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	813	5.3%	(3.9 - 7.1)	17,035	5.3%	(4.9 - 5.8)	NS	333	5.6%	(3.6 - 8.6)	6,932	4.8%	(4.2 - 5.5)	NS	480	4.9%	(3.3 - 7.3)	10,103	5.8%	(5.2 - 6.6)	NS	No
2014	1,183	6.0%	(4.7 - 7.6)	22,313	5.8%	(5.3 - 6.2)	NS	503	5.7%	(3.9 - 8.2)	9,555	5.5%	(4.9 - 6.2)	NS	680	6.3%	(4.5 - 8.6)	12,758	6.1%	(5.5 - 6.7)	NS	No
2015	922	5.0%	(3.7 - 6.6)	17,466	5.4%	(5.0 - 5.9)	NS	399	4.0%	(2.4 - 6.6)	7,536	4.8%	(4.2 - 5.4)	NS	523	5.9%	(4.1 - 8.4)	9,930	6.1%	(5.5 - 6.7)	NS	No
2016	807	6.1%	(4.5 - 8.1)	15,119	5.8%	(5.3 - 6.4)	NS	361	4.6%	(2.8 - 7.4)	6,612	5.1%	(4.4 - 6.0)	NS	446	7.5%	(5.1 - 10.8)	8,507	6.5%	(5.7 - 7.4)	NS	No
Kidney Disease																						
Ever told they have kidney disease																						
2011	956	2.2%	(1.4 - 3.3)	25,345	2.2%	(2.0 - 2.4)	NS	378	1.7%	(0.9 - 3.4)	10,208	2.1%	(1.8 - 2.5)	NS	578	2.6%	(1.5 - 4.5)	15,137	2.2%	(2.0 - 2.5)	NS	No
2012	746	2.6%	(1.4 - 4.7)	19,122	2.4%	(2.2 - 2.7)	NS	297	2.9%	(1.2 - 6.9)	7,850	2.2%	(1.8 - 2.6)	NS	449	2.2%	(1.0 - 4.9)	11,272	2.7%	(2.3 - 3.1)	NS	No
2013	813	1.7%	(1.0 - 2.8)	17,080	2.0%	(1.8 - 2.3)	NS	335	1.3%	(0.5 - 3.2)	6,953	1.9%	(1.5 - 2.4)	NS	478	2.1%	(1.1 - 3.8)	10,127	2.1%	(1.8 - 2.6)	NS	No
2014	1,184	1.8%	(1.2 - 2.8)	22,362	2.1%	(1.9 - 2.4)	NS	505	1.9%	(1.0 - 3.6)	9,586	2.0%	(1.7 - 2.4)	NS	679	1.7%	(1.0 - 3.1)	12,776	2.3%	(2.0 - 2.6)	NS	No
2015	923	1.8%	(1.0 - 3.0)	17,502	2.4%	(2.1 - 2.7)	NS	400	1.1%	(0.4 - 2.6)	7,550	2.2%	(1.8 - 2.7)	NS	523	2.5%	(1.3 - 4.8)	9,952	2.5%	(2.1 - 2.9)	NS	No
2016	805	2.5%	(1.5 - 4.0)	15,150	2.8%	(2.4 - 3.2)	NS	360	2.7%	(1.3 - 5.4)	6,624	2.2%	(1.8 - 2.8)	NS	445	2.3%	(1.2 - 4.2)	8,526	3.4%	(2.8 - 4.0)	NS	No
Tobacco & E-Cigarettes																						
Current cigarette smoking ^a																						
2011	955	22.0%	(18.7 - 25.8)	25,324	20.0%	(19.3 - 20.7)	NS	377	25.5%	(20.2 - 31.7)	10,189	22.1%	(21.0 - 23.3)	NS	578	18.6%	(14.8 - 23.3)	15,135	17.9%	(17.0 - 18.9)	NS	No
2012	743	16.8%	(13.4 - 21.0)	18,985	19.7%	(18.9 - 20.6)	NS	295	18.7%	(13.6 - 25.2)	7,801	21.4%	(20.1 - 22.7)	NS	448	15.0%	(10.8 - 20.5)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	789	20.4%	(17.1 - 24.1)	16,687	18.5%	(17.5 - 19.5)	NS	323	23.4%	(18.3 - 29.4)	6,790	19.8%	(18.3 - 21.4)	NS	466	17.4%	(13.6 - 22.2)	9,897	17.2%	(15.9 - 18.5)	NS	No
2014	1,140	18.2%	(15.6 - 21.1)	21,729	17.3%	(16.5 - 18.2)	NS	490	19.1%	(15.3 - 23.6)	9,311	18.5%	(17.3 - 19.9)	NS	650	17.4%	(14.0 - 21.3)	12,418	16.2%	(15.1 - 17.3)	NS	No
2015	897	13.9%	(11.3 - 17.0)	17,079	17.1%	(16.2 - 18.1)	NS	388	15.0%	(11.0 - 20.1)	7,355	18.4%	(17.0 - 19.9)	NS	509	12.9%	(9.8 - 16.8)	9,724	15.8%	(14.7 - 17.1)	NS	No
2016	784	16.5%	(13.4 - 20.1)	14,790	17.0%	(16.0 - 18.1)	NS	352	18.7%	(14.0 - 24.5)	6,463	18.6%	(17.1 - 20.3)	NS	432	14.3%	(10.7 - 18.9)	8,327	15.4%	(14.1 - 16.8)	NS	No
Attempted to quit smoking in past year, among current cigarette smokers																						
2011	153	55.5%	(46.2 - 64.5)	4,195	55.6%	(53.5 - 57.7)	NS	71	57.9%	(44.8 - 70.0)	1,914	53.4%	(50.4 - 56.3)	NS	82	52.4%	(39.7 - 64.8)	2,281	58.3%	(55.4 - 61.2)	NS	No
2012	115	60.9%	(49.0 - 71.6)	3,023	57.1%	(54.7 - 59.6)	NS	53	52.0%	(35.5 - 68.1)	1,406	55.2%	(51.7 - 58.7)	NS	62	71.6%	(55.8 - 83.4)	1,617	59.3%	(55.9 - 62.7)	NS	No
2013	146	53.0%	(43.2 - 62.6)	2,546	57.1%	(54.1 - 60.2)	NS	68	55.0%	(41.4 - 67.9)	1,147	55.9%	(51.5 - 60.3)	NS	78	50.4%	(37.0 - 63.8)	1,399	58.5%	(54.3 - 62.6)	NS	No
2014	189	62.2%	(54.0 - 69.7)	3,241	58.2%	(55.5 - 60.9)	NS	88	57.8%	(46.0 - 68.8)	1,489	57.9%	(54.0 - 61.8)	NS	101	66.9%	(55.7 - 76.5)	1,752	58.5%	(54.6 - 62.2)	NS	No
2015	114	53.8%	(42.8 - 64.5)	2,476	59.1%	(56.1 - 62.0)	NS	55	61.9%	(45.9 - 75.7)	1,145	59.2%	(54.8 - 63.5)	NS	59	44.9%	(31.4 - 59.2)	1,331	58.9%	(54.8 - 62.9)	NS	No
2016	117	49.5%	(38.5 - 60.6)	2,181	54.6%	(51.2 - 58.0)	NS	61	42.2%	(27.2 - 58.8)	1,049	52.7%	(47.9 - 57.5)	NS	56	58.6%	(43.7 - 72.1)	1,132	56.9%	(52.1 - 61.5)	NS	No
Current smokeless tobacco use ^a																						
2011	958	6.6%	(4.6 - 9.4)	25,406	5.6%	(5.2 - 6.0)	NS	379	12.8%	(8.9 - 18.1)	10,231	10.5%	(9.7 - 11.4)	NS	579	0.6%	(0.2 - 2.0)	15,175	0.8%	(0.6 - 1.0)	NS	Yes
2012	745	7.2%	(4.5 - 11.6)	19,041	5.1%	(4.6 - 5.6)	NS	295	14.7%	(9.2 - 22.7)	7,828	9.5%	(8.7 - 10.5)	NS	450	0.0%	(0.0 - 0.3)	11,213	0.8%	(0.6 - 1.2)	-	Yes
2013	795	5.3%	(3.6 - 7.8)	16,732	5.3%	(4.7 - 5.9)	NS	329	9.5%	(6.2 - 14.3)	6,813	10.1%	(9.0 - 11.2)	NS	466	1.3%	(0.6 - 2.8)	9,919	0.7%	(0.5 - 0.9)	NS	Yes
2014	1,140	5.1%	(3.7 - 7.0)	21,797	4.7%	(4.2 - 5.1)	NS	489	9.3%	(6.7 - 12.8)	9,340	8.5%	(7.7 - 9.3)	NS	651	1.0%	(0.4 - 2.6)	12,457	1.0%	(0.7 - 1.3)	NS	Yes
2015	897	4.7%	(3.2 - 6.8)	17,123	5.5%	(4.9 - 6.1)	NS	388	8.5%	(5.7 - 12.5)	7,372	9.9%	(8.9 - 11.1)	NS	509	1.0%	(0.3 - 2.8)	9,751	1.1%	(0.8 - 1.6)	NS	Yes
2016	784	6.3%	(4.2 - 9.4)	14,830	5.7%	(5.1 - 6.2)	NS	351	11.7%	(7.6 - 17.6)	6,478	10.5%	(9.5 - 11.7)	NS	433	1.1%	(0.4 - 2.8)	8,352	0.9%	(0.6 - 1.3)	NS	Yes
Has rule not allowing smoking anywhere inside their home																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	369	86.3%	(81.6 - 90.0)	7,750	88.7%	(87.4 - 89.8)	NS	150	86.7%	(79.4 - 91.7)	3,121	88.3%	(86.2 - 90.0)	NS	219	86.0%	(79.1 - 90.9)	4,629	89.1%	(87.5 - 90.5)	NS	No
2014	549	89.8%	(86.3 - 92.5)	10,582	89.0%	(87.9 - 90.0)	NS	226	87.1%	(81.0 - 91.4)	4,448	87.9%	(86.1 - 89.5)	NS	323	91.8%	(87.4 - 94.8)	6,134	90.0%	(88.6 - 91.2)	NS	No
2015	406	90.9%	(86.4 - 94.0)	7,816	90.1%	(88.9 - 91.1)	NS	164	88.9%	(80.4 - 93.9)	3,261	89.2%	(87.2 - 90.9)	NS	242	92.8%	(88.3 - 95.7)	4,555	90.9%	(89.6 - 92.0)	NS	No
2016	367	92.8%	(88.6 - 95.5)	7,109	90.8%	(89.6 - 91.8)	NS	161	89.1%	(81.4 - 93.8)	3,122	91.2%	(89.8 - 92.5)	NS	206	96.1%	(92.4 - 98.0)	3,987	90.4%	(88.5 - 92.1)	+	No
Lifetime e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	784	21.7%	(18.0 - 25.8)	14,819	22.6%	(21.4 - 23.9)	NS	352	27.7%	(22.0 - 34.2)	6,474	25.1%	(23.3 - 27.0)	NS	432	15.8%	(11.7 - 20.9)	8,345	20.2%	(18.7 - 21.9)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Current e-cigarette use																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	784	3.6%	(2.2 - 5.9)	14,819	4.9%	(4.3 - 5.6)	NS	352	5.8%	(3.2 - 10.2)	6,474	5.3%	(4.5 - 6.4)	NS	432	1.5%	(0.6 - 3.7)	8,345	4.5%	(3.7 - 5.6)	-	No	
Overweight and Obesity																							
Obese (BMI=30+) [^]																							
2011	922	29.5%	(26.0 - 33.3)	24,366	28.4%	(27.6 - 29.2)	NS	373	31.9%	(26.4 - 37.9)	10,102	29.2%	(28.0 - 30.4)	NS	549	27.0%	(22.7 - 31.8)	14,264	27.6%	(26.5 - 28.8)	NS	No	
2012	715	27.1%	(23.1 - 31.5)	18,385	28.6%	(27.7 - 29.6)	NS	292	23.7%	(18.2 - 30.2)	7,781	29.2%	(27.9 - 30.6)	NS	423	30.6%	(25.1 - 36.8)	10,604	28.1%	(26.8 - 29.3)	NS	No	
2013	766	34.2%	(30.3 - 38.3)	16,250	29.6%	(28.4 - 30.7)	NS	330	35.6%	(30.0 - 41.7)	6,860	30.8%	(29.1 - 32.5)	NS	436	32.7%	(27.5 - 38.3)	9,390	28.4%	(26.9 - 29.9)	NS	No	
2014	1,101	31.0%	(27.8 - 34.5)	21,130	30.2%	(29.2 - 31.3)	NS	488	34.3%	(29.4 - 39.5)	9,399	31.7%	(30.2 - 33.2)	NS	613	27.5%	(23.5 - 31.9)	11,731	28.7%	(27.4 - 30.1)	NS	No	
2015	859	35.4%	(31.6 - 39.4)	16,265	31.4%	(30.3 - 32.5)	NS	385	37.5%	(31.8 - 43.6)	7,323	32.9%	(31.3 - 34.6)	NS	474	33.3%	(28.4 - 38.5)	8,942	29.8%	(28.3 - 31.3)	NS	No	
2016	746	32.4%	(28.6 - 36.5)	14,173	32.0%	(30.8 - 33.2)	NS	348	35.1%	(29.4 - 41.2)	6,460	32.6%	(30.8 - 34.3)	NS	398	29.6%	(24.7 - 35.1)	7,713	31.4%	(29.7 - 33.1)	NS	No	
Overweight or Obese (BMI=25+)																							
2011	922	67.1%	(63.2 - 70.8)	24,366	64.9%	(64.0 - 65.8)	NS	373	77.1%	(71.5 - 81.9)	10,102	72.8%	(71.5 - 74.1)	NS	549	56.8%	(51.5 - 61.9)	14,264	56.8%	(55.5 - 58.1)	NS	Yes	
2012	715	68.7%	(63.6 - 73.4)	18,385	65.0%	(64.0 - 66.0)	NS	292	75.8%	(67.9 - 82.3)	7,781	72.3%	(70.8 - 73.7)	NS	423	61.3%	(54.5 - 67.6)	10,604	57.6%	(56.2 - 59.0)	NS	Yes	
2013	766	68.4%	(64.4 - 72.2)	16,250	65.5%	(64.2 - 66.7)	NS	330	75.1%	(69.2 - 80.1)	6,860	72.2%	(70.4 - 74.0)	NS	436	61.3%	(55.7 - 66.7)	9,390	58.5%	(56.8 - 60.2)	NS	Yes	
2014	1,101	65.5%	(61.9 - 68.9)	21,130	66.7%	(65.6 - 67.8)	NS	488	73.3%	(68.1 - 77.9)	9,399	73.8%	(72.3 - 75.3)	NS	613	57.1%	(52.2 - 61.8)	11,731	59.2%	(57.7 - 60.7)	NS	Yes	
2015	859	69.5%	(65.6 - 73.2)	16,265	67.0%	(65.8 - 68.2)	NS	385	77.2%	(71.4 - 82.0)	7,323	73.4%	(71.7 - 75.1)	NS	474	61.7%	(56.3 - 66.8)	8,942	60.2%	(58.6 - 61.9)	NS	Yes	
2016	746	69.4%	(65.0 - 73.5)	14,173	68.5%	(67.3 - 69.8)	NS	348	76.7%	(70.5 - 82.0)	6,460	74.9%	(73.1 - 76.6)	NS	398	61.6%	(55.3 - 67.6)	7,713	61.8%	(59.9 - 63.6)	NS	Yes	
Nutrition																							
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	369	31.0%	(25.6 - 37.0)	7,822	28.5%	(26.8 - 30.3)	NS	150	41.9%	(33.2 - 51.0)	3,164	35.8%	(33.1 - 38.5)	NS	219	21.9%	(15.8 - 29.4)	4,658	21.7%	(19.7 - 24.0)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	366	49.3%	(43.4 - 55.2)	7,818	46.3%	(44.6 - 48.1)	NS	146	45.3%	(36.5 - 54.3)	3,165	43.4%	(40.8 - 46.0)	NS	220	52.6%	(44.7 - 60.4)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	426	44.5%	(38.4 - 50.8)	7,892	46.8%	(45.0 - 48.5)	NS	193	46.1%	(36.7 - 55.7)	3,436	46.0%	(43.4 - 48.7)	NS	233	42.9%	(35.3 - 51.0)	4,456	47.5%	(45.2 - 49.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																							
2011	906	1.02	(0.98 - 1.14)	24,090	1.02	(1.02 - 1.04)	NS	358	0.97	(0.85 - 1.05)	9,660	0.99	(0.99 - 1.00)	NS	548	1.13	(1.00 - 1.25)	14,430	1.14	(1.13 - 1.14)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	757	0.98	(0.97 - 1.00)	15,949	1.00	(1.00 - 1.00)	NS	313	0.97	(0.84 - 0.99)	6,462	0.99	(0.99 - 1.00)	-	444	0.99	(0.98 - 1.13)	9,487	1.07	(1.06 - 1.14)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	846	1.00	(0.99 - 1.08)	16,135	1.00	(1.00 - 1.00)	NS	363	0.99	(0.91 - 1.05)	6,899	0.99	(0.98 - 1.00)	NS	483	1.03	(0.99 - 1.14)	9,236	1.03	(1.02 - 1.09)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																							
2011	906	39.8%	(35.8 - 43.9)	24,090	40.1%	(39.2 - 41.1)	NS	358	46.6%	(40.2 - 53.0)	9,660	46.2%	(44.8 - 47.6)	NS	548	33.2%	(28.5 - 38.3)	14,430	34.3%	(33.1 - 35.6)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	757	43.1%	(39.0 - 47.3)	15,949	39.7%	(38.5 - 41.0)	NS	313	46.7%	(40.4 - 53.0)	6,462	45.4%	(43.4 - 47.3)	NS	444	39.7%	(34.3 - 45.3)	9,487	34.4%	(32.8 - 36.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	846	42.0%	(38.0 - 46.1)	16,135	41.1%	(39.9 - 42.4)	NS	363	44.4%	(38.2 - 50.7)	6,899	47.4%	(45.6 - 49.3)	NS	483	39.7%	(34.6 - 45.0)	9,236	35.1%	(33.5 - 36.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Median times per day consumed vegetables																							
2011	895	1.42	(1.33 - 1.52)	23,785	1.46	(1.44 - 1.50)	NS	354	1.30	(1.14 - 1.43)	9,534	1.35	(1.33 - 1.41)	NS	541	1.52	(1.44 - 1.63)	14,251	1.57	(1.57 - 1.61)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	742	1.47	(1.40 - 1.57)	15,700	1.57	(1.55 - 1.58)	NS	309	1.30	(1.15 - 1.44)	6,373	1.43	(1.42 - 1.50)	NS	433	1.61	(1.53 - 1.72)	9,327	1.70	(1.66 - 1.73)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	834	1.41	(1.30 - 1.49)	15,850	1.53	(1.50 - 1.58)	-	362	1.29	(1.17 - 1.40)	6,786	1.42	(1.40 - 1.46)	NS	472	1.51	(1.42 - 1.66)	9,064	1.62	(1.58 - 1.69)	NS	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed vegetables less than 1 time per day																							
2011	895	29.1%	(25.5 - 33.0)	23,785	26.2%	(25.4 - 27.1)	NS	354	35.2%	(29.3 - 41.6)	9,534	29.7%	(28.4 - 31.0)	NS	541	23.3%	(19.2 - 28.1)	14,251	22.9%	(21.8 - 24.1)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	742	29.7%	(25.9 - 33.9)	15,700	23.3%	(22.2 - 24.4)	+	309	36.2%	(30.2 - 42.6)	6,373	26.6%	(25.0 - 28.4)	+	433	23.4%	(18.7 - 28.7)	9,327	20.1%	(18.7 - 21.6)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	834	27.8%	(24.3 - 31.7)	15,850	24.7%	(23.7 - 25.9)	NS	362	30.6%	(25.1 - 36.8)	6,786	28.3%	(26.6 - 30.0)	NS	472	25.1%	(20.7 - 29.9)	9,064	21.4%	(20.1 - 22.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Physical Activity																							
No leisure-time physical activity in past 30 days ^a																							
2011	921	28.9%	(25.4 - 32.6)	24,433	26.3%	(25.5 - 27.1)	NS	360	29.4%	(24.1 - 35.4)	9,795	27.2%	(26.0 - 28.5)	NS	561	28.3%	(24.1 - 32.9)	14,638	25.4%	(24.3 - 26.5)	NS	No	
2012	747	24.7%	(20.7 - 29.1)	19,153	21.0%	(20.2 - 21.9)	NS	297	17.9%	(13.1 - 24.1)	7,865	20.4%	(19.3 - 21.7)	NS	450	31.2%	(25.4 - 37.6)	11,288	21.6%	(20.5 - 22.8)	+	Yes	
2013	773	25.8%	(22.3 - 29.7)	16,158	25.3%	(24.2 - 26.4)	NS	321	30.2%	(24.7 - 36.4)	6,567	26.3%	(24.7 - 28.1)	NS	452	21.4%	(17.4 - 26.1)	9,591	24.3%	(22.9 - 25.8)	NS	No	
2014	1,187	25.0%	(22.1 - 28.3)	22,397	21.3%	(20.4 - 22.1)	NS	505	28.6%	(24.0 - 33.8)	9,599	21.2%	(20.0 - 22.5)	+	682	21.5%	(18.1 - 25.5)	12,798	21.4%	(20.2 - 22.5)	NS	No	
2015	858	26.8%	(23.4 - 30.4)	16,319	25.3%	(24.3 - 26.4)	NS	372	28.2%	(23.0 - 34.0)	6,997	25.3%	(23.8 - 26.9)	NS	486	25.4%	(21.2 - 30.1)	9,322	25.4%	(24.0 - 26.8)	NS	No	
2016	808	27.6%	(23.9 - 31.6)	15,169	22.4%	(21.4 - 23.5)	+	362	27.4%	(22.3 - 33.1)	6,633	20.7%	(19.3 - 22.3)	+	446	27.8%	(22.7 - 33.5)	8,536	24.1%	(22.7 - 25.6)	NS	No	
Met aerobic physical activity recommendation ^a																							
2011	895	46.7%	(42.6 - 50.8)	23,735	49.0%	(48.0 - 49.9)	NS	346	46.8%	(40.4 - 53.2)	9,544	47.2%	(45.8 - 48.6)	NS	549	46.6%	(41.5 - 51.8)	14,191	50.6%	(49.4 - 51.9)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	755	52.2%	(48.0 - 56.5)	15,730	50.1%	(48.8 - 51.4)	NS	317	50.3%	(44.0 - 56.6)	6,416	48.8%	(46.9 - 50.7)	NS	438	54.2%	(48.6 - 59.8)	9,314	51.4%	(49.7 - 53.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	839	48.9%	(44.7 - 53.0)	15,878	51.3%	(50.0 - 52.5)	NS	362	48.5%	(42.2 - 54.9)	6,832	51.1%	(49.2 - 53.0)	NS	477	49.2%	(43.9 - 54.6)	9,046	51.4%	(49.8 - 53.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met muscle strengthening recommendation ^a																							
2011	906	24.8%	(21.3 - 28.5)	24,204	28.1%	(27.3 - 29.0)	NS	349	26.5%	(21.3 - 32.5)	9,697	32.0%	(30.6 - 33.4)	NS	557	23.1%	(18.9 - 28.0)	14,507	24.5%	(23.4 - 25.6)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	761	25.1%	(21.5 - 29.1)	16,021	28.4%	(27.2 - 29.6)	NS	316	24.5%	(19.2 - 30.7)	6,499	31.0%	(29.2 - 32.8)	NS	445	25.7%	(21.0 - 31.0)	9,522	26.0%	(24.5 - 27.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	849	24.0%	(20.5 - 27.9)	16,117	31.2%	(30.1 - 32.5)	-	367	31.7%	(25.9 - 38.1)	6,893	34.9%	(33.1 - 36.8)	NS	482	16.5%	(13.0 - 20.8)	9,224	27.7%	(26.2 - 29.3)	-	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met both aerobic physical activity and muscle strengthening recommendations ^a																							
2011	883	15.3%	(12.7 - 18.4)	23,567	19.0%	(18.2 - 19.8)	NS	338	16.7%	(12.5 - 21.9)	9,477	19.7%	(18.5 - 20.9)	NS	545	14.1%	(11.0 - 17.8)	14,090	18.4%	(17.4 - 19.4)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	749	17.2%	(14.1 - 21.0)	15,635	18.8%	(17.8 - 19.9)	NS	315	16.0%	(11.4 - 21.8)	6,366	19.4%	(17.9 - 21.0)	NS	434	18.6%	(14.5 - 23.5)	9,269	18.2%	(16.8 - 19.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	832	15.2%	(12.2 - 18.7)	15,724	21.8%	(20.7 - 22.9)	-	360	19.7%	(14.7 - 25.8)	6,757	23.3%	(21.6 - 25.1)	NS	472	10.8%	(7.9 - 14.5)	8,967	20.3%	(18.9 - 21.7)	-	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Walk for at least 10 minutes at a time for any reason during a usual week																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	423	83.6%	(78.1 - 87.9)	7,895	84.6%	(83.3 - 85.8)	NS	189	86.7%	(78.4 - 92.1)	3,442	84.2%	(82.2 - 86.0)	NS	234	80.7%	(72.8 - 86.7)	4,453	85.1%	(83.4 - 86.6)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Frequent Mental Distress in past 30 days																						
2011	944	7.2%	(5.3 - 9.6)	25,036	9.2%	(8.7 - 9.7)	NS	373	4.9%	(2.8 - 8.6)	10,097	7.7%	(7.0 - 8.4)	NS	571	9.4%	(6.7 - 13.0)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	735	8.0%	(5.6 - 11.4)	18,935	9.0%	(8.4 - 9.7)	NS	294	5.6%	(3.1 - 10.0)	7,786	7.4%	(6.6 - 8.3)	NS	441	10.4%	(6.6 - 16.0)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	809	9.4%	(7.2 - 12.1)	16,889	8.9%	(8.2 - 9.6)	NS	331	8.4%	(5.2 - 13.2)	6,889	6.8%	(5.9 - 7.9)	NS	478	10.4%	(7.7 - 13.9)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	1,179	8.3%	(6.6 - 10.3)	22,132	8.2%	(7.6 - 8.8)	NS	503	5.0%	(3.3 - 7.6)	9,483	6.4%	(5.6 - 7.3)	NS	676	11.4%	(8.7 - 14.8)	12,649	9.9%	(9.0 - 10.8)	NS	Yes
2015	918	8.1%	(6.2 - 10.4)	17,369	8.9%	(8.2 - 9.6)	NS	397	5.9%	(3.9 - 8.9)	7,491	6.9%	(6.0 - 7.9)	NS	521	10.2%	(7.4 - 13.9)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	800	9.2%	(6.9 - 12.3)	15,035	9.5%	(8.7 - 10.4)	NS	357	6.8%	(4.0 - 11.1)	6,568	7.0%	(6.0 - 8.1)	NS	443	11.6%	(8.1 - 16.4)	8,467	12.0%	(10.8 - 13.3)	NS	No
Currently taking medication or receiving treatment for a mental health condition																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	288	11.2%	(7.4 - 16.7)	6,643	11.0%	(10.0 - 12.1)	NS	121	5.8%	(2.3 - 13.9)	2,693	7.4%	(6.2 - 8.9)	NS	167	17.5%	(11.1 - 26.6)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms of serious mental illness in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	287	2.9%	(1.0 - 8.5)	6,555	3.2%	(2.6 - 3.9)	NS	120	0.0%	(0.0 - 0.0)	2,657	2.5%	(1.8 - 3.7)	-	167	6.3%	(2.1 - 17.1)	3,898	3.8%	(2.9 - 4.9)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol and Drug Use																						
Any alcohol consumption in past 30 days																						
2011	900	60.2%	(56.0 - 64.2)	24,051	61.8%	(60.9 - 62.7)	NS	349	66.6%	(60.1 - 72.5)	9,597	67.7%	(66.4 - 69.1)	NS	551	54.2%	(48.9 - 59.3)	14,454	56.2%	(55.0 - 57.4)	NS	Yes
2012	742	62.0%	(56.9 - 66.9)	18,891	61.3%	(60.3 - 62.3)	NS	294	72.8%	(64.5 - 79.8)	7,749	68.7%	(67.2 - 70.1)	NS	448	51.6%	(45.1 - 57.9)	11,142	54.2%	(52.8 - 55.6)	NS	Yes
2013	789	59.5%	(55.4 - 63.5)	16,614	57.5%	(56.2 - 58.7)	NS	327	64.8%	(58.6 - 70.5)	6,754	63.3%	(61.4 - 65.2)	NS	462	54.3%	(48.9 - 59.7)	9,860	51.8%	(50.2 - 53.5)	NS	No
2014	1,134	61.9%	(58.3 - 65.3)	21,612	59.2%	(58.1 - 60.3)	NS	487	70.3%	(65.1 - 75.0)	9,246	65.2%	(63.6 - 66.8)	NS	647	53.5%	(48.7 - 58.3)	12,366	53.4%	(52.0 - 54.9)	NS	Yes
2015	889	59.6%	(55.5 - 63.5)	16,939	57.6%	(56.4 - 58.8)	NS	383	66.3%	(60.1 - 72.0)	7,282	63.8%	(62.0 - 65.5)	NS	506	53.0%	(47.8 - 58.2)	9,657	51.6%	(50.0 - 53.2)	NS	Yes
2016	781	57.7%	(53.5 - 61.9)	14,723	59.8%	(58.5 - 61.0)	NS	351	67.4%	(61.6 - 72.8)	6,421	68.0%	(66.1 - 69.8)	NS	430	48.3%	(42.5 - 54.2)	8,302	51.8%	(50.0 - 53.6)	NS	Yes
Binge drank in past 30 days^a																						
2011	897	22.5%	(19.1 - 26.3)	23,948	22.7%	(21.9 - 23.5)	NS	346	31.0%	(25.2 - 37.5)	9,533	30.2%	(28.9 - 31.5)	NS	551	14.5%	(11.2 - 18.7)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	735	23.5%	(19.2 - 28.4)	18,742	22.1%	(21.3 - 23.0)	NS	288	35.0%	(27.8 - 43.0)	7,664	29.1%	(27.6 - 30.5)	NS	447	12.5%	(8.6 - 17.9)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	785	19.2%	(16.0 - 23.0)	16,500	20.0%	(19.0 - 21.1)	NS	324	26.9%	(21.6 - 33.1)	6,687	25.2%	(23.6 - 26.9)	NS	461	11.8%	(8.5 - 16.1)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	1,122	23.1%	(20.1 - 26.3)	21,443	20.3%	(19.4 - 21.3)	NS	483	32.9%	(28.0 - 38.2)	9,149	26.8%	(25.3 - 28.3)	NS	639	13.3%	(10.4 - 17.0)	12,294	14.1%	(13.0 - 15.3)	NS	Yes
2015	883	19.9%	(16.8 - 23.5)	16,832	19.5%	(18.5 - 20.5)	NS	378	27.5%	(22.3 - 33.5)	7,216	26.0%	(24.4 - 27.8)	NS	505	12.7%	(9.6 - 16.7)	9,616	13.1%	(12.0 - 14.3)	NS	Yes
2016	772	20.7%	(17.2 - 24.7)	14,620	20.0%	(18.9 - 21.1)	NS	348	33.5%	(27.5 - 40.1)	6,367	27.2%	(25.4 - 29.0)	NS	424	8.2%	(5.8 - 11.5)	8,253	13.1%	(11.9 - 14.4)	-	Yes
Heavy drinking in past 30 days																						
2011	897	6.6%	(4.6 - 9.2)	23,906	7.5%	(7.0 - 8.1)	NS	348	8.7%	(5.5 - 13.6)	9,514	9.2%	(8.4 - 10.2)	NS	549	4.5%	(2.7 - 7.4)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	740	7.6%	(5.3 - 10.7)	18,738	7.2%	(6.6 - 7.7)	NS	292	9.2%	(5.9 - 14.2)	7,668	8.5%	(7.7 - 9.4)	NS	448	6.0%	(3.3 - 10.7)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	786	8.0%	(5.7 - 11.0)	16,513	6.8%	(6.2 - 7.5)	NS	326	8.9%	(5.6 - 14.0)	6,698	7.3%	(6.4 - 8.3)	NS	460	7.1%	(4.5 - 11.0)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	1,124	6.2%	(4.7 - 8.1)	21,447	6.4%	(5.9 - 7.0)	NS	483	8.8%	(6.2 - 12.2)	9,158	7.5%	(6.7 - 8.5)	NS	641	3.6%	(2.3 - 5.5)	12,289	5.3%	(4.7 - 6.1)	NS	Yes
2015	883	5.2%	(3.7 - 7.3)	16,815	5.7%	(5.1 - 6.4)	NS	377	6.9%	(4.4 - 10.5)	7,214	7.0%	(6.0 - 8.1)	NS	506	3.7%	(2.2 - 6.3)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	772	6.0%	(4.2 - 8.4)	14,634	6.6%	(5.9 - 7.3)	NS	345	8.1%	(5.2 - 12.4)	6,376	8.0%	(7.0 - 9.1)	NS	427	3.9%	(2.3 - 6.7)	8,258	5.2%	(4.4 - 6.2)	NS	No
Alcohol impaired driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	741	5.6%	(3.6 - 8.6)	18,895	3.4%	(3.1 - 3.8)	NS	292	7.5%	(4.6 - 12.1)	7,741	5.5%	(4.9 - 6.3)	NS	449	3.7%	(1.5 - 9.0)	11,154	1.4%	(1.1 - 1.8)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,135	3.4%	(2.3 - 5.0)	21,627	2.5%	(2.2 - 2.9)	NS	485	6.1%	(4.1 - 9.1)	9,242	4.2%	(3.5 - 4.9)	NS	650	0.8%	(0.3 - 2.5)	12,385	1.0%	(0.7 - 1.3)	NS	Yes
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	777	2.9%	(1.9 - 4.3)	14,666	3.4%	(2.9 - 3.9)	NS	348	5.0%	(3.2 - 7.9)	6,383	5.1%	(4.3 - 6.0)	NS	429	0.7%	(0.2 - 2.2)	8,283	1.7%	(1.3 - 2.4)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	430	28.3%	(23.5 - 33.8)	11,767	30.2%	(29.1 - 31.4)	NS	164	21.6%	(15.4 - 29.4)	4,835	27.3%	(25.7 - 29.0)	NS	266	34.7%	(27.8 - 42.3)	6,932	33.0%	(31.5 - 34.6)	NS	No	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	407	30.2%	(24.7 - 36.4)	7,858	33.5%	(31.9 - 35.1)	NS	165	26.7%	(19.1 - 35.9)	3,283	28.9%	(26.6 - 31.4)	NS	242	33.6%	(26.0 - 42.1)	4,575	37.9%	(35.8 - 40.1)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	140	46.5%	(36.5 - 56.7)	3,848	49.2%	(46.9 - 51.4)	NS	42	-*	-* - *	1,423	43.9%	(40.4 - 47.4)	NA	98	49.7%	(37.3 - 62.2)	2,425	53.4%	(50.5 - 56.3)	NS	NA	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	137	54.4%	(43.4 - 65.1)	2,684	45.7%	(42.8 - 48.7)	NS	47	-*	-* - *	995	42.6%	(37.9 - 47.4)	NA	90	62.1%	(48.2 - 74.3)	1,689	48.0%	(44.4 - 51.7)	NS	NA	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	746	2.7%	(1.3 - 5.5)	14,160	4.9%	(4.2 - 5.7)	NS	329	4.5%	(1.9 - 10.2)	6,143	7.2%	(6.0 - 8.6)	NS	417	1.0%	(0.4 - 2.9)	8,017	2.7%	(2.1 - 3.5)	NS	No	
Immunization and Infectious Disease																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	906	42.4%	(38.5 - 46.4)	24,156	41.1%	(40.2 - 42.0)	NS	352	39.1%	(33.1 - 45.3)	9,663	35.1%	(33.8 - 36.5)	NS	554	45.5%	(40.5 - 50.6)	14,493	46.8%	(45.6 - 48.1)	NS	No	
2012	738	41.4%	(36.7 - 46.3)	18,903	42.2%	(41.2 - 43.2)	NS	290	36.3%	(29.6 - 43.6)	7,754	36.8%	(35.4 - 38.2)	NS	448	46.3%	(40.1 - 52.7)	11,149	47.5%	(46.1 - 48.8)	NS	No	
2013	764	43.4%	(39.3 - 47.5)	16,022	45.2%	(43.9 - 46.4)	NS	318	41.2%	(35.2 - 47.5)	6,506	41.2%	(39.4 - 43.1)	NS	446	45.6%	(40.1 - 51.1)	9,516	48.9%	(47.2 - 50.6)	NS	No	
2014	1,133	41.9%	(38.4 - 45.5)	21,638	43.9%	(42.9 - 45.0)	NS	484	31.9%	(27.3 - 36.8)	9,262	38.8%	(37.3 - 40.4)	-	649	51.8%	(47.0 - 56.5)	12,376	48.9%	(47.4 - 50.3)	NS	Yes	
2015	849	47.8%	(43.7 - 51.9)	16,091	47.2%	(46.0 - 48.4)	NS	367	38.8%	(32.9 - 45.0)	6,883	40.8%	(39.0 - 42.6)	NS	482	56.7%	(51.4 - 61.9)	9,208	53.4%	(51.7 - 55.0)	NS	Yes	
2016	777	40.5%	(36.5 - 44.7)	14,685	44.4%	(43.1 - 45.7)	NS	349	37.4%	(31.7 - 43.4)	6,401	39.4%	(37.5 - 41.3)	NS	428	43.6%	(37.9 - 49.4)	8,284	49.3%	(47.6 - 51.1)	NS	No	
Had a flu vaccination in past year, aged 65 years and older ^a																							
2011	342	66.3%	(60.3 - 71.8)	8,185	61.8%	(60.3 - 63.3)	NS	118	61.1%	(50.8 - 70.5)	2,875	59.6%	(57.1 - 62.1)	NS	224	70.2%	(63.2 - 76.4)	5,310	63.4%	(61.5 - 65.3)	NS	No	
2012	278	60.3%	(52.7 - 67.4)	6,625	62.9%	(61.2 - 64.6)	NS	89	55.2%	(42.5 - 67.3)	2,327	60.9%	(58.1 - 63.6)	NS	189	63.9%	(54.7 - 72.1)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	246	68.5%	(61.3 - 74.9)	5,652	66.2%	(64.2 - 68.1)	NS	95	69.9%	(58.5 - 79.3)	2,067	67.6%	(64.4 - 70.6)	NS	151	67.1%	(57.8 - 75.3)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	371	58.3%	(52.3 - 64.1)	7,610	64.7%	(63.2 - 66.2)	NS	126	57.7%	(47.2 - 67.4)	2,971	65.9%	(63.5 - 68.3)	NS	245	58.8%	(51.7 - 65.6)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	271	68.4%	(61.2 - 74.8)	5,578	65.2%	(63.4 - 67.0)	NS	108	70.1%	(58.8 - 79.5)	2,119	64.1%	(61.1 - 66.9)	NS	163	66.9%	(57.4 - 75.2)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	236	57.6%	(50.1 - 64.8)	5,130	62.7%	(60.8 - 64.6)	NS	86	55.1%	(42.4 - 67.1)	1,967	62.8%	(59.8 - 65.6)	NS	150	59.4%	(50.3 - 67.9)	3,163	62.7%	(60.2 - 65.1)	NS	No	
Ever had a pneumonia vaccination, aged 65 years and older ^a																							
2011	338	70.9%	(65.0 - 76.1)	7,997	70.3%	(68.8 - 71.7)	NS	116	66.2%	(55.7 - 75.2)	2,772	66.7%	(64.2 - 69.1)	NS	222	74.5%	(67.9 - 80.2)	5,225	72.9%	(71.2 - 74.5)	NS	No	
2012	271	68.8%	(61.6 - 75.1)	6,413	70.0%	(68.4 - 71.6)	NS	86	61.6%	(48.6 - 73.1)	2,225	66.9%	(64.1 - 69.6)	NS	185	73.7%	(65.7 - 80.4)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	237	64.3%	(56.9 - 71.1)	5,478	71.7%	(69.8 - 73.4)	NS	90	62.1%	(50.2 - 72.8)	1,970	71.5%	(68.5 - 74.3)	NS	147	66.3%	(57.2 - 74.3)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	359	66.9%	(60.9 - 72.2)	7,372	72.3%	(70.9 - 73.7)	NS	121	64.5%	(53.8 - 73.9)	2,849	70.3%	(67.9 - 72.5)	NS	238	68.6%	(61.5 - 74.9)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	262	70.9%	(63.7 - 77.2)	5,452	73.8%	(72.1 - 75.4)	NS	102	68.2%	(56.4 - 78.1)	2,056	70.3%	(67.4 - 73.0)	NS	160	73.0%	(63.8 - 80.7)	3,396	76.5%	(74.5 - 78.4)	NS	No	
2016	231	69.3%	(62.0 - 75.8)	5,060	75.9%	(74.2 - 77.5)	NS	84	66.6%	(53.6 - 77.4)	1,927	73.7%	(70.9 - 76.3)	NS	147	71.3%	(62.6 - 78.6)	3,133	77.6%	(75.5 - 79.7)	NS	No	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	706	56.7%	(52.3 - 60.9)	14,650	60.2%	(58.9 - 61.5)	NS	296	62.7%	(56.3 - 68.8)	6,015	63.1%	(61.1 - 65.0)	NS	410	50.4%	(44.6 - 56.1)	8,635	57.4%	(55.6 - 59.1)	NS	Yes	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	726	62.7%	(58.3 - 66.8)	13,574	64.2%	(62.9 - 65.4)	NS	330	71.9%	(65.9 - 77.2)	5,939	67.5%	(65.5 - 69.3)	NS	396	53.2%	(47.1 - 59.3)	7,635	60.9%	(59.2 - 62.7)	NS	Yes	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE			Elkhorn Logan Valley			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	263	6.3%	(3.6 - 10.8)	4,952	4.8%	(3.9 - 5.8)	NS	118	6.8%	(3.2 - 14.0)	2,246	6.1%	(4.8 - 7.7)	NS	145	5.6%	(2.4 - 12.6)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	415	5.3%	(3.1 - 8.9)	6,966	4.9%	(4.1 - 5.9)	NS	201	9.0%	(5.1 - 15.4)	3,403	5.4%	(4.4 - 6.7)	NS	214	1.1%	(0.2 - 6.3)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	297	4.0%	(2.1 - 7.5)	5,434	5.7%	(4.7 - 6.8)	NS	138	5.7%	(2.5 - 12.3)	2,727	7.1%	(5.6 - 9.0)	NS	159	2.1%	(0.8 - 5.1)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Data reflect the four county LHD region of Burt, Cuming, Madison, and Stanton Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

