

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Lancaster County			State of NE			Lancaster County			State of NE			Lancaster County			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Up-to-date on colon cancer screening, 50-75 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	527	67.1%	(62.2 - 71.8)	9,022	61.1%	(59.6 - 62.5)	NS	232	63.9%	(56.3 - 70.8)	3,733	58.4%	(56.1 - 60.6)	NS	295	70.3%	(63.7 - 76.1)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	623	66.1%	(61.7 - 70.2)	7,979	62.8%	(61.1 - 64.4)	NS	268	64.2%	(57.3 - 70.5)	3,275	61.0%	(58.5 - 63.6)	NS	355	67.9%	(62.3 - 73.0)	4,704	64.4%	(62.2 - 66.6)	NS	No
2014	698	68.2%	(63.9 - 72.1)	10,646	64.1%	(62.8 - 65.5)	NS	298	63.8%	(57.1 - 69.9)	4,681	63.0%	(61.0 - 65.1)	NS	400	72.0%	(66.6 - 76.9)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	616	69.7%	(65.2 - 73.9)	8,007	65.2%	(63.6 - 66.7)	NS	287	68.7%	(61.8 - 74.8)	3,446	63.7%	(61.3 - 66.1)	NS	329	70.8%	(64.7 - 76.3)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	531	72.8%	(68.2 - 76.9)	7,036	66.0%	(64.3 - 67.6)	+	246	73.6%	(66.9 - 79.4)	3,073	65.2%	(62.8 - 67.6)	NS	285	71.9%	(65.5 - 77.5)	3,963	66.7%	(64.5 - 68.9)	NS	No
Up-to-date on breast cancer screening, female 50-74 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	298	76.9%	(70.4 - 82.3)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	298	76.9%	(70.4 - 82.3)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	396	78.5%	(73.2 - 83.0)	5,904	76.1%	(74.5 - 77.7)	NS	-	-	-	-	-	-	-	396	78.5%	(73.2 - 83.0)	5,904	76.1%	(74.5 - 77.7)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	278	79.5%	(73.6 - 84.3)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	278	79.5%	(73.6 - 84.3)	3,914	73.4%	(71.3 - 75.4)	NS	NA
Up-to-date on cervical cancer screening, female 21-65 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	445	85.9%	(81.9 - 89.1)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	445	85.9%	(81.9 - 89.1)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	497	78.2%	(73.0 - 82.7)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	497	78.2%	(73.0 - 82.7)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	384	83.1%	(77.6 - 87.4)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	384	83.1%	(77.6 - 87.4)	3,814	77.7%	(75.5 - 79.8)	NS	NA
Arthritis																						
Ever told they have arthritis																						
2011	2,511	19.5%	(17.9 - 21.2)	25,285	23.4%	(22.8 - 24.1)	-	1,076	16.0%	(13.8 - 18.5)	10,184	20.1%	(19.2 - 21.1)	-	1,435	22.9%	(20.6 - 25.3)	15,101	26.6%	(25.7 - 27.6)	-	Yes
2012	1,439	21.7%	(19.4 - 24.1)	19,089	24.6%	(23.8 - 25.4)	NS	644	17.2%	(14.2 - 20.6)	7,839	21.5%	(20.3 - 22.6)	NS	795	26.1%	(22.9 - 29.7)	11,250	27.7%	(26.6 - 28.8)	NS	Yes
2013	1,633	20.5%	(18.4 - 22.7)	17,017	24.7%	(23.8 - 25.7)	-	719	17.9%	(15.0 - 21.2)	6,925	21.6%	(20.2 - 23.0)	NS	914	23.0%	(20.3 - 26.1)	10,092	27.8%	(26.5 - 29.2)	-	No
2014	1,697	21.1%	(19.0 - 23.3)	22,307	24.6%	(23.8 - 25.4)	-	763	16.1%	(13.5 - 19.1)	9,560	21.6%	(20.5 - 22.8)	NS	934	26.0%	(23.0 - 29.3)	12,747	27.4%	(26.3 - 28.6)	NS	Yes
2015	1,551	19.1%	(17.0 - 21.4)	17,472	23.4%	(22.6 - 24.3)	-	722	14.9%	(12.1 - 18.1)	7,540	19.7%	(18.5 - 20.9)	-	829	23.4%	(20.3 - 26.7)	9,932	27.1%	(25.9 - 28.4)	NS	Yes
2016	1,361	20.1%	(17.9 - 22.6)	15,137	24.6%	(23.6 - 25.6)	-	655	16.3%	(13.5 - 19.6)	6,622	21.7%	(20.3 - 23.2)	-	706	23.9%	(20.6 - 27.7)	8,515	27.4%	(26.0 - 28.8)	NS	Yes
Currently have activity limitations due to arthritis, among those ever told they have arthritis^a																						
2011	607	43.2%	(38.7 - 47.9)	7,973	45.2%	(43.6 - 46.8)	NS	206	37.8%	(30.4 - 45.8)	2,711	42.6%	(40.0 - 45.2)	NS	401	46.8%	(41.3 - 52.4)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	379	41.0%	(35.4 - 46.9)	5,460	42.4%	(40.3 - 44.6)	NS	135	34.8%	(26.1 - 44.7)	1,861	41.0%	(37.4 - 44.6)	NS	244	45.9%	(38.9 - 53.0)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	362	39.1%	(33.2 - 45.3)	5,146	44.0%	(41.9 - 46.1)	NS	125	35.1%	(25.5 - 46.0)	1,852	41.9%	(38.6 - 45.3)	NS	237	41.7%	(34.5 - 49.2)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma																						
Ever told they have asthma																						
2011	2,515	13.4%	(11.8 - 15.2)	25,327	11.5%	(10.9 - 12.1)	NS	1,079	13.0%	(10.7 - 15.7)	10,194	10.5%	(9.6 - 11.3)	NS	1,436	13.9%	(11.7 - 16.4)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	1,441	9.8%	(8.2 - 11.6)	19,105	10.8%	(10.2 - 11.5)	NS	646	10.1%	(7.7 - 13.0)	7,847	9.7%	(8.8 - 10.7)	NS	795	9.5%	(7.5 - 12.0)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	1,642	14.7%	(12.7 - 16.9)	17,068	11.2%	(10.5 - 12.0)	+	725	12.1%	(9.6 - 15.2)	6,946	9.6%	(8.6 - 10.8)	NS	917	17.2%	(14.4 - 20.5)	10,122	12.8%	(11.7 - 13.9)	+	No
2014	1,704	15.0%	(12.9 - 17.4)	22,355	12.2%	(11.5 - 13.0)	NS	765	13.0%	(10.1 - 16.6)	9,583	10.8%	(9.8 - 11.9)	NS	939	17.0%	(14.0 - 20.5)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	1,557	11.2%	(9.3 - 13.4)	17,492	12.1%	(11.3 - 12.9)	NS	725	10.5%	(7.9 - 13.8)	7,554	10.7%	(9.6 - 12.0)	NS	832	11.9%	(9.4 - 14.9)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	1,364	13.7%	(11.5 - 16.2)	15,144	12.4%	(11.5 - 13.4)	NS	658	10.6%	(8.0 - 13.9)	6,622	10.4%	(9.2 - 11.8)	NS	706	16.8%	(13.5 - 20.6)	8,522	14.3%	(13.1 - 15.7)	NS	No
Currently have asthma																						
2011	2,507	8.9%	(7.6 - 10.5)	25,257	7.3%	(6.9 - 7.8)	NS	1,077	8.1%	(6.2 - 10.4)	10,170	6.0%	(5.4 - 6.7)	NS	1,430	9.8%	(7.9 - 12.1)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	1,437	6.5%	(5.3 - 8.1)	19,053	7.4%	(6.9 - 7.9)	NS	644	5.7%	(4.0 - 8.1)	7,832	6.1%	(5.4 - 6.9)	NS	793	7.4%	(5.7 - 9.5)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	1,638	9.8%	(8.2 - 11.6)	17,024	7.3%	(6.7 - 8.0)	+	722	6.2%	(4.4 - 8.5)	6,930	5.5%	(4.8 - 6.4)	NS	916	13.3%	(10.8 - 16.3)	10,094	9.1%	(8.2 - 10.0)	+	Yes
2014	1,701	9.7%	(8.0 - 11.7)	22,289	7.7%	(7.2 - 8.3)	NS	763	6.9%	(4.9 - 9.7)	9,562	6.2%	(5.5 - 7.0)	NS	938	12.5%	(9.9 - 15.6)	12,727	9.2%	(8.4 - 10.1)	NS	Yes
2015	1,549	6.5%	(5.1 - 8.2)	17,435	7.2%	(6.6 - 7.8)	NS	718	5.3%	(3.5 - 8.0)	7,533	5.4%	(4.7 - 6.2)	NS	831	7.7%	(5.8 - 10.1)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	1,362	8.4%	(6.7 - 10.4)	15,116	8.3%	(7.5 - 9.1)	NS	657	4.4%	(2.9 - 6.5)	6,609	6.1%	(5.2 - 7.1)	NS	705	12.4%	(9.5 - 16.0)	8,507	10.4%	(9.3 - 11.6)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Lancaster County			State of NE			Lancaster County			State of NE			Lancaster County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Current e-cigarette use																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,337	5.2%	(3.9 - 7.0)	14,819	4.9%	(4.3 - 5.6)	NS	643	5.2%	(3.5 - 7.7)	6,474	5.3%	(4.5 - 6.4)	NS	694	5.2%	(3.3 - 8.0)	8,345	4.5%	(3.7 - 5.6)	NS	No	
Overweight and Obesity																							
Obese (BMI=30+) [^]																							
2011	2,432	25.1%	(23.1 - 27.2)	24,366	28.4%	(27.6 - 29.2)	-	1,064	25.9%	(22.9 - 29.2)	10,102	29.2%	(28.0 - 30.4)	NS	1,368	24.2%	(21.6 - 27.0)	14,264	27.6%	(26.5 - 28.8)	NS	No	
2012	1,397	24.4%	(21.9 - 27.1)	18,385	28.6%	(27.7 - 29.6)	-	646	22.6%	(19.2 - 26.5)	7,781	29.2%	(27.9 - 30.6)	-	751	26.3%	(22.7 - 30.3)	10,604	28.1%	(26.8 - 29.3)	NS	No	
2013	1,573	25.2%	(22.8 - 27.7)	16,250	29.6%	(28.4 - 30.7)	-	717	25.9%	(22.4 - 29.7)	6,860	30.8%	(29.1 - 32.5)	NS	856	24.5%	(21.4 - 27.8)	9,390	28.4%	(26.9 - 29.9)	NS	No	
2014	1,619	25.4%	(22.9 - 28.2)	21,130	30.2%	(29.2 - 31.3)	-	758	26.6%	(22.8 - 30.7)	9,399	31.7%	(30.2 - 33.2)	NS	861	24.2%	(20.8 - 28.0)	11,731	28.7%	(27.4 - 30.1)	NS	No	
2015	1,455	29.0%	(26.2 - 32.1)	16,265	31.4%	(30.3 - 32.5)	NS	702	29.9%	(25.8 - 34.3)	7,323	32.9%	(31.3 - 34.6)	NS	753	28.1%	(24.3 - 32.4)	8,942	29.8%	(28.3 - 31.3)	NS	No	
2016	1,301	27.4%	(24.6 - 30.4)	14,173	32.0%	(30.8 - 33.2)	-	649	28.0%	(24.1 - 32.2)	6,460	32.6%	(30.8 - 34.3)	NS	652	26.8%	(22.9 - 31.1)	7,713	31.4%	(29.7 - 33.1)	NS	No	
Overweight or Obese (BMI=25+)																							
2011	2,432	59.2%	(56.8 - 61.6)	24,366	64.9%	(64.0 - 65.8)	-	1,064	65.9%	(62.3 - 69.3)	10,102	72.8%	(71.5 - 74.1)	-	1,368	52.4%	(49.2 - 55.7)	14,264	56.8%	(55.5 - 58.1)	NS	Yes	
2012	1,397	61.4%	(58.4 - 64.3)	18,385	65.0%	(64.0 - 66.0)	NS	646	67.7%	(63.6 - 71.6)	7,781	72.3%	(70.8 - 73.7)	NS	751	54.7%	(50.5 - 58.9)	10,604	57.6%	(56.2 - 59.0)	NS	Yes	
2013	1,573	59.7%	(56.7 - 62.6)	16,250	65.5%	(64.2 - 66.7)	-	717	65.3%	(60.8 - 69.5)	6,860	72.2%	(70.4 - 74.0)	-	856	53.7%	(49.7 - 57.7)	9,390	58.5%	(56.8 - 60.2)	NS	Yes	
2014	1,619	62.9%	(59.8 - 65.9)	21,130	66.7%	(65.6 - 67.8)	NS	758	70.7%	(66.3 - 74.7)	9,399	73.8%	(72.3 - 75.3)	NS	861	54.7%	(50.4 - 58.9)	11,731	59.2%	(57.7 - 60.7)	NS	Yes	
2015	1,455	63.4%	(60.1 - 66.5)	16,265	67.0%	(65.8 - 68.2)	NS	702	70.2%	(65.7 - 74.4)	7,323	73.4%	(71.7 - 75.1)	NS	753	56.1%	(51.5 - 60.5)	8,942	60.2%	(58.6 - 61.9)	NS	Yes	
2016	1,301	63.4%	(60.1 - 66.6)	14,173	68.5%	(67.3 - 69.8)	-	649	69.7%	(65.2 - 73.8)	6,460	74.9%	(73.1 - 76.6)	NS	652	56.7%	(51.9 - 61.3)	7,713	61.8%	(59.9 - 63.6)	NS	Yes	
Nutrition																							
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	758	30.2%	(26.2 - 34.6)	7,822	28.5%	(26.8 - 30.3)	NS	339	36.0%	(29.9 - 42.7)	3,164	35.8%	(33.1 - 38.5)	NS	419	24.0%	(19.2 - 29.4)	4,658	21.7%	(19.7 - 24.0)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	753	40.4%	(36.4 - 44.5)	7,818	46.3%	(44.6 - 48.1)	-	337	37.0%	(31.3 - 43.0)	3,165	43.4%	(40.8 - 46.0)	NS	416	44.0%	(38.7 - 49.5)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	719	47.0%	(42.3 - 51.7)	7,892	46.8%	(45.0 - 48.5)	NS	353	47.7%	(41.1 - 54.5)	3,436	46.0%	(43.4 - 48.7)	NS	366	46.3%	(39.8 - 52.9)	4,456	47.5%	(45.2 - 49.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																							
2011	2,421	1.03	(1.01 - 1.12)	24,090	1.02	(1.02 - 1.04)	NS	1,031	0.99	(0.98 - 1.05)	9,660	0.99	(0.99 - 1.00)	NS	1,390	1.13	(1.05 - 1.25)	14,430	1.14	(1.13 - 1.14)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,558	1.01	(0.99 - 1.08)	15,949	1.00	(1.00 - 1.00)	NS	686	0.98	(0.97 - 1.00)	6,462	0.99	(0.99 - 1.00)	NS	872	1.11	(1.04 - 1.21)	9,487	1.07	(1.06 - 1.14)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,447	0.99	(0.98 - 1.07)	16,135	1.00	(1.00 - 1.00)	NS	670	0.97	(0.94 - 1.02)	6,899	0.99	(0.98 - 1.00)	NS	777	1.08	(1.01 - 1.18)	9,236	1.03	(1.02 - 1.09)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																							
2011	2,421	41.0%	(38.6 - 43.4)	24,090	40.1%	(39.2 - 41.1)	NS	1,031	44.5%	(40.9 - 48.2)	9,660	46.2%	(44.8 - 47.6)	NS	1,390	37.6%	(34.5 - 40.8)	14,430	34.3%	(33.1 - 35.6)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,558	38.1%	(35.3 - 41.0)	15,949	39.7%	(38.5 - 41.0)	NS	686	44.1%	(39.8 - 48.6)	6,462	45.4%	(43.4 - 47.3)	NS	872	32.2%	(28.7 - 36.0)	9,487	34.4%	(32.8 - 36.1)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,447	37.9%	(34.8 - 41.1)	16,135	41.1%	(39.9 - 42.4)	NS	670	43.2%	(38.5 - 47.9)	6,899	47.4%	(45.6 - 49.3)	NS	777	32.8%	(28.8 - 37.1)	9,236	35.1%	(33.5 - 36.7)	NS	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Lancaster County			State of NE			Lancaster County			State of NE			Lancaster County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	812	26.0%	(22.7 - 29.6)	11,767	30.2%	(29.1 - 31.4)	NS	381	22.2%	(17.9 - 27.1)	4,835	27.3%	(25.7 - 29.0)	NS	431	29.6%	(24.8 - 35.0)	6,932	33.0%	(31.5 - 34.6)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	710	30.4%	(26.3 - 34.9)	7,858	33.5%	(31.9 - 35.1)	NS	308	27.9%	(22.0 - 34.8)	3,283	28.9%	(26.6 - 31.4)	NS	402	32.8%	(27.2 - 38.9)	4,575	37.9%	(35.8 - 40.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	218	45.4%	(37.8 - 53.2)	3,848	49.2%	(46.9 - 51.4)	NS	85	41.0%	(30.3 - 52.6)	1,423	43.9%	(40.4 - 47.4)	NS	133	48.6%	(38.3 - 59.0)	2,425	53.4%	(50.5 - 56.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	215	46.0%	(37.5 - 54.7)	2,684	45.7%	(42.8 - 48.7)	NS	91	45.0%	(32.2 - 58.5)	995	42.6%	(37.9 - 47.4)	NS	124	46.8%	(35.8 - 58.0)	1,689	48.0%	(44.4 - 51.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,279	5.8%	(4.2 - 7.8)	14,160	4.9%	(4.2 - 5.7)	NS	618	9.5%	(6.8 - 13.2)	6,143	7.2%	(6.0 - 8.6)	NS	661	2.0%	(1.0 - 4.0)	8,017	2.7%	(2.1 - 3.5)	NS	Yes	
Immunization and Infectious Disease																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	2,415	37.0%	(34.8 - 39.3)	24,156	41.1%	(40.2 - 42.0)	-	1,030	31.1%	(28.0 - 34.4)	9,663	35.1%	(33.8 - 36.5)	NS	1,385	42.7%	(39.6 - 45.8)	14,493	46.8%	(45.6 - 48.1)	NS	Yes	
2012	1,424	40.3%	(37.5 - 43.2)	18,903	42.2%	(41.2 - 43.2)	NS	641	33.4%	(29.5 - 37.5)	7,754	36.8%	(35.4 - 38.2)	NS	783	47.3%	(43.2 - 51.4)	11,149	47.5%	(46.1 - 48.8)	NS	Yes	
2013	1,552	47.2%	(44.3 - 50.2)	16,022	45.2%	(43.9 - 46.4)	NS	688	41.8%	(37.5 - 46.1)	6,506	41.2%	(39.4 - 43.1)	NS	864	52.7%	(48.7 - 56.6)	9,516	48.9%	(47.2 - 50.6)	NS	Yes	
2014	1,662	40.8%	(37.9 - 43.7)	21,638	43.9%	(42.9 - 45.0)	NS	746	35.2%	(31.2 - 39.5)	9,262	38.8%	(37.3 - 40.4)	NS	916	46.3%	(42.3 - 50.4)	12,376	48.9%	(47.4 - 50.3)	NS	Yes	
2015	1,453	47.1%	(43.9 - 50.3)	16,091	47.2%	(46.0 - 48.4)	NS	673	39.1%	(34.7 - 43.8)	6,883	40.8%	(39.0 - 42.6)	NS	780	54.8%	(50.3 - 59.2)	9,208	53.4%	(51.7 - 55.0)	NS	Yes	
2016	1,326	42.9%	(39.8 - 46.1)	14,685	44.4%	(43.1 - 45.7)	NS	638	36.7%	(32.5 - 41.1)	6,401	39.4%	(37.5 - 41.3)	NS	688	49.0%	(44.4 - 53.6)	8,284	49.3%	(47.6 - 51.1)	NS	Yes	
Had a flu vaccination in past year, aged 65 years and older ^a																							
2011	550	64.8%	(60.3 - 69.0)	8,185	61.8%	(60.3 - 63.3)	NS	208	57.6%	(50.1 - 64.8)	2,875	59.6%	(57.1 - 62.1)	NS	342	70.2%	(64.8 - 75.1)	5,310	63.4%	(61.5 - 65.3)	NS	No	
2012	289	69.6%	(62.8 - 75.7)	6,625	62.9%	(61.2 - 64.6)	NS	114	65.9%	(55.0 - 75.3)	2,327	60.9%	(58.1 - 63.6)	NS	175	72.9%	(64.0 - 80.2)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	352	69.8%	(64.2 - 74.8)	5,652	66.2%	(64.2 - 68.1)	NS	145	71.3%	(62.7 - 78.6)	2,067	67.6%	(64.4 - 70.6)	NS	207	68.5%	(61.1 - 75.1)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	434	61.0%	(55.7 - 66.1)	7,610	64.7%	(63.2 - 66.2)	NS	174	63.5%	(55.2 - 71.1)	2,971	65.9%	(63.5 - 68.3)	NS	260	59.2%	(52.3 - 65.8)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	400	68.5%	(62.6 - 73.8)	5,578	65.2%	(63.4 - 67.0)	NS	159	66.8%	(56.7 - 75.6)	2,119	64.1%	(61.1 - 66.9)	NS	241	69.8%	(62.7 - 76.0)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	320	64.2%	(58.0 - 69.9)	5,130	62.7%	(60.8 - 64.6)	NS	143	63.1%	(53.8 - 71.5)	1,967	62.8%	(59.8 - 65.6)	NS	177	65.1%	(56.8 - 72.6)	3,163	62.7%	(60.2 - 65.1)	NS	No	
Ever had a pneumonia vaccination, aged 65 years and older ^a																							
2011	530	74.3%	(70.0 - 78.2)	7,997	70.3%	(68.8 - 71.7)	NS	195	70.1%	(62.4 - 76.7)	2,772	66.7%	(64.2 - 69.1)	NS	335	77.4%	(72.3 - 81.8)	5,225	72.9%	(71.2 - 74.5)	NS	No	
2012	276	74.4%	(68.2 - 79.8)	6,413	70.0%	(68.4 - 71.6)	NS	103	72.8%	(62.5 - 81.2)	2,225	66.9%	(64.1 - 69.6)	NS	173	75.7%	(67.8 - 82.1)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	335	72.2%	(66.6 - 77.2)	5,478	71.7%	(69.8 - 73.4)	NS	135	69.5%	(60.2 - 77.4)	1,970	71.5%	(68.5 - 74.3)	NS	200	74.3%	(67.2 - 80.3)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	423	76.7%	(71.8 - 81.0)	7,372	72.3%	(70.9 - 73.7)	NS	171	79.2%	(72.0 - 85.0)	2,849	70.3%	(67.9 - 72.5)	NS	252	74.8%	(68.0 - 80.7)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	392	79.7%	(74.1 - 84.4)	5,452	73.8%	(72.1 - 75.4)	NS	154	76.5%	(66.3 - 84.3)	2,056	70.3%	(67.4 - 73.0)	NS	238	82.3%	(76.0 - 87.2)	3,396	76.5%	(74.5 - 78.4)	NS	No	
2016	319	78.1%	(72.4 - 82.9)	5,060	75.9%	(74.2 - 77.5)	NS	142	75.5%	(66.8 - 82.5)	1,927	73.7%	(70.9 - 76.3)	NS	177	80.3%	(72.3 - 86.4)	3,133	77.6%	(75.5 - 79.7)	NS	No	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	1,407	62.4%	(59.4 - 65.3)	14,650	60.2%	(58.9 - 61.5)	NS	634	64.1%	(59.6 - 68.4)	6,015	63.1%	(61.1 - 65.0)	NS	773	60.6%	(56.5 - 64.5)	8,635	57.4%	(55.6 - 59.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,207	68.9%	(65.6 - 71.9)	13,574	64.2%	(62.9 - 65.4)	+	585	70.8%	(66.2 - 75.0)	5,939	67.5%	(65.5 - 69.3)	NS	622	67.0%	(62.3 - 71.3)	7,635	60.9%	(59.2 - 62.7)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Lancaster County			State of NE			Lancaster County			State of NE			Lancaster County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Ever had a shingles vaccination, aged 50 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	885	31.5%	(28.2 - 35.0)	14,246	27.9%	(26.9 - 28.9)	NS	371	26.1%	(21.6 - 31.2)	5,892	25.7%	(24.2 - 27.3)	NS	514	36.1%	(31.5 - 40.9)	8,354	29.8%	(28.4 - 31.3)	+	Yes	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever been tested for HIV, 18-64 year olds (excluding blood donation)																							
2011	1,818	30.5%	(28.1 - 33.1)	15,561	30.8%	(29.7 - 31.8)	NS	801	29.6%	(26.0 - 33.4)	6,612	28.4%	(27.0 - 29.9)	NS	1,017	31.5%	(28.3 - 34.9)	8,949	33.1%	(31.7 - 34.6)	NS	No	
2012	1,103	31.7%	(28.6 - 34.9)	11,879	30.9%	(29.8 - 32.1)	NS	514	28.9%	(24.8 - 33.4)	5,254	27.9%	(26.3 - 29.5)	NS	589	34.5%	(30.0 - 39.2)	6,625	34.0%	(32.4 - 35.7)	NS	No	
2013	1,158	32.0%	(29.0 - 35.2)	10,049	31.8%	(30.3 - 33.3)	NS	522	29.2%	(25.0 - 33.9)	4,304	29.1%	(27.0 - 31.3)	NS	636	34.9%	(30.7 - 39.3)	5,745	34.4%	(32.5 - 36.4)	NS	No	
2014	1,183	32.7%	(29.3 - 36.2)	13,474	30.9%	(29.6 - 32.2)	NS	549	30.7%	(25.9 - 35.9)	6,042	28.6%	(26.8 - 30.5)	NS	634	34.8%	(30.2 - 39.7)	7,432	33.2%	(31.4 - 35.0)	NS	No	
2015	1,015	29.8%	(26.3 - 33.4)	10,152	32.0%	(30.6 - 33.5)	NS	501	26.6%	(22.0 - 31.7)	4,604	29.2%	(27.2 - 31.4)	NS	514	33.1%	(28.1 - 38.5)	5,548	34.9%	(32.9 - 36.9)	NS	No	
2016	972	33.8%	(30.3 - 37.4)	9,145	31.9%	(30.4 - 33.5)	NS	481	31.6%	(26.9 - 36.7)	4,263	28.5%	(26.4 - 30.7)	NS	491	36.0%	(31.0 - 41.3)	4,882	35.4%	(33.2 - 37.6)	NS	No	
Oral Health																							
Visited a dentist or dental clinic for any reason in past year ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,438	72.9%	(70.1 - 75.5)	19,052	67.6%	(66.6 - 68.5)	+	646	70.2%	(66.1 - 74.0)	7,827	64.2%	(62.7 - 65.6)	+	792	75.5%	(71.7 - 79.0)	11,225	70.9%	(69.6 - 72.1)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,704	69.8%	(66.8 - 72.6)	22,258	66.4%	(65.4 - 67.4)	NS	767	66.0%	(61.5 - 70.2)	9,544	63.2%	(61.7 - 64.8)	NS	937	73.6%	(69.6 - 77.3)	12,714	69.5%	(68.1 - 70.8)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,364	75.1%	(72.1 - 77.8)	15,089	68.7%	(67.5 - 69.9)	+	658	72.5%	(68.2 - 76.3)	6,597	65.9%	(64.1 - 67.7)	+	706	77.7%	(73.4 - 81.5)	8,492	71.4%	(69.8 - 73.0)	+	No	
Had any permanent teeth extracted due to tooth decay or gum disease																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,430	31.5%	(28.8 - 34.3)	18,824	39.8%	(38.8 - 40.8)	-	643	32.2%	(28.3 - 36.3)	7,750	39.2%	(37.7 - 40.6)	-	787	30.9%	(27.3 - 34.7)	11,074	40.4%	(39.1 - 41.7)	-	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,693	31.8%	(29.2 - 34.6)	22,085	39.1%	(38.1 - 40.1)	-	759	34.6%	(30.6 - 38.9)	9,490	39.4%	(37.9 - 40.9)	NS	934	29.0%	(25.7 - 32.7)	12,595	38.9%	(37.5 - 40.2)	-	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,356	29.5%	(26.8 - 32.4)	14,988	38.2%	(37.0 - 39.4)	-	651	30.3%	(26.4 - 34.6)	6,559	37.6%	(35.8 - 39.3)	-	705	28.7%	(25.0 - 32.7)	8,429	38.9%	(37.3 - 40.5)	-	No	
Had any permanent teeth extracted due to tooth decay or gum disease, 45-64 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	486	38.6%	(33.7 - 43.6)	7,138	47.7%	(46.1 - 49.3)	-	207	42.5%	(35.2 - 50.2)	3,077	48.7%	(46.3 - 51.1)	NS	279	35.1%	(28.9 - 41.9)	4,061	46.7%	(44.6 - 48.8)	-	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	566	41.6%	(36.9 - 46.5)	8,200	45.9%	(44.3 - 47.5)	NS	254	45.9%	(38.9 - 53.1)	3,631	47.5%	(45.1 - 50.0)	NS	312	37.4%	(31.3 - 43.9)	4,569	44.3%	(42.1 - 46.5)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	427	33.7%	(28.9 - 38.9)	5,356	45.1%	(43.1 - 47.1)	-	192	36.8%	(29.5 - 44.8)	2,446	46.4%	(43.5 - 49.3)	NS	235	30.9%	(24.8 - 37.8)	2,910	43.8%	(41.2 - 46.5)	-	No	
Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	286	9.6%	(6.3 - 14.4)	6,502	13.4%	(12.3 - 14.5)	NS	114	8.1%	(3.7 - 16.6)	2,313	12.0%	(10.3 - 13.9)	NS	172	11.0%	(6.9 - 17.3)	4,189	14.4%	(13.0 - 16.0)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	438	8.5%	(5.6 - 12.8)	7,657	14.1%	(13.0 - 15.2)	-	176	8.3%	(4.6 - 14.7)	3,010	14.4%	(12.8 - 16.3)	NS	262	8.7%	(4.8 - 15.2)	4,647	13.8%	(12.5 - 15.2)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	325	7.3%	(4.7 - 11.3)	5,179	13.2%	(11.9 - 14.6)	-	141	5.4%	(2.2 - 12.4)	1,993	10.6%	(9.0 - 12.5)	NS	184	9.0%	(5.3 - 14.7)	3,186	15.3%	(13.5 - 17.3)	NS	No	
Had all permanent teeth extracted due to tooth decay or gum disease, 65-74 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	161	9.2%	(5.7 - 14.3)	3,149	11.3%	(9.9 - 12.8)	NS	74	6.8%	(3.3 - 13.7)	1,268	9.3%	(7.5 - 11.4)	NS	87	11.8%	(6.4 - 20.5)	1,881	13.1%	(11.1 - 15.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	259	6.5%	(3.1 - 12.9)	4,089	10.9%	(9.6 - 12.3)	NS	110	8.7%	(4.0 - 17.9)	1,804	12.0%	(9.9 - 14.4)	NS	149	4.7%	(1.2 - 17.4)	2,285	9.8%	(8.3 - 11.7)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	184	2.6%	(1.1 - 6.1)	2,815	10.4%	(9.0 - 12.0)	-	94	0.7%	(0.2 - 2.8)	1,168	8.8%	(6.9 - 11.2)	-	90	4.6%	(1.7 - 11.9)	1,647	11.8%	(9.9 - 14.1)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Lancaster County			State of NE			Lancaster County			State of NE			Lancaster County			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,291	74.6%	(71.5 - 77.4)	13,764	67.4%	(66.1 - 68.6)	+	632	71.4%	(67.0 - 75.4)	6,092	63.9%	(62.0 - 65.8)	+	659	77.9%	(73.5 - 81.8)	7,672	70.8%	(69.1 - 72.5)	+	No	
Social Context																							
Housing insecurity in past year, among those who own or rent their home [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	542	26.8%	(22.6 - 31.4)	6,089	26.6%	(25.0 - 28.3)	NS	228	28.1%	(21.8 - 35.3)	2,481	24.7%	(22.3 - 27.3)	NS	314	25.6%	(20.4 - 31.6)	3,608	28.5%	(26.3 - 30.8)	NS	No	
2013	713	25.3%	(21.8 - 29.2)	7,324	28.8%	(27.1 - 30.5)	NS	318	19.6%	(14.8 - 25.4)	2,961	25.0%	(22.5 - 27.7)	NS	395	31.4%	(26.4 - 36.9)	4,363	32.3%	(30.0 - 34.7)	NS	Yes	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	691	26.5%	(22.3 - 31.3)	7,461	28.5%	(26.8 - 30.2)	NS	301	25.7%	(19.4 - 33.2)	3,109	26.6%	(24.2 - 29.2)	NS	390	27.3%	(22.0 - 33.4)	4,352	30.3%	(28.1 - 32.5)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Food insecurity in past year [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	577	20.4%	(16.8 - 24.6)	6,621	17.6%	(16.2 - 19.0)	NS	241	16.8%	(12.0 - 23.1)	2,684	13.9%	(12.1 - 16.0)	NS	336	23.6%	(18.5 - 29.6)	3,937	21.1%	(19.1 - 23.2)	NS	No	
2013	754	19.6%	(16.4 - 23.1)	7,828	19.0%	(17.6 - 20.6)	NS	338	17.0%	(12.7 - 22.4)	3,159	15.4%	(13.4 - 17.7)	NS	416	22.3%	(18.1 - 27.2)	4,669	22.5%	(20.5 - 24.6)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	715	18.9%	(15.3 - 23.0)	7,918	21.0%	(19.5 - 22.5)	NS	309	15.1%	(10.6 - 21.1)	3,309	17.9%	(15.8 - 20.2)	NS	406	22.4%	(17.4 - 28.5)	4,609	24.0%	(22.1 - 26.1)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Caregiving																							
Provided regular care/assistance in past month to friend or family member with health issue																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	714	20.5%	(17.1 - 24.4)	7,883	24.7%	(23.2 - 26.2)	NS	350	16.9%	(12.7 - 22.0)	3,434	21.1%	(19.1 - 23.4)	NS	364	24.2%	(19.0 - 30.3)	4,449	28.0%	(25.9 - 30.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Cognitive Decline																							
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	422	9.1%	(6.1 - 13.3)	5,767	9.4%	(8.4 - 10.5)	NS	196	10.3%	(5.9 - 17.3)	2,436	10.2%	(8.7 - 12.0)	NS	226	7.9%	(4.5 - 13.6)	3,331	8.6%	(7.3 - 10.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Inadequate Sleep																							
Get less than 7 hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	1,640	31.5%	(28.9 - 34.2)	16,972	31.8%	(30.6 - 33.0)	NS	724	34.4%	(30.5 - 38.6)	6,927	32.6%	(30.8 - 34.4)	NS	916	28.6%	(25.4 - 32.2)	10,045	31.0%	(29.5 - 32.6)	NS	No	
2014	1,702	32.7%	(29.9 - 35.7)	22,172	30.0%	(29.0 - 31.0)	NS	768	34.2%	(29.9 - 38.7)	9,527	30.7%	(29.2 - 32.2)	NS	934	31.3%	(27.6 - 35.4)	12,645	29.4%	(28.1 - 30.7)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,363	28.5%	(25.6 - 31.6)	15,097	29.6%	(28.4 - 30.8)	NS	657	29.3%	(25.2 - 33.8)	6,610	29.7%	(27.9 - 31.5)	NS	706	27.7%	(23.6 - 32.1)	8,487	29.5%	(27.9 - 31.2)	NS	No	
Average hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	1,640	7.1	(7.0 - 7.1)	16,972	7.1	(7.0 - 7.1)	NS	724	7.0	(6.8 - 7.1)	6,927	7.0	(7.0 - 7.1)	NS	916	7.2	(7.1 - 7.3)	10,045	7.1	(7.0 - 7.1)	NS	No	
2014	1,702	7.0	(6.9 - 7.1)	22,172	7.1	(7.0 - 7.1)	NS	768	6.9	(6.8 - 7.1)	9,527	7.0	(7.0 - 7.1)	NS	934	7.0	(6.9 - 7.1)	12,645	7.1	(7.1 - 7.1)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,363	7.1	(7.0 - 7.2)	15,097	7.1	(7.1 - 7.1)	NS	657	7.1	(6.9 - 7.2)	6,610	7.1	(7.0 - 7.2)	NS	706	7.1	(7.0 - 7.2)	8,487	7.1	(7.1 - 7.2)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Lancaster County			State of NE			Lancaster County			State of NE			Lancaster County			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	502	3.6%	(2.1 - 6.2)	4,952	4.8%	(3.9 - 5.8)	NS	241	5.6%	(3.0 - 10.0)	2,246	6.1%	(4.8 - 7.7)	NS	261	1.4%	(0.4 - 4.1)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	558	4.9%	(3.0 - 7.9)	6,966	4.9%	(4.1 - 5.9)	NS	277	4.7%	(2.2 - 9.8)	3,403	5.4%	(4.4 - 6.7)	NS	281	5.1%	(2.8 - 9.1)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	508	4.3%	(2.5 - 7.4)	5,434	5.7%	(4.7 - 6.8)	NS	273	5.1%	(2.6 - 10.1)	2,727	7.1%	(5.6 - 9.0)	NS	235	3.2%	(1.3 - 7.6)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being landline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

