

| Indicators | Overall | | | | | | Men | | | | | | Women | | | | | | LHD Gender Diff. ^e | | | |
|--|----------------|------------------------|------------------------------------|----------------|------------------------|------------------------------------|------------------|----------------|------------------------|------------------------------------|----------------|------------------------|------------------------------------|------------------|----------------|------------------------|------------------------------------|----------------|-------------------------------|------------------------|------------------------------------|------------------|
| | Northeast | | | State of NE | | | Northeast | | | State of NE | | | Northeast | | | State of NE | | | | | | |
| | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d |
| Physical Activity | | | | | | | | | | | | | | | | | | | | | | |
| No leisure-time physical activity in past 30 days ^a | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,356 | 32.1% | (28.3 - 36.2) | 24,433 | 26.3% | (25.5 - 27.1) | + | 531 | 35.0% | (29.6 - 40.9) | 9,795 | 27.2% | (26.0 - 28.5) | + | 825 | 29.3% | (24.0 - 35.2) | 14,638 | 25.4% | (24.3 - 26.5) | NS | No |
| 2012 | 895 | 23.7% | (19.2 - 29.0) | 19,153 | 21.0% | (20.2 - 21.9) | NS | 356 | 23.8% | (17.0 - 32.4) | 7,865 | 20.4% | (19.3 - 21.7) | NS | 539 | 23.6% | (18.2 - 30.1) | 11,288 | 21.6% | (20.5 - 22.8) | NS | No |
| 2013 | 805 | 31.3% | (26.9 - 36.0) | 16,158 | 25.3% | (24.2 - 26.4) | + | 301 | 37.7% | (30.4 - 45.6) | 6,567 | 26.3% | (24.7 - 28.1) | + | 504 | 25.1% | (20.5 - 30.3) | 9,591 | 24.3% | (22.9 - 25.8) | NS | Yes |
| 2014 | 1,078 | 26.3% | (23.1 - 29.8) | 22,397 | 21.3% | (20.4 - 22.1) | + | 453 | 27.2% | (22.4 - 32.5) | 9,599 | 21.2% | (20.0 - 22.5) | NS | 625 | 25.5% | (21.4 - 30.2) | 12,798 | 21.4% | (20.2 - 22.5) | NS | No |
| 2015 | 739 | 32.7% | (28.4 - 37.4) | 16,319 | 25.3% | (24.3 - 26.4) | + | 307 | 37.3% | (30.6 - 44.6) | 6,997 | 25.3% | (23.8 - 26.9) | + | 432 | 28.3% | (22.9 - 34.4) | 9,322 | 25.4% | (24.0 - 26.8) | NS | No |
| 2016 | 603 | 23.7% | (20.0 - 27.8) | 15,169 | 22.4% | (21.4 - 23.5) | NS | 235 | 25.9% | (20.1 - 32.7) | 6,633 | 20.7% | (19.3 - 22.3) | NS | 368 | 21.5% | (17.1 - 26.6) | 8,536 | 24.1% | (22.7 - 25.6) | NS | No |
| Met aerobic physical activity recommendation ^a | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,311 | 45.0% | (40.8 - 49.2) | 23,735 | 49.0% | (48.0 - 49.9) | NS | 511 | 41.4% | (35.5 - 47.6) | 9,544 | 47.2% | (45.8 - 48.6) | NS | 800 | 48.3% | (42.6 - 54.0) | 14,191 | 50.6% | (49.4 - 51.9) | NS | No |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2013 | 788 | 42.2% | (37.4 - 47.2) | 15,730 | 50.1% | (48.8 - 51.4) | - | 296 | 34.7% | (27.9 - 42.2) | 6,416 | 48.8% | (46.9 - 50.7) | - | 492 | 49.5% | (43.4 - 55.7) | 9,314 | 51.4% | (49.7 - 53.1) | NS | Yes |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | 719 | 45.2% | (40.5 - 49.9) | 15,878 | 51.3% | (50.0 - 52.5) | - | 302 | 38.5% | (31.7 - 45.8) | 6,832 | 51.1% | (49.2 - 53.0) | - | 417 | 51.7% | (45.4 - 57.9) | 9,046 | 51.4% | (49.8 - 53.1) | NS | No |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Met muscle strengthening recommendation ^a | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,347 | 20.3% | (17.2 - 23.8) | 24,204 | 28.1% | (27.3 - 29.0) | - | 525 | 22.3% | (17.6 - 27.8) | 9,697 | 32.0% | (30.6 - 33.4) | - | 822 | 18.4% | (14.6 - 22.9) | 14,507 | 24.5% | (23.4 - 25.6) | - | No |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2013 | 800 | 24.0% | (19.7 - 28.7) | 16,021 | 28.4% | (27.2 - 29.6) | NS | 298 | 21.1% | (15.1 - 28.7) | 6,499 | 31.0% | (29.2 - 32.8) | - | 502 | 26.7% | (21.3 - 33.0) | 9,522 | 26.0% | (24.5 - 27.6) | NS | No |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | 728 | 24.8% | (20.9 - 29.2) | 16,117 | 31.2% | (30.1 - 32.5) | - | 299 | 21.0% | (15.9 - 27.3) | 6,893 | 34.9% | (33.1 - 36.8) | - | 429 | 28.4% | (22.9 - 34.5) | 9,224 | 27.7% | (26.2 - 29.3) | NS | No |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Met both aerobic physical activity and muscle strengthening recommendations ^a | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,308 | 13.5% | (10.8 - 16.7) | 23,567 | 19.0% | (18.2 - 19.8) | - | 510 | 13.7% | (9.9 - 18.8) | 9,477 | 19.7% | (18.5 - 20.9) | NS | 798 | 13.2% | (9.9 - 17.5) | 14,090 | 18.4% | (17.4 - 19.4) | NS | No |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2013 | 784 | 16.4% | (12.7 - 20.9) | 15,635 | 18.8% | (17.8 - 19.9) | NS | 293 | 12.2% | (7.5 - 19.2) | 6,366 | 19.4% | (17.9 - 21.0) | NS | 491 | 20.4% | (15.3 - 26.7) | 9,269 | 18.2% | (16.8 - 19.6) | NS | No |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | 708 | 16.6% | (13.4 - 20.4) | 15,724 | 21.8% | (20.7 - 22.9) | - | 294 | 11.3% | (7.8 - 16.0) | 6,757 | 23.3% | (21.6 - 25.1) | - | 414 | 21.7% | (16.8 - 27.6) | 8,967 | 20.3% | (18.9 - 21.7) | NS | Yes |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Walk for at least 10 minutes at a time for any reason during a usual week | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | 374 | 81.4% | (76.4 - 85.6) | 7,895 | 84.6% | (83.3 - 85.8) | NS | 164 | 82.5% | (74.9 - 88.1) | 3,442 | 84.2% | (82.2 - 86.0) | NS | 210 | 80.2% | (73.1 - 85.8) | 4,453 | 85.1% | (83.4 - 86.6) | NS | No |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

| Indicators | Overall | | | | | | Men | | | | | | Women | | | | | | LHD Gender Diff. ^e | | | |
|---|----------------|---------------------------|---------------------------------------|----------------|---------------------------|---------------------------------------|------------------|----------------|---------------------------|---------------------------------------|----------------|---------------------------|---------------------------------------|------------------|----------------|---------------------------|---------------------------------------|----------------|-------------------------------------|---------------------------|---------------------------------------|------------------|
| | Northeast | | | State of NE | | | Northeast | | | State of NE | | | Northeast | | | State of NE | | | | | | |
| | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d |
| Indicators | | | | | | | | | | | | | | | | | | | | | | |
| Have access to safe places to walk in their neighborhood | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | 374 | 76.8% | (71.1 - 81.7) | 7,893 | 88.4% | (87.2 - 89.4) | - | 164 | 76.7% | (68.2 - 83.5) | 3,439 | 88.8% | (87.2 - 90.3) | - | 210 | 77.0% | (68.8 - 83.5) | 4,454 | 87.9% | (86.3 - 89.3) | - | No |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Injury | | | | | | | | | | | | | | | | | | | | | | |
| Always wear a seatbelt when driving or riding in a car [^] | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,347 | 60.4% | (56.0 - 64.5) | 24,208 | 71.3% | (70.5 - 72.1) | - | 525 | 49.8% | (43.8 - 55.9) | 9,683 | 63.7% | (62.4 - 65.0) | - | 822 | 70.2% | (63.9 - 75.9) | 14,525 | 78.6% | (77.5 - 79.5) | - | Yes |
| 2012 | 884 | 61.0% | (55.4 - 66.3) | 18,851 | 69.7% | (68.7 - 70.6) | - | 350 | 52.9% | (44.7 - 61.0) | 7,731 | 61.7% | (60.2 - 63.2) | NS | 534 | 68.8% | (61.0 - 75.6) | 11,120 | 77.3% | (76.1 - 78.4) | - | No |
| 2013 | 802 | 61.7% | (56.6 - 66.6) | 16,053 | 74.1% | (73.0 - 75.2) | - | 300 | 49.9% | (42.1 - 57.8) | 6,520 | 67.0% | (65.3 - 68.7) | - | 502 | 73.0% | (66.9 - 78.4) | 9,533 | 80.8% | (79.5 - 82.1) | - | Yes |
| 2014 | 1,044 | 57.9% | (53.8 - 61.9) | 21,599 | 72.4% | (71.5 - 73.3) | - | 440 | 46.3% | (40.5 - 52.3) | 9,241 | 64.7% | (63.2 - 66.2) | - | 604 | 69.4% | (64.2 - 74.1) | 12,358 | 79.8% | (78.7 - 80.9) | - | Yes |
| 2015 | 732 | 66.4% | (61.6 - 70.8) | 16,136 | 75.4% | (74.4 - 76.4) | - | 302 | 55.4% | (48.1 - 62.6) | 6,900 | 68.2% | (66.5 - 69.9) | - | 430 | 76.9% | (70.7 - 82.1) | 9,236 | 82.3% | (81.1 - 83.4) | NS | Yes |
| 2016 | 577 | 62.2% | (56.6 - 67.6) | 14,628 | 73.8% | (72.7 - 74.9) | - | 226 | 50.8% | (42.7 - 58.9) | 6,370 | 66.8% | (65.0 - 68.5) | - | 351 | 73.7% | (65.7 - 80.5) | 8,258 | 80.6% | (79.2 - 81.8) | NS | Yes |
| Texted while driving in past 30 days | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | 572 | 26.1% | (19.9 - 33.4) | 11,451 | 26.8% | (25.6 - 27.9) | NS | 224 | 25.8% | (16.8 - 37.3) | 4,757 | 29.2% | (27.5 - 31.0) | NS | 348 | 26.4% | (18.5 - 36.1) | 6,694 | 24.4% | (22.8 - 26.0) | NS | No |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | 333 | 25.5% | (19.3 - 32.9) | 7,620 | 24.9% | (23.3 - 26.6) | NS | 127 | 30.0% | (20.9 - 40.9) | 3,209 | 27.6% | (25.0 - 30.3) | NS | 206 | 22.3% | (14.3 - 33.1) | 4,411 | 22.3% | (20.3 - 24.4) | NS | No |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Talked on a cell phone while driving in past 30 days | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | 571 | 65.7% | (60.2 - 70.8) | 11,424 | 69.1% | (68.0 - 70.2) | NS | 225 | 72.1% | (64.5 - 78.7) | 4,742 | 71.5% | (69.9 - 73.2) | NS | 346 | 59.6% | (51.8 - 66.9) | 6,682 | 66.7% | (65.2 - 68.2) | NS | No |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | 334 | 62.6% | (55.9 - 69.0) | 7,604 | 67.0% | (65.3 - 68.6) | NS | 128 | 69.3% | (59.2 - 77.9) | 3,203 | 71.0% | (68.5 - 73.3) | NS | 206 | 57.7% | (48.5 - 66.5) | 4,401 | 63.1% | (60.8 - 65.2) | NS | No |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Had a fall in past year, aged 45 years and older | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | 691 | 25.8% | (21.6 - 30.5) | 13,738 | 28.8% | (27.7 - 29.9) | NS | 263 | 30.3% | (23.1 - 38.5) | 5,384 | 26.9% | (25.3 - 28.5) | NS | 428 | 21.6% | (17.5 - 26.4) | 8,354 | 30.5% | (29.1 - 31.9) | - | No |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | 780 | 27.2% | (23.6 - 31.1) | 15,671 | 26.1% | (25.1 - 27.1) | NS | 327 | 26.0% | (20.5 - 32.3) | 6,513 | 24.5% | (23.0 - 26.1) | NS | 453 | 28.3% | (23.9 - 33.3) | 9,158 | 27.6% | (26.2 - 29.0) | NS | No |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2016 | 417 | 29.2% | (24.4 - 34.6) | 10,369 | 29.0% | (27.7 - 30.3) | NS | 161 | 30.3% | (22.9 - 38.8) | 4,333 | 28.1% | (26.2 - 30.1) | NS | 256 | 28.1% | (22.3 - 34.8) | 6,036 | 29.7% | (28.0 - 31.5) | NS | No |
| Injured due to a fall in past year, aged 45 years and older | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | 691 | 9.4% | (6.5 - 13.5) | 13,719 | 9.9% | (9.2 - 10.6) | NS | 263 | 12.0% | (6.8 - 20.3) | 5,377 | 7.7% | (6.7 - 8.7) | NS | 428 | 7.0% | (4.9 - 9.8) | 8,342 | 11.8% | (10.9 - 12.9) | - | No |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | 779 | 9.8% | (7.4 - 12.8) | 15,647 | 8.8% | (8.2 - 9.5) | NS | 326 | 9.8% | (6.1 - 15.4) | 6,502 | 6.8% | (6.0 - 7.7) | NS | 453 | 9.7% | (7.2 - 13.1) | 9,145 | 10.6% | (9.7 - 11.6) | NS | No |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2016 | 416 | 9.1% | (6.4 - 12.7) | 10,367 | 10.1% | (9.3 - 11.0) | NS | 161 | 7.8% | (4.2 - 13.9) | 4,333 | 7.8% | (6.8 - 9.0) | NS | 255 | 10.4% | (7.0 - 15.2) | 6,034 | 12.2% | (11.0 - 13.6) | NS | No |
| Mental Health | | | | | | | | | | | | | | | | | | | | | | |
| Ever told they have depression | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,414 | 9.7% | (7.9 - 12.0) | 25,333 | 16.8% | (16.2 - 17.5) | - | 559 | 6.3% | (4.5 - 8.9) | 10,198 | 11.5% | (10.7 - 12.4) | - | 855 | 13.0% | (9.9 - 16.7) | 15,135 | 22.0% | (21.0 - 23.0) | - | Yes |
| 2012 | 895 | 10.8% | (7.9 - 14.5) | 19,115 | 16.7% | (16.0 - 17.5) | - | 356 | 8.9% | (4.9 - 15.7) | 7,853 | 12.4% | (11.4 - 13.5) | NS | 539 | 12.6% | (9.0 - 17.3) | 11,262 | 20.9% | (19.8 - 22.1) | - | No |
| 2013 | 852 | 13.4% | (10.5 - 16.9) | 17,065 | 18.2% | (17.3 - 19.2) | - | 320 | 10.0% | (6.4 - 15.4) | 6,940 | 12.9% | (11.6 - 14.2) | NS | 532 | 16.7% | (12.7 - 21.8) | 10,125 | 23.4% | (22.0 - 24.8) | - | No |
| 2014 | 1,074 | 13.9% | (11.4 - 16.9) | 22,346 | 17.7% | (16.9 - 18.6) | NS | 451 | 11.7% | (8.2 - 16.6) | 9,582 | 13.0% | (11.8 - 14.2) | NS | 623 | 16.1% | (12.8 - 20.0) | 12,764 | 22.3% | (21.1 - 23.5) | - | No |
| 2015 | 791 | 12.0% | (9.6 - 14.9) | 17,485 | 17.5% | (16.7 - 18.5) | - | 332 | 10.5% | (7.3 - 14.9) | 7,534 | 12.4% | (11.3 - 13.7) | NS | 459 | 13.5% | (10.3 - 17.6) | 9,951 | 22.5% | (21.2 - 23.8) | - | No |
| 2016 | 600 | 13.6% | (10.1 - 17.9) | 15,138 | 17.8% | (16.8 - 18.8) | NS | 232 | 10.1% | (6.5 - 15.3) | 6,609 | 12.1% | (10.9 - 13.4) | NS | 368 | 17.0% | (11.6 - 24.2) | 8,529 | 23.4% | (21.8 - 25.0) | NS | No |

| Indicators | Overall | | | | | | | Men | | | | | | Women | | | | | | LHD Gender Diff. ^e | | |
|---|----------------|---------------------------|---------------------------------------|----------------|---------------------------|---------------------------------------|------------------|----------------|---------------------------|---------------------------------------|----------------|---------------------------|---------------------------------------|------------------|----------------|---------------------------|---------------------------------------|----------------|---------------------------|-------------------------------------|------------------|---------------------------------------|
| | Northeast | | | State of NE | | | Sig ^d | Northeast | | | State of NE | | | Sig ^d | Northeast | | | State of NE | | | Sig ^d | |
| | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | | | 95% C.I. ^c (Low - High) |
| Frequent Mental Distress in past 30 days | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,396 | 7.2% | (5.4 - 9.6) | 25,036 | 9.2% | (8.7 - 9.7) | NS | 555 | 5.5% | (3.4 - 8.7) | 10,097 | 7.7% | (7.0 - 8.4) | NS | 841 | 8.9% | (6.2 - 12.7) | 14,939 | 10.7% | (9.9 - 11.5) | NS | No |
| 2012 | 887 | 5.4% | (3.7 - 7.8) | 18,935 | 9.0% | (8.4 - 9.7) | - | 352 | 2.6% | (1.3 - 5.0) | 7,786 | 7.4% | (6.6 - 8.3) | - | 535 | 8.1% | (5.2 - 12.4) | 11,149 | 10.6% | (9.7 - 11.5) | NS | Yes |
| 2013 | 845 | 5.4% | (3.7 - 7.9) | 16,889 | 8.9% | (8.2 - 9.6) | - | 316 | 3.1% | (1.6 - 5.7) | 6,889 | 6.8% | (5.9 - 7.9) | - | 529 | 7.7% | (4.9 - 12.1) | 10,000 | 10.9% | (9.8 - 12.0) | NS | No |
| 2014 | 1,067 | 8.0% | (6.1 - 10.5) | 22,132 | 8.2% | (7.6 - 8.8) | NS | 444 | 6.0% | (3.5 - 10.2) | 9,483 | 6.4% | (5.6 - 7.3) | NS | 623 | 9.9% | (7.3 - 13.4) | 12,649 | 9.9% | (9.0 - 10.8) | NS | No |
| 2015 | 784 | 5.1% | (3.6 - 7.3) | 17,369 | 8.9% | (8.2 - 9.6) | - | 329 | 3.5% | (1.8 - 6.5) | 7,491 | 6.9% | (6.0 - 7.9) | NS | 455 | 6.7% | (4.4 - 10.2) | 9,878 | 10.8% | (9.8 - 11.9) | NS | No |
| 2016 | 592 | 10.2% | (7.1 - 14.4) | 15,035 | 9.5% | (8.7 - 10.4) | NS | 230 | 6.3% | (3.7 - 10.5) | 6,568 | 7.0% | (6.0 - 8.1) | NS | 362 | 14.0% | (9.0 - 21.3) | 8,467 | 12.0% | (10.8 - 13.3) | NS | No |
| Currently taking medication or receiving treatment for a mental health condition | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | 276 | 8.7% | (4.5 - 16.0) | 6,643 | 11.0% | (10.0 - 12.1) | NS | 111 | 6.2% | (1.5 - 22.7) | 2,693 | 7.4% | (6.2 - 8.9) | NS | 165 | 11.2% | (5.9 - 20.1) | 3,950 | 14.5% | (12.9 - 16.2) | NS | No |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Symptoms of serious mental illness in past 30 days | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | 272 | 3.2% | (0.7 - 13.8) | 6,555 | 3.2% | (2.6 - 3.9) | NS | 109 | 5.0% | (0.7 - 27.7) | 2,657 | 2.5% | (1.8 - 3.7) | NS | 163 | 1.4% | (0.5 - 4.0) | 3,898 | 3.8% | (2.9 - 4.9) | NS | No |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Alcohol and Drug Use | | | | | | | | | | | | | | | | | | | | | | |
| Any alcohol consumption in past 30 days | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,338 | 60.7% | (56.6 - 64.7) | 24,051 | 61.8% | (60.9 - 62.7) | NS | 520 | 68.9% | (63.1 - 74.2) | 9,597 | 67.7% | (66.4 - 69.1) | NS | 818 | 53.2% | (47.4 - 58.8) | 14,454 | 56.2% | (55.0 - 57.4) | NS | Yes |
| 2012 | 888 | 61.9% | (56.6 - 66.9) | 18,891 | 61.3% | (60.3 - 62.3) | NS | 353 | 70.8% | (63.8 - 76.9) | 7,749 | 68.7% | (67.2 - 70.1) | NS | 535 | 53.1% | (45.8 - 60.3) | 11,142 | 54.2% | (52.8 - 55.6) | NS | Yes |
| 2013 | 825 | 58.9% | (54.1 - 63.6) | 16,614 | 57.5% | (56.2 - 58.7) | NS | 307 | 69.3% | (61.6 - 76.0) | 6,754 | 63.3% | (61.4 - 65.2) | NS | 518 | 49.0% | (43.1 - 55.0) | 9,860 | 51.8% | (50.2 - 53.5) | NS | Yes |
| 2014 | 1,041 | 59.5% | (55.5 - 63.4) | 21,612 | 59.2% | (58.1 - 60.3) | NS | 438 | 66.7% | (60.6 - 72.3) | 9,246 | 65.2% | (63.6 - 66.8) | NS | 603 | 52.4% | (47.1 - 57.7) | 12,366 | 53.4% | (52.0 - 54.9) | NS | Yes |
| 2015 | 766 | 56.8% | (52.2 - 61.4) | 16,939 | 57.6% | (56.4 - 58.8) | NS | 319 | 63.5% | (56.5 - 69.9) | 7,282 | 63.8% | (62.0 - 65.5) | NS | 447 | 50.3% | (44.3 - 56.3) | 9,657 | 51.6% | (50.0 - 53.2) | NS | Yes |
| 2016 | 581 | 56.4% | (50.9 - 61.8) | 14,723 | 59.8% | (58.5 - 61.0) | NS | 230 | 64.7% | (56.6 - 72.1) | 6,421 | 68.0% | (66.1 - 69.8) | NS | 351 | 47.9% | (40.7 - 55.1) | 8,302 | 51.8% | (50.0 - 53.6) | NS | Yes |
| Binge drank in past 30 days^a | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,333 | 27.6% | (23.7 - 31.8) | 23,948 | 22.7% | (21.9 - 23.5) | + | 517 | 34.7% | (28.9 - 41.0) | 9,533 | 30.2% | (28.9 - 31.5) | NS | 816 | 21.1% | (16.3 - 26.8) | 14,415 | 15.7% | (14.7 - 16.7) | NS | Yes |
| 2012 | 883 | 28.2% | (22.8 - 34.2) | 18,742 | 22.1% | (21.3 - 23.0) | NS | 352 | 35.7% | (27.4 - 45.0) | 7,664 | 29.1% | (27.6 - 30.5) | NS | 531 | 20.7% | (14.8 - 28.0) | 11,078 | 15.5% | (14.5 - 16.6) | NS | No |
| 2013 | 819 | 23.4% | (19.3 - 28.0) | 16,500 | 20.0% | (19.0 - 21.1) | NS | 304 | 32.8% | (26.0 - 40.4) | 6,687 | 25.2% | (23.6 - 26.9) | NS | 515 | 14.4% | (10.3 - 19.8) | 9,813 | 15.0% | (13.8 - 16.4) | NS | Yes |
| 2014 | 1,033 | 24.8% | (21.1 - 28.9) | 21,443 | 20.3% | (19.4 - 21.3) | NS | 433 | 32.8% | (27.1 - 39.0) | 9,149 | 26.8% | (25.3 - 28.3) | NS | 600 | 17.0% | (12.7 - 22.3) | 12,294 | 14.1% | (13.0 - 15.3) | NS | Yes |
| 2015 | 761 | 22.7% | (18.8 - 27.1) | 16,832 | 19.5% | (18.5 - 20.5) | NS | 317 | 32.5% | (26.0 - 39.8) | 7,216 | 26.0% | (24.4 - 27.8) | NS | 444 | 13.0% | (9.3 - 17.9) | 9,616 | 13.1% | (12.0 - 14.3) | NS | Yes |
| 2016 | 576 | 22.4% | (18.0 - 27.5) | 14,620 | 20.0% | (18.9 - 21.1) | NS | 228 | 31.1% | (24.0 - 39.3) | 6,367 | 27.2% | (25.4 - 29.0) | NS | 348 | 13.3% | (9.2 - 18.8) | 8,253 | 13.1% | (11.9 - 14.4) | NS | Yes |
| Heavy drinking in past 30 days | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,330 | 6.7% | (4.7 - 9.4) | 23,906 | 7.5% | (7.0 - 8.1) | NS | 515 | 7.7% | (4.8 - 12.2) | 9,514 | 9.2% | (8.4 - 10.2) | NS | 815 | 5.7% | (3.4 - 9.6) | 14,392 | 5.9% | (5.2 - 6.6) | NS | No |
| 2012 | 880 | 5.6% | (3.4 - 9.0) | 18,738 | 7.2% | (6.6 - 7.7) | NS | 351 | 6.5% | (3.4 - 11.8) | 7,668 | 8.5% | (7.7 - 9.4) | NS | 529 | 4.7% | (2.1 - 10.1) | 11,070 | 5.9% | (5.3 - 6.6) | NS | No |
| 2013 | 820 | 7.4% | (4.9 - 11.0) | 16,513 | 6.8% | (6.2 - 7.5) | NS | 305 | 10.7% | (6.5 - 17.0) | 6,698 | 7.3% | (6.4 - 8.3) | NS | 515 | 4.2% | (2.0 - 8.8) | 9,815 | 6.3% | (5.5 - 7.2) | NS | No |
| 2014 | 1,031 | 8.0% | (5.9 - 10.8) | 21,447 | 6.4% | (5.9 - 7.0) | NS | 435 | 10.3% | (7.0 - 14.9) | 9,158 | 7.5% | (6.7 - 8.5) | NS | 596 | 5.8% | (3.5 - 9.3) | 12,289 | 5.3% | (4.7 - 6.1) | NS | No |
| 2015 | 757 | 7.3% | (4.8 - 11.0) | 16,815 | 5.7% | (5.1 - 6.4) | NS | 317 | 11.5% | (7.0 - 18.5) | 7,214 | 7.0% | (6.0 - 8.1) | NS | 440 | 3.1% | (1.7 - 5.7) | 9,601 | 4.6% | (3.9 - 5.3) | NS | Yes |
| 2016 | 578 | 6.1% | (3.6 - 10.2) | 14,634 | 6.6% | (5.9 - 7.3) | NS | 230 | 9.2% | (4.8 - 17.0) | 6,376 | 8.0% | (7.0 - 9.1) | NS | 348 | 2.8% | (1.5 - 5.3) | 8,258 | 5.2% | (4.4 - 6.2) | NS | No |
| Alcohol impaired driving in past 30 days | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | 889 | 5.7% | (3.0 - 10.6) | 18,895 | 3.4% | (3.1 - 3.8) | NS | 350 | 9.6% | (4.5 - 19.3) | 7,741 | 5.5% | (4.9 - 6.3) | NS | 539 | 1.9% | (0.9 - 4.0) | 11,154 | 1.4% | (1.1 - 1.8) | NS | Yes |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2014 | 1,045 | 3.6% | (2.4 - 5.4) | 21,627 | 2.5% | (2.2 - 2.9) | NS | 440 | 5.7% | (3.5 - 9.1) | 9,242 | 4.2% | (3.5 - 4.9) | NS | 605 | 1.6% | (0.8 - 3.2) | 12,385 | 1.0% | (0.7 - 1.3) | NS | Yes |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2016 | 579 | 2.9% | (1.6 - 5.1) | 14,666 | 3.4% | (2.9 - 3.9) | NS | 227 | 5.1% | (2.7 - 9.5) | 6,383 | 5.1% | (4.3 - 6.0) | NS | 352 | 0.6% | (0.2 - 2.0) | 8,283 | 1.7% | (1.3 - 2.4) | NS | Yes |

| Indicators | Overall | | | | | | Men | | | | | | Women | | | | | | LHD Gender Diff. ^e | | | |
|--|----------------|------------------------|------------------------------------|----------------|------------------------|------------------------------------|------------------|----------------|------------------------|------------------------------------|----------------|------------------------|------------------------------------|------------------|----------------|------------------------|------------------------------------|----------------|-------------------------------|------------------------|------------------------------------|------------------|
| | Northeast | | | State of NE | | | Northeast | | | State of NE | | | Northeast | | | State of NE | | | | | | |
| | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d |
| Immunization and Infectious Disease | | | | | | | | | | | | | | | | | | | | | | |
| Had a flu vaccination in past year, aged 18 years and older | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 1,343 | 39.1% | (35.2 - 43.1) | 24,156 | 41.1% | (40.2 - 42.0) | NS | 526 | 32.8% | (27.6 - 38.4) | 9,663 | 35.1% | (33.8 - 36.5) | NS | 817 | 45.1% | (39.5 - 50.8) | 14,493 | 46.8% | (45.6 - 48.1) | NS | Yes |
| 2012 | 885 | 38.4% | (33.5 - 43.6) | 18,903 | 42.2% | (41.2 - 43.2) | NS | 351 | 34.3% | (27.2 - 42.2) | 7,754 | 36.8% | (35.4 - 38.2) | NS | 534 | 42.4% | (35.8 - 49.3) | 11,149 | 47.5% | (46.1 - 48.8) | NS | No |
| 2013 | 799 | 45.1% | (40.3 - 50.0) | 16,022 | 45.2% | (43.9 - 46.4) | NS | 301 | 37.9% | (30.9 - 45.4) | 6,506 | 41.2% | (39.4 - 43.1) | NS | 498 | 52.1% | (45.9 - 58.1) | 9,516 | 48.9% | (47.2 - 50.6) | NS | Yes |
| 2014 | 1,042 | 38.2% | (34.5 - 42.0) | 21,638 | 43.9% | (42.9 - 45.0) | - | 440 | 34.0% | (28.8 - 39.7) | 9,262 | 38.8% | (37.3 - 40.4) | NS | 602 | 42.3% | (37.3 - 47.5) | 12,376 | 48.9% | (47.4 - 50.3) | NS | No |
| 2015 | 728 | 44.5% | (39.9 - 49.1) | 16,091 | 47.2% | (46.0 - 48.4) | NS | 299 | 37.2% | (30.4 - 44.5) | 6,883 | 40.8% | (39.0 - 42.6) | NS | 429 | 51.3% | (45.1 - 57.5) | 9,208 | 53.4% | (51.7 - 55.0) | NS | Yes |
| 2016 | 580 | 42.7% | (37.5 - 48.1) | 14,685 | 44.4% | (43.1 - 45.7) | NS | 229 | 35.9% | (28.9 - 43.5) | 6,401 | 39.4% | (37.5 - 41.3) | NS | 351 | 49.7% | (42.4 - 57.0) | 8,284 | 49.3% | (47.6 - 51.1) | NS | No |
| Had a flu vaccination in past year, aged 65 years and older ^h | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 506 | 60.6% | (55.6 - 65.3) | 8,185 | 61.8% | (60.3 - 63.3) | NS | 171 | 52.4% | (44.0 - 60.7) | 2,875 | 59.6% | (57.1 - 62.1) | NS | 335 | 66.3% | (60.5 - 71.7) | 5,310 | 63.4% | (61.5 - 65.3) | NS | No |
| 2012 | 318 | 58.8% | (51.3 - 65.9) | 6,625 | 62.9% | (61.2 - 64.6) | NS | 94 | 54.8% | (40.2 - 68.6) | 2,327 | 60.9% | (58.1 - 63.6) | NS | 224 | 61.2% | (53.3 - 68.6) | 4,298 | 64.4% | (62.4 - 66.5) | NS | No |
| 2013 | 274 | 66.0% | (59.0 - 72.3) | 5,652 | 66.2% | (64.2 - 68.1) | NS | 89 | 62.3% | (50.1 - 73.1) | 2,067 | 67.6% | (64.4 - 70.6) | NS | 185 | 68.9% | (60.8 - 75.9) | 3,585 | 65.0% | (62.6 - 67.4) | NS | No |
| 2014 | 399 | 61.7% | (56.1 - 67.1) | 7,610 | 64.7% | (63.2 - 66.2) | NS | 159 | 55.5% | (46.7 - 64.0) | 2,971 | 65.9% | (63.5 - 68.3) | NS | 240 | 67.2% | (60.2 - 73.5) | 4,639 | 63.8% | (61.8 - 65.7) | NS | No |
| 2015 | 247 | 60.6% | (53.2 - 67.6) | 5,578 | 65.2% | (63.4 - 67.0) | NS | 87 | 53.8% | (41.7 - 65.5) | 2,119 | 64.1% | (61.1 - 66.9) | NS | 160 | 65.8% | (57.0 - 73.7) | 3,459 | 66.1% | (63.9 - 68.2) | NS | No |
| 2016 | 229 | 63.3% | (55.9 - 70.2) | 5,130 | 62.7% | (60.8 - 64.6) | NS | 83 | 65.6% | (53.2 - 76.2) | 1,967 | 62.8% | (59.8 - 65.6) | NS | 146 | 61.1% | (52.3 - 69.2) | 3,163 | 62.7% | (60.2 - 65.1) | NS | No |
| Ever had a pneumonia vaccination, aged 65 years and older ^h | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 501 | 62.7% | (57.7 - 67.4) | 7,997 | 70.3% | (68.8 - 71.7) | - | 167 | 54.8% | (46.2 - 63.1) | 2,772 | 66.7% | (64.2 - 69.1) | - | 334 | 68.1% | (62.3 - 73.4) | 5,225 | 72.9% | (71.2 - 74.5) | NS | No |
| 2012 | 303 | 61.0% | (53.2 - 68.2) | 6,413 | 70.0% | (68.4 - 71.6) | - | 89 | 55.9% | (40.8 - 70.0) | 2,225 | 66.9% | (64.1 - 69.6) | NS | 214 | 64.1% | (55.9 - 71.6) | 4,188 | 72.3% | (70.3 - 74.1) | NS | No |
| 2013 | 270 | 76.3% | (69.9 - 81.7) | 5,478 | 71.7% | (69.8 - 73.4) | NS | 88 | 70.9% | (59.0 - 80.5) | 1,970 | 71.5% | (68.5 - 74.3) | NS | 182 | 80.5% | (73.7 - 85.9) | 3,508 | 71.8% | (69.4 - 74.0) | NS | No |
| 2014 | 384 | 69.2% | (63.8 - 74.1) | 7,372 | 72.3% | (70.9 - 73.7) | NS | 150 | 68.2% | (59.7 - 75.6) | 2,849 | 70.3% | (67.9 - 72.5) | NS | 234 | 70.1% | (62.9 - 76.4) | 4,523 | 73.9% | (72.1 - 75.7) | NS | No |
| 2015 | 241 | 66.2% | (58.7 - 73.0) | 5,452 | 73.8% | (72.1 - 75.4) | NS | 82 | 55.8% | (43.4 - 67.6) | 2,056 | 70.3% | (67.4 - 73.0) | NS | 159 | 74.0% | (65.1 - 81.3) | 3,396 | 76.5% | (74.5 - 78.4) | NS | No |
| 2016 | 225 | 71.6% | (64.3 - 77.9) | 5,060 | 75.9% | (74.2 - 77.5) | NS | 81 | 73.0% | (60.6 - 82.6) | 1,927 | 73.7% | (70.9 - 76.3) | NS | 144 | 70.2% | (61.5 - 77.7) | 3,133 | 77.6% | (75.5 - 79.7) | NS | No |
| Had a tetanus vaccination since 2005 | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2013 | 728 | 56.8% | (51.7 - 61.7) | 14,650 | 60.2% | (58.9 - 61.5) | NS | 276 | 62.3% | (54.3 - 69.7) | 6,015 | 63.1% | (61.1 - 65.0) | NS | 452 | 51.6% | (45.2 - 58.0) | 8,635 | 57.4% | (55.6 - 59.1) | NS | No |
| 2014 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2016 | 532 | 64.6% | (59.0 - 69.7) | 13,574 | 64.2% | (62.9 - 65.4) | NS | 213 | 67.9% | (59.6 - 75.2) | 5,939 | 67.5% | (65.5 - 69.3) | NS | 319 | 61.0% | (53.5 - 68.0) | 7,635 | 60.9% | (59.2 - 62.7) | NS | No |

| Indicators | Overall | | | | | | | Men | | | | | Women | | | | | LHD Gender Diff. ^o | | | | | |
|---|----------------|------------------------|------------------------------------|----------------|------------------------|------------------------------------|------------------|----------------|------------------------|------------------------------------|----------------|------------------------|------------------|------------------------------------|----------------|------------------------|------------------------------------|-------------------------------|------------------|----------------|------------------------|------------------------------------|----|
| | Northeast | | | State of NE | | | Sig ^d | Northeast | | | State of NE | | Sig ^d | Northeast | | | State of NE | | Sig ^d | | | | |
| | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | | | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | |
| Ever had a shingles vaccination, aged 50 years and older | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | | | |
| 2014 | 711 | 24.1% | (20.9 - 27.7) | 14,246 | 27.9% | (26.9 - 28.9) | NS | 298 | 26.6% | (21.5 - 32.3) | 5,892 | 25.7% | (24.2 - 27.3) | NS | 413 | 21.7% | (17.9 - 26.2) | 8,354 | 29.8% | (28.4 - 31.3) | - | No | |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| Ever been tested for HIV, 18-64 year olds (excluding blood donation) | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | 825 | 21.9% | (18.2 - 26.2) | 15,561 | 30.8% | (29.7 - 31.8) | - | 352 | 19.7% | (14.4 - 26.3) | 6,612 | 28.4% | (27.0 - 29.9) | - | 473 | 24.3% | (19.1 - 30.3) | 8,949 | 33.1% | (31.7 - 34.6) | - | No | |
| 2012 | 550 | 25.8% | (20.1 - 32.5) | 11,879 | 30.9% | (29.8 - 32.1) | NS | 249 | 18.8% | (12.8 - 26.7) | 5,254 | 27.9% | (26.3 - 29.5) | NS | 301 | 33.5% | (24.4 - 44.1) | 6,625 | 34.0% | (32.4 - 35.7) | NS | No | |
| 2013 | 514 | 23.5% | (18.9 - 28.8) | 10,049 | 31.8% | (30.3 - 33.3) | - | 209 | 17.4% | (12.0 - 24.7) | 4,304 | 29.1% | (27.0 - 31.3) | - | 305 | 29.9% | (23.1 - 37.7) | 5,745 | 34.4% | (32.5 - 36.4) | NS | No | |
| 2014 | 635 | 22.7% | (18.9 - 27.0) | 13,474 | 30.9% | (29.6 - 32.2) | - | 278 | 19.7% | (14.7 - 26.0) | 6,042 | 28.6% | (26.8 - 30.5) | - | 357 | 25.8% | (20.5 - 31.9) | 7,432 | 33.2% | (31.4 - 35.0) | NS | No | |
| 2015 | 467 | 20.4% | (16.4 - 25.2) | 10,152 | 32.0% | (30.6 - 33.5) | - | 205 | 15.0% | (10.0 - 21.8) | 4,604 | 29.2% | (27.2 - 31.4) | - | 262 | 26.0% | (20.0 - 33.1) | 5,548 | 34.9% | (32.9 - 36.9) | NS | No | |
| 2016 | 337 | 26.5% | (21.0 - 32.8) | 9,145 | 31.9% | (30.4 - 33.5) | NS | 138 | 21.0% | (14.0 - 30.3) | 4,263 | 28.5% | (26.4 - 30.7) | NS | 199 | 32.0% | (24.2 - 41.0) | 4,882 | 35.4% | (33.2 - 37.6) | NS | No | |
| Oral Health | | | | | | | | | | | | | | | | | | | | | | | |
| Visited a dentist or dental clinic for any reason in past year ^a | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2012 | 892 | 72.7% | (67.4 - 77.3) | 19,052 | 67.6% | (66.6 - 68.5) | NS | 353 | 70.3% | (62.8 - 76.9) | 7,827 | 64.2% | (62.7 - 65.6) | NS | 539 | 75.0% | (67.2 - 81.4) | 11,225 | 70.9% | (69.6 - 72.1) | NS | No | |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2014 | 1,070 | 64.3% | (60.5 - 67.9) | 22,258 | 66.4% | (65.4 - 67.4) | NS | 450 | 60.2% | (54.4 - 65.7) | 9,544 | 63.2% | (61.7 - 64.8) | NS | 620 | 68.2% | (63.3 - 72.8) | 12,714 | 69.5% | (68.1 - 70.8) | NS | No | |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2016 | 596 | 67.0% | (61.7 - 71.9) | 15,089 | 68.7% | (67.5 - 69.9) | NS | 235 | 66.8% | (59.1 - 73.6) | 6,597 | 65.9% | (64.1 - 67.7) | NS | 361 | 67.2% | (59.7 - 73.9) | 8,492 | 71.4% | (69.8 - 73.0) | NS | No | |
| Had any permanent teeth extracted due to tooth decay or gum disease | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2012 | 882 | 44.9% | (39.6 - 50.2) | 18,824 | 39.8% | (38.8 - 40.8) | NS | 351 | 45.1% | (37.2 - 53.2) | 7,750 | 39.2% | (37.7 - 40.6) | NS | 531 | 44.6% | (37.9 - 51.6) | 11,074 | 40.4% | (39.1 - 41.7) | NS | No | |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2014 | 1,068 | 45.7% | (41.9 - 49.6) | 22,085 | 39.1% | (38.1 - 40.1) | + | 449 | 45.8% | (40.0 - 51.6) | 9,490 | 39.4% | (37.9 - 40.9) | NS | 619 | 45.7% | (40.7 - 50.9) | 12,595 | 38.9% | (37.5 - 40.2) | + | No | |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2016 | 594 | 44.7% | (39.6 - 49.9) | 14,988 | 38.2% | (37.0 - 39.4) | + | 231 | 46.7% | (39.0 - 54.6) | 6,559 | 37.6% | (35.8 - 39.3) | NS | 363 | 42.7% | (36.1 - 49.6) | 8,429 | 38.9% | (37.3 - 40.5) | NS | No | |
| Had any permanent teeth extracted due to tooth decay or gum disease, 45-64 year olds ^a | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2012 | 374 | 55.0% | (48.4 - 61.4) | 7,138 | 47.7% | (46.1 - 49.3) | NS | 171 | 56.4% | (46.9 - 65.5) | 3,077 | 48.7% | (46.3 - 51.1) | NS | 203 | 53.3% | (44.5 - 61.8) | 4,061 | 46.7% | (44.6 - 48.8) | NS | No | |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2014 | 391 | 51.3% | (45.7 - 56.9) | 8,200 | 45.9% | (44.3 - 47.5) | NS | 170 | 53.7% | (45.1 - 62.1) | 3,631 | 47.5% | (45.1 - 50.0) | NS | 221 | 49.0% | (41.8 - 56.3) | 4,569 | 44.3% | (42.1 - 46.5) | NS | No | |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2016 | 194 | 55.7% | (47.4 - 63.6) | 5,356 | 45.1% | (43.1 - 47.1) | + | 83 | 56.9% | (45.0 - 67.9) | 2,446 | 46.4% | (43.5 - 49.3) | NS | 111 | 54.3% | (42.9 - 65.3) | 2,910 | 43.8% | (41.2 - 46.5) | NS | No | |
| Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2012 | 318 | 13.2% | (9.4 - 18.0) | 6,502 | 13.4% | (12.3 - 14.5) | NS | 95 | 8.6% | (4.4 - 16.3) | 2,313 | 12.0% | (10.3 - 13.9) | NS | 223 | 16.0% | (11.0 - 22.6) | 4,189 | 14.4% | (13.0 - 16.0) | NS | No | |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2014 | 403 | 19.5% | (15.3 - 24.7) | 7,657 | 14.1% | (13.0 - 15.2) | + | 160 | 17.5% | (11.5 - 25.7) | 3,010 | 14.4% | (12.8 - 16.3) | NS | 243 | 21.4% | (15.8 - 28.3) | 4,647 | 13.8% | (12.5 - 15.2) | + | No | |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2016 | 233 | 18.4% | (13.3 - 25.0) | 5,179 | 13.2% | (11.9 - 14.6) | NS | 81 | 18.0% | (10.5 - 29.2) | 1,993 | 10.6% | (9.0 - 12.5) | NS | 152 | 18.8% | (12.5 - 27.2) | 3,186 | 15.3% | (13.5 - 17.3) | NS | No | |
| Had all permanent teeth extracted due to tooth decay or gum disease, 65-74 year olds ^a | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2012 | 146 | 12.0% | (7.3 - 19.0) | 3,149 | 11.3% | (9.9 - 12.8) | NS | 56 | 4.9% | (2.1 - 10.7) | 1,268 | 9.3% | (7.5 - 11.4) | NS | 90 | 18.5% | (10.8 - 30.0) | 1,881 | 13.1% | (11.1 - 15.3) | NS | Yes | |
| 2013 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2014 | 185 | 14.2% | (9.5 - 20.6) | 4,089 | 10.9% | (9.6 - 12.3) | NS | 92 | 11.6% | (6.1 - 20.9) | 1,804 | 12.0% | (9.9 - 14.4) | NS | 93 | 17.5% | (10.5 - 27.6) | 2,285 | 9.8% | (8.3 - 11.7) | NS | No | |
| 2015 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| 2016 | 114 | 15.7% | (9.3 - 25.5) | 2,815 | 10.4% | (9.0 - 12.0) | NS | 41 | -* | -* | -* | 1,168 | 8.8% | (6.9 - 11.2) | NA | 73 | 20.4% | (11.2 - 34.2) | 1,647 | 11.8% | (9.9 - 14.1) | NS | NA |

| Indicators | Overall | | | | | | Men | | | | | | Women | | | | | | LHD Gender Diff. ^e | | | | |
|--|----------------|---------------------------|---------------------------------------|----------------|---------------------------|---------------------------------------|------------------|----------------|---------------------------|---------------------------------------|----------------|---------------------------|---------------------------------------|------------------|----------------|---------------------------|---------------------------------------|----------------|-------------------------------------|---------------------------|---------------------------------------|------------------|--|
| | Northeast | | | State of NE | | | Northeast | | | State of NE | | | Northeast | | | State of NE | | | | | | | |
| | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | |
| Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2012 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2013 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2014 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2015 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2016 | 535 | 62.6% | (56.9 - 68.0) | 13,764 | 67.4% | (66.1 - 68.6) | NS | 215 | 62.1% | (54.0 - 69.6) | 6,092 | 63.9% | (62.0 - 65.8) | NS | 320 | 63.2% | (55.0 - 70.6) | 7,672 | 70.8% | (69.1 - 72.5) | NS | No | |
| Social Context | | | | | | | | | | | | | | | | | | | | | | | |
| Housing insecurity in past year, among those who own or rent their home ^a | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2012 | 253 | 26.9% | (17.7 - 38.6) | 6,089 | 26.6% | (25.0 - 28.3) | NS | 103 | 20.7% | (10.3 - 37.2) | 2,481 | 24.7% | (22.3 - 27.3) | NS | 150 | 33.4% | (19.9 - 50.3) | 3,608 | 28.5% | (26.3 - 30.8) | NS | No | |
| 2013 | 347 | 24.9% | (19.2 - 31.5) | 7,324 | 28.8% | (27.1 - 30.5) | NS | 128 | 24.6% | (15.5 - 36.9) | 2,961 | 25.0% | (22.5 - 27.7) | NS | 219 | 25.0% | (18.7 - 32.7) | 4,363 | 32.3% | (30.0 - 34.7) | NS | No | |
| 2014 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2015 | 319 | 30.2% | (23.9 - 37.2) | 7,461 | 28.5% | (26.8 - 30.2) | NS | 120 | 31.8% | (22.7 - 42.6) | 3,109 | 26.6% | (24.2 - 29.2) | NS | 199 | 29.0% | (20.3 - 39.5) | 4,352 | 30.3% | (28.1 - 32.5) | NS | No | |
| 2016 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| Food insecurity in past year ^a | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2012 | 274 | 15.5% | (8.2 - 27.5) | 6,621 | 17.6% | (16.2 - 19.0) | NS | 111 | 8.0% | (2.2 - 25.0) | 2,684 | 13.9% | (12.1 - 16.0) | NS | 163 | 23.3% | (11.4 - 41.7) | 3,937 | 21.1% | (19.1 - 23.2) | NS | No | |
| 2013 | 371 | 17.4% | (12.4 - 23.9) | 7,828 | 19.0% | (17.6 - 20.6) | NS | 137 | 12.2% | (5.5 - 25.3) | 3,159 | 15.4% | (13.4 - 17.7) | NS | 234 | 21.4% | (15.2 - 29.2) | 4,669 | 22.5% | (20.5 - 24.6) | NS | No | |
| 2014 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2015 | 344 | 26.1% | (20.1 - 33.2) | 7,918 | 21.0% | (19.5 - 22.5) | NS | 131 | 23.2% | (15.2 - 33.7) | 3,309 | 17.9% | (15.8 - 20.2) | NS | 213 | 28.3% | (19.9 - 38.4) | 4,609 | 24.0% | (22.1 - 26.1) | NS | No | |
| 2016 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| Caregiving | | | | | | | | | | | | | | | | | | | | | | | |
| Provided regular care/assistance in past month to friend or family member with health issue | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2012 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2013 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2014 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2015 | 373 | 29.7% | (23.2 - 37.0) | 7,883 | 24.7% | (23.2 - 26.2) | NS | 164 | 32.9% | (23.0 - 44.6) | 3,434 | 21.1% | (19.1 - 23.4) | NS | 209 | 25.9% | (19.2 - 33.9) | 4,449 | 28.0% | (25.9 - 30.2) | NS | No | |
| 2016 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| Cognitive Decline | | | | | | | | | | | | | | | | | | | | | | | |
| Experienced more or worsening confusion or memory loss in past year, aged 45 years and older | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2012 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2013 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2014 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2015 | 272 | 10.3% | (6.5 - 15.9) | 5,767 | 9.4% | (8.4 - 10.5) | NS | 120 | 12.3% | (6.6 - 21.8) | 2,436 | 10.2% | (8.7 - 12.0) | NS | 152 | 8.3% | (4.2 - 15.6) | 3,331 | 8.6% | (7.3 - 10.2) | NS | No | |
| 2016 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| Inadequate Sleep | | | | | | | | | | | | | | | | | | | | | | | |
| Get less than 7 hours of sleep per day | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2012 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2013 | 848 | 31.6% | (27.1 - 36.4) | 16,972 | 31.8% | (30.6 - 33.0) | NS | 321 | 30.2% | (23.5 - 37.9) | 6,927 | 32.6% | (30.8 - 34.4) | NS | 527 | 32.9% | (27.3 - 39.0) | 10,045 | 31.0% | (29.5 - 32.6) | NS | No | |
| 2014 | 1,065 | 29.2% | (25.7 - 33.0) | 22,172 | 30.0% | (29.0 - 31.0) | NS | 449 | 31.3% | (26.0 - 37.2) | 9,527 | 30.7% | (29.2 - 32.2) | NS | 616 | 27.1% | (22.8 - 31.9) | 12,645 | 29.4% | (28.1 - 30.7) | NS | No | |
| 2015 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2016 | 601 | 23.7% | (19.6 - 28.4) | 15,097 | 29.6% | (28.4 - 30.8) | NS | 235 | 23.3% | (17.8 - 30.0) | 6,610 | 29.7% | (27.9 - 31.5) | NS | 366 | 24.1% | (18.3 - 31.0) | 8,487 | 29.5% | (27.9 - 31.2) | NS | No | |
| Average hours of sleep per day | | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2012 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2013 | 848 | 7.1 | (6.9 - 7.2) | 16,972 | 7.1 | (7.0 - 7.1) | NS | 321 | 7.1 | (6.9 - 7.3) | 6,927 | 7.0 | (7.0 - 7.1) | NS | 527 | 7.1 | (6.9 - 7.2) | 10,045 | 7.1 | (7.0 - 7.1) | NS | No | |
| 2014 | 1,065 | 7.1 | (7.0 - 7.2) | 22,172 | 7.1 | (7.0 - 7.1) | NS | 449 | 7.1 | (6.9 - 7.2) | 9,527 | 7.0 | (7.0 - 7.1) | NS | 616 | 7.2 | (7.1 - 7.4) | 12,645 | 7.1 | (7.1 - 7.1) | NS | No | |
| 2015 | - | - | - | - | - | - | | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | |
| 2016 | 601 | 7.3 | (7.1 - 7.4) | 15,097 | 7.1 | (7.1 - 7.1) | NS | 235 | 7.2 | (7.1 - 7.4) | 6,610 | 7.1 | (7.0 - 7.2) | NS | 366 | 7.3 | (7.1 - 7.4) | 8,487 | 7.1 | (7.1 - 7.2) | NS | No | |

| Indicators | Overall | | | | | | Men | | | | | | Women | | | | | | LHD Gender Diff. ^e | | | |
|---|----------------|------------------------|------------------------------------|----------------|------------------------|------------------------------------|------------------|----------------|------------------------|------------------------------------|----------------|------------------------|------------------------------------|------------------|----------------|------------------------|------------------------------------|----------------|-------------------------------|------------------------|------------------------------------|------------------|
| | Northeast | | | State of NE | | | Northeast | | | State of NE | | | Northeast | | | State of NE | | | | | | |
| | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d | n ^a | mean or % ^b | 95% C.I. ^c (Low - High) | n ^a | | mean or % ^b | 95% C.I. ^c (Low - High) | Sig ^d |
| Occupational Safety and Health | | | | | | | | | | | | | | | | | | | | | | |
| Work-related injury or illness in past year, among employed or recently out of work | | | | | | | | | | | | | | | | | | | | | | |
| 2011 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2012 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| 2013 | 279 | 7.7% | (4.6 - 12.7) | 4,952 | 4.8% | (3.9 - 5.8) | NS | 121 | 9.4% | (5.0 - 17.1) | 2,246 | 6.1% | (4.8 - 7.7) | NS | 158 | 6.2% | (2.6 - 14.0) | 2,706 | 3.3% | (2.2 - 4.9) | NS | No |
| 2014 | 329 | 7.7% | (3.9 - 14.7) | 6,966 | 4.9% | (4.1 - 5.9) | NS | 163 | 7.7% | (3.2 - 17.1) | 3,403 | 5.4% | (4.4 - 6.7) | NS | 166 | 7.8% | (2.5 - 21.8) | 3,563 | 4.3% | (3.1 - 6.0) | NS | No |
| 2015 | 240 | 4.9% | (2.5 - 9.4) | 5,434 | 5.7% | (4.7 - 6.8) | NS | 141 | 6.9% | (3.4 - 13.7) | 2,727 | 7.1% | (5.6 - 9.0) | NS | 99 | 1.1% | (0.3 - 4.7) | 2,707 | 3.9% | (2.9 - 5.3) | NS | No |
| 2016 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |

Note: Data reflect the four county LHD region of Cedar, Dixon, Thurston, and Wayne Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

