

BRFSS Detailed Summary Table for Public Health Solutions District Health Department Adults 18 and Older, 2011-2016

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>o</sup>						
	Public Health Solutions		State of NE			Public Health Solutions		State of NE			Public Health Solutions		State of NE									
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>							
<b>General Health Status</b>																						
General health fair or poor																						
2011	920	17.8%	(15.1 - 20.8)	25,347	14.3%	(13.7 - 14.9)	+	370	18.4%	(14.3 - 23.4)	10,198	14.8%	(13.9 - 15.7)	NS	550	17.1%	(13.8 - 21.1)	15,149	13.9%	(13.1 - 14.7)	NS	No
2012	669	18.0%	(14.5 - 22.1)	19,132	14.4%	(13.7 - 15.2)	NS	265	16.6%	(12.2 - 22.3)	7,855	14.6%	(13.5 - 15.7)	NS	404	19.4%	(14.3 - 25.6)	11,277	14.3%	(13.4 - 15.2)	NS	No
2013	671	15.8%	(12.9 - 19.1)	17,106	13.9%	(13.1 - 14.8)	NS	261	15.1%	(11.0 - 20.2)	6,963	13.4%	(12.2 - 14.7)	NS	410	16.4%	(12.7 - 21.0)	10,143	14.4%	(13.3 - 15.6)	NS	No
2014	969	17.6%	(14.8 - 20.8)	22,370	13.2%	(12.5 - 13.9)	+	414	18.6%	(14.3 - 23.8)	9,585	13.5%	(12.4 - 14.5)	NS	555	16.5%	(13.2 - 20.5)	12,785	12.9%	(12.0 - 13.8)	NS	No
2015	718	17.2%	(14.0 - 21.0)	17,539	13.9%	(13.1 - 14.8)	NS	306	19.7%	(14.4 - 26.3)	7,564	13.7%	(12.5 - 14.9)	NS	412	14.8%	(11.5 - 18.9)	9,975	14.2%	(13.1 - 15.3)	NS	No
2016	689	16.0%	(13.0 - 19.5)	15,166	14.7%	(13.8 - 15.6)	NS	289	15.3%	(11.1 - 20.8)	6,633	13.8%	(12.6 - 15.1)	NS	400	16.7%	(12.7 - 21.6)	8,533	15.5%	(14.3 - 16.8)	NS	No
Average number of days physical health was not good in past 30 days																						
2011	905	3.6	(3.0 - 4.2)	24,901	3.2	(3.0 - 3.3)	NS	368	3.5	(2.6 - 4.4)	10,067	2.9	(2.7 - 3.1)	NS	537	3.8	(3.0 - 4.5)	14,834	3.4	(3.2 - 3.6)	NS	No
2012	657	4.3	(3.4 - 5.2)	18,819	3.2	(3.1 - 3.4)	+	259	4.1	(2.8 - 5.5)	7,759	2.9	(2.7 - 3.1)	NS	398	4.5	(3.3 - 5.7)	11,060	3.6	(3.4 - 3.8)	NS	No
2013	657	3.2	(2.5 - 3.8)	16,808	3.1	(2.9 - 3.3)	NS	257	2.6	(1.7 - 3.6)	6,877	2.8	(2.5 - 3.0)	NS	400	3.7	(2.7 - 4.6)	9,931	3.4	(3.2 - 3.7)	NS	No
2014	950	3.7	(3.0 - 4.4)	22,024	3.0	(2.9 - 3.1)	NS	409	3.6	(2.4 - 4.7)	9,464	2.8	(2.6 - 3.0)	NS	541	3.8	(3.0 - 4.7)	12,560	3.2	(3.0 - 3.4)	NS	No
2015	699	3.4	(2.8 - 4.1)	17,315	3.1	(3.0 - 3.3)	NS	298	2.5	(1.8 - 3.3)	7,476	2.8	(2.6 - 3.0)	NS	401	4.3	(3.3 - 5.3)	9,839	3.5	(3.3 - 3.7)	NS	Yes
2016	680	3.5	(2.8 - 4.2)	14,984	3.3	(3.1 - 3.5)	NS	286	3.3	(2.3 - 4.3)	6,561	2.9	(2.6 - 3.1)	NS	394	3.7	(2.8 - 4.6)	8,423	3.7	(3.4 - 4.0)	NS	No
Physical health was not good on 14 or more of the past 30 days																						
2011	905	10.3%	(8.4 - 12.7)	24,901	9.6%	(9.1 - 10.1)	NS	368	10.0%	(7.2 - 13.7)	10,067	9.0%	(8.3 - 9.8)	NS	537	10.6%	(8.2 - 13.8)	14,834	10.1%	(9.4 - 10.8)	NS	No
2012	657	14.5%	(11.2 - 18.7)	18,819	9.8%	(9.2 - 10.4)	+	259	12.9%	(8.6 - 18.8)	7,759	8.6%	(7.8 - 9.5)	NS	398	16.1%	(11.5 - 22.3)	11,060	11.0%	(10.1 - 11.8)	NS	No
2013	657	8.8%	(6.5 - 11.8)	16,808	9.2%	(8.5 - 9.9)	NS	257	7.3%	(4.4 - 12.1)	6,877	7.9%	(7.0 - 8.9)	NS	400	10.3%	(7.2 - 14.5)	9,931	10.4%	(9.4 - 11.5)	NS	No
2014	950	11.4%	(9.1 - 14.1)	22,024	9.0%	(8.4 - 9.6)	NS	409	11.0%	(7.6 - 15.6)	9,464	8.3%	(7.4 - 9.1)	NS	541	11.8%	(9.1 - 15.1)	12,560	9.7%	(9.0 - 10.5)	NS	No
2015	699	10.2%	(7.9 - 13.0)	17,315	9.6%	(9.0 - 10.3)	NS	298	7.8%	(5.0 - 12.0)	7,476	8.6%	(7.7 - 9.6)	NS	401	12.5%	(9.2 - 16.6)	9,839	10.7%	(9.8 - 11.6)	NS	No
2016	680	10.1%	(7.8 - 13.0)	14,984	9.8%	(9.1 - 10.6)	NS	286	8.8%	(5.8 - 13.0)	6,561	8.4%	(7.4 - 9.4)	NS	394	11.4%	(8.1 - 15.9)	8,423	11.2%	(10.2 - 12.3)	NS	No
Average number of days mental health was not good in past 30 days																						
2011	895	2.9	(2.4 - 3.4)	25,036	3.1	(2.9 - 3.2)	NS	361	2.2	(1.5 - 2.9)	10,097	2.5	(2.3 - 2.7)	NS	534	3.5	(2.7 - 4.3)	14,939	3.6	(3.4 - 3.8)	NS	No
2012	662	3.1	(2.4 - 3.7)	18,935	3.0	(2.9 - 3.2)	NS	262	2.5	(1.6 - 3.5)	7,786	2.6	(2.4 - 2.8)	NS	400	3.6	(2.7 - 4.5)	11,149	3.5	(3.3 - 3.7)	NS	No
2013	666	2.9	(2.2 - 3.5)	16,889	3.0	(2.8 - 3.1)	NS	262	2.2	(1.3 - 3.1)	6,889	2.3	(2.1 - 2.6)	NS	404	3.5	(2.6 - 4.5)	10,000	3.5	(3.3 - 3.8)	NS	No
2014	962	3.4	(2.7 - 4.1)	22,132	2.8	(2.6 - 2.9)	NS	409	3.2	(2.1 - 4.4)	9,483	2.3	(2.1 - 2.5)	NS	553	3.6	(2.8 - 4.5)	12,649	3.3	(3.1 - 3.5)	NS	No
2015	702	3.1	(2.5 - 3.7)	17,369	2.9	(2.7 - 3.1)	NS	303	2.7	(1.8 - 3.7)	7,491	2.3	(2.1 - 2.6)	NS	399	3.5	(2.6 - 4.3)	9,878	3.5	(3.2 - 3.7)	NS	No
2016	686	2.5	(2.0 - 3.0)	15,035	3.2	(3.0 - 3.4)	NS	287	1.9	(1.1 - 2.7)	6,568	2.4	(2.1 - 2.6)	NS	399	3.0	(2.3 - 3.7)	8,467	4.0	(3.6 - 4.3)	NS	No
Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)																						
2011	895	8.6%	(6.7 - 11.0)	25,036	9.2%	(8.7 - 9.7)	NS	361	6.6%	(4.3 - 10.1)	10,097	7.7%	(7.0 - 8.4)	NS	534	10.6%	(7.8 - 14.2)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	662	9.4%	(6.9 - 12.7)	18,935	9.0%	(8.4 - 9.7)	NS	262	6.6%	(3.6 - 11.7)	7,786	7.4%	(6.6 - 8.3)	NS	400	12.1%	(8.4 - 17.1)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	666	8.5%	(6.2 - 11.6)	16,889	8.9%	(8.2 - 9.6)	NS	262	6.6%	(3.8 - 11.3)	6,889	6.8%	(5.9 - 7.9)	NS	404	10.4%	(7.1 - 15.0)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	962	10.4%	(8.1 - 13.3)	22,132	8.2%	(7.6 - 8.8)	NS	409	9.3%	(6.1 - 14.1)	9,483	6.4%	(5.6 - 7.3)	NS	553	11.5%	(8.6 - 15.2)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	702	8.3%	(6.2 - 11.0)	17,369	8.9%	(8.2 - 9.6)	NS	303	6.6%	(4.0 - 10.8)	7,491	6.9%	(6.0 - 7.9)	NS	399	10.0%	(7.0 - 13.9)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	686	6.7%	(4.9 - 9.1)	15,035	9.5%	(8.7 - 10.4)	NS	287	4.6%	(2.4 - 8.4)	6,568	7.0%	(6.0 - 8.1)	NS	399	8.8%	(6.1 - 12.4)	8,467	12.0%	(10.8 - 13.3)	NS	No
Average days poor physical or mental health limited usual activities in past 30 days																						
2011	918	2.0	(1.6 - 2.4)	25,183	1.9	(1.8 - 2.0)	NS	369	2.0	(1.3 - 2.6)	10,136	1.7	(1.6 - 1.9)	NS	549	2.0	(1.5 - 2.6)	15,047	2.0	(1.9 - 2.1)	NS	No
2012	667	2.7	(1.9 - 3.5)	19,022	2.0	(1.8 - 2.1)	NS	265	1.7	(1.0 - 2.4)	7,819	1.7	(1.5 - 1.9)	NS	402	3.6	(2.3 - 5.0)	11,203	2.2	(2.0 - 2.4)	NS	No
2013	663	1.8	(1.3 - 2.4)	16,986	1.9	(1.7 - 2.0)	NS	258	1.0	(0.6 - 1.4)	6,936	1.7	(1.5 - 1.9)	-	405	2.6	(1.7 - 3.5)	10,050	2.0	(1.9 - 2.2)	NS	Yes
2014	964	2.4	(1.9 - 3.0)	22,228	1.8	(1.7 - 1.9)	+	411	2.2	(1.5 - 3.0)	9,541	1.6	(1.5 - 1.8)	NS	553	2.6	(1.9 - 3.3)	12,687	1.9	(1.8 - 2.1)	NS	No
2015	715	2.1	(1.6 - 2.7)	17,430	1.9	(1.7 - 2.0)	NS	303	1.6	(0.9 - 2.3)	7,529	1.6	(1.4 - 1.8)	NS	412	2.6	(1.9 - 3.4)	9,901	2.1	(1.9 - 2.3)	NS	No
2016	687	1.9	(1.4 - 2.4)	15,084	2.0	(1.8 - 2.2)	NS	288	1.7	(1.0 - 2.4)	6,592	1.7	(1.5 - 1.9)	NS	399	2.0	(1.4 - 2.7)	8,492	2.3	(2.1 - 2.6)	NS	No
Poor physical or mental health limited usual activities on 14 or more of the past 30 days																						
2011	918	6.2%	(4.8 - 8.1)	25,183	5.8%	(5.4 - 6.2)	NS	369	6.4%	(4.3 - 9.4)	10,136	5.4%	(4.8 - 6.0)	NS	549	6.0%	(4.2 - 8.6)	15,047	6.2%	(5.7 - 6.8)	NS	No
2012	667	9.7%	(7.0 - 13.3)	19,022	6.4%	(5.9 - 6.9)	+	265	5.2%	(3.1 - 8.5)	7,819	5.3%	(4.7 - 6.0)	NS	402	14.0%	(9.4 - 20.3)	11,203	7.4%	(6.7 - 8.2)	+	Yes
2013	663	4.8%	(3.2 - 7.0)	16,986	5.8%	(5.3 - 6.4)	NS	258	1.6%	(0.7 - 3.6)	6,936	5.2%	(4.4 - 6.1)	-	405	7.8%	(5.0 - 11.9)	10,050	6.5%	(5.7 - 7.3)	NS	Yes
2014	964	8.1%	(6.4 - 10.3)	22,228	5.8%	(5.4 - 6.4)	+	411	7.5%	(5.1 - 10.8)	9,541	5.3%	(4.6 - 6.1)	NS	553	8.7%	(6.4 - 11.8)	12,687	6.4%	(5.7 - 7.1)	NS	No
2015	715	6.1%	(4.5 - 8.3)	17,430	5.9%	(5.4 - 6.4)	NS	303	4.6%	(2.6 - 7.9)	7,529	5.1%	(4.5 - 5.9)	NS	412	7.6%	(5.2 - 10.9)	9,901	6.6%	(6.0 - 7.3)	NS	No
2016	687	6.3%	(4.5 - 8.6)	15,084	6.2%	(5.6 - 6.8)	NS	288	5.5%	(3.3 - 9.2)	6,592	4.9%	(4.2 - 5.7)	NS	399	7.0%	(4.6 - 10.5)	8,492	7.4%	(6.6 - 8.5)	NS	No

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Public Health Solutions			State of NE		Sig <sup>d</sup>	Public Health Solutions			State of NE		Sig <sup>d</sup>	Public Health Solutions				State of NE		Sig <sup>d</sup>			
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)
<b>Health Care Access and Utilization</b>																						
No health care coverage, 18-64 year olds																						
2011	560	24.1%	(19.8 - 28.9)	16,614	19.1%	(18.3 - 20.0)	NS	248	25.2%	(19.0 - 32.7)	7,107	22.0%	(20.7 - 23.4)	NS	312	22.8%	(17.5 - 29.2)	9,507	16.2%	(15.2 - 17.3)	+	No
2012	406	15.5%	(11.1 - 21.2)	12,310	18.0%	(17.0 - 19.0)	NS	176	19.8%	(12.9 - 29.0)	5,450	20.3%	(18.8 - 21.8)	NS	230	11.0%	(6.5 - 18.1)	6,860	15.7%	(14.5 - 17.0)	NS	No
2013	400	14.6%	(10.7 - 19.6)	10,939	17.6%	(16.4 - 18.9)	NS	170	17.0%	(11.1 - 25.4)	4,720	18.4%	(16.6 - 20.4)	NS	230	12.0%	(7.8 - 18.1)	6,219	16.9%	(15.3 - 18.5)	NS	No
2014	628	20.2%	(16.2 - 24.8)	14,323	15.3%	(14.3 - 16.4)	NS	295	20.6%	(14.9 - 27.8)	6,443	17.0%	(15.4 - 18.7)	NS	333	19.6%	(14.6 - 25.9)	7,880	13.5%	(12.3 - 14.9)	NS	No
2015	454	12.5%	(8.9 - 17.2)	11,342	14.4%	(13.3 - 15.5)	NS	214	14.7%	(9.2 - 22.5)	5,187	15.4%	(13.8 - 17.1)	NS	240	10.0%	(6.3 - 15.7)	6,155	13.4%	(12.0 - 14.9)	NS	No
2016	461	11.3%	(8.3 - 15.3)	9,749	14.7%	(13.6 - 16.0)	NS	217	10.8%	(7.0 - 16.4)	4,538	15.0%	(13.3 - 16.9)	NS	244	11.9%	(7.5 - 18.3)	5,211	14.4%	(12.9 - 16.2)	NS	No
Has health care coverage, 18-64 year olds <sup>a</sup>																						
2011	560	75.9%	(71.1 - 80.2)	16,614	80.9%	(80.0 - 81.7)	NS	248	74.8%	(67.3 - 81.0)	7,107	78.0%	(76.6 - 79.3)	NS	312	77.2%	(70.8 - 82.5)	9,507	83.8%	(82.7 - 84.8)	-	No
2012	406	84.5%	(78.8 - 88.9)	12,310	82.0%	(81.0 - 83.0)	NS	176	80.2%	(71.0 - 87.1)	5,450	79.7%	(78.2 - 81.2)	NS	230	89.0%	(81.9 - 93.5)	6,860	84.3%	(83.0 - 85.5)	NS	No
2013	400	85.4%	(80.4 - 89.3)	10,939	82.4%	(81.1 - 83.6)	NS	170	83.0%	(74.6 - 88.9)	4,720	81.6%	(79.6 - 83.4)	NS	230	88.0%	(81.9 - 92.2)	6,219	83.1%	(81.5 - 84.7)	NS	No
2014	628	79.8%	(75.2 - 83.8)	14,323	84.7%	(83.6 - 85.7)	NS	295	79.4%	(72.2 - 85.1)	6,443	83.0%	(81.3 - 84.6)	NS	333	80.4%	(74.1 - 85.4)	7,880	86.5%	(85.1 - 87.7)	NS	No
2015	454	87.5%	(82.8 - 91.1)	11,342	85.6%	(84.5 - 86.7)	NS	214	85.3%	(77.5 - 90.8)	5,187	84.6%	(82.9 - 86.2)	NS	240	90.0%	(84.3 - 93.7)	6,155	86.6%	(85.1 - 88.0)	NS	No
2016	461	88.7%	(84.7 - 91.7)	9,749	85.3%	(84.0 - 86.4)	NS	217	89.2%	(83.6 - 93.0)	4,538	85.0%	(83.1 - 86.7)	NS	244	88.1%	(81.7 - 92.5)	5,211	85.6%	(83.8 - 87.1)	NS	No
No personal doctor or health care provider																						
2011	919	13.9%	(11.0 - 17.5)	25,340	18.4%	(17.6 - 19.1)	-	370	19.0%	(14.1 - 25.2)	10,192	25.1%	(23.8 - 26.3)	NS	549	9.0%	(6.2 - 12.8)	15,148	12.0%	(11.1 - 12.8)	NS	Yes
2012	672	14.3%	(10.8 - 18.6)	19,132	17.2%	(16.4 - 18.1)	NS	266	20.5%	(14.7 - 28.0)	7,847	23.7%	(22.3 - 25.1)	NS	406	8.3%	(5.2 - 13.0)	11,285	11.0%	(10.1 - 12.0)	NS	Yes
2013	670	15.7%	(12.1 - 20.0)	17,093	20.9%	(19.8 - 22.0)	NS	260	25.0%	(18.8 - 32.6)	6,956	27.5%	(25.7 - 29.4)	NS	410	6.7%	(4.2 - 10.5)	10,137	14.4%	(13.2 - 15.7)	-	Yes
2014	970	16.0%	(13.1 - 19.4)	22,354	20.2%	(19.2 - 21.2)	NS	416	23.8%	(18.9 - 29.6)	9,569	27.0%	(25.5 - 28.5)	NS	554	8.4%	(5.8 - 12.0)	12,785	13.6%	(12.5 - 14.8)	-	Yes
2015	718	16.1%	(12.7 - 20.2)	17,509	19.7%	(18.7 - 20.8)	NS	305	25.1%	(19.2 - 32.0)	7,542	25.7%	(24.1 - 27.5)	NS	413	7.4%	(4.5 - 11.7)	9,967	13.9%	(12.7 - 15.2)	-	Yes
2016	689	15.2%	(11.9 - 19.2)	15,138	19.1%	(18.0 - 20.2)	NS	289	20.1%	(15.1 - 26.4)	6,617	24.5%	(22.8 - 26.2)	NS	400	10.4%	(6.6 - 16.0)	8,521	13.8%	(12.5 - 15.2)	NS	No
Has a personal doctor or health care provider (one or more than one) <sup>a</sup>																						
2011	919	86.1%	(82.5 - 89.0)	25,340	81.6%	(80.9 - 82.4)	+	370	81.0%	(74.8 - 85.9)	10,192	74.9%	(73.7 - 76.2)	NS	549	91.0%	(87.2 - 93.8)	15,148	88.0%	(87.2 - 88.9)	NS	Yes
2012	672	85.7%	(81.4 - 89.2)	19,132	82.8%	(81.9 - 83.6)	NS	266	79.5%	(72.0 - 85.3)	7,847	76.3%	(74.9 - 77.7)	NS	406	91.7%	(87.0 - 94.8)	11,285	89.0%	(88.0 - 89.9)	NS	Yes
2013	670	84.3%	(80.0 - 87.9)	17,093	79.1%	(78.0 - 80.2)	NS	260	75.0%	(67.4 - 81.2)	6,956	72.5%	(70.6 - 74.3)	NS	410	93.3%	(89.5 - 95.8)	10,137	85.6%	(84.3 - 86.8)	+	Yes
2014	970	84.0%	(80.6 - 86.9)	22,354	79.8%	(78.8 - 80.8)	NS	416	76.2%	(70.4 - 81.1)	9,569	73.0%	(71.5 - 74.5)	NS	554	91.6%	(88.0 - 94.2)	12,785	86.4%	(85.2 - 87.5)	+	Yes
2015	718	83.9%	(79.8 - 87.3)	17,509	80.3%	(79.2 - 81.3)	NS	305	74.9%	(68.0 - 80.8)	7,542	74.3%	(72.5 - 75.9)	NS	413	92.6%	(88.3 - 95.5)	9,967	86.1%	(84.8 - 87.3)	+	Yes
2016	689	84.8%	(80.8 - 88.1)	15,138	80.9%	(79.8 - 82.0)	NS	289	79.9%	(73.6 - 84.9)	6,617	75.5%	(73.8 - 77.2)	NS	400	89.6%	(84.0 - 93.4)	8,521	86.2%	(84.8 - 87.5)	NS	No
Has a personal doctor or health care provider (one or more than one), aged 65 years and older <sup>a</sup>																						
2011	356	96.9%	(94.2 - 98.4)	8,584	95.7%	(95.1 - 96.2)	NS	121	97.6%	(90.6 - 99.4)	3,033	94.4%	(93.4 - 95.3)	NS	235	96.4%	(93.0 - 98.2)	5,551	96.6%	(95.9 - 97.1)	NS	No
2012	262	95.8%	(91.4 - 98.0)	6,711	95.6%	(94.7 - 96.3)	NS	89	92.5%	(82.8 - 97.0)	2,368	93.6%	(91.9 - 95.0)	NS	173	98.0%	(93.7 - 99.4)	4,343	97.1%	(96.3 - 97.7)	NS	No
2013	267	94.8%	(89.6 - 97.5)	6,015	93.9%	(92.9 - 94.8)	NS	89	95.5%	(85.4 - 98.7)	2,188	92.3%	(90.4 - 93.8)	NS	178	94.3%	(86.9 - 97.7)	3,827	95.2%	(93.9 - 96.2)	NS	No
2014	329	95.4%	(91.9 - 97.5)	7,833	95.1%	(94.4 - 95.7)	NS	116	93.3%	(86.0 - 97.0)	3,057	93.5%	(92.2 - 94.6)	NS	213	96.9%	(92.7 - 98.7)	4,776	96.4%	(95.7 - 96.9)	NS	No
2015	261	93.5%	(88.3 - 96.5)	6,022	94.8%	(93.9 - 95.5)	NS	91	90.4%	(79.5 - 95.8)	2,297	93.6%	(92.1 - 94.8)	NS	170	95.7%	(89.9 - 98.2)	3,725	95.7%	(94.6 - 96.6)	NS	No
2016	225	97.1%	(93.1 - 98.8)	5,270	95.1%	(94.2 - 95.9)	NS	71	98.5%	(94.0 - 99.6)	2,025	94.5%	(93.1 - 95.6)	NS	154	96.0%	(89.3 - 98.6)	3,245	95.6%	(94.4 - 96.6)	NS	No
Needed to see a doctor but could not due to cost in past year <sup>a</sup>																						
2011	923	13.4%	(10.8 - 16.5)	25,350	12.5%	(11.9 - 13.2)	NS	371	11.7%	(8.1 - 16.6)	10,203	10.7%	(9.9 - 11.6)	NS	552	15.0%	(11.5 - 19.3)	15,147	14.2%	(13.4 - 15.2)	NS	No
2012	672	11.4%	(8.3 - 15.4)	19,144	12.8%	(12.1 - 13.6)	NS	266	11.1%	(7.1 - 17.0)	7,859	11.1%	(10.0 - 12.2)	NS	406	11.7%	(7.5 - 17.9)	11,285	14.4%	(13.4 - 15.5)	NS	No
2013	668	11.1%	(8.1 - 15.1)	17,103	13.0%	(12.1 - 13.9)	NS	262	11.5%	(7.1 - 18.2)	6,963	10.9%	(9.7 - 12.2)	NS	406	10.8%	(7.1 - 15.9)	10,140	15.0%	(13.8 - 16.4)	NS	No
2014	972	14.1%	(11.6 - 17.2)	22,359	11.8%	(11.1 - 12.6)	NS	416	10.9%	(7.6 - 15.4)	9,588	10.2%	(9.1 - 11.3)	NS	556	17.3%	(13.7 - 21.7)	12,771	13.4%	(12.4 - 14.6)	NS	No
2015	718	10.9%	(8.4 - 14.0)	17,522	11.5%	(10.7 - 12.3)	NS	306	9.4%	(6.3 - 14.0)	7,559	9.8%	(8.7 - 11.1)	NS	412	12.3%	(8.8 - 16.9)	9,963	13.1%	(12.0 - 14.3)	NS	No
2016	689	11.1%	(8.4 - 14.5)	15,156	12.1%	(11.2 - 13.1)	NS	289	9.8%	(6.4 - 14.7)	6,623	10.1%	(8.9 - 11.4)	NS	400	12.3%	(8.5 - 17.6)	8,533	14.0%	(12.7 - 15.5)	NS	No
Had a routine checkup in past year																						
2011	914	59.7%	(55.8 - 63.5)	24,983	57.7%	(56.8 - 58.7)	NS	367	52.3%	(46.3 - 58.2)	10,049	50.6%	(49.2 - 52.0)	NS	547	66.8%	(62.0 - 71.4)	14,934	64.6%	(63.4 - 65.8)	NS	Yes
2012	663	65.5%	(60.7 - 70.0)	18,929	60.4%	(59.4 - 61.4)	NS	262	59.0%	(51.6 - 66.0)	7,789	55.0%	(53.5 - 56.6)	NS	401	71.8%	(65.7 - 77.1)	11,140	65.6%	(64.3 - 66.9)	NS	No
2013	664	62.4%	(57.7 - 66.8)	16,919	61.6%	(60.4 - 62.8)	NS	260	58.8%	(51.5 - 65.7)	6,899	56.2%	(54.3 - 58.1)	NS	404	65.8%	(59.9 - 71.3)	10,020	66.8%	(65.3 - 68.4)	NS	No
2014	962	65.2%	(61.5 - 68.8)	22,090	63.3%	(62.3 - 64.4)	NS	411	58.1%	(52.2 - 63.8)	9,488	57.7%	(56.1 - 59.3)	NS	551	72.1%	(67.4 - 76.4)	12,602	68.8%	(67.4 - 70.2)	NS	Yes
2015	710	65.3%	(60.9 - 69.5)	17,331	63.9%	(62.8 - 65.1)	NS	303	61.2%	(54.2 - 67.9)	7,470	58.7%	(56.9 - 60.5)	NS	407	69.4%	(63.9 - 74.4)	9,861	69.1%	(67.5 - 70.6)	NS	No
2016	690	66.1%	(61.8 - 70.2)	15,060	65.4%	(64.1 - 66.6)	NS	289	58.9%	(52.2 - 65.2)	6,582	60.6%	(58.7 - 62.5)	NS	401	73.2%	(67.9 - 78.0)	8,478	70.0%	(68.4 - 71.6)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Heart Disease and Stroke</b>																						
Ever told they had a heart attack																						
2011	919	5.8%	(4.4 - 7.5)	25,292	4.3%	(4.0 - 4.7)	NS	371	8.0%	(5.7 - 11.1)	10,194	5.7%	(5.2 - 6.3)	NS	548	3.7%	(2.5 - 5.5)	15,098	2.9%	(2.6 - 3.3)	NS	Yes
2012	669	4.1%	(2.8 - 5.9)	19,102	4.1%	(3.7 - 4.4)	NS	266	5.3%	(3.3 - 8.5)	7,842	5.3%	(4.8 - 6.0)	NS	403	2.9%	(1.6 - 5.2)	11,260	2.9%	(2.5 - 3.2)	NS	No
2013	666	5.0%	(3.5 - 7.3)	17,035	4.0%	(3.6 - 4.4)	NS	258	7.2%	(4.5 - 11.3)	6,925	5.2%	(4.6 - 5.9)	NS	408	3.0%	(1.6 - 5.4)	10,110	2.9%	(2.4 - 3.4)	NS	No
2014	965	4.7%	(3.1 - 7.0)	22,309	3.8%	(3.5 - 4.2)	NS	411	6.9%	(4.0 - 11.4)	9,541	5.1%	(4.6 - 5.6)	NS	554	2.5%	(1.5 - 4.3)	12,768	2.6%	(2.3 - 3.0)	NS	No
2015	714	4.9%	(3.4 - 7.0)	17,455	3.9%	(3.5 - 4.3)	NS	303	7.3%	(4.7 - 11.3)	7,530	5.3%	(4.7 - 6.0)	NS	411	2.6%	(1.5 - 4.7)	9,925	2.5%	(2.2 - 2.9)	NS	Yes
2016	687	3.9%	(2.4 - 6.3)	15,111	4.0%	(3.6 - 4.4)	NS	287	5.4%	(2.9 - 9.9)	6,598	5.0%	(4.4 - 5.6)	NS	400	2.4%	(1.1 - 4.9)	8,513	3.0%	(2.6 - 3.6)	NS	No
Ever told they have coronary heart disease																						
2011	908	5.9%	(4.5 - 7.7)	25,121	3.9%	(3.6 - 4.2)	+	364	6.9%	(4.7 - 10.0)	10,110	4.8%	(4.4 - 5.3)	NS	544	5.0%	(3.5 - 7.1)	15,011	3.1%	(2.7 - 3.4)	+	No
2012	666	3.8%	(2.5 - 5.5)	18,988	3.9%	(3.6 - 4.3)	NS	264	3.6%	(2.1 - 6.2)	7,796	4.9%	(4.4 - 5.5)	NS	402	3.9%	(2.2 - 6.8)	11,192	3.0%	(2.6 - 3.4)	NS	No
2013	665	5.4%	(3.5 - 8.3)	16,942	4.1%	(3.7 - 4.5)	NS	262	8.1%	(4.7 - 13.8)	6,884	5.1%	(4.5 - 5.8)	NS	403	2.8%	(1.7 - 4.7)	10,058	3.0%	(2.6 - 3.6)	NS	No
2014	961	5.7%	(4.3 - 7.5)	22,202	3.9%	(3.6 - 4.3)	+	411	7.5%	(5.2 - 10.8)	9,509	4.8%	(4.3 - 5.4)	NS	550	4.0%	(2.7 - 5.9)	12,693	3.1%	(2.7 - 3.5)	NS	No
2015	714	5.8%	(4.2 - 7.9)	17,403	4.0%	(3.6 - 4.3)	NS	302	7.3%	(4.8 - 11.1)	7,503	5.0%	(4.4 - 5.7)	NS	412	4.3%	(2.7 - 6.9)	9,900	2.9%	(2.6 - 3.3)	NS	No
2016	684	3.9%	(2.4 - 6.1)	15,078	3.8%	(3.4 - 4.2)	NS	288	5.6%	(3.2 - 9.6)	6,590	4.4%	(3.9 - 5.0)	NS	396	2.1%	(1.0 - 4.6)	8,488	3.1%	(2.7 - 3.7)	NS	No
Ever told they had a heart attack or coronary heart disease																						
2011	914	9.0%	(7.3 - 11.1)	25,158	6.4%	(6.0 - 6.7)	+	369	11.0%	(8.1 - 14.7)	10,143	8.0%	(7.4 - 8.7)	NS	545	7.1%	(5.3 - 9.4)	15,015	4.8%	(4.4 - 5.2)	+	No
2012	665	6.4%	(4.7 - 8.5)	18,998	6.2%	(5.8 - 6.6)	NS	266	6.8%	(4.5 - 10.2)	7,806	7.8%	(7.1 - 8.5)	NS	399	5.9%	(3.9 - 8.9)	11,192	4.6%	(4.2 - 5.1)	NS	No
2013	660	8.0%	(5.7 - 11.0)	16,935	6.2%	(5.7 - 6.7)	NS	258	11.2%	(7.2 - 16.9)	6,882	7.7%	(7.0 - 8.6)	NS	402	4.8%	(3.1 - 7.5)	10,053	4.7%	(4.1 - 5.3)	NS	No
2014	962	8.2%	(6.3 - 10.8)	22,180	6.0%	(5.6 - 6.4)	NS	410	11.1%	(7.7 - 15.8)	9,493	7.4%	(6.8 - 8.1)	NS	552	5.5%	(3.9 - 7.8)	12,687	4.6%	(4.1 - 5.0)	NS	No
2015	713	7.6%	(5.7 - 10.0)	17,383	5.8%	(5.4 - 6.3)	NS	303	10.0%	(6.9 - 14.3)	7,503	7.5%	(6.7 - 8.3)	NS	410	5.3%	(3.5 - 7.9)	9,880	4.3%	(3.9 - 4.8)	NS	No
2016	681	6.2%	(4.3 - 8.8)	15,021	5.8%	(5.4 - 6.3)	NS	286	9.0%	(5.8 - 13.8)	6,558	6.9%	(6.2 - 7.7)	NS	395	3.4%	(1.9 - 6.1)	8,463	4.7%	(4.1 - 5.3)	NS	No
Ever told they had a stroke																						
2011	920	3.9%	(2.8 - 5.5)	25,355	2.6%	(2.4 - 2.9)	NS	369	3.9%	(2.2 - 6.8)	10,209	2.4%	(2.1 - 2.8)	NS	551	4.0%	(2.6 - 6.0)	15,146	2.8%	(2.5 - 3.2)	NS	No
2012	672	4.0%	(2.4 - 6.6)	19,118	2.4%	(2.2 - 2.7)	NS	266	4.8%	(2.5 - 8.9)	7,851	2.7%	(2.3 - 3.1)	NS	406	3.2%	(1.4 - 7.4)	11,267	2.2%	(1.9 - 2.6)	NS	No
2013	670	3.0%	(1.9 - 4.8)	17,080	2.5%	(2.2 - 2.8)	NS	261	3.5%	(1.8 - 6.6)	6,954	2.2%	(1.9 - 2.6)	NS	409	2.6%	(1.4 - 4.8)	10,126	2.6%	(2.4 - 3.3)	NS	No
2014	971	4.1%	(2.9 - 5.7)	22,359	2.6%	(2.4 - 2.9)	+	417	3.1%	(1.8 - 5.3)	9,576	2.7%	(2.3 - 3.1)	NS	554	5.1%	(3.3 - 7.6)	12,783	2.9%	(2.2 - 3.0)	+	No
2015	715	2.5%	(1.6 - 3.9)	17,509	2.5%	(2.3 - 2.9)	NS	305	2.1%	(1.0 - 4.1)	7,550	2.7%	(2.2 - 3.1)	NS	410	2.9%	(1.6 - 5.1)	9,959	2.4%	(2.1 - 2.8)	NS	No
2016	690	3.1%	(2.0 - 4.5)	15,154	2.8%	(2.5 - 3.2)	NS	289	2.8%	(1.5 - 5.2)	6,627	2.6%	(2.1 - 3.1)	NS	401	3.3%	(2.0 - 5.5)	8,527	3.0%	(2.5 - 3.6)	NS	No
<b>Blood Pressure and Cholesterol</b>																						
Had blood pressure checked in past year																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	310	85.7%	(79.8 - 90.0)	7,804	84.6%	(83.1 - 86.0)	NS	113	86.1%	(76.1 - 92.4)	3,150	81.2%	(78.8 - 83.4)	NS	197	85.3%	(77.5 - 90.7)	4,654	87.8%	(85.8 - 89.5)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	331	86.5%	(80.2 - 91.1)	7,947	88.0%	(86.6 - 89.2)	NS	140	83.2%	(73.2 - 90.0)	3,461	85.2%	(83.1 - 87.1)	NS	191	89.8%	(80.4 - 95.0)	4,486	90.6%	(88.8 - 92.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever told they have high blood pressure (excluding pregnancy) <sup>a</sup>																						
2011	919	33.1%	(29.7 - 36.6)	25,356	28.5%	(27.8 - 29.3)	+	370	33.5%	(28.3 - 39.1)	10,212	30.3%	(29.1 - 31.5)	NS	549	32.6%	(28.4 - 37.2)	15,144	26.9%	(25.9 - 27.9)	+	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	666	39.1%	(34.8 - 43.6)	17,085	30.3%	(29.2 - 31.4)	+	262	40.3%	(33.6 - 47.3)	6,956	32.5%	(30.8 - 34.1)	NS	404	38.0%	(32.6 - 43.7)	10,129	28.2%	(26.9 - 29.6)	+	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	717	33.5%	(29.5 - 37.8)	17,515	29.9%	(28.9 - 30.9)	NS	304	34.8%	(28.5 - 41.6)	7,546	32.6%	(31.1 - 34.2)	NS	413	32.3%	(27.5 - 37.5)	9,969	27.2%	(26.0 - 28.5)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently taking blood pressure medication, among those ever told they have high BP																						
2011	362	79.3%	(73.3 - 84.2)	9,505	77.9%	(76.5 - 79.2)	NS	137	74.6%	(64.9 - 82.4)	3,877	72.0%	(69.8 - 74.1)	NS	225	83.8%	(76.4 - 89.3)	5,628	84.2%	(82.5 - 85.7)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	294	79.1%	(71.4 - 85.2)	6,747	78.5%	(76.6 - 80.3)	NS	118	73.1%	(60.8 - 82.7)	2,828	73.1%	(70.2 - 75.9)	NS	176	85.5%	(76.2 - 91.5)	3,919	84.5%	(82.3 - 86.4)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	273	80.8%	(73.0 - 86.7)	6,685	77.8%	(75.9 - 79.6)	NS	112	73.6%	(60.6 - 83.5)	3,016	73.0%	(70.1 - 75.7)	NS	161	88.2%	(81.2 - 92.9)	3,669	83.4%	(80.9 - 85.6)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Up-to-date on colon cancer screening, 50-75 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	301	53.2%	(46.6 - 59.7)	9,022	61.1%	(59.6 - 62.5)	NS	123	45.0%	(35.4 - 55.0)	3,733	58.4%	(56.1 - 60.6)	-	178	61.1%	(52.4 - 69.0)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	310	56.3%	(49.4 - 63.0)	7,979	62.8%	(61.1 - 64.4)	NS	122	57.3%	(46.4 - 67.6)	3,275	61.0%	(58.5 - 63.6)	NS	188	55.3%	(46.8 - 63.5)	4,704	64.4%	(62.2 - 66.6)	NS	No
2014	487	55.6%	(50.5 - 60.6)	10,646	64.1%	(62.8 - 65.5)	-	207	50.9%	(43.2 - 58.6)	4,681	63.0%	(61.0 - 65.1)	-	280	59.9%	(53.1 - 66.4)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	334	55.7%	(49.3 - 61.9)	8,007	65.2%	(63.6 - 66.7)	-	140	54.2%	(44.4 - 63.6)	3,446	63.7%	(61.3 - 66.1)	NS	194	57.1%	(48.7 - 65.0)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	331	58.7%	(52.3 - 64.8)	7,036	66.0%	(64.3 - 67.6)	NS	144	60.0%	(50.6 - 68.8)	3,073	65.2%	(62.8 - 67.6)	NS	187	57.3%	(48.7 - 65.5)	3,963	66.7%	(64.5 - 68.9)	NS	No
<b>Up-to-date on breast cancer screening, female 50-74 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	173	73.4%	(64.9 - 80.5)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	173	73.4%	(64.9 - 80.5)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	284	67.3%	(60.5 - 73.4)	5,904	76.1%	(74.5 - 77.7)	-	-	-	-	-	-	-	-	284	67.3%	(60.5 - 73.4)	5,904	76.1%	(74.5 - 77.7)	-	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	185	68.1%	(59.3 - 75.7)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	185	68.1%	(59.3 - 75.7)	3,914	73.4%	(71.3 - 75.4)	NS	NA
<b>Up-to-date on cervical cancer screening, female 21-65 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	162	83.6%	(76.0 - 89.1)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	162	83.6%	(76.0 - 89.1)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	232	77.2%	(70.4 - 82.9)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	232	77.2%	(70.4 - 82.9)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	164	73.3%	(63.8 - 81.1)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	164	73.3%	(63.8 - 81.1)	3,814	77.7%	(75.5 - 79.8)	NS	NA
<b>Arthritis</b>																						
<b>Ever told they have arthritis</b>																						
2011	917	31.9%	(28.6 - 35.3)	25,285	23.4%	(22.8 - 24.1)	+	369	29.3%	(24.5 - 34.7)	10,184	20.1%	(19.2 - 21.1)	+	548	34.3%	(30.0 - 38.9)	15,101	26.6%	(25.7 - 27.6)	+	No
2012	666	31.7%	(27.6 - 36.1)	19,089	24.6%	(23.8 - 25.4)	+	265	24.9%	(19.7 - 30.9)	7,839	21.5%	(20.3 - 22.6)	NS	401	38.3%	(32.4 - 44.6)	11,250	27.7%	(26.6 - 28.8)	+	Yes
2013	667	28.1%	(24.4 - 32.1)	17,017	24.7%	(23.8 - 25.7)	NS	259	20.7%	(15.8 - 26.5)	6,925	21.6%	(20.2 - 23.0)	NS	408	35.2%	(30.0 - 40.8)	10,092	27.8%	(26.5 - 29.2)	+	Yes
2014	969	31.5%	(28.2 - 34.9)	22,307	24.6%	(23.8 - 25.4)	+	415	25.9%	(21.5 - 30.8)	9,560	21.6%	(20.5 - 22.8)	NS	554	36.8%	(32.2 - 41.7)	12,747	27.4%	(26.3 - 28.6)	+	Yes
2015	717	30.2%	(26.5 - 34.2)	17,472	23.4%	(22.6 - 24.3)	+	304	25.4%	(20.2 - 31.4)	7,540	19.7%	(18.5 - 20.9)	NS	413	34.9%	(29.9 - 40.2)	9,932	27.1%	(25.9 - 28.4)	+	No
2016	688	26.1%	(22.6 - 30.0)	15,137	24.6%	(23.6 - 25.6)	NS	289	26.0%	(20.7 - 32.0)	6,622	21.7%	(20.3 - 23.2)	NS	399	26.3%	(21.7 - 31.4)	8,515	27.4%	(26.0 - 28.8)	NS	No
<b>Currently have activity limitations due to arthritis, among those ever told they have arthritis<sup>a</sup></b>																						
2011	344	41.9%	(36.0 - 47.9)	7,973	45.2%	(43.6 - 46.8)	NS	123	37.0%	(27.9 - 47.2)	2,711	42.6%	(40.0 - 45.2)	NS	221	45.6%	(38.3 - 53.0)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	223	35.7%	(28.6 - 43.5)	5,460	42.4%	(40.3 - 44.6)	NS	64	33.9%	(22.2 - 47.9)	1,861	41.0%	(37.4 - 44.6)	NS	159	36.8%	(28.3 - 46.2)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	231	47.9%	(40.5 - 55.4)	5,146	44.0%	(41.9 - 46.1)	NS	77	43.7%	(31.7 - 56.5)	1,852	41.9%	(38.6 - 45.3)	NS	154	50.6%	(41.5 - 59.7)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Asthma</b>																						
<b>Ever told they have asthma</b>																						
2011	919	12.3%	(9.8 - 15.3)	25,327	11.5%	(10.9 - 12.1)	NS	370	9.3%	(6.3 - 13.5)	10,194	10.5%	(9.6 - 11.3)	NS	549	15.1%	(11.5 - 19.6)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	672	13.5%	(10.4 - 17.4)	19,105	10.8%	(10.2 - 11.5)	NS	266	9.6%	(6.1 - 14.6)	7,847	9.7%	(8.8 - 10.7)	NS	406	17.4%	(12.5 - 23.5)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	668	10.8%	(8.4 - 13.9)	17,068	11.2%	(10.5 - 12.0)	NS	260	10.4%	(6.9 - 15.3)	6,946	9.6%	(8.6 - 10.8)	NS	408	11.3%	(8.2 - 15.5)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	970	12.1%	(9.9 - 14.8)	22,355	12.2%	(11.5 - 13.0)	NS	416	11.9%	(8.8 - 15.9)	9,583	10.8%	(9.8 - 11.9)	NS	554	12.3%	(9.4 - 16.1)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	715	11.4%	(8.9 - 14.5)	17,492	12.1%	(11.3 - 12.9)	NS	305	9.2%	(6.0 - 13.8)	7,554	10.7%	(9.6 - 12.0)	NS	410	13.7%	(10.1 - 18.2)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	689	11.9%	(9.2 - 15.1)	15,144	12.4%	(11.5 - 13.4)	NS	289	9.7%	(6.5 - 14.2)	6,622	10.4%	(9.2 - 11.8)	NS	400	14.0%	(10.2 - 19.0)	8,522	14.3%	(13.1 - 15.7)	NS	No
<b>Currently have asthma</b>																						
2011	917	7.6%	(5.6 - 10.1)	25,257	7.3%	(6.9 - 7.8)	NS	370	5.4%	(3.3 - 8.7)	10,170	6.0%	(5.4 - 6.7)	NS	547	9.7%	(6.7 - 13.7)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	668	10.5%	(7.7 - 14.1)	19,053	7.4%	(6.9 - 7.9)	NS	265	7.2%	(4.4 - 11.5)	7,832	6.1%	(5.4 - 6.9)	NS	403	13.7%	(9.2 - 19.8)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	666	8.5%	(6.3 - 11.3)	17,024	7.3%	(6.7 - 8.0)	NS	260	8.3%	(5.3 - 12.8)	6,930	5.5%	(4.8 - 6.4)	NS	406	8.6%	(5.8 - 12.4)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	966	8.5%	(6.7 - 10.7)	22,289	7.7%	(7.2 - 8.3)	NS	415	8.1%	(5.6 - 11.4)	9,562	6.2%	(5.5 - 7.0)	NS	551	8.9%	(6.5 - 12.2)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	714	7.7%	(5.6 - 10.4)	17,435	7.2%	(6.6 - 7.8)	NS	304	5.2%	(2.9 - 9.1)	7,533	5.4%	(4.7 - 6.2)	NS	410	10.1%	(7.1 - 14.3)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	688	8.2%	(6.1 - 11.1)	15,116	8.3%	(7.5 - 9.1)	NS	288	5.8%	(3.4 - 9.7)	6,609	6.1%	(5.2 - 7.1)	NS	400	10.6%	(7.3 - 15.2)	8,507	10.4%	(9.3 - 11.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>																						
Ever told they have COPD																						
2011	915	5.7%	(4.3 - 7.6)	25,280	5.0%	(4.6 - 5.3)	NS	366	5.5%	(3.4 - 8.7)	10,171	4.4%	(3.9 - 4.9)	NS	549	5.9%	(4.2 - 8.3)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	670	6.1%	(4.1 - 9.0)	19,075	5.3%	(4.9 - 5.8)	NS	266	4.0%	(2.3 - 6.9)	7,832	4.7%	(4.1 - 5.3)	NS	404	8.2%	(4.9 - 13.5)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	666	6.9%	(4.9 - 9.5)	17,035	5.3%	(4.9 - 5.8)	NS	261	7.3%	(4.5 - 11.6)	6,932	4.8%	(4.2 - 5.5)	NS	405	6.4%	(4.1 - 10.0)	10,103	5.8%	(5.2 - 6.6)	NS	No
2014	966	7.9%	(6.2 - 9.9)	22,313	5.8%	(5.3 - 6.2)	NS	415	6.8%	(4.7 - 9.8)	9,555	5.5%	(4.9 - 6.2)	NS	551	8.9%	(6.5 - 11.9)	12,758	6.1%	(5.5 - 6.7)	NS	No
2015	711	6.9%	(5.2 - 9.3)	17,466	5.4%	(5.0 - 5.9)	NS	302	4.8%	(2.7 - 8.6)	7,536	4.8%	(4.2 - 5.4)	NS	409	9.0%	(6.5 - 12.4)	9,930	6.1%	(5.5 - 6.7)	NS	No
2016	685	5.7%	(4.1 - 7.8)	15,119	5.8%	(5.3 - 6.4)	NS	286	4.3%	(2.5 - 7.5)	6,612	5.1%	(4.4 - 6.0)	NS	399	7.1%	(4.8 - 10.3)	8,507	6.5%	(5.7 - 7.4)	NS	No
<b>Kidney Disease</b>																						
Ever told they have kidney disease																						
2011	920	2.2%	(1.5 - 3.3)	25,345	2.2%	(2.0 - 2.4)	NS	369	1.5%	(0.7 - 3.1)	10,208	2.1%	(1.8 - 2.5)	NS	551	2.9%	(1.8 - 4.7)	15,137	2.2%	(2.0 - 2.5)	NS	No
2012	670	3.6%	(2.4 - 5.6)	19,122	2.4%	(2.2 - 2.7)	NS	265	3.7%	(1.8 - 7.2)	7,850	2.2%	(1.8 - 2.6)	NS	405	3.6%	(2.1 - 6.2)	11,272	2.7%	(2.3 - 3.1)	NS	No
2013	670	1.3%	(0.5 - 2.9)	17,080	2.0%	(1.8 - 2.3)	NS	262	1.2%	(0.3 - 4.4)	6,953	1.9%	(1.5 - 2.4)	NS	408	1.3%	(0.5 - 3.7)	10,127	2.1%	(1.8 - 2.6)	NS	No
2014	970	2.3%	(1.5 - 3.6)	22,362	2.1%	(1.9 - 2.4)	NS	414	1.9%	(1.0 - 3.4)	9,586	2.0%	(1.7 - 2.4)	NS	556	2.7%	(1.5 - 4.9)	12,776	2.3%	(2.0 - 2.6)	NS	No
2015	716	2.7%	(1.7 - 4.2)	17,502	2.4%	(2.1 - 2.7)	NS	304	1.9%	(0.8 - 4.4)	7,550	2.2%	(1.8 - 2.7)	NS	412	3.4%	(2.0 - 5.9)	9,952	2.5%	(2.1 - 2.9)	NS	No
2016	690	2.8%	(1.7 - 4.4)	15,150	2.8%	(2.4 - 3.2)	NS	289	3.0%	(1.4 - 6.1)	6,624	2.2%	(1.8 - 2.8)	NS	401	2.6%	(1.5 - 4.5)	8,526	3.4%	(2.8 - 4.0)	NS	No
<b>Tobacco &amp; E-Cigarettes</b>																						
Current cigarette smoking <sup>a</sup>																						
2011	920	19.9%	(16.8 - 23.5)	25,324	20.0%	(19.3 - 20.7)	NS	368	21.7%	(16.9 - 27.4)	10,189	22.1%	(21.0 - 23.3)	NS	552	18.2%	(14.3 - 23.0)	15,135	17.9%	(17.0 - 18.9)	NS	No
2012	661	21.1%	(17.1 - 25.8)	18,985	19.7%	(18.9 - 20.6)	NS	264	23.5%	(17.7 - 30.4)	7,801	21.4%	(20.1 - 22.7)	NS	397	18.9%	(13.6 - 25.6)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	646	25.8%	(21.5 - 30.5)	16,687	18.5%	(17.5 - 19.5)	+	249	29.4%	(22.6 - 37.2)	6,790	19.8%	(18.3 - 21.4)	+	397	22.4%	(17.5 - 28.2)	9,897	17.2%	(15.9 - 18.5)	NS	No
2014	947	20.4%	(17.1 - 24.0)	21,729	17.3%	(16.5 - 18.2)	NS	400	19.6%	(14.9 - 25.4)	9,311	18.5%	(17.3 - 19.9)	NS	547	21.1%	(16.8 - 26.1)	12,418	16.2%	(15.1 - 17.3)	NS	No
2015	702	20.2%	(16.8 - 24.2)	17,079	17.1%	(16.2 - 18.1)	NS	298	19.4%	(14.3 - 25.9)	7,355	18.4%	(17.0 - 19.9)	NS	404	21.0%	(16.7 - 25.9)	9,724	15.8%	(14.7 - 17.1)	NS	No
2016	669	18.4%	(15.1 - 22.1)	14,790	17.0%	(16.0 - 18.1)	NS	280	20.7%	(15.7 - 26.6)	6,463	18.6%	(17.1 - 20.3)	NS	389	16.1%	(12.2 - 21.0)	8,327	15.4%	(14.1 - 16.8)	NS	No
Attempted to quit smoking in past year, among current cigarette smokers																						
2011	140	56.0%	(46.3 - 65.3)	4,195	55.6%	(53.5 - 57.7)	NS	60	51.3%	(37.6 - 64.7)	1,914	53.4%	(50.4 - 56.3)	NS	80	61.4%	(48.2 - 73.1)	2,281	58.3%	(55.4 - 61.2)	NS	No
2012	110	61.1%	(49.5 - 71.6)	3,023	57.1%	(54.7 - 59.6)	NS	57	53.6%	(38.2 - 68.3)	1,406	55.2%	(51.7 - 58.7)	NS	53	70.2%	(53.4 - 82.9)	1,617	59.3%	(55.9 - 62.7)	NS	No
2013	127	47.1%	(36.7 - 57.7)	2,546	57.1%	(54.1 - 60.2)	NS	52	55.2%	(39.5 - 69.9)	1,147	55.9%	(51.5 - 60.3)	NS	75	37.1%	(24.9 - 51.1)	1,399	58.5%	(54.3 - 62.6)	-	No
2014	164	51.0%	(41.1 - 60.9)	3,241	58.2%	(55.5 - 60.9)	NS	62	48.7%	(33.6 - 64.0)	1,489	57.9%	(54.0 - 61.8)	NS	102	53.1%	(40.3 - 65.6)	1,752	58.5%	(54.6 - 62.2)	NS	No
2015	128	60.3%	(49.9 - 69.9)	2,476	59.1%	(56.1 - 62.0)	NS	49	-	-	1,145	59.2%	(54.8 - 63.5)	NA	79	66.3%	(54.5 - 76.4)	1,331	58.9%	(54.8 - 62.9)	NS	NA
2016	113	47.9%	(37.6 - 58.3)	2,181	54.6%	(51.2 - 58.0)	NS	54	54.5%	(39.9 - 68.3)	1,049	52.7%	(47.9 - 57.5)	NS	59	39.6%	(26.6 - 54.3)	1,132	56.9%	(52.1 - 61.5)	NS	No
Current smokeless tobacco use <sup>a</sup>																						
2011	922	7.4%	(5.4 - 10.0)	25,406	5.6%	(5.2 - 6.0)	NS	370	14.7%	(10.8 - 19.7)	10,231	10.5%	(9.7 - 11.4)	NS	552	0.4%	(0.1 - 1.5)	15,175	0.8%	(0.6 - 1.0)	NS	Yes
2012	663	5.1%	(3.2 - 8.1)	19,041	5.1%	(4.6 - 5.6)	NS	264	9.9%	(6.1 - 15.7)	7,828	9.5%	(8.7 - 10.5)	NS	399	0.5%	(0.1 - 2.1)	11,213	0.8%	(0.6 - 1.2)	NS	Yes
2013	651	6.4%	(4.1 - 9.8)	16,732	5.3%	(4.7 - 5.9)	NS	252	11.7%	(7.3 - 18.2)	6,813	10.1%	(9.0 - 11.2)	NS	399	1.3%	(0.4 - 4.4)	9,919	0.7%	(0.5 - 0.9)	NS	Yes
2014	949	7.8%	(5.9 - 10.2)	21,797	4.7%	(4.2 - 5.1)	+	401	14.4%	(10.7 - 19.1)	9,340	8.5%	(7.7 - 9.3)	+	548	1.4%	(0.7 - 3.0)	12,457	1.0%	(0.7 - 1.3)	NS	Yes
2015	703	5.3%	(3.6 - 7.6)	17,123	5.5%	(4.9 - 6.1)	NS	298	10.1%	(6.8 - 14.8)	7,372	9.9%	(8.9 - 11.1)	NS	405	0.6%	(0.2 - 2.0)	9,751	1.1%	(0.8 - 1.6)	NS	Yes
2016	673	8.5%	(6.1 - 11.7)	14,830	5.7%	(5.1 - 6.2)	NS	282	15.9%	(11.4 - 21.7)	6,478	10.5%	(9.5 - 11.7)	NS	391	1.3%	(0.4 - 4.3)	8,352	0.9%	(0.6 - 1.3)	NS	Yes
Has rule not allowing smoking anywhere inside their home																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	306	87.1%	(81.7 - 91.2)	7,750	88.7%	(87.4 - 89.8)	NS	111	86.5%	(77.1 - 92.4)	3,121	88.3%	(86.2 - 90.0)	NS	195	87.7%	(80.4 - 92.5)	4,629	89.1%	(87.5 - 90.5)	NS	No
2014	488	88.9%	(84.7 - 92.1)	10,582	89.0%	(87.9 - 90.0)	NS	207	84.9%	(76.9 - 90.5)	4,448	87.9%	(86.1 - 89.5)	NS	281	92.4%	(88.5 - 95.1)	6,134	90.0%	(88.6 - 91.2)	NS	No
2015	320	83.8%	(77.8 - 88.4)	7,816	90.1%	(88.9 - 91.1)	-	132	83.6%	(72.4 - 90.8)	3,261	89.2%	(87.2 - 90.9)	NS	188	83.9%	(77.0 - 89.1)	4,555	90.9%	(89.6 - 92.1)	-	No
2016	314	88.1%	(82.6 - 91.9)	7,109	90.8%	(89.6 - 91.8)	NS	133	82.9%	(73.5 - 89.5)	3,122	91.2%	(89.8 - 92.5)	-	181	92.3%	(85.7 - 96.0)	3,987	90.4%	(88.5 - 92.0)	NS	No
Lifetime e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	671	20.1%	(16.6 - 24.2)	14,819	22.6%	(21.4 - 23.9)	NS	281	26.3%	(20.6 - 32.9)	6,474	25.1%	(23.3 - 27.0)	NS	390	14.1%	(10.4 - 18.8)	8,345	20.2%	(18.7 - 21.9)	NS	Yes



Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>				
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	
Median times per day consumed vegetables																							
2011	870	1.50	(1.43 - 1.58)	23,785	1.46	(1.44 - 1.50)	NS	344	1.37	(1.30 - 1.52)	9,534	1.35	(1.33 - 1.41)	NS	526	1.58	(1.52 - 1.72)	14,251	1.57	(1.57 - 1.61)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	605	1.44	(1.36 - 1.53)	15,700	1.57	(1.55 - 1.58)	-	233	1.35	(1.18 - 1.49)	6,373	1.43	(1.42 - 1.50)	NS	372	1.56	(1.43 - 1.72)	9,327	1.70	(1.66 - 1.73)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	652	1.46	(1.39 - 1.59)	15,850	1.53	(1.50 - 1.58)	NS	274	1.38	(1.21 - 1.50)	6,786	1.42	(1.40 - 1.46)	NS	378	1.58	(1.45 - 1.74)	9,064	1.62	(1.58 - 1.69)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed vegetables less than 1 time per day																							
2011	870	22.2%	(19.0 - 25.7)	23,785	26.2%	(25.4 - 27.1)	NS	344	27.0%	(21.9 - 32.7)	9,534	29.7%	(28.4 - 31.0)	NS	526	17.7%	(14.2 - 22.0)	14,251	22.9%	(21.8 - 24.1)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	605	26.1%	(21.8 - 31.0)	15,700	23.3%	(22.2 - 24.4)	NS	233	32.5%	(25.5 - 40.2)	6,373	26.6%	(25.0 - 28.4)	NS	372	20.0%	(15.3 - 25.9)	9,327	20.1%	(18.7 - 21.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	652	26.6%	(22.5 - 31.2)	15,850	24.7%	(23.7 - 25.9)	NS	274	29.2%	(22.7 - 36.6)	6,786	28.3%	(26.6 - 30.0)	NS	378	24.3%	(19.3 - 30.0)	9,064	21.4%	(20.1 - 22.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Physical Activity</b>																							
No leisure-time physical activity in past 30 days <sup>a</sup>																							
2011	898	33.0%	(29.5 - 36.8)	24,433	26.3%	(25.5 - 27.1)	+	355	35.4%	(29.9 - 41.5)	9,795	27.2%	(26.0 - 28.5)	+	543	30.8%	(26.5 - 35.5)	14,638	25.4%	(24.3 - 26.5)	+	No	
2012	672	26.9%	(23.0 - 31.3)	19,153	21.0%	(20.2 - 21.9)	+	266	27.8%	(21.8 - 34.7)	7,865	20.4%	(19.3 - 21.7)	+	406	26.1%	(21.2 - 31.7)	11,288	21.6%	(20.5 - 22.8)	NS	No	
2013	628	33.4%	(29.0 - 38.2)	16,158	25.3%	(24.2 - 26.4)	+	245	32.6%	(26.0 - 40.1)	6,567	26.3%	(24.7 - 28.1)	NS	383	34.2%	(28.6 - 40.4)	9,591	24.3%	(22.9 - 25.8)	+	No	
2014	972	25.0%	(22.0 - 28.2)	22,397	21.3%	(20.4 - 22.1)	NS	417	24.3%	(20.0 - 29.1)	9,599	21.2%	(20.0 - 22.5)	NS	555	25.7%	(21.7 - 30.1)	12,798	21.4%	(20.2 - 22.5)	NS	No	
2015	669	34.3%	(30.0 - 38.9)	16,319	25.3%	(24.3 - 26.4)	+	281	37.0%	(30.1 - 44.5)	6,997	25.3%	(23.8 - 26.9)	+	388	31.8%	(26.7 - 37.4)	9,322	25.4%	(24.0 - 26.8)	NS	No	
2016	690	29.1%	(25.3 - 33.3)	15,169	22.4%	(21.4 - 23.5)	+	289	24.5%	(19.3 - 30.5)	6,633	20.7%	(19.3 - 22.3)	NS	401	33.7%	(28.3 - 39.6)	8,536	24.1%	(22.7 - 25.6)	+	No	
Met aerobic physical activity recommendation <sup>a</sup>																							
2011	880	42.9%	(39.1 - 46.8)	23,735	49.0%	(48.0 - 49.9)	-	347	40.1%	(34.3 - 46.1)	9,544	47.2%	(45.8 - 48.6)	NS	533	45.5%	(40.6 - 50.6)	14,191	50.6%	(49.4 - 51.9)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	617	48.8%	(44.0 - 53.6)	15,730	50.1%	(48.8 - 51.4)	NS	241	48.2%	(40.8 - 55.6)	6,416	48.8%	(46.9 - 50.7)	NS	376	49.3%	(43.3 - 55.4)	9,314	51.4%	(49.7 - 53.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	653	43.1%	(38.5 - 47.8)	15,878	51.3%	(50.0 - 52.5)	-	275	38.5%	(31.7 - 45.7)	6,832	51.1%	(49.2 - 53.0)	-	378	47.4%	(41.6 - 53.3)	9,046	51.4%	(49.8 - 53.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met muscle strengthening recommendation <sup>a</sup>																							
2011	891	21.1%	(18.0 - 24.6)	24,204	28.1%	(27.3 - 29.0)	-	352	22.3%	(17.4 - 28.0)	9,697	32.0%	(30.6 - 33.4)	-	539	20.0%	(16.3 - 24.4)	14,507	24.5%	(23.4 - 25.6)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	619	22.1%	(18.4 - 26.3)	16,021	28.4%	(27.2 - 29.6)	-	239	18.6%	(13.5 - 25.2)	6,499	31.0%	(29.2 - 32.8)	-	380	25.4%	(20.5 - 31.0)	9,522	26.0%	(24.5 - 27.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	661	24.5%	(20.4 - 29.2)	16,117	31.2%	(30.1 - 32.5)	-	277	25.9%	(19.3 - 33.9)	6,893	34.9%	(33.1 - 36.8)	NS	384	23.3%	(18.5 - 28.8)	9,224	27.7%	(26.2 - 29.3)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met both aerobic physical activity and muscle strengthening recommendations <sup>a</sup>																							
2011	873	12.0%	(9.7 - 14.8)	23,567	19.0%	(18.2 - 19.8)	-	344	11.5%	(8.1 - 16.1)	9,477	19.7%	(18.5 - 20.9)	-	529	12.4%	(9.5 - 16.0)	14,090	18.4%	(17.4 - 19.4)	-	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	608	15.1%	(12.0 - 18.9)	15,635	18.8%	(17.8 - 19.9)	NS	235	12.5%	(8.3 - 18.5)	6,366	19.4%	(17.9 - 21.0)	NS	373	17.5%	(13.3 - 22.7)	9,269	18.2%	(16.8 - 19.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	646	15.2%	(12.2 - 18.7)	15,724	21.8%	(20.7 - 22.9)	-	273	11.6%	(8.2 - 16.3)	6,757	23.3%	(21.6 - 25.1)	-	373	18.5%	(14.1 - 23.8)	8,967	20.3%	(18.9 - 21.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Walk for at least 10 minutes at a time for any reason during a usual week																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	330	80.2%	(70.2 - 87.4)	7,895	84.6%	(83.3 - 85.8)	NS	138	73.3%	(55.3 - 85.9)	3,442	84.2%	(82.2 - 86.0)	NS	192	86.9%	(80.3 - 91.5)	4,453	85.1%	(83.4 - 86.6)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-





Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	Public Health Solutions			State of NE			Sig <sup>d</sup>	Public Health Solutions			State of NE			Sig <sup>d</sup>	Public Health Solutions			State of NE			Sig <sup>d</sup>	
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)
<b>Frequent Mental Distress in past 30 days</b>																						
2011	895	8.6%	(6.7 - 11.0)	25,036	9.2%	(8.7 - 9.7)	NS	361	6.6%	(4.3 - 10.1)	10,097	7.7%	(7.0 - 8.4)	NS	534	10.6%	(7.8 - 14.2)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	662	9.4%	(6.9 - 12.7)	18,935	9.0%	(8.4 - 9.7)	NS	262	6.6%	(3.6 - 11.7)	7,786	7.4%	(6.6 - 8.3)	NS	400	12.1%	(8.4 - 17.1)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	666	8.5%	(6.2 - 11.6)	16,889	8.9%	(8.2 - 9.6)	NS	262	6.6%	(3.8 - 11.3)	6,889	6.8%	(5.9 - 7.9)	NS	404	10.4%	(7.1 - 15.0)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	962	10.4%	(8.1 - 13.3)	22,132	8.2%	(7.6 - 8.8)	NS	409	9.3%	(6.1 - 14.1)	9,483	6.4%	(5.6 - 7.3)	NS	553	11.5%	(8.6 - 15.2)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	702	8.3%	(6.2 - 11.0)	17,369	8.9%	(8.2 - 9.6)	NS	303	6.6%	(4.0 - 10.8)	7,491	6.9%	(6.0 - 7.9)	NS	399	10.0%	(7.0 - 13.9)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	686	6.7%	(4.9 - 9.1)	15,035	9.5%	(8.7 - 10.4)	NS	287	4.6%	(2.4 - 8.4)	6,568	7.0%	(6.0 - 8.1)	NS	399	8.8%	(6.1 - 12.4)	8,467	12.0%	(10.8 - 13.3)	NS	No
<b>Currently taking medication or receiving treatment for a mental health condition</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	263	13.2%	(9.0 - 18.9)	6,643	11.0%	(10.0 - 12.1)	NS	92	8.9%	(4.8 - 16.0)	2,693	7.4%	(6.2 - 8.9)	NS	171	16.7%	(10.5 - 25.5)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Symptoms of serious mental illness in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	264	5.3%	(2.4 - 11.0)	6,555	3.2%	(2.6 - 3.9)	NS	93	0.6%	(0.2 - 2.0)	2,657	2.5%	(1.8 - 3.7)	NS	171	9.1%	(4.1 - 18.9)	3,898	3.8%	(2.9 - 4.9)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Alcohol and Drug Use</b>																						
<b>Any alcohol consumption in past 30 days</b>																						
2011	883	59.2%	(55.3 - 62.9)	24,051	61.8%	(60.9 - 62.7)	NS	349	67.4%	(61.7 - 72.7)	9,597	67.7%	(66.4 - 69.1)	NS	534	51.6%	(46.5 - 56.6)	14,454	56.2%	(55.0 - 57.4)	NS	Yes
2012	658	62.0%	(57.2 - 66.6)	18,891	61.3%	(60.3 - 62.3)	NS	262	72.4%	(65.4 - 78.4)	7,749	68.7%	(67.2 - 70.1)	NS	396	52.0%	(45.6 - 58.4)	11,142	54.2%	(52.8 - 55.6)	NS	Yes
2013	646	59.7%	(55.0 - 64.2)	16,614	57.5%	(56.2 - 58.7)	NS	250	66.9%	(59.6 - 73.6)	6,754	63.3%	(61.4 - 65.2)	NS	396	52.9%	(46.9 - 58.8)	9,860	51.8%	(50.2 - 53.5)	NS	Yes
2014	938	58.4%	(54.5 - 62.1)	21,612	59.2%	(58.1 - 60.3)	NS	396	64.7%	(58.9 - 70.2)	9,246	65.2%	(63.6 - 66.8)	NS	542	52.3%	(47.2 - 57.4)	12,366	53.4%	(52.0 - 54.9)	NS	Yes
2015	697	54.7%	(50.0 - 59.3)	16,939	57.6%	(56.4 - 58.8)	NS	296	61.1%	(53.5 - 68.3)	7,282	63.8%	(62.0 - 65.5)	NS	401	48.5%	(42.7 - 54.3)	9,657	51.6%	(50.0 - 53.2)	NS	No
2016	670	58.5%	(53.9 - 62.9)	14,723	59.8%	(58.5 - 61.0)	NS	281	68.0%	(61.3 - 74.0)	6,421	68.0%	(66.1 - 69.8)	NS	389	49.2%	(43.1 - 55.4)	8,302	51.8%	(50.0 - 53.6)	NS	Yes
<b>Binge drank in past 30 days<sup>a</sup></b>																						
2011	879	20.7%	(17.5 - 24.3)	23,948	22.7%	(21.9 - 23.5)	NS	348	27.2%	(22.0 - 33.1)	9,533	30.2%	(28.9 - 31.5)	NS	531	14.7%	(11.2 - 18.9)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	654	20.0%	(16.0 - 24.7)	18,742	22.1%	(21.3 - 23.0)	NS	259	29.0%	(22.2 - 36.7)	7,664	29.1%	(27.6 - 30.5)	NS	395	11.4%	(7.8 - 16.2)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	638	23.2%	(19.2 - 27.9)	16,500	20.0%	(19.0 - 21.1)	NS	248	31.4%	(24.7 - 38.9)	6,687	25.2%	(23.6 - 26.9)	NS	390	15.4%	(11.2 - 20.8)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	931	19.0%	(15.8 - 22.7)	21,443	20.3%	(19.4 - 21.3)	NS	393	29.0%	(23.5 - 35.3)	9,149	26.8%	(25.3 - 28.3)	NS	538	9.4%	(6.8 - 12.9)	12,294	14.1%	(13.0 - 15.3)	-	Yes
2015	693	21.2%	(17.5 - 25.3)	16,832	19.5%	(18.5 - 20.5)	NS	294	25.4%	(19.7 - 32.1)	7,216	26.0%	(24.4 - 27.8)	NS	399	17.1%	(12.8 - 22.5)	9,616	13.1%	(12.0 - 14.3)	NS	No
2016	669	19.9%	(16.5 - 23.7)	14,620	20.0%	(18.9 - 21.1)	NS	281	27.6%	(22.2 - 33.8)	6,367	27.2%	(25.4 - 29.0)	NS	388	12.3%	(8.8 - 16.9)	8,253	13.1%	(11.9 - 14.4)	NS	Yes
<b>Heavy drinking in past 30 days</b>																						
2011	880	8.0%	(6.1 - 10.5)	23,906	7.5%	(7.0 - 8.1)	NS	348	9.3%	(6.3 - 13.6)	9,514	9.2%	(8.4 - 10.2)	NS	532	6.8%	(4.7 - 9.7)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	650	9.4%	(6.5 - 13.4)	18,738	7.2%	(6.6 - 7.7)	NS	256	12.9%	(7.9 - 20.2)	7,668	8.5%	(7.7 - 9.4)	NS	394	6.0%	(3.6 - 9.8)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	641	11.1%	(8.1 - 14.9)	16,513	6.8%	(6.2 - 7.5)	+	250	15.1%	(10.1 - 21.9)	6,698	7.3%	(6.4 - 8.3)	+	391	7.1%	(4.5 - 11.0)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	931	7.2%	(5.3 - 9.8)	21,447	6.4%	(5.9 - 7.0)	NS	393	9.7%	(6.4 - 14.6)	9,158	7.5%	(6.7 - 8.5)	NS	538	4.8%	(3.1 - 7.2)	12,289	5.3%	(4.7 - 6.1)	NS	No
2015	690	6.7%	(4.8 - 9.3)	16,815	5.7%	(5.1 - 6.4)	NS	293	8.0%	(5.1 - 12.3)	7,214	7.0%	(6.0 - 8.1)	NS	397	5.5%	(3.3 - 9.0)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	667	7.6%	(5.5 - 10.3)	14,634	6.6%	(5.9 - 7.3)	NS	280	10.9%	(7.4 - 16.0)	6,376	8.0%	(7.0 - 9.1)	NS	387	4.3%	(2.6 - 6.9)	8,258	5.2%	(4.4 - 6.2)	NS	Yes
<b>Alcohol impaired driving in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	658	4.9%	(2.7 - 8.8)	18,895	3.4%	(3.1 - 3.8)	NS	259	8.9%	(4.6 - 16.4)	7,741	5.5%	(4.9 - 6.3)	NS	399	1.2%	(0.4 - 3.5)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	937	2.6%	(1.4 - 4.9)	21,627	2.5%	(2.2 - 2.9)	NS	393	5.1%	(2.6 - 9.7)	9,242	4.2%	(3.5 - 4.9)	NS	544	0.3%	(0.1 - 1.3)	12,385	1.0%	(0.7 - 1.3)	NS	Yes
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	662	4.2%	(2.6 - 6.5)	14,666	3.4%	(2.9 - 3.9)	NS	278	7.4%	(4.5 - 11.9)	6,383	5.1%	(4.3 - 6.0)	NS	384	1.0%	(0.4 - 2.5)	8,283	1.7%	(1.3 - 2.4)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>				
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	380	35.2%	(29.5 - 41.4)	11,767	30.2%	(29.1 - 31.4)	NS	159	33.1%	(25.1 - 42.2)	4,835	27.3%	(25.7 - 29.0)	NS	221	37.4%	(29.7 - 45.8)	6,932	33.0%	(31.5 - 34.6)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	324	35.1%	(29.0 - 41.8)	7,858	33.5%	(31.9 - 35.1)	NS	134	25.8%	(18.2 - 35.3)	3,283	28.9%	(26.6 - 31.4)	NS	190	42.5%	(33.9 - 51.6)	4,575	37.9%	(35.8 - 40.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	138	46.5%	(36.4 - 56.8)	3,848	49.2%	(46.9 - 51.4)	NS	56	39.3%	(25.1 - 55.6)	1,423	43.9%	(40.4 - 47.4)	NS	82	52.6%	(39.3 - 65.6)	2,425	53.4%	(50.5 - 56.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	115	41.3%	(30.5 - 53.0)	2,684	45.7%	(42.8 - 48.7)	NS	39	-*	-* - *	995	42.6%	(37.9 - 47.4)	NA	76	47.0%	(33.6 - 60.8)	1,689	48.0%	(44.4 - 51.7)	NS	NA	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	645	2.4%	(1.2 - 4.6)	14,160	4.9%	(4.2 - 5.7)	NS	273	2.5%	(0.9 - 6.5)	6,143	7.2%	(6.0 - 8.6)	NS	372	2.3%	(0.9 - 5.4)	8,017	2.7%	(2.1 - 3.5)	NS	No	
<b>Immunization and Infectious Disease</b>																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	888	39.9%	(36.3 - 43.7)	24,156	41.1%	(40.2 - 42.0)	NS	352	32.6%	(27.4 - 38.2)	9,663	35.1%	(33.8 - 36.5)	NS	536	46.7%	(41.8 - 51.7)	14,493	46.8%	(45.6 - 48.1)	NS	Yes	
2012	660	41.6%	(37.0 - 46.4)	18,903	42.2%	(41.2 - 43.2)	NS	260	34.7%	(28.1 - 41.8)	7,754	36.8%	(35.4 - 38.2)	NS	400	48.3%	(41.9 - 54.6)	11,149	47.5%	(46.1 - 48.8)	NS	Yes	
2013	624	42.7%	(38.1 - 47.4)	16,022	45.2%	(43.9 - 46.4)	NS	243	36.9%	(30.3 - 44.2)	6,506	41.2%	(39.4 - 43.1)	NS	381	48.2%	(42.3 - 54.3)	9,516	48.9%	(47.2 - 50.6)	NS	No	
2014	942	43.2%	(39.4 - 47.1)	21,638	43.9%	(42.9 - 45.0)	NS	396	36.5%	(31.1 - 42.2)	9,262	38.8%	(37.3 - 40.4)	NS	546	49.6%	(44.5 - 54.8)	12,376	48.9%	(47.4 - 50.3)	NS	Yes	
2015	660	42.7%	(38.1 - 47.5)	16,091	47.2%	(46.0 - 48.4)	NS	277	35.7%	(28.7 - 43.5)	6,883	40.8%	(39.0 - 42.6)	NS	383	49.2%	(43.4 - 55.1)	9,208	53.4%	(51.7 - 55.0)	NS	No	
2016	663	37.6%	(33.4 - 42.0)	14,685	44.4%	(43.1 - 45.7)	-	278	30.7%	(25.0 - 36.9)	6,401	39.4%	(37.5 - 41.3)	-	385	44.4%	(38.4 - 50.5)	8,284	49.3%	(47.6 - 51.1)	NS	Yes	
Had a flu vaccination in past year, aged 65 years and older <sup>a</sup>																							
2011	348	60.0%	(54.2 - 65.6)	8,185	61.8%	(60.3 - 63.3)	NS	116	57.4%	(47.5 - 66.8)	2,875	59.6%	(57.1 - 62.1)	NS	232	61.8%	(54.7 - 68.5)	5,310	63.4%	(61.5 - 65.3)	NS	No	
2012	257	62.4%	(55.1 - 69.2)	6,625	62.9%	(61.2 - 64.6)	NS	87	58.5%	(46.0 - 70.1)	2,327	60.9%	(58.1 - 63.6)	NS	170	65.2%	(56.6 - 72.9)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	246	60.7%	(53.4 - 67.5)	5,652	66.2%	(64.2 - 68.1)	NS	81	59.9%	(47.6 - 71.1)	2,067	67.6%	(64.4 - 70.6)	NS	165	61.2%	(52.2 - 69.4)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	321	62.9%	(56.5 - 68.8)	7,610	64.7%	(63.2 - 66.2)	NS	111	70.9%	(60.5 - 79.5)	2,971	65.9%	(63.5 - 68.3)	NS	210	57.3%	(49.3 - 64.8)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	238	66.1%	(58.9 - 72.6)	5,578	65.2%	(63.4 - 67.0)	NS	81	68.0%	(55.5 - 78.3)	2,119	64.1%	(61.1 - 66.9)	NS	157	64.9%	(56.0 - 72.9)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	214	52.2%	(44.2 - 60.1)	5,130	62.7%	(60.8 - 64.6)	-	66	51.0%	(37.7 - 64.1)	1,967	62.8%	(59.8 - 65.6)	NS	148	53.1%	(43.2 - 62.7)	3,163	62.7%	(60.2 - 65.1)	NS	No	
Ever had a pneumonia vaccination, aged 65 years and older <sup>a</sup>																							
2011	342	65.5%	(59.6 - 70.9)	7,997	70.3%	(68.8 - 71.7)	NS	111	67.0%	(56.9 - 75.7)	2,772	66.7%	(64.2 - 69.1)	NS	231	64.5%	(57.3 - 71.1)	5,225	72.9%	(71.2 - 74.5)	-	No	
2012	243	62.2%	(54.5 - 69.3)	6,413	70.0%	(68.4 - 71.6)	NS	81	61.4%	(48.2 - 73.1)	2,225	66.9%	(64.1 - 69.6)	NS	162	62.8%	(53.4 - 71.3)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	240	71.5%	(64.3 - 77.7)	5,478	71.7%	(69.8 - 73.4)	NS	77	65.5%	(52.5 - 76.5)	1,970	71.5%	(68.5 - 74.3)	NS	163	75.3%	(67.0 - 82.1)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	311	76.1%	(70.3 - 81.0)	7,372	72.3%	(70.9 - 73.7)	NS	108	76.9%	(66.9 - 84.6)	2,849	70.3%	(67.9 - 72.5)	NS	203	75.5%	(68.4 - 81.4)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	228	70.2%	(63.0 - 76.5)	5,452	73.8%	(72.1 - 75.4)	NS	75	67.7%	(54.8 - 78.3)	2,056	70.3%	(67.4 - 73.0)	NS	153	71.8%	(63.0 - 79.2)	3,396	76.5%	(74.5 - 78.4)	NS	No	
2016	215	68.9%	(61.1 - 75.8)	5,060	75.9%	(74.2 - 77.5)	NS	67	70.8%	(57.9 - 81.1)	1,927	73.7%	(70.9 - 76.3)	NS	148	67.6%	(57.6 - 76.3)	3,133	77.6%	(75.5 - 79.7)	NS	No	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	577	61.2%	(56.4 - 65.9)	14,650	60.2%	(58.9 - 61.5)	NS	227	68.2%	(60.8 - 74.8)	6,015	63.1%	(61.1 - 65.0)	NS	350	54.3%	(48.0 - 60.5)	8,635	57.4%	(55.6 - 59.1)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	615	64.8%	(60.1 - 69.2)	13,574	64.2%	(62.9 - 65.4)	NS	261	71.0%	(64.4 - 76.9)	5,939	67.5%	(65.5 - 69.3)	NS	354	58.8%	(52.2 - 65.0)	7,635	60.9%	(59.2 - 62.7)	NS	No	





Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Occupational Safety and Health</b>																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	179	5.7%	(2.3 - 13.9)	4,952	4.8%	(3.9 - 5.8)	NS	85	9.0%	(3.3 - 22.1)	2,246	6.1%	(4.8 - 7.7)	NS	94	1.2%	(0.2 - 6.3)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	281	5.7%	(3.1 - 10.2)	6,966	4.9%	(4.1 - 5.9)	NS	141	7.7%	(3.9 - 14.8)	3,403	5.4%	(4.4 - 6.7)	NS	140	2.6%	(0.6 - 10.5)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	228	4.9%	(2.3 - 10.2)	5,434	5.7%	(4.7 - 6.8)	NS	117	3.7%	(1.2 - 11.2)	2,727	7.1%	(5.6 - 9.0)	NS	111	6.5%	(2.4 - 16.4)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Data reflect the five county LHD region of Fillmore, Gage, Jefferson, Saline, and Thayer Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

<sup>a</sup> Non-weighted sample size among adults 18 and older (unless different age group noted)

<sup>b</sup> Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

<sup>c</sup> Low and High are the lower and upper limits of the 95% confidence interval, respectively

<sup>d</sup> Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

<sup>e</sup> Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

<sup>f</sup> Reflects a Nebraska Healthy People 2020 (HP2020) measure

\* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

