









Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Public Health Solutions			State of NE		Public Health Solutions			State of NE		Public Health Solutions			State of NE								
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>							
<b>Up-to-date on colon cancer screening, 50-75 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2012	301	53.2%	(46.6 - 59.7)	9,022	61.1%	(59.6 - 62.5)	NS	123	45.0%	(35.4 - 55.0)	3,733	58.4%	(56.1 - 60.6)	-	178	61.1%	(52.4 - 69.0)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	310	56.3%	(49.4 - 63.0)	7,979	62.8%	(61.1 - 64.4)	NS	122	57.3%	(46.4 - 67.6)	3,275	61.0%	(58.5 - 63.6)	NS	188	55.3%	(46.8 - 63.5)	4,704	64.4%	(62.2 - 66.6)	NS	No
2014	487	55.6%	(50.5 - 60.6)	10,646	64.1%	(62.8 - 65.5)	-	207	50.9%	(43.2 - 58.6)	4,681	63.0%	(61.0 - 65.1)	-	280	59.9%	(53.1 - 66.4)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	334	55.7%	(49.3 - 61.9)	8,007	65.2%	(63.6 - 66.7)	-	140	54.2%	(44.4 - 63.6)	3,446	63.7%	(61.3 - 66.1)	NS	194	57.1%	(48.7 - 65.0)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	331	58.7%	(52.3 - 64.8)	7,036	66.0%	(64.3 - 67.6)	NS	144	60.0%	(50.6 - 68.8)	3,073	65.2%	(62.8 - 67.6)	NS	187	57.3%	(48.7 - 65.5)	3,963	66.7%	(64.5 - 68.9)	NS	No
<b>Up-to-date on breast cancer screening, female 50-74 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2012	173	73.4%	(64.9 - 80.5)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	-	-						
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2014	284	67.3%	(60.5 - 73.4)	5,904	76.1%	(74.5 - 77.7)	-	-	-	-	-	-	-	-	-	-						
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2016	185	68.1%	(59.3 - 75.7)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	-	-						
<b>Up-to-date on cervical cancer screening, female 21-65 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2012	162	83.6%	(76.0 - 89.1)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	-	-						
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2014	232	77.2%	(70.4 - 82.9)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	-	-						
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2016	164	73.3%	(63.8 - 81.1)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	-	-						
<b>Arthritis</b>																						
<b>Ever told they have arthritis</b>																						
2011	917	31.9%	(28.6 - 35.3)	25,285	23.4%	(22.8 - 24.1)	+	369	29.3%	(24.5 - 34.7)	10,184	20.1%	(19.2 - 21.1)	+	548	34.3%	(30.0 - 38.9)	15,101	26.6%	(25.7 - 27.6)	+	No
2012	666	31.7%	(27.6 - 36.1)	19,089	24.6%	(23.8 - 25.4)	+	265	24.9%	(19.7 - 30.9)	7,839	21.5%	(20.3 - 22.6)	NS	401	38.3%	(32.4 - 44.6)	11,250	27.7%	(26.6 - 28.8)	+	Yes
2013	667	28.1%	(24.4 - 32.1)	17,017	24.7%	(23.8 - 25.7)	NS	259	20.7%	(15.8 - 26.5)	6,925	21.6%	(20.2 - 23.0)	NS	408	35.2%	(30.0 - 40.8)	10,092	27.8%	(26.5 - 29.2)	+	Yes
2014	969	31.5%	(28.2 - 34.9)	22,307	24.6%	(23.8 - 25.4)	+	415	25.9%	(21.5 - 30.8)	9,560	21.6%	(20.5 - 22.8)	NS	554	36.8%	(32.2 - 41.7)	12,747	27.4%	(26.3 - 28.6)	+	Yes
2015	717	30.2%	(26.5 - 34.2)	17,472	23.4%	(22.6 - 24.3)	+	304	25.4%	(20.2 - 31.4)	7,540	19.7%	(18.5 - 20.9)	NS	413	34.9%	(29.9 - 40.2)	9,932	27.1%	(25.9 - 28.4)	+	No
2016	688	26.1%	(22.6 - 30.0)	15,137	24.6%	(23.6 - 25.6)	NS	289	26.0%	(20.7 - 32.0)	6,622	21.7%	(20.3 - 23.2)	NS	399	26.3%	(21.7 - 31.4)	8,515	27.4%	(26.0 - 28.8)	NS	No
<b>Currently have activity limitations due to arthritis, among those ever told they have arthritis<sup>a</sup></b>																						
2011	344	41.9%	(36.0 - 47.9)	7,973	45.2%	(43.6 - 46.8)	NS	123	37.0%	(27.9 - 47.2)	2,711	42.6%	(40.0 - 45.2)	NS	221	45.6%	(38.3 - 53.0)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2013	223	35.7%	(28.6 - 43.5)	5,460	42.4%	(40.3 - 44.6)	NS	64	33.9%	(22.2 - 47.9)	1,861	41.0%	(37.4 - 44.6)	NS	159	36.8%	(28.3 - 46.2)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
2015	231	47.9%	(40.5 - 55.4)	5,146	44.0%	(41.9 - 46.1)	NS	77	43.7%	(31.7 - 56.5)	1,852	41.9%	(38.6 - 45.3)	NS	154	50.6%	(41.5 - 59.7)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
<b>Asthma</b>																						
<b>Ever told they have asthma</b>																						
2011	919	12.3%	(9.8 - 15.3)	25,327	11.5%	(10.9 - 12.1)	NS	370	9.3%	(6.3 - 13.5)	10,194	10.5%	(9.6 - 11.3)	NS	549	15.1%	(11.5 - 19.6)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	672	13.5%	(10.4 - 17.4)	19,105	10.8%	(10.2 - 11.5)	NS	266	9.6%	(6.1 - 14.6)	7,847	9.7%	(8.8 - 10.7)	NS	406	17.4%	(12.5 - 23.5)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	668	10.8%	(8.4 - 13.9)	17,068	11.2%	(10.5 - 12.0)	NS	260	10.4%	(6.9 - 15.3)	6,946	9.6%	(8.6 - 10.8)	NS	408	11.3%	(8.2 - 15.5)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	970	12.1%	(9.9 - 14.8)	22,355	12.2%	(11.5 - 13.0)	NS	416	11.9%	(8.8 - 15.9)	9,583	10.8%	(9.8 - 11.9)	NS	554	12.3%	(9.4 - 16.1)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	715	11.4%	(8.9 - 14.5)	17,492	12.1%	(11.3 - 12.9)	NS	305	9.2%	(6.0 - 13.8)	7,554	10.7%	(9.6 - 12.0)	NS	410	13.7%	(10.1 - 18.2)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	689	11.9%	(9.2 - 15.1)	15,144	12.4%	(11.5 - 13.4)	NS	289	9.7%	(6.5 - 14.2)	6,622	10.4%	(9.2 - 11.8)	NS	400	14.0%	(10.2 - 19.0)	8,522	14.3%	(13.1 - 15.7)	NS	No
<b>Currently have asthma</b>																						
2011	917	7.6%	(5.6 - 10.1)	25,257	7.3%	(6.9 - 7.8)	NS	370	5.4%	(3.3 - 8.7)	10,170	6.0%	(5.4 - 6.7)	NS	547	9.7%	(6.7 - 13.7)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	668	10.5%	(7.7 - 14.1)	19,053	7.4%	(6.9 - 7.9)	NS	265	7.2%	(4.4 - 11.5)	7,832	6.1%	(5.4 - 6.9)	NS	403	13.7%	(9.2 - 19.8)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	666	8.5%	(6.3 - 11.3)	17,024	7.3%	(6.7 - 8.0)	NS	260	8.3%	(5.3 - 12.8)	6,930	5.5%	(4.8 - 6.4)	NS	406	8.6%	(5.8 - 12.4)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	966	8.5%	(6.7 - 10.7)	22,289	7.7%	(7.2 - 8.3)	NS	415	8.1%	(5.6 - 11.4)	9,562	6.2%	(5.5 - 7.0)	NS	551	8.9%	(6.5 - 12.2)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	714	7.7%	(5.6 - 10.4)	17,435	7.2%	(6.6 - 7.8)	NS	304	5.2%	(2.9 - 9.1)	7,533	5.4%	(4.7 - 6.2)	NS	410	10.1%	(7.1 - 14.3)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	688	8.2%	(6.1 - 11.1)	15,116	8.3%	(7.5 - 9.1)	NS	288	5.8%	(3.4 - 9.7)	6,609	6.1%	(5.2 - 7.1)	NS	400	10.6%	(7.3 - 15.2)	8,507	10.4%	(9.3 - 11.6)	NS	No



Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>				
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	
Current e-cigarette use																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	671	3.5%	(2.2 - 5.5)	14,819	4.9%	(4.3 - 5.6)	NS	281	4.4%	(2.4 - 8.0)	6,474	5.3%	(4.5 - 6.4)	NS	390	2.6%	(1.3 - 5.0)	8,345	4.5%	(3.7 - 5.6)	NS	No	
<b>Overweight and Obesity</b>																							
Obese (BMI=30+) <sup>^</sup>																							
2011	885	33.2%	(29.6 - 36.9)	24,366	28.4%	(27.6 - 29.2)	+	365	33.1%	(27.9 - 38.8)	10,102	29.2%	(28.0 - 30.4)	NS	520	33.2%	(28.6 - 38.2)	14,264	27.6%	(26.5 - 28.8)	NS	No	
2012	647	33.2%	(28.8 - 37.9)	18,385	28.6%	(27.7 - 29.6)	NS	262	35.5%	(28.8 - 42.8)	7,781	29.2%	(27.9 - 30.6)	NS	385	30.9%	(25.4 - 36.9)	10,604	28.1%	(26.8 - 29.3)	NS	No	
2013	633	36.0%	(31.6 - 40.8)	16,250	29.6%	(28.4 - 30.7)	+	256	34.5%	(28.0 - 41.5)	6,860	30.8%	(29.1 - 32.5)	NS	377	37.7%	(31.8 - 44.0)	9,390	28.4%	(26.9 - 29.9)	+	No	
2014	916	32.2%	(28.6 - 36.0)	21,130	30.2%	(29.2 - 31.3)	NS	406	33.7%	(28.4 - 39.4)	9,399	31.7%	(30.2 - 33.2)	NS	510	30.6%	(25.8 - 35.8)	11,731	28.7%	(27.4 - 30.1)	NS	No	
2015	666	35.7%	(31.4 - 40.2)	16,265	31.4%	(30.3 - 32.5)	NS	301	35.6%	(29.3 - 42.5)	7,323	32.9%	(31.3 - 34.6)	NS	365	35.8%	(30.2 - 41.7)	8,942	29.8%	(28.3 - 31.3)	NS	No	
2016	647	35.7%	(31.4 - 40.3)	14,173	32.0%	(30.8 - 33.2)	NS	280	40.5%	(34.1 - 47.2)	6,460	32.6%	(30.8 - 34.3)	NS	367	30.9%	(25.4 - 37.0)	7,713	31.4%	(29.7 - 33.1)	NS	No	
Overweight or Obese (BMI=25+)																							
2011	885	67.1%	(63.2 - 70.7)	24,366	64.9%	(64.0 - 65.8)	NS	365	72.9%	(66.9 - 78.1)	10,102	72.8%	(71.5 - 74.1)	NS	520	61.2%	(56.1 - 66.1)	14,264	56.8%	(55.5 - 58.1)	NS	Yes	
2012	647	71.2%	(66.5 - 75.5)	18,385	65.0%	(64.0 - 66.0)	+	262	78.0%	(71.0 - 83.6)	7,781	72.3%	(70.8 - 73.7)	NS	385	64.4%	(57.9 - 70.4)	10,604	57.6%	(56.2 - 59.0)	NS	Yes	
2013	633	71.8%	(67.4 - 75.9)	16,250	65.5%	(64.2 - 66.7)	+	256	78.8%	(72.0 - 84.3)	6,860	72.2%	(70.4 - 74.0)	NS	377	64.7%	(58.7 - 70.3)	9,390	58.5%	(56.8 - 60.2)	NS	Yes	
2014	916	71.5%	(67.8 - 74.9)	21,130	66.7%	(65.6 - 67.8)	+	406	81.0%	(75.8 - 85.4)	9,399	73.8%	(72.3 - 75.3)	+	510	61.6%	(56.4 - 66.6)	11,731	59.2%	(57.7 - 60.7)	NS	Yes	
2015	666	70.2%	(65.4 - 74.5)	16,265	67.0%	(65.8 - 68.2)	NS	301	76.5%	(68.8 - 82.8)	7,323	73.4%	(71.7 - 75.1)	NS	365	63.2%	(57.2 - 68.9)	8,942	60.2%	(58.6 - 61.9)	NS	No	
2016	647	72.3%	(67.9 - 76.4)	14,173	68.5%	(67.3 - 69.8)	NS	280	77.0%	(70.5 - 82.4)	6,460	74.9%	(73.1 - 76.6)	NS	367	67.6%	(61.3 - 73.3)	7,713	61.8%	(59.9 - 63.6)	NS	No	
<b>Nutrition</b>																							
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	309	31.6%	(25.1 - 39.0)	7,822	28.5%	(26.8 - 30.3)	NS	114	34.8%	(24.6 - 46.6)	3,164	35.8%	(33.1 - 38.5)	NS	195	29.0%	(21.1 - 38.6)	4,658	21.7%	(19.7 - 24.0)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	310	44.4%	(37.8 - 51.2)	7,818	46.3%	(44.6 - 48.1)	NS	114	39.6%	(29.7 - 50.4)	3,165	43.4%	(40.8 - 46.0)	NS	196	48.3%	(39.7 - 56.9)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	330	45.1%	(37.5 - 52.9)	7,892	46.8%	(45.0 - 48.5)	NS	139	41.4%	(29.9 - 53.9)	3,436	46.0%	(43.4 - 48.7)	NS	191	48.7%	(39.7 - 57.9)	4,456	47.5%	(45.2 - 49.8)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Median times per day consumed fruits																							
2011	877	1.07	(1.00 - 1.15)	24,090	1.02	(1.02 - 1.04)	NS	348	0.96	(0.85 - 1.02)	9,660	0.99	(0.99 - 1.00)	NS	529	1.28	(1.13 - 1.42)	14,430	1.14	(1.13 - 1.14)	NS	Yes	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	612	1.00	(0.99 - 1.00)	15,949	1.00	(1.00 - 1.00)	NS	238	0.86	(0.66 - 0.94)	6,462	0.99	(0.99 - 1.00)	-	374	1.00	(1.00 - 1.14)	9,487	1.07	(1.06 - 1.14)	NS	Yes	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	663	0.96	(0.93 - 0.99)	16,135	1.00	(1.00 - 1.00)	-	278	0.76	(0.54 - 0.95)	6,899	0.99	(0.98 - 1.00)	-	385	0.99	(0.97 - 1.17)	9,236	1.03	(1.02 - 1.09)	NS	Yes	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Consumed fruits less than 1 time per day																							
2011	877	38.8%	(35.0 - 42.7)	24,090	40.1%	(39.2 - 41.1)	NS	348	45.2%	(39.2 - 51.3)	9,660	46.2%	(44.8 - 47.6)	NS	529	32.8%	(28.1 - 37.8)	14,430	34.3%	(33.1 - 35.6)	NS	Yes	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	612	43.8%	(39.0 - 48.7)	15,949	39.7%	(38.5 - 41.0)	NS	238	50.7%	(43.2 - 58.1)	6,462	45.4%	(43.4 - 47.3)	NS	374	37.1%	(31.3 - 43.3)	9,487	34.4%	(32.8 - 36.1)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	663	44.9%	(40.2 - 49.7)	16,135	41.1%	(39.9 - 42.4)	NS	278	55.3%	(47.9 - 62.5)	6,899	47.4%	(45.6 - 49.3)	NS	385	35.3%	(29.8 - 41.2)	9,236	35.1%	(33.5 - 36.7)	NS	Yes	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	







Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Frequent Mental Distress in past 30 days</b>																						
2011	895	8.6%	(6.7 - 11.0)	25,036	9.2%	(8.7 - 9.7)	NS	361	6.6%	(4.3 - 10.1)	10,097	7.7%	(7.0 - 8.4)	NS	534	10.6%	(7.8 - 14.2)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	662	9.4%	(6.9 - 12.7)	18,935	9.0%	(8.4 - 9.7)	NS	262	6.6%	(3.6 - 11.7)	7,786	7.4%	(6.6 - 8.3)	NS	400	12.1%	(8.4 - 17.1)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	666	8.5%	(6.2 - 11.6)	16,889	8.9%	(8.2 - 9.6)	NS	262	6.6%	(3.8 - 11.3)	6,889	6.8%	(5.9 - 7.9)	NS	404	10.4%	(7.1 - 15.0)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	962	10.4%	(8.1 - 13.3)	22,132	8.2%	(7.6 - 8.8)	NS	409	9.3%	(6.1 - 14.1)	9,483	6.4%	(5.6 - 7.3)	NS	553	11.5%	(8.6 - 15.2)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	702	8.3%	(6.2 - 11.0)	17,369	8.9%	(8.2 - 9.6)	NS	303	6.6%	(4.0 - 10.8)	7,491	6.9%	(6.0 - 7.9)	NS	399	10.0%	(7.0 - 13.9)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	686	6.7%	(4.9 - 9.1)	15,035	9.5%	(8.7 - 10.4)	NS	287	4.6%	(2.4 - 8.4)	6,568	7.0%	(6.0 - 8.1)	NS	399	8.8%	(6.1 - 12.4)	8,467	12.0%	(10.8 - 13.3)	NS	No
<b>Currently taking medication or receiving treatment for a mental health condition</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	263	13.2%	(9.0 - 18.9)	6,643	11.0%	(10.0 - 12.1)	NS	92	8.9%	(4.8 - 16.0)	2,693	7.4%	(6.2 - 8.9)	NS	171	16.7%	(10.5 - 25.5)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Symptoms of serious mental illness in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	264	5.3%	(2.4 - 11.0)	6,555	3.2%	(2.6 - 3.9)	NS	93	0.6%	(0.2 - 2.0)	2,657	2.5%	(1.8 - 3.7)	NS	171	9.1%	(4.1 - 18.9)	3,898	3.8%	(2.9 - 4.9)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Alcohol and Drug Use</b>																						
<b>Any alcohol consumption in past 30 days</b>																						
2011	883	59.2%	(55.3 - 62.9)	24,051	61.8%	(60.9 - 62.7)	NS	349	67.4%	(61.7 - 72.7)	9,597	67.7%	(66.4 - 69.1)	NS	534	51.6%	(46.5 - 56.6)	14,454	56.2%	(55.0 - 57.4)	NS	Yes
2012	658	62.0%	(57.2 - 66.6)	18,891	61.3%	(60.3 - 62.3)	NS	262	72.4%	(65.4 - 78.4)	7,749	68.7%	(67.2 - 70.1)	NS	396	52.0%	(45.6 - 58.4)	11,142	54.2%	(52.8 - 55.6)	NS	Yes
2013	646	59.7%	(55.0 - 64.2)	16,614	57.5%	(56.2 - 58.7)	NS	250	66.9%	(59.6 - 73.6)	6,754	63.3%	(61.4 - 65.2)	NS	396	52.9%	(46.9 - 58.8)	9,860	51.8%	(50.2 - 53.5)	NS	Yes
2014	938	58.4%	(54.5 - 62.1)	21,612	59.2%	(58.1 - 60.3)	NS	396	64.7%	(58.9 - 70.2)	9,246	65.2%	(63.6 - 66.8)	NS	542	52.3%	(47.2 - 57.4)	12,366	53.4%	(52.0 - 54.9)	NS	Yes
2015	697	54.7%	(50.0 - 59.3)	16,939	57.6%	(56.4 - 58.8)	NS	296	61.1%	(53.5 - 68.3)	7,282	63.8%	(62.0 - 65.5)	NS	401	48.5%	(42.7 - 54.3)	9,657	51.6%	(50.0 - 53.2)	NS	No
2016	670	58.5%	(53.9 - 62.9)	14,723	59.8%	(58.5 - 61.0)	NS	281	68.0%	(61.3 - 74.0)	6,421	68.0%	(66.1 - 69.8)	NS	389	49.2%	(43.1 - 55.4)	8,302	51.8%	(50.0 - 53.6)	NS	Yes
<b>Binge drank in past 30 days<sup>a</sup></b>																						
2011	879	20.7%	(17.5 - 24.3)	23,948	22.7%	(21.9 - 23.5)	NS	348	27.2%	(22.0 - 33.1)	9,533	30.2%	(28.9 - 31.5)	NS	531	14.7%	(11.2 - 18.9)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	654	20.0%	(16.0 - 24.7)	18,742	22.1%	(21.3 - 23.0)	NS	259	29.0%	(22.2 - 36.7)	7,664	29.1%	(27.6 - 30.5)	NS	395	11.4%	(7.8 - 16.2)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	638	23.2%	(19.2 - 27.9)	16,500	20.0%	(19.0 - 21.1)	NS	248	31.4%	(24.7 - 38.9)	6,687	25.2%	(23.6 - 26.9)	NS	390	15.4%	(11.2 - 20.8)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	931	19.0%	(15.8 - 22.7)	21,443	20.3%	(19.4 - 21.3)	NS	393	29.0%	(23.5 - 35.3)	9,149	26.8%	(25.3 - 28.3)	NS	538	9.4%	(6.8 - 12.9)	12,294	14.1%	(13.0 - 15.3)	-	Yes
2015	693	21.2%	(17.5 - 25.3)	16,832	19.5%	(18.5 - 20.5)	NS	294	25.4%	(19.7 - 32.1)	7,216	26.0%	(24.4 - 27.8)	NS	399	17.1%	(12.8 - 22.5)	9,616	13.1%	(12.0 - 14.3)	NS	No
2016	669	19.9%	(16.5 - 23.7)	14,620	20.0%	(18.9 - 21.1)	NS	281	27.6%	(22.2 - 33.8)	6,367	27.2%	(25.4 - 29.0)	NS	388	12.3%	(8.8 - 16.9)	8,253	13.1%	(11.9 - 14.4)	NS	Yes
<b>Heavy drinking in past 30 days</b>																						
2011	880	8.0%	(6.1 - 10.5)	23,906	7.5%	(7.0 - 8.1)	NS	348	9.3%	(6.3 - 13.6)	9,514	9.2%	(8.4 - 10.2)	NS	532	6.8%	(4.7 - 9.7)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	650	9.4%	(6.5 - 13.4)	18,738	7.2%	(6.6 - 7.7)	NS	256	12.9%	(7.9 - 20.2)	7,668	8.5%	(7.7 - 9.4)	NS	394	6.0%	(3.6 - 9.8)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	641	11.1%	(8.1 - 14.9)	16,513	6.8%	(6.2 - 7.5)	+	250	15.1%	(10.1 - 21.9)	6,698	7.3%	(6.4 - 8.3)	+	391	7.1%	(4.5 - 11.0)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	931	7.2%	(5.3 - 9.8)	21,447	6.4%	(5.9 - 7.0)	NS	393	9.7%	(6.4 - 14.6)	9,158	7.5%	(6.7 - 8.5)	NS	538	4.8%	(3.1 - 7.2)	12,289	5.3%	(4.7 - 6.1)	NS	No
2015	690	6.7%	(4.8 - 9.3)	16,815	5.7%	(5.1 - 6.4)	NS	293	8.0%	(5.1 - 12.3)	7,214	7.0%	(6.0 - 8.1)	NS	397	5.5%	(3.3 - 9.0)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	667	7.6%	(5.5 - 10.3)	14,634	6.6%	(5.9 - 7.3)	NS	280	10.9%	(7.4 - 16.0)	6,376	8.0%	(7.0 - 9.1)	NS	387	4.3%	(2.6 - 6.9)	8,258	5.2%	(4.4 - 6.2)	NS	Yes
<b>Alcohol impaired driving in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	658	4.9%	(2.7 - 8.8)	18,895	3.4%	(3.1 - 3.8)	NS	259	8.9%	(4.6 - 16.4)	7,741	5.5%	(4.9 - 6.3)	NS	399	1.2%	(0.4 - 3.5)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	937	2.6%	(1.4 - 4.9)	21,627	2.5%	(2.2 - 2.9)	NS	393	5.1%	(2.6 - 9.7)	9,242	4.2%	(3.5 - 4.9)	NS	544	0.3%	(0.1 - 1.3)	12,385	1.0%	(0.7 - 1.3)	NS	Yes
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	662	4.2%	(2.6 - 6.5)	14,666	3.4%	(2.9 - 3.9)	NS	278	7.4%	(4.5 - 11.9)	6,383	5.1%	(4.3 - 6.0)	NS	384	1.0%	(0.4 - 2.5)	8,283	1.7%	(1.3 - 2.4)	NS	Yes

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>				
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	380	35.2%	(29.5 - 41.4)	11,767	30.2%	(29.1 - 31.4)	NS	159	33.1%	(25.1 - 42.2)	4,835	27.3%	(25.7 - 29.0)	NS	221	37.4%	(29.7 - 45.8)	6,932	33.0%	(31.5 - 34.6)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	324	35.1%	(29.0 - 41.8)	7,858	33.5%	(31.9 - 35.1)	NS	134	25.8%	(18.2 - 35.3)	3,283	28.9%	(26.6 - 31.4)	NS	190	42.5%	(33.9 - 51.6)	4,575	37.9%	(35.8 - 40.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	138	46.5%	(36.4 - 56.8)	3,848	49.2%	(46.9 - 51.4)	NS	56	39.3%	(25.1 - 55.6)	1,423	43.9%	(40.4 - 47.4)	NS	82	52.6%	(39.3 - 65.6)	2,425	53.4%	(50.5 - 56.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	115	41.3%	(30.5 - 53.0)	2,684	45.7%	(42.8 - 48.7)	NS	39	-*	-* - *	995	42.6%	(37.9 - 47.4)	NA	76	47.0%	(33.6 - 60.8)	1,689	48.0%	(44.4 - 51.7)	NS	NA	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	645	2.4%	(1.2 - 4.6)	14,160	4.9%	(4.2 - 5.7)	NS	273	2.5%	(0.9 - 6.5)	6,143	7.2%	(6.0 - 8.6)	NS	372	2.3%	(0.9 - 5.4)	8,017	2.7%	(2.1 - 3.5)	NS	No	
<b>Immunization and Infectious Disease</b>																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	888	39.9%	(36.3 - 43.7)	24,156	41.1%	(40.2 - 42.0)	NS	352	32.6%	(27.4 - 38.2)	9,663	35.1%	(33.8 - 36.5)	NS	536	46.7%	(41.8 - 51.7)	14,493	46.8%	(45.6 - 48.1)	NS	Yes	
2012	660	41.6%	(37.0 - 46.4)	18,903	42.2%	(41.2 - 43.2)	NS	260	34.7%	(28.1 - 41.8)	7,754	36.8%	(35.4 - 38.2)	NS	400	48.3%	(41.9 - 54.6)	11,149	47.5%	(46.1 - 48.8)	NS	Yes	
2013	624	42.7%	(38.1 - 47.4)	16,022	45.2%	(43.9 - 46.4)	NS	243	36.9%	(30.3 - 44.2)	6,506	41.2%	(39.4 - 43.1)	NS	381	48.2%	(42.3 - 54.3)	9,516	48.9%	(47.2 - 50.6)	NS	No	
2014	942	43.2%	(39.4 - 47.1)	21,638	43.9%	(42.9 - 45.0)	NS	396	36.5%	(31.1 - 42.2)	9,262	38.8%	(37.3 - 40.4)	NS	546	49.6%	(44.5 - 54.8)	12,376	48.9%	(47.4 - 50.3)	NS	Yes	
2015	660	42.7%	(38.1 - 47.5)	16,091	47.2%	(46.0 - 48.4)	NS	277	35.7%	(28.7 - 43.5)	6,883	40.8%	(39.0 - 42.6)	NS	383	49.2%	(43.4 - 55.1)	9,208	53.4%	(51.7 - 55.0)	NS	No	
2016	663	37.6%	(33.4 - 42.0)	14,685	44.4%	(43.1 - 45.7)	-	278	30.7%	(25.0 - 36.9)	6,401	39.4%	(37.5 - 41.3)	-	385	44.4%	(38.4 - 50.5)	8,284	49.3%	(47.6 - 51.1)	NS	Yes	
Had a flu vaccination in past year, aged 65 years and older <sup>a</sup>																							
2011	348	60.0%	(54.2 - 65.6)	8,185	61.8%	(60.3 - 63.3)	NS	116	57.4%	(47.5 - 66.8)	2,875	59.6%	(57.1 - 62.1)	NS	232	61.8%	(54.7 - 68.5)	5,310	63.4%	(61.5 - 65.3)	NS	No	
2012	257	62.4%	(55.1 - 69.2)	6,625	62.9%	(61.2 - 64.6)	NS	87	58.5%	(46.0 - 70.1)	2,327	60.9%	(58.1 - 63.6)	NS	170	65.2%	(56.6 - 72.9)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	246	60.7%	(53.4 - 67.5)	5,652	66.2%	(64.2 - 68.1)	NS	81	59.9%	(47.6 - 71.1)	2,067	67.6%	(64.4 - 70.6)	NS	165	61.2%	(52.2 - 69.4)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	321	62.9%	(56.5 - 68.8)	7,610	64.7%	(63.2 - 66.2)	NS	111	70.9%	(60.5 - 79.5)	2,971	65.9%	(63.5 - 68.3)	NS	210	57.3%	(49.3 - 64.8)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	238	66.1%	(58.9 - 72.6)	5,578	65.2%	(63.4 - 67.0)	NS	81	68.0%	(55.5 - 78.3)	2,119	64.1%	(61.1 - 66.9)	NS	157	64.9%	(56.0 - 72.9)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	214	52.2%	(44.2 - 60.1)	5,130	62.7%	(60.8 - 64.6)	-	66	51.0%	(37.7 - 64.1)	1,967	62.8%	(59.8 - 65.6)	NS	148	53.1%	(43.2 - 62.7)	3,163	62.7%	(60.2 - 65.1)	NS	No	
Ever had a pneumonia vaccination, aged 65 years and older <sup>a</sup>																							
2011	342	65.5%	(59.6 - 70.9)	7,997	70.3%	(68.8 - 71.7)	NS	111	67.0%	(56.9 - 75.7)	2,772	66.7%	(64.2 - 69.1)	NS	231	64.5%	(57.3 - 71.1)	5,225	72.9%	(71.2 - 74.5)	-	No	
2012	243	62.2%	(54.5 - 69.3)	6,413	70.0%	(68.4 - 71.6)	NS	81	61.4%	(48.2 - 73.1)	2,225	66.9%	(64.1 - 69.6)	NS	162	62.8%	(53.4 - 71.3)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	240	71.5%	(64.3 - 77.7)	5,478	71.7%	(69.8 - 73.4)	NS	77	65.5%	(52.5 - 76.5)	1,970	71.5%	(68.5 - 74.3)	NS	163	75.3%	(67.0 - 82.1)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	311	76.1%	(70.3 - 81.0)	7,372	72.3%	(70.9 - 73.7)	NS	108	76.9%	(66.9 - 84.6)	2,849	70.3%	(67.9 - 72.5)	NS	203	75.5%	(68.4 - 81.4)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	228	70.2%	(63.0 - 76.5)	5,452	73.8%	(72.1 - 75.4)	NS	75	67.7%	(54.8 - 78.3)	2,056	70.3%	(67.4 - 73.0)	NS	153	71.8%	(63.0 - 79.2)	3,396	76.5%	(74.5 - 78.4)	NS	No	
2016	215	68.9%	(61.1 - 75.8)	5,060	75.9%	(74.2 - 77.5)	NS	67	70.8%	(57.9 - 81.1)	1,927	73.7%	(70.9 - 76.3)	NS	148	67.6%	(57.6 - 76.3)	3,133	77.6%	(75.5 - 79.7)	NS	No	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	577	61.2%	(56.4 - 65.9)	14,650	60.2%	(58.9 - 61.5)	NS	227	68.2%	(60.8 - 74.8)	6,015	63.1%	(61.1 - 65.0)	NS	350	54.3%	(48.0 - 60.5)	8,635	57.4%	(55.6 - 59.1)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	615	64.8%	(60.1 - 69.2)	13,574	64.2%	(62.9 - 65.4)	NS	261	71.0%	(64.4 - 76.9)	5,939	67.5%	(65.5 - 69.3)	NS	354	58.8%	(52.2 - 65.0)	7,635	60.9%	(59.2 - 62.7)	NS	No	





Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	Public Health Solutions			State of NE			Public Health Solutions			State of NE			Public Health Solutions			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Occupational Safety and Health</b>																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	179	5.7%	(2.3 - 13.9)	4,952	4.8%	(3.9 - 5.8)	NS	85	9.0%	(3.3 - 22.1)	2,246	6.1%	(4.8 - 7.7)	NS	94	1.2%	(0.2 - 6.3)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	281	5.7%	(3.1 - 10.2)	6,966	4.9%	(4.1 - 5.9)	NS	141	7.7%	(3.9 - 14.8)	3,403	5.4%	(4.4 - 6.7)	NS	140	2.6%	(0.6 - 10.5)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	228	4.9%	(2.3 - 10.2)	5,434	5.7%	(4.7 - 6.8)	NS	117	3.7%	(1.2 - 11.2)	2,727	7.1%	(5.6 - 9.0)	NS	111	6.5%	(2.4 - 16.4)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Data reflect the five county LHD region of Fillmore, Gage, Jefferson, Saline, and Thayer Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being landline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

<sup>a</sup> Non-weighted sample size among adults 18 and older (unless different age group noted)

<sup>b</sup> Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

<sup>c</sup> Low and High are the lower and upper limits of the 95% confidence interval, respectively

<sup>d</sup> Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

<sup>e</sup> Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

<sup>f</sup> Reflects a Nebraska Healthy People 2020 (HP2020) measure

\* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

