

BRFSS Detailed Summary Table for Sarpy-Cass Health Department Adults 18 and Older, 2011-2016

Indicators	Overall					Men					Women					LHD Gender Diff. ^o						
	Sarpy/Cass		State of NE			Sarpy/Cass		State of NE			Sarpy/Cass		State of NE									
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d							
General Health Status																						
General health fair or poor																						
2011	1,405	11.5%	(9.5 - 13.9)	25,347	14.3%	(13.7 - 14.9)	NS	582	11.6%	(9.0 - 15.0)	10,198	14.8%	(13.9 - 15.7)	NS	823	11.4%	(8.7 - 14.9)	15,149	13.9%	(13.1 - 14.7)	NS	No
2012	1,352	8.3%	(6.8 - 10.2)	19,132	14.4%	(13.7 - 15.2)	-	572	6.3%	(4.4 - 8.8)	7,855	14.6%	(13.5 - 15.7)	-	780	10.3%	(8.0 - 13.2)	11,277	14.3%	(13.4 - 15.2)	-	No
2013	835	9.1%	(7.0 - 11.8)	17,106	13.9%	(13.1 - 14.8)	-	368	8.2%	(5.4 - 12.2)	6,963	13.4%	(12.2 - 14.7)	NS	467	10.0%	(7.0 - 14.0)	10,143	14.4%	(13.3 - 15.6)	NS	No
2014	1,420	9.8%	(7.6 - 12.4)	22,370	13.2%	(12.5 - 13.9)	-	647	11.0%	(7.7 - 15.5)	9,585	13.5%	(12.4 - 14.5)	NS	773	8.6%	(6.2 - 11.7)	12,785	12.9%	(12.0 - 13.8)	-	No
2015	1,172	10.5%	(8.1 - 13.6)	17,539	13.9%	(13.1 - 14.8)	NS	518	11.2%	(7.5 - 16.5)	7,564	13.7%	(12.5 - 14.9)	NS	654	9.8%	(7.0 - 13.7)	9,975	14.2%	(13.1 - 15.3)	NS	No
2016	1,017	14.2%	(11.1 - 18.0)	15,166	14.7%	(13.8 - 15.6)	NS	479	15.9%	(11.0 - 22.3)	6,633	13.8%	(12.6 - 15.1)	NS	538	12.6%	(9.1 - 17.2)	8,533	15.5%	(14.3 - 16.8)	NS	No
Average number of days physical health was not good in past 30 days																						
2011	1,377	3.1	(2.7 - 3.6)	24,901	3.2	(3.0 - 3.3)	NS	575	3.4	(2.6 - 4.2)	10,067	2.9	(2.7 - 3.1)	NS	802	2.9	(2.3 - 3.4)	14,834	3.4	(3.2 - 3.6)	NS	No
2012	1,341	3.0	(2.5 - 3.5)	18,819	3.2	(3.1 - 3.4)	NS	568	2.5	(1.9 - 3.1)	7,759	2.9	(2.7 - 3.1)	NS	773	3.5	(2.8 - 4.1)	11,060	3.6	(3.4 - 3.8)	NS	No
2013	833	2.9	(2.0 - 3.8)	16,808	3.1	(2.9 - 3.3)	NS	367	2.1	(1.5 - 2.8)	6,877	2.8	(2.5 - 3.0)	NS	466	3.6	(2.1 - 5.2)	9,931	3.4	(3.2 - 3.7)	NS	No
2014	1,398	2.6	(2.1 - 3.2)	22,024	3.0	(2.9 - 3.1)	NS	637	2.6	(1.7 - 3.5)	9,464	2.8	(2.6 - 3.0)	NS	761	2.7	(2.0 - 3.3)	12,560	3.2	(3.0 - 3.4)	NS	No
2015	1,160	2.6	(2.1 - 3.0)	17,315	3.1	(3.0 - 3.3)	NS	515	2.2	(1.5 - 2.9)	7,476	2.8	(2.6 - 3.0)	NS	645	2.9	(2.2 - 3.5)	9,839	3.5	(3.3 - 3.7)	NS	No
2016	1,009	3.3	(2.6 - 3.9)	14,984	3.3	(3.1 - 3.5)	NS	475	3.2	(2.1 - 4.3)	6,561	2.9	(2.6 - 3.1)	NS	534	3.3	(2.5 - 4.1)	8,423	3.7	(3.4 - 4.0)	NS	No
Physical health was not good on 14 or more of the past 30 days																						
2011	1,377	9.1%	(7.4 - 11.3)	24,901	9.6%	(9.1 - 10.1)	NS	575	11.0%	(8.2 - 14.6)	10,067	9.0%	(8.3 - 9.8)	NS	802	7.3%	(5.3 - 9.9)	14,834	10.1%	(9.4 - 10.8)	NS	No
2012	1,341	8.9%	(7.2 - 10.9)	18,819	9.8%	(9.2 - 10.4)	NS	568	7.5%	(5.2 - 10.5)	7,759	8.6%	(7.8 - 9.5)	NS	773	10.2%	(7.8 - 13.2)	11,060	11.0%	(10.1 - 11.8)	NS	No
2013	833	8.1%	(5.4 - 11.9)	16,808	9.2%	(8.5 - 9.9)	NS	367	5.2%	(3.3 - 8.2)	6,877	7.9%	(7.0 - 8.9)	NS	466	10.8%	(6.4 - 17.9)	9,931	10.4%	(9.4 - 11.5)	NS	No
2014	1,398	7.7%	(5.8 - 10.1)	22,024	9.0%	(8.4 - 9.6)	NS	637	7.8%	(5.0 - 12.2)	9,464	8.3%	(7.4 - 9.1)	NS	761	7.5%	(5.3 - 10.4)	12,560	9.7%	(9.0 - 10.5)	NS	No
2015	1,160	7.5%	(5.8 - 9.7)	17,315	9.6%	(9.0 - 10.3)	NS	515	7.4%	(4.8 - 11.1)	7,476	8.6%	(7.7 - 9.6)	NS	645	7.7%	(5.6 - 10.5)	9,839	10.7%	(9.8 - 11.6)	NS	No
2016	1,009	9.3%	(6.8 - 12.6)	14,984	9.8%	(9.1 - 10.6)	NS	475	9.4%	(5.8 - 15.0)	6,561	8.4%	(7.4 - 9.4)	NS	534	9.2%	(6.2 - 13.4)	8,423	11.2%	(10.2 - 12.3)	NS	No
Average number of days mental health was not good in past 30 days																						
2011	1,397	3.0	(2.5 - 3.5)	25,036	3.1	(2.9 - 3.2)	NS	581	2.5	(1.9 - 3.2)	10,097	2.5	(2.3 - 2.7)	NS	816	3.5	(2.8 - 4.2)	14,939	3.6	(3.4 - 3.8)	NS	No
2012	1,345	2.5	(2.1 - 2.9)	18,935	3.0	(2.9 - 3.2)	NS	571	1.4	(1.0 - 1.7)	7,786	2.6	(2.4 - 2.8)	-	774	3.7	(3.0 - 4.3)	11,149	3.5	(3.3 - 3.7)	NS	Yes
2013	829	2.6	(1.9 - 3.2)	16,889	3.0	(2.8 - 3.1)	NS	366	2.1	(1.1 - 3.1)	6,889	2.3	(2.1 - 2.6)	NS	463	3.0	(2.2 - 3.8)	10,000	3.5	(3.3 - 3.8)	NS	No
2014	1,408	2.4	(1.9 - 2.9)	22,132	2.8	(2.6 - 2.9)	NS	642	2.0	(1.4 - 2.7)	9,483	2.3	(2.1 - 2.5)	NS	766	2.7	(2.1 - 3.4)	12,649	3.3	(3.1 - 3.5)	NS	No
2015	1,163	2.6	(1.9 - 3.3)	17,369	2.9	(2.7 - 3.1)	NS	513	2.5	(1.3 - 3.6)	7,491	2.3	(2.1 - 2.6)	NS	650	2.7	(1.8 - 3.5)	9,878	3.5	(3.2 - 3.7)	NS	No
2016	1,011	3.5	(2.7 - 4.4)	15,035	3.2	(3.0 - 3.4)	NS	476	2.1	(1.4 - 2.8)	6,568	2.4	(2.1 - 2.6)	NS	535	5.0	(3.6 - 6.4)	8,467	4.0	(3.6 - 4.3)	NS	Yes
Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)																						
2011	1,397	8.5%	(6.7 - 10.8)	25,036	9.2%	(8.7 - 9.7)	NS	581	7.0%	(4.9 - 9.8)	10,097	7.7%	(7.0 - 8.4)	NS	816	10.1%	(7.3 - 13.8)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	1,345	6.8%	(5.3 - 8.6)	18,935	9.0%	(8.4 - 9.7)	NS	571	2.9%	(1.7 - 4.9)	7,786	7.4%	(6.6 - 8.3)	-	774	10.5%	(8.0 - 13.7)	11,149	10.6%	(9.7 - 11.5)	NS	Yes
2013	829	8.0%	(5.5 - 11.3)	16,889	8.9%	(8.2 - 9.6)	NS	366	6.8%	(3.4 - 13.3)	6,889	6.8%	(5.9 - 7.9)	NS	463	9.1%	(6.3 - 13.0)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	1,408	6.3%	(4.6 - 8.5)	22,132	8.2%	(7.6 - 8.8)	NS	642	5.0%	(3.1 - 8.0)	9,483	6.4%	(5.6 - 7.3)	NS	766	7.6%	(5.0 - 11.2)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	1,163	7.7%	(5.4 - 11.0)	17,369	8.9%	(8.2 - 9.6)	NS	513	8.0%	(4.6 - 13.5)	7,491	6.9%	(6.0 - 7.9)	NS	650	7.5%	(4.7 - 11.8)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	1,011	11.3%	(8.2 - 15.3)	15,035	9.5%	(8.7 - 10.4)	NS	476	5.3%	(2.8 - 9.8)	6,568	7.0%	(6.0 - 8.1)	NS	535	17.1%	(11.9 - 23.9)	8,467	12.0%	(10.8 - 13.3)	NS	Yes
Average days poor physical or mental health limited usual activities in past 30 days																						
2011	1,398	1.8	(1.4 - 2.2)	25,183	1.9	(1.8 - 2.0)	NS	580	1.7	(1.1 - 2.3)	10,136	1.7	(1.6 - 1.9)	NS	818	2.0	(1.5 - 2.5)	15,047	2.0	(1.9 - 2.1)	NS	No
2012	1,349	1.4	(1.1 - 1.7)	19,022	2.0	(1.8 - 2.1)	-	572	1.1	(0.8 - 1.5)	7,819	1.7	(1.5 - 1.9)	NS	777	1.7	(1.2 - 2.2)	11,203	2.2	(2.0 - 2.4)	NS	No
2013	834	1.7	(1.2 - 2.2)	16,986	1.9	(1.7 - 2.0)	NS	367	1.6	(0.8 - 2.3)	6,936	1.7	(1.5 - 1.9)	NS	467	1.9	(1.3 - 2.5)	10,050	2.0	(1.9 - 2.2)	NS	No
2014	1,412	1.6	(1.2 - 1.9)	22,228	1.8	(1.7 - 1.9)	NS	644	1.6	(1.0 - 2.1)	9,541	1.6	(1.5 - 1.8)	NS	768	1.6	(1.1 - 2.1)	12,687	1.9	(1.8 - 2.1)	NS	No
2015	1,168	1.7	(1.3 - 2.1)	17,430	1.9	(1.7 - 2.0)	NS	519	1.6	(0.9 - 2.3)	7,529	1.6	(1.4 - 1.8)	NS	649	1.8	(1.3 - 2.4)	9,901	2.1	(1.9 - 2.3)	NS	No
2016	1,014	1.9	(1.3 - 2.6)	15,084	2.0	(1.8 - 2.2)	NS	478	1.6	(0.7 - 2.4)	6,592	1.7	(1.5 - 1.9)	NS	536	2.3	(1.3 - 3.3)	8,492	2.3	(2.1 - 2.6)	NS	No
Poor physical or mental health limited usual activities on 14 or more of the past 30 days																						
2011	1,398	5.0%	(3.8 - 6.7)	25,183	5.8%	(5.4 - 6.2)	NS	580	4.9%	(3.1 - 7.5)	10,136	5.4%	(4.8 - 6.0)	NS	818	5.2%	(3.5 - 7.5)	15,047	6.2%	(5.7 - 6.8)	NS	No
2012	1,349	4.8%	(3.6 - 6.3)	19,022	6.4%	(5.9 - 6.9)	NS	572	3.1%	(1.9 - 5.1)	7,819	5.3%	(4.7 - 6.0)	NS	777	6.3%	(4.5 - 8.8)	11,203	7.4%	(6.7 - 8.2)	NS	No
2013	834	5.3%	(3.3 - 8.3)	16,986	5.8%	(5.3 - 6.4)	NS	367	5.5%	(2.5 - 11.7)	6,936	5.2%	(4.4 - 6.1)	NS	467	5.0%	(3.1 - 8.0)	10,050	6.5%	(5.7 - 7.3)	NS	No
2014	1,412	5.3%	(3.7 - 7.3)	22,228	5.8%	(5.4 - 6.4)	NS	644	5.2%	(3.0 - 8.8)	9,541	5.3%	(4.6 - 6.1)	NS	768	5.3%	(3.5 - 8.0)	12,687	6.4%	(5.7 - 7.1)	NS	No
2015	1,168	4.8%	(3.5 - 6.7)	17,430	5.9%	(5.4 - 6.4)	NS	519	5.3%	(3.2 - 8.5)	7,529	5.1%	(4.5 - 5.9)	NS	649	4.4%	(2.9 - 6.8)	9,901	6.6%	(6.0 - 7.3)	NS	No
2016	1,014	5.8%	(3.7 - 9.0)	15,084	6.2%	(5.6 - 6.8)	NS	478	4.8%	(2.5 - 9.3)	6,592	4.9%	(4.2 - 5.7)	NS	536	6.8%	(3.7 - 12.1)	8,492	7.4%	(6.6 - 8.5)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Health Care Access and Utilization																						
No health care coverage, 18-64 year olds																						
2011	1,077	11.4%	(9.1 - 14.2)	16,614	19.1%	(18.3 - 20.0)	-	463	13.0%	(9.6 - 17.4)	7,107	22.0%	(20.7 - 23.4)	-	614	9.8%	(7.0 - 13.6)	9,507	16.2%	(15.2 - 17.3)	-	No
2012	987	12.0%	(9.5 - 15.0)	12,310	18.0%	(17.0 - 19.0)	-	433	11.7%	(8.3 - 16.2)	5,450	20.3%	(18.8 - 21.8)	-	554	12.3%	(9.0 - 16.7)	6,860	15.7%	(14.5 - 17.0)	NS	No
2013	611	10.0%	(6.9 - 14.1)	10,939	17.6%	(16.4 - 18.9)	-	269	12.3%	(7.4 - 19.6)	4,720	18.4%	(16.6 - 20.4)	NS	342	7.7%	(4.7 - 12.5)	6,219	16.9%	(15.3 - 18.5)	-	No
2014	1,010	10.9%	(7.9 - 14.9)	14,323	15.3%	(14.3 - 16.4)	NS	457	11.0%	(6.7 - 17.5)	6,443	17.0%	(15.4 - 18.7)	NS	553	10.9%	(7.1 - 16.3)	7,880	13.5%	(12.3 - 14.9)	NS	No
2015	809	8.2%	(5.6 - 11.9)	11,342	14.4%	(13.3 - 15.5)	-	357	9.5%	(5.3 - 16.4)	5,187	15.4%	(13.8 - 17.1)	NS	452	6.9%	(4.3 - 11.0)	6,155	13.4%	(12.0 - 14.9)	-	No
2016	688	13.9%	(10.0 - 19.0)	9,749	14.7%	(13.6 - 16.0)	NS	333	15.6%	(9.9 - 23.7)	4,538	15.0%	(13.3 - 16.9)	NS	355	12.2%	(7.5 - 19.3)	5,211	14.4%	(12.9 - 16.2)	NS	No
Has health care coverage, 18-64 year olds ^a																						
2011	1,077	88.6%	(85.8 - 90.9)	16,614	80.9%	(80.0 - 81.7)	+	463	87.0%	(82.6 - 90.4)	7,107	78.0%	(76.6 - 79.3)	+	614	90.2%	(86.4 - 93.0)	9,507	83.8%	(82.7 - 84.8)	+	No
2012	987	88.0%	(85.0 - 90.5)	12,310	82.0%	(81.0 - 83.0)	+	433	88.3%	(83.8 - 91.7)	5,450	79.7%	(78.2 - 81.2)	+	554	87.7%	(83.3 - 91.0)	6,860	84.3%	(83.0 - 85.5)	NS	No
2013	611	90.0%	(85.9 - 93.1)	10,939	82.4%	(81.1 - 83.6)	-	269	87.7%	(80.4 - 92.6)	4,720	81.6%	(79.6 - 83.4)	-	342	92.3%	(87.5 - 95.3)	6,219	83.1%	(81.5 - 84.7)	+	No
2014	1,010	89.1%	(85.1 - 92.1)	14,323	84.7%	(83.6 - 85.7)	NS	457	89.0%	(82.5 - 93.3)	6,443	83.0%	(81.3 - 84.6)	NS	553	89.1%	(83.7 - 92.9)	7,880	86.5%	(85.1 - 87.7)	NS	No
2015	809	91.8%	(88.1 - 94.4)	11,342	85.6%	(84.5 - 86.7)	+	357	90.5%	(83.6 - 94.7)	5,187	84.6%	(82.9 - 86.2)	NS	452	93.1%	(89.0 - 95.7)	6,155	86.6%	(85.1 - 88.0)	+	No
2016	688	86.1%	(81.0 - 90.0)	9,749	85.3%	(84.0 - 86.4)	NS	333	84.4%	(76.3 - 90.1)	4,538	85.0%	(83.1 - 86.7)	NS	355	87.8%	(80.7 - 92.5)	5,211	85.6%	(83.8 - 87.1)	NS	No
No personal doctor or health care provider																						
2011	1,398	18.2%	(15.5 - 21.3)	25,340	18.4%	(17.6 - 19.1)	NS	579	26.6%	(22.2 - 31.5)	10,192	25.1%	(23.8 - 26.3)	NS	819	10.2%	(7.4 - 13.8)	15,148	12.0%	(11.1 - 12.8)	NS	Yes
2012	1,351	15.5%	(13.2 - 18.2)	19,132	17.2%	(16.4 - 18.1)	NS	571	20.0%	(16.2 - 24.5)	7,847	23.7%	(22.3 - 25.1)	NS	780	11.2%	(8.5 - 14.5)	11,285	11.0%	(10.1 - 12.0)	NS	Yes
2013	834	23.3%	(19.2 - 28.1)	17,093	20.9%	(19.8 - 22.0)	NS	368	31.5%	(24.9 - 39.0)	6,956	27.5%	(25.7 - 29.4)	NS	466	15.4%	(11.1 - 21.0)	10,137	14.4%	(13.2 - 15.7)	NS	Yes
2014	1,418	17.9%	(14.7 - 21.6)	22,354	20.2%	(19.2 - 21.2)	NS	645	24.3%	(19.2 - 30.3)	9,569	27.0%	(25.5 - 28.5)	NS	773	11.7%	(8.2 - 16.3)	12,785	13.6%	(12.5 - 14.8)	NS	Yes
2015	1,174	16.2%	(12.9 - 20.2)	17,509	19.7%	(18.7 - 20.8)	NS	518	20.4%	(15.0 - 27.2)	7,542	25.7%	(24.1 - 27.5)	NS	656	12.1%	(8.7 - 16.5)	9,967	13.9%	(12.7 - 15.2)	NS	No
2016	1,014	17.8%	(13.8 - 22.5)	15,138	19.1%	(18.0 - 20.2)	NS	476	26.3%	(19.6 - 34.3)	6,617	24.5%	(22.8 - 26.2)	NS	538	9.5%	(6.1 - 14.3)	8,521	13.8%	(12.5 - 15.2)	NS	Yes
Has a personal doctor or health care provider (one or more than one) ^a																						
2011	1,398	81.8%	(78.7 - 84.5)	25,340	81.6%	(80.9 - 82.4)	NS	579	73.4%	(68.5 - 77.8)	10,192	74.9%	(73.7 - 76.2)	NS	819	89.8%	(86.2 - 92.6)	15,148	88.0%	(87.2 - 88.9)	NS	Yes
2012	1,351	84.5%	(81.8 - 86.8)	19,132	82.8%	(81.9 - 83.6)	NS	571	80.0%	(75.5 - 83.8)	7,847	76.3%	(74.9 - 77.7)	NS	780	88.8%	(85.5 - 91.5)	11,285	89.0%	(88.0 - 89.9)	NS	Yes
2013	834	76.7%	(71.9 - 80.8)	17,093	79.1%	(78.0 - 80.2)	NS	368	68.5%	(61.0 - 75.1)	6,956	72.5%	(70.6 - 74.3)	NS	466	84.6%	(79.0 - 88.9)	10,137	85.6%	(84.3 - 86.8)	NS	Yes
2014	1,418	82.1%	(78.4 - 85.3)	22,354	79.8%	(78.8 - 80.8)	NS	645	75.7%	(69.7 - 80.8)	9,569	73.0%	(71.5 - 74.5)	NS	773	88.3%	(83.7 - 91.8)	12,785	86.4%	(85.2 - 87.5)	NS	Yes
2015	1,174	83.8%	(79.8 - 87.1)	17,509	80.3%	(79.2 - 81.3)	NS	518	79.6%	(72.8 - 85.0)	7,542	74.3%	(72.5 - 75.9)	NS	656	87.9%	(83.5 - 91.3)	9,967	86.1%	(84.8 - 87.3)	NS	No
2016	1,014	82.2%	(77.5 - 86.2)	15,138	80.9%	(79.8 - 82.0)	NS	476	73.7%	(65.7 - 80.4)	6,617	75.5%	(73.8 - 77.2)	NS	538	90.5%	(85.7 - 93.9)	8,521	86.2%	(84.8 - 87.5)	NS	Yes
Has a personal doctor or health care provider (one or more than one), aged 65 years and older ^a																						
2011	315	96.5%	(93.2 - 98.2)	8,584	95.7%	(95.1 - 96.2)	NS	113	96.3%	(91.1 - 98.5)	3,033	94.4%	(93.4 - 95.3)	NS	202	96.6%	(91.1 - 98.8)	5,551	96.6%	(95.9 - 97.1)	NS	No
2012	358	97.1%	(94.2 - 98.6)	6,711	95.6%	(94.7 - 96.3)	NS	137	95.6%	(89.5 - 98.2)	2,368	93.6%	(91.9 - 95.0)	NS	221	98.4%	(95.5 - 99.5)	4,343	97.1%	(96.3 - 97.7)	NS	No
2013	221	96.0%	(90.3 - 98.4)	6,015	93.9%	(92.9 - 94.8)	NS	97	95.3%	(83.5 - 98.8)	2,188	92.3%	(90.4 - 93.8)	NS	124	96.6%	(89.7 - 98.9)	3,827	95.2%	(93.9 - 96.2)	NS	No
2014	400	94.8%	(90.2 - 97.3)	7,833	95.1%	(94.4 - 95.7)	NS	188	92.5%	(83.0 - 96.8)	3,057	93.5%	(92.2 - 94.6)	NS	212	96.9%	(93.3 - 98.6)	4,776	96.4%	(95.7 - 96.9)	NS	No
2015	350	96.1%	(92.3 - 98.1)	6,022	94.8%	(93.9 - 95.5)	NS	152	94.3%	(86.1 - 97.8)	2,297	93.6%	(92.1 - 94.8)	NS	198	97.6%	(94.5 - 98.9)	3,725	95.7%	(94.6 - 96.6)	NS	No
2016	317	94.5%	(89.7 - 97.2)	5,270	95.1%	(94.2 - 95.9)	NS	138	90.7%	(80.6 - 95.8)	2,025	94.5%	(93.1 - 95.6)	NS	179	97.7%	(93.5 - 99.2)	3,245	95.6%	(94.4 - 96.6)	NS	No
Needed to see a doctor but could not due to cost in past year ^a																						
2011	1,403	9.7%	(7.9 - 11.9)	25,350	12.5%	(11.9 - 13.2)	NS	581	6.8%	(4.8 - 9.6)	10,203	10.7%	(9.9 - 11.6)	-	822	12.5%	(9.6 - 16.1)	15,147	14.2%	(13.4 - 15.2)	NS	No
2012	1,350	10.2%	(8.1 - 12.7)	19,144	12.8%	(12.1 - 13.6)	NS	572	6.3%	(4.1 - 9.7)	7,859	11.1%	(10.0 - 12.2)	-	778	13.9%	(10.7 - 17.9)	11,285	14.4%	(13.4 - 15.5)	NS	Yes
2013	836	10.1%	(7.5 - 13.4)	17,103	13.0%	(12.1 - 13.9)	NS	368	7.1%	(4.3 - 11.6)	6,963	10.9%	(9.7 - 12.2)	NS	468	12.9%	(8.9 - 18.2)	10,140	15.0%	(13.8 - 16.4)	NS	No
2014	1,419	8.2%	(6.3 - 10.6)	22,359	11.8%	(11.1 - 12.6)	-	646	5.7%	(3.5 - 9.2)	9,588	10.2%	(9.1 - 11.3)	NS	773	10.5%	(7.7 - 14.3)	12,771	13.4%	(12.4 - 14.6)	NS	No
2015	1,173	8.7%	(6.2 - 11.9)	17,522	11.5%	(10.7 - 12.3)	NS	518	9.1%	(5.4 - 14.9)	7,559	9.8%	(8.7 - 11.1)	NS	655	8.2%	(5.5 - 12.2)	9,963	13.1%	(12.0 - 14.3)	NS	No
2016	1,015	13.9%	(10.5 - 18.2)	15,156	12.1%	(11.2 - 13.1)	NS	479	10.9%	(6.7 - 17.3)	6,623	10.1%	(8.9 - 11.4)	NS	536	16.9%	(12.0 - 23.1)	8,533	14.0%	(12.7 - 15.5)	NS	No
Had a routine checkup in past year																						
2011	1,378	60.9%	(57.4 - 64.2)	24,983	57.7%	(56.8 - 58.7)	NS	569	54.5%	(49.3 - 59.5)	10,049	50.6%	(49.2 - 52.0)	NS	809	67.0%	(62.3 - 71.4)	14,934	64.6%	(63.4 - 65.8)	NS	Yes
2012	1,343	66.0%	(62.6 - 69.2)	18,929	60.4%	(59.4 - 61.4)	+	570	61.2%	(56.1 - 66.1)	7,789	55.0%	(53.5 - 56.6)	NS	773	70.6%	(66.0 - 74.7)	11,140	65.6%	(64.3 - 66.9)	NS	No
2013	831	67.1%	(62.6 - 71.4)	16,919	61.6%	(60.4 - 62.8)	NS	366	64.4%	(57.5 - 70.7)	6,899	56.2%	(54.3 - 58.1)	NS	465	69.8%	(63.7 - 75.2)	10,020	66.8%	(65.3 - 68.4)	NS	No
2014	1,408	66.0%	(61.8 - 70.0)	22,090	63.3%	(62.3 - 64.4)	NS	644	63.2%	(56.9 - 69.1)	9,488	57.7%	(56.1 - 59.3)	NS	764	68.7%	(62.9 - 74.0)	12,602	68.8%	(67.4 - 70.2)	NS	No
2015	1,163	70.2%	(65.8 - 74.2)	17,331	63.9%	(62.8 - 65.1)	+	514	67.2%	(60.4 - 73.3)	7,470	58.7%	(56.9 - 60.5)	NS	649	73.1%	(67.3 - 78.3)	9,861	69.1%	(67.5 - 70.6)	NS	No
2016	1,013	67.9%	(62.6 - 72.8)	15,060	65.4%	(64.1 - 66.6)	NS	478	64.0%	(55.7 - 71.4)	6,582	60.6%	(58.7 - 62.5)	NS	535	71.8%	(64.9 - 77.7)	8,478	70.0%	(68.4 - 71.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Heart Disease and Stroke																						
Ever told they had a heart attack																						
2011	1,402	3.5%	(2.6 - 4.6)	25,292	4.3%	(4.0 - 4.7)	NS	580	4.6%	(3.1 - 6.7)	10,194	5.7%	(5.2 - 6.3)	NS	822	2.3%	(1.6 - 3.5)	15,098	2.9%	(2.6 - 3.3)	NS	No
2012	1,351	3.2%	(2.3 - 4.5)	19,102	4.1%	(3.7 - 4.4)	NS	572	3.7%	(2.4 - 5.8)	7,842	5.3%	(4.8 - 6.0)	NS	779	2.7%	(1.7 - 4.4)	11,260	2.9%	(2.5 - 3.2)	NS	No
2013	832	3.4%	(2.3 - 5.1)	17,035	4.0%	(3.6 - 4.4)	NS	366	3.9%	(2.4 - 6.3)	6,925	5.2%	(4.6 - 5.9)	NS	466	3.0%	(1.5 - 5.9)	10,110	2.9%	(2.4 - 3.4)	NS	No
2014	1,417	3.4%	(2.4 - 4.6)	22,309	3.8%	(3.5 - 4.2)	NS	643	4.4%	(2.9 - 6.5)	9,541	5.1%	(4.6 - 5.6)	NS	774	2.4%	(1.4 - 4.1)	12,768	2.6%	(2.3 - 3.0)	NS	No
2015	1,171	4.2%	(3.0 - 5.8)	17,455	3.9%	(3.5 - 4.3)	NS	519	6.1%	(4.1 - 9.1)	7,530	5.3%	(4.7 - 6.0)	NS	652	2.2%	(1.3 - 3.8)	9,925	2.5%	(2.2 - 2.9)	NS	Yes
2016	1,010	3.4%	(2.2 - 5.2)	15,111	4.0%	(3.6 - 4.4)	NS	476	3.6%	(2.0 - 6.3)	6,598	5.0%	(4.4 - 5.6)	NS	534	3.2%	(1.7 - 5.9)	8,513	3.0%	(2.6 - 3.6)	NS	No
Ever told they have coronary heart disease																						
2011	1,392	3.0%	(2.2 - 4.0)	25,121	3.9%	(3.6 - 4.2)	NS	574	3.8%	(2.6 - 5.5)	10,110	4.8%	(4.4 - 5.3)	NS	818	2.2%	(1.4 - 3.4)	15,011	3.1%	(2.7 - 3.4)	NS	No
2012	1,341	3.4%	(2.5 - 4.7)	18,988	3.9%	(3.6 - 4.3)	NS	568	3.8%	(2.4 - 5.9)	7,796	4.9%	(4.4 - 5.5)	NS	773	3.1%	(2.0 - 4.8)	11,192	3.0%	(2.6 - 3.4)	NS	No
2013	829	4.4%	(3.1 - 6.4)	16,942	4.1%	(3.7 - 4.5)	NS	367	4.4%	(2.6 - 7.3)	6,884	5.1%	(4.5 - 5.8)	NS	462	4.5%	(2.6 - 7.6)	10,058	3.0%	(2.6 - 3.6)	NS	No
2014	1,417	3.4%	(2.4 - 4.9)	22,202	3.9%	(3.6 - 4.3)	NS	643	3.8%	(2.3 - 6.2)	9,509	4.8%	(4.3 - 5.4)	NS	774	3.1%	(1.9 - 5.1)	12,693	3.1%	(2.7 - 3.5)	NS	No
2015	1,163	3.6%	(2.6 - 5.1)	17,403	4.0%	(3.6 - 4.3)	NS	514	4.9%	(3.2 - 7.6)	7,503	5.0%	(4.4 - 5.7)	NS	649	2.4%	(1.4 - 3.9)	9,900	2.9%	(2.6 - 3.3)	NS	No
2016	1,011	3.5%	(2.4 - 5.1)	15,078	3.8%	(3.4 - 4.2)	NS	474	3.7%	(2.2 - 6.0)	6,590	4.4%	(3.9 - 5.0)	NS	537	3.3%	(1.8 - 5.9)	8,488	3.1%	(2.7 - 3.7)	NS	No
Ever told they had a heart attack or coronary heart disease																						
2011	1,398	4.8%	(3.8 - 6.1)	25,158	6.4%	(6.0 - 6.7)	NS	578	6.4%	(4.7 - 8.7)	10,143	8.0%	(7.4 - 8.7)	NS	820	3.3%	(2.4 - 4.7)	15,015	4.8%	(4.4 - 5.2)	NS	No
2012	1,343	5.1%	(4.0 - 6.6)	18,998	6.2%	(5.8 - 6.6)	NS	571	6.0%	(4.2 - 8.5)	7,806	7.8%	(7.1 - 8.5)	NS	772	4.3%	(2.9 - 6.3)	11,192	4.6%	(4.2 - 5.1)	NS	No
2013	827	6.2%	(4.5 - 8.4)	16,935	6.2%	(5.7 - 6.7)	NS	365	6.6%	(4.3 - 9.8)	6,882	7.7%	(7.0 - 8.6)	NS	462	5.8%	(3.6 - 9.1)	10,053	4.7%	(4.1 - 5.3)	NS	No
2014	1,417	4.7%	(3.5 - 6.3)	22,180	6.0%	(5.6 - 6.4)	NS	643	5.8%	(3.9 - 8.4)	9,493	7.4%	(6.8 - 8.1)	NS	774	3.7%	(2.4 - 5.7)	12,687	4.6%	(4.1 - 5.0)	NS	No
2015	1,164	5.1%	(3.8 - 6.8)	17,383	5.8%	(5.4 - 6.3)	NS	517	7.1%	(4.9 - 10.2)	7,503	7.5%	(6.7 - 8.3)	NS	647	3.2%	(2.0 - 4.9)	9,880	4.3%	(3.9 - 4.8)	NS	Yes
2016	1,007	5.4%	(3.9 - 7.5)	15,021	5.8%	(5.4 - 6.3)	NS	473	5.5%	(3.5 - 8.6)	6,558	6.9%	(6.2 - 7.7)	NS	534	5.3%	(3.3 - 8.5)	8,463	4.7%	(4.1 - 5.3)	NS	No
Ever told they had a stroke																						
2011	1,402	2.3%	(1.6 - 3.4)	25,355	2.6%	(2.4 - 2.9)	NS	581	1.9%	(1.1 - 3.3)	10,209	2.4%	(2.1 - 2.8)	NS	821	2.8%	(1.7 - 4.6)	15,146	2.8%	(2.5 - 3.2)	NS	No
2012	1,347	1.9%	(1.3 - 2.9)	19,118	2.4%	(2.2 - 2.7)	NS	570	2.1%	(1.2 - 3.6)	7,851	2.7%	(2.3 - 3.1)	NS	777	1.7%	(0.9 - 3.2)	11,267	2.2%	(1.9 - 2.6)	NS	No
2013	834	2.3%	(1.4 - 3.6)	17,080	2.5%	(2.2 - 2.8)	NS	369	1.5%	(0.7 - 3.1)	6,954	2.2%	(1.9 - 2.6)	NS	465	3.1%	(1.7 - 5.5)	10,126	2.8%	(2.4 - 3.3)	NS	No
2014	1,417	3.0%	(2.1 - 4.5)	22,359	2.6%	(2.4 - 2.9)	NS	644	3.4%	(1.9 - 6.0)	9,576	2.7%	(2.3 - 3.1)	NS	773	2.7%	(1.6 - 4.5)	12,783	2.6%	(2.2 - 3.0)	NS	No
2015	1,173	1.8%	(1.1 - 2.8)	17,509	2.5%	(2.3 - 2.9)	NS	518	2.4%	(1.3 - 4.5)	7,550	2.7%	(2.2 - 3.1)	NS	655	1.2%	(0.7 - 2.1)	9,959	2.4%	(2.1 - 2.8)	NS	No
2016	1,015	2.6%	(1.6 - 4.1)	15,154	2.8%	(2.5 - 3.2)	NS	477	1.6%	(0.7 - 3.6)	6,627	2.6%	(2.1 - 3.1)	NS	538	3.6%	(2.0 - 6.3)	8,527	3.0%	(2.5 - 3.6)	NS	No
Blood Pressure and Cholesterol																						
Had blood pressure checked in past year																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	381	86.0%	(79.9 - 90.4)	7,804	84.6%	(83.1 - 86.0)	NS	173	79.1%	(69.3 - 86.4)	3,150	81.2%	(78.8 - 83.4)	NS	208	94.3%	(88.4 - 97.3)	4,654	87.8%	(85.8 - 89.5)	NS	Yes
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	536	90.6%	(85.8 - 93.9)	7,947	88.0%	(86.6 - 89.2)	NS	238	87.6%	(79.1 - 93.0)	3,461	85.2%	(83.1 - 87.1)	NS	298	93.7%	(88.6 - 96.6)	4,486	90.6%	(88.8 - 92.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever told they have high blood pressure (excluding pregnancy) ^a																						
2011	1,401	25.8%	(23.1 - 28.8)	25,356	28.5%	(27.8 - 29.3)	NS	580	29.8%	(25.5 - 34.5)	10,212	30.3%	(29.1 - 31.5)	NS	821	22.0%	(18.8 - 25.6)	15,144	26.9%	(25.9 - 27.9)	-	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	834	27.5%	(24.0 - 31.3)	17,085	30.3%	(29.2 - 31.4)	NS	368	31.7%	(26.1 - 37.8)	6,956	32.5%	(30.8 - 34.1)	NS	466	23.5%	(19.4 - 28.2)	10,129	28.2%	(26.9 - 29.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,172	30.5%	(26.8 - 34.5)	17,515	29.9%	(28.9 - 30.9)	NS	516	35.7%	(29.7 - 42.2)	7,546	32.6%	(31.1 - 34.2)	NS	656	25.5%	(21.3 - 30.2)	9,969	27.2%	(26.0 - 28.5)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently taking blood pressure medication, among those ever told they have high BP																						
2011	434	82.1%	(76.6 - 86.5)	9,505	77.9%	(76.5 - 79.2)	NS	188	76.6%	(68.1 - 83.4)	3,877	72.0%	(69.8 - 74.1)	NS	246	89.2%	(83.3 - 93.2)	5,628	84.2%	(82.5 - 85.7)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	314	79.9%	(71.9 - 86.1)	6,747	78.5%	(76.6 - 80.3)	NS	156	74.8%	(62.5 - 84.0)	2,828	73.1%	(70.2 - 75.9)	NS	158	86.6%	(77.6 - 92.4)	3,919	84.5%	(82.3 - 86.4)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	434	70.6%	(62.5 - 77.6)	6,685	77.8%	(75.9 - 79.6)	NS	217	65.8%	(54.0 - 75.9)	3,016	73.0%	(70.1 - 75.7)	NS	217	77.1%	(67.0 - 84.8)	3,669	83.4%	(80.9 - 85.6)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Had cholesterol checked in past 5 years^a																						
2011	1,357	75.4%	(72.2 - 78.4)	24,606	71.8%	(71.0 - 72.7)	NS	562	73.8%	(69.0 - 78.2)	9,923	67.9%	(66.6 - 69.3)	NS	795	77.0%	(72.5 - 81.0)	14,683	75.6%	(74.5 - 76.7)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	823	76.3%	(71.0 - 80.8)	16,649	74.0%	(72.8 - 75.2)	NS	365	71.9%	(64.2 - 78.4)	6,804	71.1%	(69.2 - 72.9)	NS	458	80.6%	(72.9 - 86.5)	9,845	76.9%	(75.3 - 78.4)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,143	82.4%	(78.2 - 85.9)	16,986	75.1%	(73.9 - 76.2)	+	512	80.8%	(74.3 - 86.0)	7,354	71.8%	(70.0 - 73.5)	+	631	84.0%	(78.4 - 88.4)	9,632	78.2%	(76.8 - 79.7)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever told they have high cholesterol, among those who have ever had it checked^a																						
2011	1,139	36.8%	(33.3 - 40.5)	20,831	38.3%	(37.3 - 39.3)	NS	452	39.8%	(34.5 - 45.4)	8,015	40.6%	(39.1 - 42.1)	NS	687	34.1%	(29.5 - 39.1)	12,816	36.3%	(35.1 - 37.6)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	735	36.4%	(32.2 - 40.8)	14,365	37.4%	(36.1 - 38.6)	NS	319	39.9%	(33.5 - 46.6)	5,672	40.0%	(38.0 - 41.9)	NS	416	33.3%	(27.9 - 39.2)	8,693	35.0%	(33.5 - 36.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,011	34.4%	(30.3 - 38.7)	14,651	35.1%	(34.0 - 36.3)	NS	440	35.5%	(29.4 - 42.1)	6,128	37.5%	(35.7 - 39.4)	NS	571	33.3%	(28.1 - 39.0)	8,523	33.0%	(31.5 - 34.5)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes																						
Ever told they have diabetes (excluding pregnancy)^a																						
2011	1,404	8.4%	(6.7 - 10.3)	25,393	8.4%	(7.9 - 8.8)	NS	581	7.8%	(5.5 - 10.8)	10,222	8.6%	(7.9 - 9.3)	NS	823	8.9%	(6.7 - 11.8)	15,171	8.2%	(7.6 - 8.8)	NS	No
2012	1,353	7.9%	(6.4 - 9.6)	19,156	8.1%	(7.6 - 8.6)	NS	573	8.2%	(6.1 - 11.1)	7,861	8.3%	(7.6 - 9.1)	NS	780	7.6%	(5.8 - 9.8)	11,295	7.9%	(7.3 - 8.5)	NS	No
2013	837	8.1%	(6.2 - 10.5)	17,110	9.2%	(8.5 - 9.9)	NS	369	8.4%	(5.7 - 12.1)	6,968	10.1%	(9.0 - 11.2)	NS	468	7.9%	(5.4 - 11.2)	10,142	8.3%	(7.5 - 9.2)	NS	No
2014	1,420	8.6%	(6.8 - 10.9)	22,388	9.2%	(8.6 - 9.7)	NS	646	10.5%	(7.5 - 14.5)	9,598	9.7%	(8.9 - 10.6)	NS	774	6.8%	(4.8 - 9.4)	12,790	8.6%	(7.9 - 9.3)	NS	No
2015	1,173	9.3%	(7.3 - 11.7)	17,547	8.8%	(8.2 - 9.4)	NS	518	10.6%	(7.7 - 14.3)	7,565	9.0%	(8.2 - 9.9)	NS	655	8.0%	(5.6 - 11.4)	9,982	8.6%	(7.8 - 9.3)	NS	No
2016	1,015	9.3%	(7.0 - 12.2)	15,171	8.8%	(8.2 - 9.5)	NS	478	10.7%	(7.2 - 15.5)	6,630	8.7%	(7.8 - 9.7)	NS	537	7.9%	(5.3 - 11.7)	8,541	8.9%	(8.1 - 9.8)	NS	No
Ever told they have pre-diabetes (excluding pregnancy)																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	412	7.5%	(4.8 - 11.6)	8,549	5.5%	(4.8 - 6.3)	NS	176	8.6%	(4.7 - 15.1)	3,452	5.9%	(4.8 - 7.2)	NS	236	6.4%	(3.2 - 12.6)	5,097	5.1%	(4.1 - 6.2)	NS	No
2014	709	7.8%	(5.3 - 11.3)	11,165	5.8%	(5.1 - 6.5)	NS	322	7.8%	(4.3 - 13.8)	4,723	5.8%	(4.8 - 6.9)	NS	387	7.7%	(4.7 - 12.4)	6,442	5.7%	(4.9 - 6.7)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	996	6.2%	(4.4 - 8.6)	14,986	6.0%	(5.5 - 6.6)	NS	469	5.5%	(3.2 - 9.1)	6,547	5.3%	(4.6 - 6.2)	NS	527	6.9%	(4.4 - 10.6)	8,439	6.7%	(5.9 - 7.6)	NS	No
Cancer																						
Ever told they have skin cancer																						
2011	1,401	4.7%	(3.6 - 6.1)	25,359	5.6%	(5.3 - 6.0)	NS	579	5.5%	(3.6 - 8.2)	10,205	6.3%	(5.8 - 6.8)	NS	822	3.9%	(2.8 - 5.3)	15,154	5.0%	(4.6 - 5.5)	NS	No
2012	1,353	5.3%	(4.1 - 6.9)	19,133	5.6%	(5.2 - 6.0)	NS	573	5.0%	(3.4 - 7.1)	7,859	5.8%	(5.3 - 6.4)	NS	780	5.7%	(4.0 - 8.0)	11,274	5.4%	(4.9 - 6.0)	NS	No
2013	837	4.9%	(3.7 - 6.6)	17,087	5.9%	(5.5 - 6.3)	NS	369	5.6%	(3.7 - 8.4)	6,956	6.3%	(5.7 - 7.1)	NS	468	4.3%	(2.8 - 6.6)	10,131	5.4%	(4.9 - 6.0)	NS	No
2014	1,420	4.4%	(3.4 - 5.8)	22,370	5.7%	(5.4 - 6.1)	NS	646	3.7%	(2.4 - 5.7)	9,586	5.9%	(5.4 - 6.5)	NS	774	5.1%	(3.6 - 7.2)	12,784	5.6%	(5.1 - 6.1)	NS	No
2015	1,174	5.7%	(4.3 - 7.4)	17,512	6.0%	(5.6 - 6.4)	NS	519	5.5%	(3.7 - 8.1)	7,556	6.4%	(5.7 - 7.0)	NS	655	5.8%	(3.9 - 8.6)	9,956	5.6%	(5.1 - 6.2)	NS	No
2016	1,016	4.6%	(2.9 - 7.1)	15,150	5.5%	(5.0 - 5.9)	NS	479	5.3%	(3.0 - 9.4)	6,616	5.8%	(5.1 - 6.5)	NS	537	3.8%	(1.9 - 7.5)	8,534	5.2%	(4.6 - 5.8)	NS	No
Ever told they have cancer other than skin cancer																						
2011	1,402	4.9%	(3.8 - 6.2)	25,369	6.6%	(6.2 - 7.0)	-	582	3.0%	(2.0 - 4.6)	10,219	5.0%	(4.6 - 5.5)	NS	820	6.7%	(4.9 - 8.9)	15,150	8.1%	(7.5 - 8.6)	NS	Yes
2012	1,351	4.9%	(3.8 - 6.3)	19,136	6.5%	(6.0 - 6.9)	NS	572	3.8%	(2.5 - 5.9)	7,858	5.0%	(4.5 - 5.6)	NS	779	5.9%	(4.3 - 8.1)	11,278	7.9%	(7.2 - 8.5)	NS	No
2013	836	5.7%	(4.1 - 7.7)	17,104	6.8%	(6.3 - 7.3)	NS	369	3.5%	(2.0 - 6.1)	6,965	5.6%	(5.0 - 6.4)	NS	467	7.8%	(5.3 - 11.2)	10,139	8.0%	(7.3 - 8.8)	NS	No
2014	1,415	4.8%	(3.6 - 6.3)	22,380	6.1%	(5.7 - 6.5)	NS	643	1.8%	(1.1 - 3.1)	9,590	4.6%	(4.1 - 5.1)	-	772	7.6%	(5.6 - 10.4)	12,790	7.6%	(7.0 - 8.3)	NS	Yes
2015	1,174	6.1%	(4.7 - 7.9)	17,524	6.9%	(6.4 - 7.3)	NS	518	3.5%	(2.2 - 5.4)	7,557	5.2%	(4.6 - 5.8)	NS	656	8.7%	(6.4 - 11.7)	9,967	8.5%	(7.8 - 9.2)	NS	Yes
2016	1,015	8.0%	(5.9 - 10.7)	15,165	6.9%	(6.3 - 7.4)	NS	478	4.7%	(2.7 - 8.2)	6,629	5.5%	(4.9 - 6.2)	NS	537	11.1%	(7.7 - 15.7)	8,536	8.2%	(7.4 - 9.0)	NS	No
Ever told they have cancer (in any form)																						
2011	1,398	8.9%	(7.3 - 10.7)	25,315	11.2%	(10.7 - 11.7)	-	579	7.5%	(5.4 - 10.4)	10,192	10.1%	(9.5 - 10.8)	NS	819	10.2%	(8.1 - 12.7)	15,123	12.2%	(11.5 - 12.9)	NS	No
2012	1,351	8.9%	(7.3 - 10.7)	19,100	10.8%	(10.3 - 11.4)	NS	572	8.1%	(6.0 - 10.7)	7,846	9.6%	(8.9 - 10.4)	NS	779	9.7%	(7.5 - 12.4)	11,254	11.9%	(11.2 - 12.7)	NS	No
2013	836	9.9%	(7.9 - 12.3)	17,062	11.4%	(10.8 - 12.1)	NS	369	8.7%	(6.2 - 12.2)	6,946	10.6%	(9.7 - 11.6)	NS	467	11.0%	(8.1 - 14.8)	10,116	12.3%	(11.4 - 13.2)	NS	No
2014	1,414	8.3%	(6.8 - 10.1)	22,338	10.7%	(10.2 - 11.2)	-	642	5.2%	(3.7 - 7.3)	9,568	9.3%	(8.6 - 10.0)	-	772	11.2%	(8.8 - 14.3)	12,770	12.1%	(11.4 - 12.9)	NS	Yes
2015	1,173	10.2%	(8.3 - 12.5)	17,481	11.6%	(11.0 - 12.2)	NS	518	8.0%	(5.8 - 11.0)	7,541	10.2%	(9.5 - 11.1)	NS	655	12.4%	(9.5 - 16.0)	9,940	12.9%	(12.1 - 13.8)	NS	No
2016	1,014	12.2%	(9.4 - 15.6)	15,132	11.2%	(10.6 - 11.9)	NS	478	9.8%	(6.4 - 14.6)	6,607	10.1%	(9.3 - 11.1)	NS	536	14.5%	(10.5 - 19.7)	8,525	12.3%	(11.3 - 13.3)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Up-to-date on colon cancer screening, 50-75 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	572	69.7%	(64.8 - 74.3)	9,022	61.1%	(59.6 - 62.5)	+	229	68.2%	(60.1 - 75.4)	3,733	58.4%	(56.1 - 60.6)	NS	343	71.0%	(64.8 - 76.5)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	382	73.2%	(67.2 - 78.5)	7,979	62.8%	(61.1 - 64.4)	+	169	75.2%	(65.9 - 82.6)	3,275	61.0%	(58.5 - 63.6)	+	213	71.4%	(63.2 - 78.4)	4,704	64.4%	(62.2 - 66.6)	NS	No
2014	670	67.0%	(61.6 - 72.1)	10,646	64.1%	(62.8 - 65.5)	NS	315	65.6%	(57.2 - 73.1)	4,681	63.0%	(61.0 - 65.1)	NS	355	68.5%	(61.3 - 74.9)	5,965	65.2%	(63.4 - 67.0)	NS	No
2015	520	71.1%	(65.3 - 76.4)	8,007	65.2%	(63.6 - 66.7)	NS	236	69.0%	(59.9 - 76.7)	3,446	63.7%	(61.3 - 66.1)	NS	284	73.2%	(65.5 - 79.8)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	490	69.6%	(62.9 - 75.5)	7,036	66.0%	(64.3 - 67.6)	NS	237	71.2%	(61.4 - 79.4)	3,073	65.2%	(62.8 - 67.6)	NS	253	67.6%	(58.4 - 75.7)	3,963	66.7%	(64.5 - 68.9)	NS	No
Up-to-date on breast cancer screening, female 50-74 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	340	76.3%	(70.1 - 81.6)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	340	76.3%	(70.1 - 81.6)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	355	79.9%	(73.4 - 85.2)	5,904	76.1%	(74.5 - 77.7)	NS	-	-	-	-	-	-	-	355	79.9%	(73.4 - 85.2)	5,904	76.1%	(74.5 - 77.7)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	263	72.6%	(64.0 - 79.8)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	263	72.6%	(64.0 - 79.8)	3,914	73.4%	(71.3 - 75.4)	NS	NA
Up-to-date on cervical cancer screening, female 21-65 year olds^a																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	426	85.4%	(80.7 - 89.1)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	426	85.4%	(80.7 - 89.1)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	406	83.5%	(76.1 - 88.9)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-	-	406	83.5%	(76.1 - 88.9)	5,779	81.7%	(80.0 - 83.3)	NS	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	254	82.9%	(75.0 - 88.7)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	254	82.9%	(75.0 - 88.7)	3,814	77.7%	(75.5 - 79.8)	NS	NA
Arthritis																						
Ever told they have arthritis																						
2011	1,398	19.9%	(17.5 - 22.6)	25,285	23.4%	(22.8 - 24.1)	-	580	17.4%	(14.1 - 21.3)	10,184	20.1%	(19.2 - 21.1)	NS	818	22.4%	(19.0 - 26.3)	15,101	26.6%	(25.7 - 27.6)	NS	No
2012	1,349	22.1%	(19.7 - 24.7)	19,089	24.6%	(23.8 - 25.4)	NS	572	19.4%	(16.1 - 23.2)	7,839	21.5%	(20.3 - 22.6)	NS	777	24.7%	(21.3 - 28.4)	11,250	27.7%	(26.6 - 28.8)	NS	No
2013	832	24.6%	(21.3 - 28.4)	17,017	24.7%	(23.8 - 25.7)	NS	369	20.2%	(15.9 - 25.2)	6,925	21.6%	(20.2 - 23.0)	NS	463	28.9%	(23.9 - 34.5)	10,092	27.8%	(26.5 - 29.2)	NS	No
2014	1,412	23.1%	(20.2 - 26.1)	22,307	24.6%	(23.8 - 25.4)	NS	643	22.1%	(18.0 - 26.8)	9,560	21.6%	(20.5 - 22.8)	NS	769	24.0%	(20.2 - 28.2)	12,747	27.4%	(26.3 - 28.6)	NS	No
2015	1,167	24.2%	(21.0 - 27.8)	17,472	23.4%	(22.6 - 24.3)	NS	518	21.1%	(16.7 - 26.3)	7,540	19.7%	(18.5 - 20.9)	NS	649	27.3%	(22.7 - 32.4)	9,932	27.1%	(25.9 - 28.4)	NS	No
2016	1,013	25.3%	(21.3 - 29.6)	15,137	24.6%	(23.6 - 25.6)	NS	477	23.2%	(17.7 - 29.9)	6,622	21.7%	(20.3 - 23.2)	NS	536	27.2%	(22.0 - 33.2)	8,515	27.4%	(26.0 - 28.8)	NS	No
Currently have activity limitations due to arthritis, among those ever told they have arthritis^a																						
2011	344	42.9%	(36.1 - 50.1)	7,973	45.2%	(43.6 - 46.8)	NS	121	44.2%	(33.3 - 55.7)	2,711	42.6%	(40.0 - 45.2)	NS	223	42.0%	(33.4 - 51.0)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	260	44.1%	(36.5 - 51.9)	5,460	42.4%	(40.3 - 44.6)	NS	99	43.3%	(32.0 - 55.3)	1,861	41.0%	(37.4 - 44.6)	NS	161	44.6%	(34.7 - 55.0)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	350	47.0%	(39.1 - 55.1)	5,146	44.0%	(41.9 - 46.1)	NS	135	43.6%	(31.6 - 56.4)	1,852	41.9%	(38.6 - 45.3)	NS	215	49.4%	(39.3 - 59.6)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asthma																						
Ever told they have asthma																						
2011	1,401	11.0%	(9.0 - 13.4)	25,327	11.5%	(10.9 - 12.1)	NS	580	8.6%	(6.1 - 12.1)	10,194	10.5%	(9.6 - 11.3)	NS	821	13.2%	(10.3 - 16.9)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	1,351	12.1%	(10.0 - 14.5)	19,105	10.8%	(10.2 - 11.5)	NS	571	10.7%	(8.0 - 14.1)	7,847	9.7%	(8.8 - 10.7)	NS	780	13.4%	(10.4 - 17.2)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	835	11.9%	(9.3 - 15.2)	17,068	11.2%	(10.5 - 12.0)	NS	368	8.6%	(5.5 - 13.1)	6,946	9.6%	(8.6 - 10.8)	NS	467	15.1%	(11.1 - 20.2)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	1,419	11.1%	(8.8 - 14.0)	22,355	12.2%	(11.5 - 13.0)	NS	646	10.6%	(7.4 - 15.0)	9,583	10.8%	(9.8 - 11.9)	NS	773	11.6%	(8.4 - 15.8)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	1,172	13.6%	(10.7 - 17.1)	17,492	12.1%	(11.3 - 12.9)	NS	519	12.5%	(8.6 - 17.9)	7,554	10.7%	(9.6 - 12.0)	NS	653	14.7%	(10.8 - 19.7)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	1,016	14.0%	(10.4 - 18.5)	15,144	12.4%	(11.5 - 13.4)	NS	478	12.3%	(7.2 - 20.2)	6,622	10.4%	(9.2 - 11.8)	NS	538	15.6%	(11.1 - 21.4)	8,522	14.3%	(13.1 - 15.7)	NS	No
Currently have asthma																						
2011	1,399	5.7%	(4.4 - 7.3)	25,257	7.3%	(6.9 - 7.8)	NS	579	3.6%	(2.3 - 5.5)	10,170	6.0%	(5.4 - 6.7)	NS	820	7.7%	(5.6 - 10.5)	15,087	8.6%	(8.0 - 9.4)	NS	Yes
2012	1,349	8.0%	(6.4 - 10.0)	19,053	7.4%	(6.9 - 7.9)	NS	571	6.1%	(4.2 - 8.6)	7,832	6.1%	(5.4 - 6.9)	NS	778	9.9%	(7.4 - 13.2)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	832	6.2%	(4.4 - 8.5)	17,024	7.3%	(6.7 - 8.0)	NS	367	2.9%	(1.3 - 6.1)	6,930	5.5%	(4.8 - 6.4)	NS	465	9.4%	(6.5 - 13.3)	10,094	9.1%	(8.2 - 10.0)	NS	Yes
2014	1,415	6.6%	(4.8 - 8.9)	22,289	7.7%	(7.2 - 8.3)	NS	643	7.1%	(4.5 - 11.0)	9,562	6.2%	(5.5 - 7.0)	NS	772	6.1%	(3.9 - 9.2)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	1,170	7.2%	(5.2 - 9.8)	17,435	7.2%	(6.6 - 7.8)	NS	519	6.0%	(3.8 - 9.5)	7,533	5.4%	(4.7 - 6.2)	NS	651	8.4%	(5.4 - 12.6)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	1,015	7.6%	(5.2 - 10.8)	15,116	8.3%	(7.5 - 9.1)	NS	477	5.6%	(2.8 - 10.9)	6,609	6.1%	(5.2 - 7.1)	NS	538	9.4%	(6.2 - 14.2)	8,507	10.4%	(9.3 - 11.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Sary/Cass			State of NE			Sary/Cass			State of NE			Sary/Cass			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Chronic Obstructive Pulmonary Disease (COPD)																						
Ever told they have COPD																						
2011	1,401	5.1%	(3.7 - 7.1)	25,280	5.0%	(4.6 - 5.3)	NS	580	4.0%	(2.6 - 6.1)	10,171	4.4%	(3.9 - 4.9)	NS	821	6.2%	(3.9 - 9.8)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	1,346	4.8%	(3.5 - 6.4)	19,075	5.3%	(4.9 - 5.8)	NS	571	4.3%	(2.7 - 6.9)	7,832	4.7%	(4.1 - 5.3)	NS	775	5.2%	(3.6 - 7.6)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	833	4.2%	(2.9 - 5.9)	17,035	5.3%	(4.9 - 5.8)	NS	368	2.7%	(1.4 - 5.3)	6,932	4.8%	(4.2 - 5.5)	NS	465	5.5%	(3.7 - 8.2)	10,103	5.8%	(5.2 - 6.6)	NS	No
2014	1,418	4.3%	(3.1 - 6.1)	22,313	5.8%	(5.3 - 6.2)	NS	646	4.2%	(2.5 - 7.0)	9,555	5.5%	(4.9 - 6.2)	NS	772	4.5%	(2.8 - 7.0)	12,758	6.1%	(5.5 - 6.7)	NS	No
2015	1,169	6.0%	(4.5 - 8.2)	17,466	5.4%	(5.0 - 5.9)	NS	514	5.2%	(3.1 - 8.5)	7,536	4.8%	(4.2 - 5.4)	NS	655	6.9%	(4.7 - 9.9)	9,930	6.1%	(5.5 - 6.7)	NS	No
2016	1,015	5.7%	(3.7 - 8.8)	15,119	5.8%	(5.3 - 6.4)	NS	478	6.4%	(3.4 - 11.6)	6,612	5.1%	(4.4 - 6.0)	NS	537	5.1%	(2.7 - 9.4)	8,507	6.5%	(5.7 - 7.4)	NS	No
Kidney Disease																						
Ever told they have kidney disease																						
2011	1,405	1.8%	(1.2 - 2.8)	25,345	2.2%	(2.0 - 2.4)	NS	582	1.9%	(1.0 - 3.8)	10,208	2.1%	(1.8 - 2.5)	NS	823	1.7%	(1.1 - 2.8)	15,137	2.2%	(2.0 - 2.5)	NS	No
2012	1,352	1.7%	(1.1 - 2.6)	19,122	2.4%	(2.2 - 2.7)	NS	572	1.2%	(0.6 - 2.4)	7,850	2.2%	(1.8 - 2.6)	NS	780	2.1%	(1.3 - 3.6)	11,272	2.7%	(2.3 - 3.1)	NS	No
2013	836	1.3%	(0.7 - 2.4)	17,080	2.0%	(1.8 - 2.3)	NS	369	0.6%	(0.2 - 1.6)	6,953	1.9%	(1.5 - 2.4)	NS	467	2.0%	(1.0 - 4.1)	10,127	2.1%	(1.8 - 2.6)	NS	No
2014	1,419	2.2%	(1.4 - 3.4)	22,362	2.1%	(1.9 - 2.4)	NS	647	2.3%	(1.2 - 4.5)	9,586	2.0%	(1.7 - 2.4)	NS	772	2.0%	(1.1 - 3.7)	12,776	2.3%	(2.0 - 2.6)	NS	No
2015	1,170	2.4%	(1.6 - 3.8)	17,502	2.4%	(2.1 - 2.7)	NS	517	2.6%	(1.4 - 4.9)	7,550	2.2%	(1.8 - 2.7)	NS	653	2.3%	(1.2 - 4.3)	9,952	2.5%	(2.1 - 2.9)	NS	No
2016	1,015	2.4%	(1.4 - 4.0)	15,150	2.8%	(2.4 - 3.2)	NS	477	2.3%	(1.1 - 5.0)	6,624	2.2%	(1.8 - 2.8)	NS	538	2.5%	(1.2 - 4.9)	8,526	3.4%	(2.8 - 4.0)	NS	No
Tobacco & E-Cigarettes																						
Current cigarette smoking ^a																						
2011	1,398	19.7%	(17.0 - 22.7)	25,324	20.0%	(19.3 - 20.7)	NS	578	23.9%	(19.7 - 28.7)	10,189	22.1%	(21.0 - 23.3)	NS	820	15.6%	(12.4 - 19.4)	15,135	17.9%	(17.0 - 18.9)	NS	Yes
2012	1,338	19.9%	(17.1 - 22.9)	18,985	19.7%	(18.9 - 20.6)	NS	568	21.1%	(17.0 - 25.9)	7,801	21.4%	(20.1 - 22.7)	NS	770	18.7%	(15.2 - 22.7)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	813	16.0%	(12.8 - 19.9)	16,687	18.5%	(17.5 - 19.5)	NS	360	17.7%	(13.0 - 23.6)	6,790	19.8%	(18.3 - 21.4)	NS	453	14.5%	(10.4 - 19.7)	9,897	17.2%	(15.9 - 18.5)	NS	No
2014	1,386	16.5%	(13.5 - 19.9)	21,729	17.3%	(16.5 - 18.2)	NS	630	13.9%	(10.3 - 18.6)	9,311	18.5%	(17.3 - 19.9)	NS	756	19.0%	(14.7 - 24.2)	12,418	16.2%	(15.1 - 17.3)	NS	No
2015	1,136	11.1%	(8.7 - 14.1)	17,079	17.1%	(16.2 - 18.1)	-	504	10.3%	(7.2 - 14.6)	7,355	18.4%	(17.0 - 19.9)	-	632	11.9%	(8.6 - 16.4)	9,724	15.8%	(14.7 - 17.1)	NS	No
2016	991	16.4%	(12.9 - 20.6)	14,790	17.0%	(16.0 - 18.1)	NS	464	17.8%	(12.6 - 24.5)	6,463	18.6%	(17.1 - 20.3)	NS	527	15.0%	(10.7 - 20.6)	8,327	15.4%	(14.1 - 16.8)	NS	No
Attempted to quit smoking in past year, among current cigarette smokers																						
2011	238	52.4%	(44.2 - 60.5)	4,195	55.6%	(53.5 - 57.7)	NS	117	51.6%	(40.7 - 62.3)	1,914	53.4%	(50.4 - 56.3)	NS	121	53.7%	(41.3 - 65.6)	2,281	58.3%	(55.4 - 61.2)	NS	No
2012	222	50.7%	(42.3 - 59.0)	3,023	57.1%	(54.7 - 59.6)	NS	98	45.3%	(33.6 - 57.5)	1,406	55.2%	(51.7 - 58.7)	NS	124	56.4%	(45.2 - 67.0)	1,617	59.3%	(55.9 - 62.7)	NS	No
2013	111	54.6%	(42.6 - 66.1)	2,546	57.1%	(54.1 - 60.2)	NS	56	54.6%	(38.4 - 70.0)	1,147	55.9%	(51.5 - 60.3)	NS	55	54.5%	(37.1 - 70.9)	1,399	58.5%	(54.3 - 62.6)	NS	No
2014	210	51.2%	(40.6 - 61.6)	3,241	58.2%	(55.5 - 60.9)	NS	91	49.0%	(33.6 - 64.5)	1,489	57.9%	(54.0 - 61.8)	NS	119	52.7%	(38.6 - 66.4)	1,752	58.5%	(54.6 - 62.2)	NS	No
2015	139	58.9%	(46.2 - 70.5)	2,476	59.1%	(56.1 - 62.0)	NS	55	63.0%	(45.0 - 77.9)	1,145	59.2%	(54.8 - 63.5)	NS	84	55.6%	(38.2 - 71.7)	1,331	58.9%	(54.8 - 62.9)	NS	No
2016	158	56.4%	(43.5 - 68.4)	2,181	54.6%	(51.2 - 58.0)	NS	75	48.5%	(31.3 - 66.0)	1,049	52.7%	(47.9 - 57.5)	NS	83	65.6%	(47.4 - 80.1)	1,132	56.9%	(52.1 - 61.5)	NS	No
Current smokeless tobacco use ^a																						
2011	1,404	4.5%	(3.2 - 6.3)	25,406	5.6%	(5.2 - 6.0)	NS	581	8.3%	(5.8 - 11.6)	10,231	10.5%	(9.7 - 11.4)	NS	823	0.8%	(0.3 - 2.3)	15,175	0.8%	(0.6 - 1.0)	NS	Yes
2012	1,342	4.5%	(3.1 - 6.4)	19,041	5.1%	(4.6 - 5.6)	NS	570	8.1%	(5.7 - 11.3)	7,828	9.5%	(8.7 - 10.5)	NS	772	1.0%	(0.2 - 5.1)	11,213	0.8%	(0.6 - 1.2)	NS	Yes
2013	817	4.3%	(2.8 - 6.5)	16,732	5.3%	(4.7 - 5.9)	NS	363	8.2%	(5.3 - 12.5)	6,813	10.1%	(9.0 - 11.2)	NS	454	0.4%	(0.1 - 1.8)	9,919	0.7%	(0.5 - 0.9)	NS	Yes
2014	1,393	2.6%	(1.7 - 4.0)	21,797	4.7%	(4.2 - 5.1)	-	633	4.4%	(2.7 - 7.1)	9,340	8.5%	(7.7 - 9.3)	-	760	0.8%	(0.3 - 2.5)	12,457	1.0%	(0.7 - 1.3)	NS	Yes
2015	1,138	4.8%	(3.1 - 7.4)	17,123	5.5%	(4.9 - 6.1)	NS	504	9.2%	(5.8 - 14.2)	7,372	9.9%	(8.9 - 11.1)	NS	634	0.4%	(0.2 - 1.0)	9,751	1.1%	(0.8 - 1.6)	NS	Yes
2016	993	1.8%	(1.0 - 3.5)	14,830	5.7%	(5.1 - 6.2)	-	465	3.7%	(1.9 - 6.9)	6,478	10.5%	(9.5 - 11.7)	-	528	0.0%	(0.0 - 0.1)	8,352	0.9%	(0.6 - 1.3)	-	Yes
Has rule not allowing smoking anywhere inside their home																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	379	93.4%	(89.8 - 95.8)	7,750	88.7%	(87.4 - 89.8)	NS	173	91.5%	(85.5 - 95.2)	3,121	88.3%	(86.2 - 90.0)	NS	206	95.7%	(91.4 - 97.9)	4,629	89.1%	(87.5 - 90.5)	+	No
2014	684	91.9%	(87.8 - 94.6)	10,582	89.0%	(87.9 - 90.0)	NS	307	89.7%	(82.8 - 94.0)	4,448	87.9%	(86.1 - 89.5)	NS	377	94.0%	(88.8 - 96.9)	6,134	90.0%	(88.6 - 91.2)	NS	No
2015	513	93.7%	(90.3 - 95.9)	7,816	90.1%	(88.9 - 91.1)	NS	220	93.1%	(88.0 - 96.1)	3,261	89.2%	(87.2 - 90.9)	NS	293	94.3%	(89.2 - 97.0)	4,555	90.9%	(89.6 - 92.1)	NS	No
2016	496	90.4%	(85.5 - 93.8)	7,109	90.8%	(89.6 - 91.8)	NS	227	92.0%	(85.8 - 95.6)	3,122	91.2%	(89.8 - 92.5)	NS	269	88.8%	(80.3 - 93.9)	3,987	90.4%	(88.5 - 92.0)	NS	No
Lifetime e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	992	24.8%	(20.2 - 30.0)	14,819	22.6%	(21.4 - 23.9)	NS	464	24.9%	(18.4 - 32.7)	6,474	25.1%	(23.3 - 27.0)	NS	528	24.7%	(18.7 - 32.0)	8,345	20.2%	(18.7 - 21.9)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Current e-cigarette use																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	992	8.4%	(5.6 - 12.4)	14,819	4.9%	(4.3 - 5.6)	NS	464	5.7%	(2.9 - 10.9)	6,474	5.3%	(4.5 - 6.4)	NS	528	11.1%	(6.7 - 17.7)	8,345	4.5%	(3.7 - 5.6)	+	No	
Overweight and Obesity																							
Obese (BMI=30+) [^]																							
2011	1,349	28.0%	(24.9 - 31.3)	24,366	28.4%	(27.6 - 29.2)	NS	577	27.9%	(23.7 - 32.6)	10,102	29.2%	(28.0 - 30.4)	NS	772	28.0%	(23.7 - 32.8)	14,264	27.6%	(26.5 - 28.8)	NS	No	
2012	1,282	28.2%	(25.3 - 31.3)	18,385	28.6%	(27.7 - 29.6)	NS	563	30.8%	(26.4 - 35.5)	7,781	29.2%	(27.9 - 30.6)	NS	719	25.6%	(21.8 - 29.7)	10,604	28.1%	(26.8 - 29.3)	NS	No	
2013	804	31.5%	(27.3 - 36.1)	16,250	29.6%	(28.4 - 30.7)	NS	367	36.5%	(30.1 - 43.4)	6,860	30.8%	(29.1 - 32.5)	NS	437	26.5%	(21.5 - 32.1)	9,390	28.4%	(26.9 - 29.9)	NS	No	
2014	1,349	31.6%	(27.8 - 35.7)	21,130	30.2%	(29.2 - 31.3)	NS	634	32.2%	(26.7 - 38.3)	9,399	31.7%	(30.2 - 33.2)	NS	715	30.9%	(25.9 - 36.5)	11,731	28.7%	(27.4 - 30.1)	NS	No	
2015	1,089	32.2%	(28.2 - 36.5)	16,265	31.4%	(30.3 - 32.5)	NS	499	33.3%	(27.4 - 39.8)	7,323	32.9%	(31.3 - 34.6)	NS	590	31.1%	(25.8 - 36.9)	8,942	29.8%	(28.3 - 31.3)	NS	No	
2016	948	31.6%	(26.9 - 36.6)	14,173	32.0%	(30.8 - 33.2)	NS	462	29.7%	(23.3 - 37.0)	6,460	32.6%	(30.8 - 34.3)	NS	486	33.6%	(27.1 - 40.7)	7,713	31.4%	(29.7 - 33.1)	NS	No	
Overweight or Obese (BMI=25+)																							
2011	1,349	66.8%	(63.4 - 70.0)	24,366	64.9%	(64.0 - 65.8)	NS	577	77.0%	(72.5 - 81.0)	10,102	72.8%	(71.5 - 74.1)	NS	772	56.2%	(51.4 - 60.9)	14,264	56.8%	(55.5 - 58.1)	NS	Yes	
2012	1,282	63.5%	(59.9 - 66.9)	18,385	65.0%	(64.0 - 66.0)	NS	563	72.2%	(67.1 - 76.7)	7,781	72.3%	(70.8 - 73.7)	NS	719	54.6%	(49.7 - 59.4)	10,604	57.6%	(56.2 - 59.0)	NS	Yes	
2013	804	68.5%	(64.0 - 72.7)	16,250	65.5%	(64.2 - 66.7)	NS	367	75.5%	(69.1 - 80.9)	6,860	72.2%	(70.4 - 74.0)	NS	437	61.3%	(54.8 - 67.5)	9,390	58.5%	(56.8 - 60.2)	NS	Yes	
2014	1,349	67.9%	(63.6 - 71.8)	21,130	66.7%	(65.6 - 67.8)	NS	634	75.7%	(69.4 - 81.1)	9,399	73.8%	(72.3 - 75.3)	NS	715	59.7%	(54.0 - 65.3)	11,731	59.2%	(57.7 - 60.7)	NS	Yes	
2015	1,089	67.9%	(63.3 - 72.2)	16,265	67.0%	(65.8 - 68.2)	NS	499	73.0%	(66.0 - 79.0)	7,323	73.4%	(71.7 - 75.1)	NS	590	62.5%	(56.2 - 68.3)	8,942	60.2%	(58.6 - 61.9)	NS	No	
2016	948	70.3%	(65.0 - 75.2)	14,173	68.5%	(67.3 - 69.8)	NS	462	74.5%	(66.5 - 81.1)	6,460	74.9%	(73.1 - 76.6)	NS	486	66.0%	(58.7 - 72.6)	7,713	61.8%	(59.9 - 63.6)	NS	No	
Nutrition																							
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	385	24.6%	(19.2 - 30.9)	7,822	28.5%	(26.8 - 30.3)	NS	175	33.5%	(24.9 - 43.2)	3,164	35.8%	(33.1 - 38.5)	NS	210	13.9%	(9.2 - 20.4)	4,658	21.7%	(19.7 - 24.0)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	382	44.3%	(38.1 - 50.7)	7,818	46.3%	(44.6 - 48.1)	NS	175	39.1%	(30.7 - 48.3)	3,165	43.4%	(40.8 - 46.0)	NS	207	50.6%	(42.0 - 59.1)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	536	43.6%	(37.5 - 49.8)	7,892	46.8%	(45.0 - 48.5)	NS	238	42.1%	(33.1 - 51.6)	3,436	46.0%	(43.4 - 48.7)	NS	298	45.1%	(37.4 - 53.0)	4,456	47.5%	(45.2 - 49.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																							
2011	1,336	0.99	(0.98 - 1.08)	24,090	1.02	(1.02 - 1.04)	NS	548	0.97	(0.85 - 0.99)	9,660	0.99	(0.99 - 1.00)	NS	788	1.09	(1.02 - 1.26)	14,430	1.14	(1.13 - 1.14)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	780	1.04	(1.00 - 1.15)	15,949	1.00	(1.00 - 1.00)	+	345	0.99	(0.96 - 1.08)	6,462	0.99	(0.99 - 1.00)	NS	435	1.14	(0.99 - 1.40)	9,487	1.07	(1.06 - 1.14)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,081	0.99	(0.98 - 1.06)	16,135	1.00	(1.00 - 1.00)	NS	477	0.97	(0.83 - 1.02)	6,899	0.99	(0.98 - 1.00)	NS	604	1.00	(0.99 - 1.14)	9,236	1.03	(1.02 - 1.09)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																							
2011	1,336	41.4%	(37.9 - 45.0)	24,090	40.1%	(39.2 - 41.1)	NS	548	47.1%	(42.0 - 52.3)	9,660	46.2%	(44.8 - 47.6)	NS	788	35.9%	(31.2 - 41.0)	14,430	34.3%	(33.1 - 35.6)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	780	38.0%	(33.4 - 42.8)	15,949	39.7%	(38.5 - 41.0)	NS	345	41.7%	(34.9 - 48.8)	6,462	45.4%	(43.4 - 47.3)	NS	435	34.5%	(28.5 - 41.0)	9,487	34.4%	(32.8 - 36.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,081	40.0%	(35.6 - 44.7)	16,135	41.1%	(39.9 - 42.4)	NS	477	47.6%	(40.6 - 54.7)	6,899	47.4%	(45.6 - 49.3)	NS	604	32.3%	(27.1 - 38.1)	9,236	35.1%	(33.5 - 36.7)	NS	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Median times per day consumed vegetables																							
2011	1,323	1.49	(1.42 - 1.57)	23,785	1.46	(1.44 - 1.50)	NS	542	1.36	(1.28 - 1.50)	9,534	1.35	(1.33 - 1.41)	NS	781	1.57	(1.50 - 1.71)	14,251	1.57	(1.57 - 1.61)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	776	1.60	(1.52 - 1.72)	15,700	1.57	(1.55 - 1.58)	NS	346	1.52	(1.43 - 1.69)	6,373	1.43	(1.42 - 1.50)	NS	430	1.71	(1.57 - 2.02)	9,327	1.70	(1.66 - 1.73)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,059	1.57	(1.45 - 1.71)	15,850	1.53	(1.50 - 1.58)	NS	464	1.36	(1.26 - 1.57)	6,786	1.42	(1.40 - 1.46)	NS	595	1.72	(1.62 - 1.90)	9,064	1.62	(1.58 - 1.69)	NS	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed vegetables less than 1 time per day																							
2011	1,323	25.2%	(22.1 - 28.6)	23,785	26.2%	(25.4 - 27.1)	NS	542	29.1%	(24.5 - 34.0)	9,534	29.7%	(28.4 - 31.0)	NS	781	21.6%	(17.4 - 26.4)	14,251	22.9%	(21.8 - 24.1)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	776	20.0%	(16.3 - 24.4)	15,700	23.3%	(22.2 - 24.4)	NS	346	21.8%	(16.3 - 28.6)	6,373	26.6%	(25.0 - 28.4)	NS	430	18.2%	(13.5 - 24.1)	9,327	20.1%	(18.7 - 21.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,059	27.5%	(23.4 - 32.0)	15,850	24.7%	(23.7 - 25.9)	NS	464	31.1%	(24.8 - 38.2)	6,786	28.3%	(26.6 - 30.0)	NS	595	23.9%	(19.0 - 29.7)	9,064	21.4%	(20.1 - 22.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Physical Activity																							
No leisure-time physical activity in past 30 days ^a																							
2011	1,351	23.5%	(20.7 - 26.6)	24,433	26.3%	(25.5 - 27.1)	NS	554	24.7%	(20.6 - 29.3)	9,795	27.2%	(26.0 - 28.5)	NS	797	22.4%	(18.6 - 26.7)	14,638	25.4%	(24.3 - 26.5)	NS	No	
2012	1,352	19.8%	(17.3 - 22.6)	19,153	21.0%	(20.2 - 21.9)	NS	572	21.5%	(17.7 - 25.9)	7,865	20.4%	(19.3 - 21.7)	NS	780	18.2%	(15.0 - 21.9)	11,288	21.6%	(20.5 - 22.8)	NS	No	
2013	793	23.1%	(19.2 - 27.5)	16,158	25.3%	(24.2 - 26.4)	NS	352	23.4%	(17.6 - 30.5)	6,567	26.3%	(24.7 - 28.1)	NS	441	22.7%	(17.9 - 28.4)	9,591	24.3%	(22.9 - 25.8)	NS	No	
2014	1,421	18.7%	(15.8 - 22.0)	22,397	21.3%	(20.4 - 22.1)	NS	647	16.6%	(12.9 - 21.2)	9,599	21.2%	(20.0 - 22.5)	NS	774	20.7%	(16.6 - 25.5)	12,798	21.4%	(20.2 - 22.5)	NS	No	
2015	1,085	19.8%	(16.5 - 23.6)	16,319	25.3%	(24.3 - 26.4)	-	479	20.0%	(15.0 - 26.3)	6,997	25.3%	(23.8 - 26.9)	NS	606	19.7%	(15.7 - 24.4)	9,322	25.4%	(24.0 - 26.8)	NS	No	
2016	1,017	17.3%	(13.9 - 21.3)	15,169	22.4%	(21.4 - 23.5)	-	479	15.2%	(10.9 - 20.9)	6,633	20.7%	(19.3 - 22.3)	NS	538	19.4%	(14.6 - 25.3)	8,536	24.1%	(22.7 - 25.6)	NS	No	
Met aerobic physical activity recommendation ^a																							
2011	1,319	49.3%	(45.8 - 52.9)	23,735	49.0%	(48.0 - 49.9)	NS	544	47.5%	(42.4 - 52.7)	9,544	47.2%	(45.8 - 48.6)	NS	775	51.0%	(46.1 - 55.9)	14,191	50.6%	(49.4 - 51.9)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	777	51.8%	(46.9 - 56.6)	15,730	50.1%	(48.8 - 51.4)	NS	346	51.0%	(43.9 - 58.0)	6,416	48.8%	(46.9 - 50.7)	NS	431	52.6%	(45.9 - 59.2)	9,314	51.4%	(49.7 - 53.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,061	53.9%	(49.2 - 58.5)	15,878	51.3%	(50.0 - 52.5)	NS	473	53.3%	(46.2 - 60.3)	6,832	51.1%	(49.2 - 53.0)	NS	588	54.5%	(48.4 - 60.5)	9,046	51.4%	(49.8 - 53.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met muscle strengthening recommendation ^a																							
2011	1,335	32.9%	(29.6 - 36.3)	24,204	28.1%	(27.3 - 29.0)	+	548	37.2%	(32.3 - 42.5)	9,697	32.0%	(30.6 - 33.4)	NS	787	28.7%	(24.7 - 33.1)	14,507	24.5%	(23.4 - 25.6)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	792	34.3%	(29.6 - 39.3)	16,021	28.4%	(27.2 - 29.6)	NS	352	39.4%	(32.7 - 46.5)	6,499	31.0%	(29.2 - 32.8)	NS	440	29.3%	(23.0 - 36.5)	9,522	26.0%	(24.5 - 27.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,074	35.1%	(30.7 - 39.8)	16,117	31.2%	(30.1 - 32.5)	NS	468	38.7%	(31.9 - 45.9)	6,893	34.9%	(33.1 - 36.8)	NS	606	31.5%	(26.0 - 37.6)	9,224	27.7%	(26.2 - 29.3)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met both aerobic physical activity and muscle strengthening recommendations ^a																							
2011	1,307	22.5%	(19.6 - 25.6)	23,567	19.0%	(18.2 - 19.8)	NS	539	22.9%	(18.6 - 27.8)	9,477	19.7%	(18.5 - 20.9)	NS	768	22.1%	(18.4 - 26.2)	14,090	18.4%	(17.4 - 19.4)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	776	22.1%	(17.9 - 26.9)	15,635	18.8%	(17.8 - 19.9)	NS	346	23.2%	(17.8 - 29.8)	6,366	19.4%	(17.9 - 21.0)	NS	430	21.0%	(15.0 - 28.4)	9,269	18.2%	(16.8 - 19.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	1,049	24.8%	(20.8 - 29.2)	15,724	21.8%	(20.7 - 22.9)	NS	462	27.3%	(21.2 - 34.2)	6,757	23.3%	(21.6 - 25.1)	NS	587	22.3%	(17.4 - 28.2)	8,967	20.3%	(18.9 - 21.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Walk for at least 10 minutes at a time for any reason during a usual week																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	534	86.2%	(81.3 - 90.0)	7,895	84.6%	(83.3 - 85.8)	NS	238	88.1%	(80.3 - 93.1)	3,442	84.2%	(82.2 - 86.0)	NS	296	84.2%	(77.3 - 89.3)	4,453	85.1%	(83.4 - 86.6)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Sary/Cass			State of NE			Sary/Cass			State of NE			Sary/Cass			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Frequent Mental Distress in past 30 days																						
2011	1,397	8.5%	(6.7 - 10.8)	25,036	9.2%	(8.7 - 9.7)	NS	581	7.0%	(4.9 - 9.8)	10,097	7.7%	(7.0 - 8.4)	NS	816	10.1%	(7.3 - 13.8)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	1,345	6.8%	(5.3 - 8.6)	18,935	9.0%	(8.4 - 9.7)	NS	571	2.9%	(1.7 - 4.9)	7,786	7.4%	(6.6 - 8.3)	-	774	10.5%	(8.0 - 13.7)	11,149	10.6%	(9.7 - 11.5)	NS	Yes
2013	829	8.0%	(5.5 - 11.3)	16,889	8.9%	(8.2 - 9.6)	NS	366	6.8%	(3.4 - 13.3)	6,889	6.8%	(5.9 - 7.9)	NS	463	9.1%	(6.3 - 13.0)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	1,408	6.3%	(4.6 - 8.5)	22,132	8.2%	(7.6 - 8.8)	NS	642	5.0%	(3.1 - 8.0)	9,483	6.4%	(5.6 - 7.3)	NS	766	7.6%	(5.0 - 11.2)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	1,163	7.7%	(5.4 - 11.0)	17,369	8.9%	(8.2 - 9.6)	NS	513	8.0%	(4.6 - 13.5)	7,491	6.9%	(6.0 - 7.9)	NS	650	7.5%	(4.7 - 11.8)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	1,011	11.3%	(8.2 - 15.3)	15,035	9.5%	(8.7 - 10.4)	NS	476	5.3%	(2.8 - 9.8)	6,568	7.0%	(6.0 - 8.1)	NS	535	17.1%	(11.9 - 23.9)	8,467	12.0%	(10.8 - 13.3)	NS	Yes
Currently taking medication or receiving treatment for a mental health condition																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	354	13.0%	(9.2 - 18.1)	6,643	11.0%	(10.0 - 12.1)	NS	153	7.3%	(3.5 - 14.7)	2,693	7.4%	(6.2 - 8.9)	NS	201	19.0%	(13.1 - 26.7)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms of serious mental illness in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	349	1.9%	(0.9 - 4.1)	6,555	3.2%	(2.6 - 3.9)	NS	152	0.4%	(0.1 - 2.5)	2,657	2.5%	(1.8 - 3.7)	NS	197	3.6%	(1.6 - 8.1)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol and Drug Use																						
Any alcohol consumption in past 30 days																						
2011	1,324	63.3%	(59.7 - 66.8)	24,051	61.8%	(60.9 - 62.7)	NS	541	67.8%	(62.6 - 72.6)	9,597	67.7%	(66.4 - 69.1)	NS	783	59.1%	(54.2 - 63.9)	14,454	56.2%	(55.0 - 57.4)	NS	No
2012	1,331	64.3%	(60.9 - 67.4)	18,891	61.3%	(60.3 - 62.3)	NS	563	71.8%	(67.1 - 76.1)	7,749	68.7%	(67.2 - 70.1)	NS	768	57.1%	(52.5 - 61.6)	11,142	54.2%	(52.8 - 55.6)	NS	Yes
2013	811	59.6%	(54.8 - 64.2)	16,614	57.5%	(56.2 - 58.7)	NS	360	63.4%	(56.2 - 70.1)	6,754	63.3%	(61.4 - 65.2)	NS	451	55.8%	(49.3 - 62.1)	9,860	51.8%	(50.2 - 53.5)	NS	No
2014	1,381	61.5%	(57.3 - 65.5)	21,612	59.2%	(58.1 - 60.3)	NS	623	66.6%	(60.2 - 72.4)	9,246	65.2%	(63.6 - 66.8)	NS	758	56.7%	(51.1 - 62.1)	12,366	53.4%	(52.0 - 54.9)	NS	No
2015	1,130	55.9%	(51.4 - 60.4)	16,939	57.6%	(56.4 - 58.8)	NS	500	56.9%	(49.9 - 63.8)	7,282	63.8%	(62.0 - 65.5)	NS	630	54.9%	(49.0 - 60.7)	9,657	51.6%	(50.0 - 53.2)	NS	No
2016	986	63.2%	(57.9 - 68.2)	14,723	59.8%	(58.5 - 61.0)	NS	460	66.5%	(58.3 - 73.7)	6,421	68.0%	(66.1 - 69.8)	NS	526	60.1%	(53.0 - 66.8)	8,302	51.8%	(50.0 - 53.6)	NS	No
Binge drank in past 30 days^a																						
2011	1,318	23.0%	(20.1 - 26.3)	23,948	22.7%	(21.9 - 23.5)	NS	535	29.9%	(25.2 - 35.1)	9,533	30.2%	(28.9 - 31.5)	NS	783	16.7%	(13.3 - 20.7)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	1,323	22.9%	(19.9 - 26.1)	18,742	22.1%	(21.3 - 23.0)	NS	558	27.8%	(23.3 - 32.7)	7,664	29.1%	(27.6 - 30.5)	NS	765	18.2%	(14.6 - 22.5)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	808	20.4%	(16.8 - 24.5)	16,500	20.0%	(19.0 - 21.1)	NS	359	26.1%	(20.4 - 32.7)	6,687	25.2%	(23.6 - 26.9)	NS	449	14.9%	(10.9 - 20.0)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	1,371	20.7%	(17.4 - 24.5)	21,443	20.3%	(19.4 - 21.3)	NS	619	28.7%	(23.2 - 35.0)	9,149	26.8%	(25.3 - 28.3)	NS	752	13.1%	(9.8 - 17.3)	12,294	14.1%	(13.0 - 15.3)	NS	Yes
2015	1,121	15.8%	(12.8 - 19.4)	16,832	19.5%	(18.5 - 20.5)	NS	496	20.4%	(15.5 - 26.4)	7,216	26.0%	(24.4 - 27.8)	NS	625	11.2%	(8.0 - 15.5)	9,616	13.1%	(12.0 - 14.3)	NS	Yes
2016	981	17.8%	(14.0 - 22.4)	14,620	20.0%	(18.9 - 21.1)	NS	456	22.3%	(16.2 - 29.8)	6,367	27.2%	(25.4 - 29.0)	NS	525	13.7%	(9.5 - 19.4)	8,253	13.1%	(11.9 - 14.4)	NS	No
Heavy drinking in past 30 days																						
2011	1,317	7.2%	(5.5 - 9.2)	23,906	7.5%	(7.0 - 8.1)	NS	536	10.1%	(7.2 - 13.9)	9,514	9.2%	(8.4 - 10.2)	NS	781	4.5%	(3.1 - 6.4)	14,392	5.9%	(5.2 - 6.6)	NS	Yes
2012	1,323	8.5%	(6.7 - 10.6)	18,738	7.2%	(6.6 - 7.7)	NS	558	11.4%	(8.5 - 15.2)	7,668	8.5%	(7.7 - 9.4)	NS	765	5.6%	(3.9 - 8.1)	11,070	5.9%	(5.3 - 6.6)	NS	Yes
2013	805	6.7%	(4.8 - 9.3)	16,513	6.8%	(6.2 - 7.5)	NS	356	6.0%	(3.6 - 9.9)	6,698	7.3%	(6.4 - 8.3)	NS	449	7.4%	(4.8 - 11.4)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	1,370	6.6%	(4.7 - 9.2)	21,447	6.4%	(5.9 - 7.0)	NS	618	8.0%	(5.1 - 12.3)	9,158	7.5%	(6.7 - 8.5)	NS	752	5.3%	(3.1 - 8.8)	12,289	5.3%	(4.7 - 6.1)	NS	No
2015	1,121	5.3%	(3.5 - 7.9)	16,815	5.7%	(5.1 - 6.4)	NS	495	6.4%	(3.7 - 11.0)	7,214	7.0%	(6.0 - 8.1)	NS	626	4.2%	(2.4 - 7.3)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	980	7.7%	(5.2 - 11.2)	14,634	6.6%	(5.9 - 7.3)	NS	457	8.5%	(4.8 - 14.4)	6,376	8.0%	(7.0 - 9.1)	NS	523	7.0%	(4.1 - 11.7)	8,258	5.2%	(4.4 - 6.2)	NS	No
Alcohol impaired driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,334	3.2%	(2.2 - 4.7)	18,895	3.4%	(3.1 - 3.8)	NS	564	6.1%	(4.1 - 9.1)	7,741	5.5%	(4.9 - 6.3)	NS	770	0.4%	(0.1 - 1.3)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,385	2.5%	(1.4 - 4.4)	21,627	2.5%	(2.2 - 2.9)	NS	630	3.7%	(2.0 - 6.7)	9,242	4.2%	(3.5 - 4.9)	NS	755	1.3%	(0.3 - 5.2)	12,385	1.0%	(0.7 - 1.3)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	981	5.2%	(3.2 - 8.2)	14,666	3.4%	(2.9 - 3.9)	NS	458	6.9%	(3.9 - 12.1)	6,383	5.1%	(4.3 - 6.0)	NS	523	3.4%	(1.5 - 7.8)	8,283	1.7%	(1.3 - 2.4)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Ever had a shingles vaccination, aged 50 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	827	23.0%	(19.4 - 27.1)	14,246	27.9%	(26.9 - 28.9)	NS	373	23.4%	(18.0 - 29.7)	5,892	25.7%	(24.2 - 27.3)	NS	454	22.7%	(18.0 - 28.1)	8,354	29.8%	(28.4 - 31.3)	-	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever been tested for HIV, 18-64 year olds (excluding blood donation)																							
2011	1,015	38.2%	(34.4 - 42.2)	15,561	30.8%	(29.7 - 31.8)	+	427	37.8%	(32.5 - 43.5)	6,612	28.4%	(27.0 - 29.9)	+	588	38.6%	(33.3 - 44.2)	8,949	33.1%	(31.7 - 34.6)	NS	No	
2012	935	38.9%	(35.2 - 42.9)	11,879	30.9%	(29.8 - 32.1)	+	413	37.0%	(31.7 - 42.7)	5,254	27.9%	(26.3 - 29.5)	+	522	40.9%	(35.6 - 46.3)	6,625	34.0%	(32.4 - 35.7)	NS	No	
2013	566	38.0%	(32.9 - 43.4)	10,049	31.8%	(30.3 - 33.3)	NS	256	35.4%	(28.3 - 43.2)	4,304	29.1%	(27.0 - 31.3)	NS	310	40.7%	(33.5 - 48.2)	5,745	34.4%	(32.5 - 36.4)	NS	No	
2014	956	31.7%	(27.4 - 36.4)	13,474	30.9%	(29.6 - 32.2)	NS	425	31.4%	(25.2 - 38.4)	6,042	28.6%	(26.8 - 30.5)	NS	531	32.0%	(26.2 - 38.5)	7,432	33.2%	(31.4 - 35.0)	NS	No	
2015	717	34.9%	(29.9 - 40.3)	10,152	32.0%	(30.6 - 33.5)	NS	320	31.8%	(24.7 - 39.7)	4,604	29.2%	(27.2 - 31.4)	NS	397	38.2%	(31.4 - 45.5)	5,548	34.9%	(32.9 - 36.9)	NS	No	
2016	645	32.0%	(26.5 - 38.1)	9,145	31.9%	(30.4 - 33.5)	NS	309	22.8%	(16.5 - 30.6)	4,263	28.5%	(26.4 - 30.7)	NS	336	41.3%	(33.1 - 49.9)	4,882	35.4%	(33.2 - 37.6)	NS	Yes	
Oral Health																							
Visited a dentist or dental clinic for any reason in past year ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,347	72.7%	(69.5 - 75.7)	19,052	67.6%	(66.6 - 68.5)	+	571	70.3%	(65.3 - 74.7)	7,827	64.2%	(62.7 - 65.6)	NS	776	75.1%	(70.8 - 78.9)	11,225	70.9%	(69.6 - 72.1)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,412	69.7%	(65.6 - 73.5)	22,258	66.4%	(65.4 - 67.4)	NS	642	67.1%	(60.8 - 72.8)	9,544	63.2%	(61.7 - 64.8)	NS	770	72.2%	(66.8 - 77.1)	12,714	69.5%	(68.1 - 70.8)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,015	74.8%	(70.1 - 78.9)	15,089	68.7%	(67.5 - 69.9)	+	478	72.7%	(65.5 - 78.9)	6,597	65.9%	(64.1 - 67.7)	NS	537	76.8%	(70.5 - 82.1)	8,492	71.4%	(69.8 - 73.0)	NS	No	
Had any permanent teeth extracted due to tooth decay or gum disease																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	1,331	32.9%	(30.0 - 36.0)	18,824	39.8%	(38.8 - 40.8)	-	566	30.8%	(26.5 - 35.3)	7,750	39.2%	(37.7 - 40.6)	-	765	35.0%	(30.9 - 39.4)	11,074	40.4%	(39.1 - 41.7)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,409	31.9%	(28.4 - 35.6)	22,085	39.1%	(38.1 - 40.1)	-	640	32.2%	(27.1 - 37.7)	9,490	39.4%	(37.9 - 40.9)	-	769	31.7%	(27.0 - 36.8)	12,595	38.9%	(37.5 - 40.2)	-	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	1,007	31.5%	(27.3 - 36.0)	14,988	38.2%	(37.0 - 39.4)	-	475	32.9%	(26.7 - 39.7)	6,559	37.6%	(35.8 - 39.3)	NS	532	30.1%	(24.6 - 36.1)	8,429	38.9%	(37.3 - 40.5)	-	No	
Had any permanent teeth extracted due to tooth decay or gum disease, 45-64 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	493	44.2%	(39.0 - 49.5)	7,138	47.7%	(46.1 - 49.3)	NS	213	40.4%	(33.0 - 48.3)	3,077	48.7%	(46.3 - 51.1)	NS	280	47.9%	(40.9 - 55.0)	4,061	46.7%	(44.6 - 48.8)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	547	35.6%	(30.1 - 41.6)	8,200	45.9%	(44.3 - 47.5)	-	243	35.1%	(26.9 - 44.2)	3,631	47.5%	(45.1 - 50.0)	-	304	36.2%	(29.1 - 44.0)	4,569	44.3%	(42.1 - 46.5)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	380	41.3%	(34.3 - 48.6)	5,356	45.1%	(43.1 - 47.1)	NS	183	50.3%	(39.7 - 60.9)	2,446	46.4%	(43.5 - 49.3)	NS	197	32.2%	(24.1 - 41.5)	2,910	43.8%	(41.2 - 46.5)	NS	No	
Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	344	10.4%	(7.2 - 14.7)	6,502	13.4%	(12.3 - 14.5)	NS	132	8.5%	(4.6 - 15.3)	2,313	12.0%	(10.3 - 13.9)	NS	212	12.1%	(7.7 - 18.4)	4,189	14.4%	(13.0 - 16.0)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	395	17.5%	(12.5 - 23.8)	7,657	14.1%	(13.0 - 15.2)	NS	183	18.7%	(11.2 - 29.7)	3,010	14.4%	(12.8 - 16.3)	NS	212	16.3%	(10.6 - 24.2)	4,647	13.8%	(12.5 - 15.2)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	311	6.3%	(3.4 - 11.3)	5,179	13.2%	(11.9 - 14.6)	-	137	9.8%	(4.7 - 19.0)	1,993	10.6%	(9.0 - 12.5)	NS	174	3.3%	(1.1 - 9.9)	3,186	15.3%	(13.5 - 17.3)	-	No	
Had all permanent teeth extracted due to tooth decay or gum disease, 65-74 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	204	7.3%	(4.3 - 12.2)	3,149	11.3%	(9.9 - 12.8)	NS	87	5.1%	(2.1 - 12.0)	1,268	9.3%	(7.5 - 11.4)	NS	117	9.6%	(5.0 - 17.8)	1,881	13.1%	(11.1 - 15.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	238	11.9%	(6.7 - 20.3)	4,089	10.9%	(9.6 - 12.3)	NS	121	14.0%	(5.9 - 29.5)	1,804	12.0%	(9.9 - 14.4)	NS	117	9.8%	(4.9 - 18.6)	2,285	9.8%	(8.3 - 11.7)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	217	7.1%	(3.5 - 13.9)	2,815	10.4%	(9.0 - 12.0)	NS	101	11.2%	(4.9 - 23.3)	1,168	8.8%	(6.9 - 11.2)	NS	116	2.4%	(0.9 - 6.4)	1,647	11.8%	(9.9 - 14.1)	-	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	948	74.8%	(70.0 - 79.1)	13,764	67.4%	(66.1 - 68.6)	+	444	73.6%	(66.2 - 79.8)	6,092	63.9%	(62.0 - 65.8)	+	504	76.0%	(69.3 - 81.7)	7,672	70.8%	(69.1 - 72.5)	NS	No	
Social Context																							
Housing insecurity in past year, among those who own or rent their home [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	334	27.2%	(21.7 - 33.6)	6,089	26.6%	(25.0 - 28.3)	NS	142	25.1%	(17.2 - 35.2)	2,481	24.7%	(22.3 - 27.3)	NS	192	29.3%	(22.1 - 37.7)	3,608	28.5%	(26.3 - 30.8)	NS	No	
2013	363	25.6%	(20.3 - 31.8)	7,324	28.8%	(27.1 - 30.5)	NS	168	21.4%	(14.4 - 30.5)	2,961	25.0%	(22.5 - 27.7)	NS	195	31.1%	(23.6 - 39.8)	4,363	32.3%	(30.0 - 34.7)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	486	21.5%	(16.5 - 27.6)	7,461	28.5%	(26.8 - 30.2)	NS	206	20.7%	(13.6 - 30.2)	3,109	26.6%	(24.2 - 29.2)	NS	280	22.5%	(16.1 - 30.4)	4,352	30.3%	(28.1 - 32.5)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Food insecurity in past year [^]																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	354	15.1%	(10.8 - 20.8)	6,621	17.6%	(16.2 - 19.0)	NS	154	13.6%	(7.5 - 23.2)	2,684	13.9%	(12.1 - 16.0)	NS	200	16.8%	(11.3 - 24.2)	3,937	21.1%	(19.1 - 23.2)	NS	No	
2013	382	14.9%	(10.8 - 20.1)	7,828	19.0%	(17.6 - 20.6)	NS	174	13.1%	(7.7 - 21.4)	3,159	15.4%	(13.4 - 17.7)	NS	208	17.0%	(11.7 - 24.1)	4,669	22.5%	(20.5 - 24.6)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	518	19.2%	(14.2 - 25.4)	7,918	21.0%	(19.5 - 22.5)	NS	223	20.1%	(12.6 - 30.6)	3,309	17.9%	(15.8 - 20.2)	NS	295	18.2%	(12.7 - 25.4)	4,609	24.0%	(22.1 - 26.1)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Caregiving																							
Provided regular care/assistance in past month to friend or family member with health issue																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	535	21.6%	(16.8 - 27.2)	7,883	24.7%	(23.2 - 26.2)	NS	237	17.2%	(10.8 - 26.1)	3,434	21.1%	(19.1 - 23.4)	NS	298	26.2%	(19.8 - 33.8)	4,449	28.0%	(25.9 - 30.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Cognitive Decline																							
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	373	11.0%	(7.4 - 16.1)	5,767	9.4%	(8.4 - 10.5)	NS	174	12.4%	(7.2 - 20.5)	2,436	10.2%	(8.7 - 12.0)	NS	199	9.6%	(5.4 - 16.5)	3,331	8.6%	(7.3 - 10.2)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Inadequate Sleep																							
Get less than 7 hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	832	29.8%	(25.8 - 34.0)	16,972	31.8%	(30.6 - 33.0)	NS	367	29.2%	(23.6 - 35.5)	6,927	32.6%	(30.8 - 34.4)	NS	465	30.3%	(25.0 - 36.3)	10,045	31.0%	(29.5 - 32.6)	NS	No	
2014	1,411	30.5%	(26.9 - 34.4)	22,172	30.0%	(29.0 - 31.0)	NS	642	31.7%	(26.2 - 37.7)	9,527	30.7%	(29.2 - 32.2)	NS	769	29.4%	(24.7 - 34.5)	12,645	29.4%	(28.1 - 30.7)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,015	31.5%	(27.0 - 36.4)	15,097	29.6%	(28.4 - 30.8)	NS	479	29.6%	(23.3 - 36.8)	6,610	29.7%	(27.9 - 31.5)	NS	536	33.4%	(27.1 - 40.3)	8,487	29.5%	(27.9 - 31.2)	NS	No	
Average hours of sleep per day																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	832	7.0	(6.9 - 7.1)	16,972	7.1	(7.0 - 7.1)	NS	367	7.0	(6.8 - 7.2)	6,927	7.0	(7.0 - 7.1)	NS	465	7.0	(6.8 - 7.1)	10,045	7.1	(7.0 - 7.1)	NS	No	
2014	1,411	7.0	(6.9 - 7.1)	22,172	7.1	(7.0 - 7.1)	NS	642	7.1	(6.9 - 7.2)	9,527	7.0	(7.0 - 7.1)	NS	769	7.0	(6.9 - 7.1)	12,645	7.1	(7.1 - 7.1)	NS	No	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	1,015	7.2	(7.0 - 7.4)	15,097	7.1	(7.1 - 7.1)	NS	479	7.3	(6.9 - 7.6)	6,610	7.1	(7.0 - 7.2)	NS	536	7.1	(6.8 - 7.3)	8,487	7.1	(7.1 - 7.2)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Sarpy/Cass			State of NE			Sarpy/Cass			State of NE			Sarpy/Cass			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	256	7.3%	(3.9 - 13.4)	4,952	4.8%	(3.9 - 5.8)	NS	113	9.1%	(4.0 - 19.1)	2,246	6.1%	(4.8 - 7.7)	NS	143	5.3%	(2.0 - 13.4)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	451	1.4%	(0.6 - 3.7)	6,966	4.9%	(4.1 - 5.9)	-	221	1.5%	(0.5 - 4.3)	3,403	5.4%	(4.4 - 6.7)	-	230	1.4%	(0.3 - 6.9)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	386	8.4%	(4.2 - 16.2)	5,434	5.7%	(4.7 - 6.8)	NS	191	13.0%	(6.2 - 25.3)	2,727	7.1%	(5.6 - 9.0)	NS	195	2.1%	(0.4 - 9.6)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Note: Data reflect the two county LHD region of Cass and Sarpy Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

