

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Diabetes																						
Ever told they have diabetes (excluding pregnancy) ^a																						
2011	1,005	9.2%	(7.3 - 11.6)	25,393	8.4%	(7.9 - 8.8)	NS	403	11.1%	(8.0 - 15.2)	10,222	8.6%	(7.9 - 9.3)	NS	602	7.4%	(5.4 - 10.2)	15,171	8.2%	(7.6 - 8.8)	NS	No
2012	646	8.1%	(6.0 - 10.8)	19,156	8.1%	(7.6 - 8.6)	NS	264	10.0%	(6.8 - 14.3)	7,861	8.3%	(7.6 - 9.1)	NS	382	6.3%	(3.9 - 10.1)	11,295	7.9%	(7.3 - 8.5)	NS	No
2013	592	8.9%	(6.7 - 11.6)	17,110	9.2%	(8.5 - 9.9)	NS	239	10.8%	(7.2 - 15.8)	6,968	10.1%	(9.0 - 11.2)	NS	353	7.1%	(4.8 - 10.5)	10,142	8.3%	(7.5 - 9.2)	NS	No
2014	933	10.0%	(8.0 - 12.3)	22,388	9.2%	(8.6 - 9.7)	NS	409	9.8%	(7.2 - 13.4)	9,598	9.7%	(8.9 - 10.6)	NS	524	10.1%	(7.5 - 13.5)	12,790	8.6%	(7.9 - 9.3)	NS	No
2015	767	10.9%	(8.6 - 13.6)	17,547	8.8%	(8.2 - 9.4)	NS	331	9.5%	(6.7 - 13.3)	7,565	9.0%	(8.2 - 9.9)	NS	436	12.1%	(9.0 - 16.2)	9,982	8.6%	(7.8 - 9.3)	NS	No
2016	717	12.3%	(9.7 - 15.4)	15,171	8.8%	(8.2 - 9.5)	+	298	12.1%	(8.6 - 16.8)	6,630	8.7%	(7.8 - 9.7)	NS	419	12.4%	(8.9 - 17.0)	8,541	8.9%	(8.1 - 9.8)	NS	No
Ever told they have pre-diabetes (excluding pregnancy)																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	302	4.5%	(2.7 - 7.3)	8,549	5.5%	(4.8 - 6.3)	NS	114	6.6%	(3.4 - 12.6)	3,452	5.9%	(4.8 - 7.2)	NS	188	2.7%	(1.4 - 5.0)	5,097	5.1%	(4.1 - 6.2)	NS	No
2014	462	8.2%	(4.9 - 13.4)	11,165	5.8%	(5.1 - 6.5)	NS	207	6.4%	(3.1 - 12.9)	4,723	5.8%	(4.8 - 6.9)	NS	255	10.1%	(5.0 - 19.3)	6,442	5.7%	(4.9 - 6.7)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	716	6.7%	(4.9 - 9.1)	14,986	6.0%	(5.5 - 6.6)	NS	297	6.2%	(3.9 - 9.7)	6,547	5.3%	(4.6 - 6.2)	NS	419	7.2%	(4.7 - 10.9)	8,439	6.7%	(5.9 - 7.6)	NS	No
Cancer																						
Ever told they have skin cancer																						
2011	1,005	5.2%	(4.0 - 6.7)	25,359	5.6%	(5.3 - 6.0)	NS	403	5.8%	(4.0 - 8.3)	10,205	6.3%	(5.8 - 6.8)	NS	602	4.6%	(3.3 - 6.4)	15,154	5.0%	(4.6 - 5.5)	NS	No
2012	644	4.1%	(2.9 - 5.8)	19,133	5.6%	(5.2 - 6.0)	NS	263	4.1%	(2.5 - 6.9)	7,859	5.8%	(5.3 - 6.4)	NS	381	4.1%	(2.6 - 6.5)	11,274	5.4%	(4.9 - 6.0)	NS	No
2013	591	7.0%	(5.0 - 9.7)	17,087	5.9%	(5.5 - 6.3)	NS	237	6.6%	(3.7 - 11.5)	6,956	6.3%	(5.7 - 7.1)	NS	354	7.4%	(5.1 - 10.7)	10,131	5.4%	(4.9 - 6.0)	NS	No
2014	933	6.8%	(5.2 - 8.8)	22,370	5.7%	(5.4 - 6.1)	NS	408	5.5%	(3.6 - 8.5)	9,586	5.9%	(5.4 - 6.5)	NS	525	8.0%	(5.8 - 11.0)	12,784	5.6%	(5.1 - 6.1)	NS	No
2015	763	6.5%	(4.7 - 8.9)	17,512	6.0%	(5.6 - 6.4)	NS	330	9.5%	(6.4 - 13.9)	7,556	6.4%	(5.7 - 7.0)	NS	433	3.7%	(2.3 - 5.8)	9,956	5.6%	(5.1 - 6.2)	NS	Yes
2016	714	5.8%	(4.1 - 8.2)	15,150	5.5%	(5.0 - 5.9)	NS	297	8.6%	(5.5 - 13.2)	6,616	5.8%	(5.1 - 6.5)	NS	417	3.1%	(1.8 - 5.1)	8,534	5.2%	(4.6 - 5.8)	NS	Yes
Ever told they have cancer other than skin cancer																						
2011	1,004	7.7%	(6.2 - 9.6)	25,369	6.6%	(6.2 - 7.0)	NS	402	7.3%	(5.1 - 10.4)	10,219	5.0%	(4.6 - 5.5)	NS	602	8.0%	(6.1 - 10.6)	15,150	8.1%	(7.5 - 8.6)	NS	No
2012	645	6.4%	(4.6 - 8.8)	19,136	6.5%	(6.0 - 6.9)	NS	263	5.2%	(2.8 - 9.5)	7,858	5.0%	(4.5 - 5.6)	NS	382	7.5%	(5.2 - 10.6)	11,278	7.9%	(7.2 - 8.5)	NS	No
2013	593	7.0%	(5.2 - 9.4)	17,104	6.8%	(6.3 - 7.3)	NS	238	5.2%	(2.9 - 9.3)	6,965	5.6%	(5.0 - 6.4)	NS	355	8.7%	(6.3 - 12.0)	10,139	8.0%	(7.3 - 8.8)	NS	No
2014	934	8.8%	(7.0 - 10.9)	22,380	6.1%	(5.7 - 6.5)	+	409	8.8%	(6.2 - 12.4)	9,590	4.6%	(4.1 - 5.1)	+	525	8.7%	(6.4 - 11.6)	12,790	7.6%	(7.0 - 8.3)	NS	No
2015	765	9.1%	(7.1 - 11.5)	17,524	6.9%	(6.4 - 7.3)	NS	331	9.0%	(6.2 - 12.9)	7,557	5.2%	(4.6 - 5.8)	+	434	9.1%	(6.7 - 12.4)	9,967	8.5%	(7.8 - 9.2)	NS	No
2016	717	7.4%	(5.6 - 9.9)	15,165	6.9%	(6.3 - 7.4)	NS	298	7.0%	(4.3 - 11.4)	6,629	5.5%	(4.9 - 6.2)	NS	419	7.9%	(5.6 - 10.9)	8,536	8.2%	(7.4 - 9.0)	NS	No
Ever told they have cancer (in any form)																						
2011	1,004	12.1%	(10.2 - 14.3)	25,315	11.2%	(10.7 - 11.7)	NS	402	12.1%	(9.2 - 15.6)	10,192	10.1%	(9.5 - 10.8)	NS	602	12.0%	(9.6 - 14.9)	15,123	12.2%	(11.5 - 12.9)	NS	No
2012	643	9.7%	(7.5 - 12.3)	19,100	10.8%	(10.3 - 11.4)	NS	262	8.5%	(5.5 - 12.9)	7,846	9.6%	(8.9 - 10.4)	NS	381	10.8%	(8.1 - 14.3)	11,254	11.9%	(11.2 - 12.7)	NS	No
2013	591	12.8%	(10.1 - 16.1)	17,062	11.4%	(10.8 - 12.1)	NS	237	11.3%	(7.3 - 16.9)	6,946	10.6%	(9.7 - 11.6)	NS	354	14.3%	(11.0 - 18.4)	10,116	12.3%	(11.4 - 13.2)	NS	No
2014	933	13.6%	(11.3 - 16.2)	22,338	10.7%	(10.2 - 11.2)	+	408	11.8%	(8.8 - 15.8)	9,568	9.3%	(8.6 - 10.0)	NS	525	15.3%	(12.1 - 19.0)	12,770	12.1%	(11.4 - 12.9)	NS	No
2015	760	14.6%	(12.0 - 17.7)	17,481	11.6%	(11.0 - 12.2)	NS	329	17.3%	(13.1 - 22.5)	7,541	10.2%	(9.5 - 11.1)	+	431	12.0%	(9.2 - 15.6)	9,940	12.9%	(12.1 - 13.8)	NS	No
2016	714	12.3%	(9.7 - 15.4)	15,132	11.2%	(10.6 - 11.9)	NS	297	14.2%	(10.1 - 19.8)	6,607	10.1%	(9.3 - 11.1)	NS	417	10.4%	(7.8 - 13.8)	8,525	12.3%	(11.3 - 13.3)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Immunization and Infectious Disease																						
Had a flu vaccination in past year, aged 18 years and older																						
2011	959	42.9%	(39.1 - 46.9)	24,156	41.1%	(40.2 - 42.0)	NS	384	38.0%	(32.2 - 44.1)	9,663	35.1%	(33.8 - 36.5)	NS	575	47.8%	(42.8 - 52.8)	14,493	46.8%	(45.6 - 48.1)	NS	No
2012	632	46.2%	(41.5 - 50.9)	18,903	42.2%	(41.2 - 43.2)	NS	257	41.4%	(34.3 - 48.8)	7,754	36.8%	(35.4 - 38.2)	NS	375	50.8%	(44.7 - 56.8)	11,149	47.5%	(46.1 - 48.8)	NS	No
2013	562	50.1%	(44.8 - 55.4)	16,022	45.2%	(43.9 - 46.4)	NS	228	49.8%	(41.7 - 58.0)	6,506	41.2%	(39.4 - 43.1)	NS	334	50.4%	(43.6 - 57.0)	9,516	48.9%	(47.2 - 50.6)	NS	No
2014	912	46.0%	(42.1 - 50.1)	21,638	43.9%	(42.9 - 45.0)	NS	397	42.6%	(36.6 - 48.8)	9,262	38.8%	(37.3 - 40.4)	NS	515	49.4%	(44.2 - 54.5)	12,376	48.9%	(47.4 - 50.3)	NS	No
2015	704	50.2%	(45.6 - 54.8)	16,091	47.2%	(46.0 - 48.4)	NS	304	43.7%	(37.1 - 50.6)	6,883	40.8%	(39.0 - 42.6)	NS	400	56.6%	(50.5 - 62.6)	9,208	53.4%	(51.7 - 55.0)	NS	No
2016	700	46.6%	(41.7 - 51.5)	14,685	44.4%	(43.1 - 45.7)	NS	291	40.8%	(33.7 - 48.2)	6,401	39.4%	(37.5 - 41.3)	NS	409	52.2%	(45.9 - 58.5)	8,284	49.3%	(47.6 - 51.1)	NS	No
Had a flu vaccination in past year, aged 65 years and older ^h																						
2011	334	66.1%	(60.2 - 71.6)	8,185	61.8%	(60.3 - 63.3)	NS	114	65.8%	(55.5 - 74.8)	2,875	59.6%	(57.1 - 62.1)	NS	220	66.3%	(59.0 - 73.0)	5,310	63.4%	(61.5 - 65.3)	NS	No
2012	229	66.2%	(58.9 - 72.7)	6,625	62.9%	(61.2 - 64.6)	NS	79	63.1%	(50.8 - 73.9)	2,327	60.9%	(58.1 - 63.6)	NS	150	68.2%	(59.2 - 76.0)	4,298	64.4%	(62.4 - 66.5)	NS	No
2013	210	63.9%	(56.2 - 70.9)	5,652	66.2%	(64.2 - 68.1)	NS	79	65.9%	(53.7 - 76.3)	2,067	67.6%	(64.4 - 70.6)	NS	131	62.1%	(52.3 - 71.0)	3,585	65.0%	(62.6 - 67.4)	NS	No
2014	297	70.3%	(63.9 - 76.0)	7,610	64.7%	(63.2 - 66.2)	NS	124	72.5%	(62.6 - 80.5)	2,971	65.9%	(63.5 - 68.3)	NS	173	68.5%	(59.8 - 76.0)	4,639	63.8%	(61.8 - 65.7)	NS	No
2015	232	67.8%	(59.9 - 74.7)	5,578	65.2%	(63.4 - 67.0)	NS	101	63.7%	(51.5 - 74.4)	2,119	64.1%	(61.1 - 66.9)	NS	131	71.9%	(62.1 - 79.9)	3,459	66.1%	(63.9 - 68.2)	NS	No
2016	248	62.0%	(53.8 - 69.5)	5,130	62.7%	(60.8 - 64.6)	NS	106	62.0%	(49.3 - 73.2)	1,967	62.8%	(59.8 - 65.6)	NS	142	61.9%	(52.2 - 70.8)	3,163	62.7%	(60.2 - 65.1)	NS	No
Ever had a pneumonia vaccination, aged 65 years and older ^h																						
2011	329	71.7%	(65.8 - 76.9)	7,997	70.3%	(68.8 - 71.7)	NS	111	58.3%	(48.0 - 68.0)	2,772	66.7%	(64.2 - 69.1)	NS	218	80.1%	(73.4 - 85.4)	5,225	72.9%	(71.2 - 74.5)	NS	Yes
2012	224	75.1%	(68.1 - 80.9)	6,413	70.0%	(68.4 - 71.6)	NS	77	74.9%	(63.1 - 84.0)	2,225	66.9%	(64.1 - 69.6)	NS	147	75.1%	(66.2 - 82.4)	4,188	72.3%	(70.3 - 74.1)	NS	No
2013	204	74.8%	(67.7 - 80.7)	5,478	71.7%	(69.8 - 73.4)	NS	74	76.7%	(65.3 - 85.2)	1,970	71.5%	(68.5 - 74.3)	NS	130	73.1%	(63.8 - 80.7)	3,508	71.8%	(69.4 - 74.0)	NS	No
2014	289	74.6%	(68.1 - 80.2)	7,372	72.3%	(70.9 - 73.7)	NS	120	70.5%	(59.9 - 79.3)	2,849	70.3%	(67.9 - 72.5)	NS	169	78.3%	(70.2 - 84.7)	4,523	73.9%	(72.1 - 75.7)	NS	No
2015	227	72.1%	(64.5 - 78.7)	5,452	73.8%	(72.1 - 75.4)	NS	98	70.3%	(58.2 - 80.0)	2,056	70.3%	(67.4 - 73.0)	NS	129	74.1%	(64.3 - 82.0)	3,396	76.5%	(74.5 - 78.4)	NS	No
2016	243	73.4%	(63.7 - 81.2)	5,060	75.9%	(74.2 - 77.5)	NS	103	63.5%	(48.7 - 76.1)	1,927	73.7%	(70.9 - 76.3)	NS	140	85.2%	(77.7 - 90.5)	3,133	77.6%	(75.5 - 79.7)	NS	Yes
Had a tetanus vaccination since 2005																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	508	59.6%	(53.9 - 65.0)	14,650	60.2%	(58.9 - 61.5)	NS	202	64.8%	(55.2 - 73.0)	6,015	63.1%	(61.1 - 65.0)	NS	306	55.0%	(47.9 - 61.9)	8,635	57.4%	(55.6 - 59.1)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	651	60.4%	(55.2 - 65.3)	13,574	64.2%	(62.9 - 65.4)	NS	270	65.1%	(56.9 - 72.5)	5,939	67.5%	(65.5 - 69.3)	NS	381	55.9%	(49.3 - 62.3)	7,635	60.9%	(59.2 - 62.7)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Indicators																						
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	658	68.7%	(63.8 - 73.2)	13,764	67.4%	(66.1 - 68.6)	NS	279	66.6%	(58.9 - 73.4)	6,092	63.9%	(62.0 - 65.8)	NS	379	70.8%	(64.3 - 76.6)	7,672	70.8%	(69.1 - 72.5)	NS	No
Social Context																						
Housing insecurity in past year, among those who own or rent their home [^]																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	277	30.7%	(23.6 - 38.8)	6,089	26.6%	(25.0 - 28.3)	NS	111	32.3%	(20.9 - 46.4)	2,481	24.7%	(22.3 - 27.3)	NS	166	29.1%	(21.5 - 38.2)	3,608	28.5%	(26.3 - 30.8)	NS	No
2013	255	24.1%	(18.6 - 30.6)	7,324	28.8%	(27.1 - 30.5)	NS	108	20.9%	(13.8 - 30.3)	2,961	25.0%	(22.5 - 27.7)	NS	147	27.5%	(19.8 - 36.9)	4,363	32.3%	(30.0 - 34.7)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	329	25.9%	(20.2 - 32.5)	7,461	28.5%	(26.8 - 30.2)	NS	145	23.6%	(15.7 - 33.8)	3,109	26.6%	(24.2 - 29.2)	NS	184	28.2%	(20.8 - 37.1)	4,352	30.3%	(28.1 - 32.5)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Food insecurity in past year [^]																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	294	20.2%	(15.1 - 26.4)	6,621	17.6%	(16.2 - 19.0)	NS	114	16.6%	(10.2 - 25.8)	2,684	13.9%	(12.1 - 16.0)	NS	180	23.2%	(16.3 - 32.1)	3,937	21.1%	(19.1 - 23.2)	NS	No
2013	272	17.7%	(13.0 - 23.7)	7,828	19.0%	(17.6 - 20.6)	NS	116	13.0%	(7.8 - 21.1)	3,159	15.4%	(13.4 - 17.7)	NS	156	22.6%	(15.5 - 31.8)	4,669	22.5%	(20.5 - 24.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	356	17.5%	(12.9 - 23.3)	7,918	21.0%	(19.5 - 22.5)	NS	156	14.8%	(8.6 - 24.2)	3,309	17.9%	(15.8 - 20.2)	NS	200	20.3%	(14.1 - 28.2)	4,609	24.0%	(22.1 - 26.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caregiving																						
Provided regular care/assistance in past month to friend or family member with health issue																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	335	27.3%	(21.3 - 34.1)	7,883	24.7%	(23.2 - 26.2)	NS	141	33.1%	(23.6 - 44.2)	3,434	21.1%	(19.1 - 23.4)	+	194	22.4%	(15.7 - 30.7)	4,449	28.0%	(25.9 - 30.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cognitive Decline																						
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	242	11.6%	(6.9 - 18.8)	5,767	9.4%	(8.4 - 10.5)	NS	102	16.5%	(8.3 - 30.1)	2,436	10.2%	(8.7 - 12.0)	NS	140	7.1%	(3.7 - 13.1)	3,331	8.6%	(7.3 - 10.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Inadequate Sleep																						
Get less than 7 hours of sleep per day																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	592	31.4%	(26.9 - 36.3)	16,972	31.8%	(30.6 - 33.0)	NS	238	31.1%	(24.4 - 38.6)	6,927	32.6%	(30.8 - 34.4)	NS	354	31.8%	(26.0 - 38.2)	10,045	31.0%	(29.5 - 32.6)	NS	No
2014	925	27.6%	(24.3 - 31.1)	22,172	30.0%	(29.0 - 31.0)	NS	404	27.5%	(22.6 - 33.0)	9,527	30.7%	(29.2 - 32.2)	NS	521	27.6%	(23.3 - 32.3)	12,645	29.4%	(28.1 - 30.7)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	716	33.3%	(28.7 - 38.2)	15,097	29.6%	(28.4 - 30.8)	NS	298	31.1%	(24.4 - 38.8)	6,610	29.7%	(27.9 - 31.5)	NS	418	35.5%	(29.5 - 41.9)	8,487	29.5%	(27.9 - 31.2)	NS	No
Average hours of sleep per day																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	592	7.1	(7.0 - 7.3)	16,972	7.1	(7.0 - 7.1)	NS	238	7.2	(7.0 - 7.4)	6,927	7.0	(7.0 - 7.1)	NS	354	7.0	(6.9 - 7.2)	10,045	7.1	(7.0 - 7.1)	NS	No
2014	925	7.2	(7.1 - 7.3)	22,172	7.1	(7.0 - 7.1)	NS	404	7.1	(6.9 - 7.2)	9,527	7.0	(7.0 - 7.1)	NS	521	7.3	(7.1 - 7.4)	12,645	7.1	(7.1 - 7.1)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	716	7.0	(6.9 - 7.1)	15,097	7.1	(7.1 - 7.1)	NS	298	7.1	(6.9 - 7.2)	6,610	7.1	(7.0 - 7.2)	NS	418	6.9	(6.8 - 7.1)	8,487	7.1	(7.1 - 7.2)	-	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	177	2.5%	(1.0 - 6.2)	4,952	4.8%	(3.9 - 5.8)	NS	72	3.6%	(1.1 - 11.0)	2,246	6.1%	(4.8 - 7.7)	NS	105	1.4%	(0.3 - 6.0)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	317	5.0%	(2.5 - 9.9)	6,966	4.9%	(4.1 - 5.9)	NS	144	5.8%	(2.6 - 12.4)	3,403	5.4%	(4.4 - 6.7)	NS	173	4.1%	(1.1 - 14.1)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	242	9.2%	(5.2 - 16.0)	5,434	5.7%	(4.7 - 6.8)	NS	121	10.3%	(4.6 - 21.5)	2,727	7.1%	(5.6 - 9.0)	NS	121	8.1%	(3.5 - 17.5)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Note: Data reflect the three county LHD region of Dodge, Saunders, and Washington Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

^f Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

