

BRFSS Detailed Summary Table for Three Rivers Public Health Department Adults 18 and Older, 2011-2016

Indicators	Overall					Men					Women					LHD Gender Diff. ^o						
	Three Rivers		State of NE		Sig ^d	Three Rivers		State of NE		Sig ^d	Three Rivers		State of NE		Sig ^d							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)			n ^a	mean or % ^b	95% C.I. ^c (Low - High)			
General Health Status																						
General health fair or poor																						
2011	1,000	13.7%	(11.4 - 16.5)	25,347	14.3%	(13.7 - 14.9)	NS	400	13.4%	(9.9 - 17.8)	10,198	14.8%	(13.9 - 15.7)	NS	600	14.1%	(11.2 - 17.5)	15,149	13.9%	(13.1 - 14.7)	NS	No
2012	646	13.8%	(10.7 - 17.5)	19,132	14.4%	(13.7 - 15.2)	NS	264	13.4%	(8.9 - 19.8)	7,855	14.6%	(13.5 - 15.7)	NS	382	14.1%	(10.4 - 18.9)	11,277	14.3%	(13.4 - 15.2)	NS	No
2013	594	11.9%	(9.3 - 15.0)	17,106	13.9%	(13.1 - 14.8)	NS	239	9.7%	(6.6 - 14.0)	6,963	13.4%	(12.2 - 14.7)	NS	355	14.0%	(10.3 - 18.8)	10,143	14.4%	(13.3 - 15.6)	NS	No
2014	933	13.8%	(11.4 - 16.6)	22,370	13.2%	(12.5 - 13.9)	NS	409	12.9%	(9.6 - 17.1)	9,585	13.5%	(12.4 - 14.5)	NS	524	14.7%	(11.5 - 18.7)	12,785	12.9%	(12.0 - 13.8)	NS	No
2015	767	14.0%	(11.4 - 17.1)	17,539	13.9%	(13.1 - 14.8)	NS	332	14.8%	(10.9 - 19.6)	7,564	13.7%	(12.5 - 14.9)	NS	435	13.2%	(9.9 - 17.4)	9,975	14.2%	(13.1 - 15.3)	NS	No
2016	717	15.0%	(11.9 - 18.7)	15,166	14.7%	(13.8 - 15.6)	NS	298	14.0%	(9.7 - 19.9)	6,633	13.8%	(12.6 - 15.1)	NS	419	15.9%	(11.8 - 21.0)	8,533	15.5%	(14.3 - 16.8)	NS	No
Average number of days physical health was not good in past 30 days																						
2011	989	3.5	(2.9 - 4.1)	24,901	3.2	(3.0 - 3.3)	NS	397	3.6	(2.7 - 4.5)	10,067	2.9	(2.7 - 3.1)	NS	592	3.5	(2.7 - 4.2)	14,834	3.4	(3.2 - 3.6)	NS	No
2012	637	3.2	(2.5 - 3.8)	18,819	3.2	(3.1 - 3.4)	NS	261	3.2	(2.1 - 4.3)	7,759	2.9	(2.7 - 3.1)	NS	376	3.1	(2.3 - 3.9)	11,060	3.6	(3.4 - 3.8)	NS	No
2013	583	3.1	(2.5 - 3.7)	16,808	3.1	(2.9 - 3.3)	NS	237	2.8	(1.9 - 3.7)	6,877	2.8	(2.5 - 3.0)	NS	346	3.4	(2.6 - 4.2)	9,931	3.4	(3.2 - 3.7)	NS	No
2014	917	3.4	(2.8 - 4.0)	22,024	3.0	(2.9 - 3.1)	NS	405	3.6	(2.6 - 4.6)	9,464	2.8	(2.6 - 3.0)	NS	512	3.1	(2.4 - 3.8)	12,560	3.2	(3.0 - 3.4)	NS	No
2015	759	3.7	(2.9 - 4.4)	17,315	3.1	(3.0 - 3.3)	NS	329	3.2	(2.2 - 4.2)	7,476	2.8	(2.6 - 3.0)	NS	430	4.1	(3.1 - 5.1)	9,839	3.5	(3.3 - 3.7)	NS	No
2016	706	3.8	(3.0 - 4.5)	14,984	3.3	(3.1 - 3.5)	NS	292	3.2	(2.1 - 4.3)	6,561	2.9	(2.6 - 3.1)	NS	414	4.3	(3.3 - 5.3)	8,423	3.7	(3.4 - 4.0)	NS	No
Physical health was not good on 14 or more of the past 30 days																						
2011	989	11.2%	(8.9 - 14.0)	24,901	9.6%	(9.1 - 10.1)	NS	397	11.7%	(8.1 - 16.6)	10,067	9.0%	(8.3 - 9.8)	NS	592	10.7%	(8.1 - 13.9)	14,834	10.1%	(9.4 - 10.8)	NS	No
2012	637	9.1%	(6.9 - 11.9)	18,819	9.8%	(9.2 - 10.4)	NS	261	9.8%	(6.5 - 14.5)	7,759	8.6%	(7.8 - 9.5)	NS	376	8.4%	(5.8 - 11.9)	11,060	11.0%	(10.1 - 11.8)	NS	No
2013	583	9.8%	(7.5 - 12.7)	16,808	9.2%	(8.5 - 9.9)	NS	237	7.7%	(5.0 - 11.8)	6,877	7.9%	(7.0 - 8.9)	NS	346	11.8%	(8.4 - 16.2)	9,931	10.4%	(9.4 - 11.5)	NS	No
2014	917	10.4%	(8.3 - 13.0)	22,024	9.0%	(8.4 - 9.6)	NS	405	10.9%	(7.9 - 14.9)	9,464	8.3%	(7.4 - 9.1)	NS	512	9.9%	(7.2 - 13.6)	12,560	9.7%	(9.0 - 10.5)	NS	No
2015	759	11.6%	(9.2 - 14.7)	17,315	9.6%	(9.0 - 10.3)	NS	329	10.9%	(7.5 - 15.6)	7,476	8.6%	(7.7 - 9.6)	NS	430	12.3%	(9.1 - 16.6)	9,839	10.7%	(9.8 - 11.6)	NS	No
2016	706	10.6%	(8.2 - 13.6)	14,984	9.8%	(9.1 - 10.6)	NS	292	8.6%	(5.6 - 12.9)	6,561	8.4%	(7.4 - 9.4)	NS	414	12.6%	(9.1 - 17.1)	8,423	11.2%	(10.2 - 12.3)	NS	No
Average number of days mental health was not good in past 30 days																						
2011	994	2.9	(2.3 - 3.4)	25,036	3.1	(2.9 - 3.2)	NS	399	2.3	(1.6 - 3.0)	10,097	2.5	(2.3 - 2.7)	NS	595	3.4	(2.7 - 4.1)	14,939	3.6	(3.4 - 3.8)	NS	No
2012	639	3.1	(2.5 - 3.8)	18,935	3.0	(2.9 - 3.2)	NS	264	2.8	(1.8 - 3.8)	7,786	2.6	(2.4 - 2.8)	NS	375	3.5	(2.5 - 4.5)	11,149	3.5	(3.3 - 3.7)	NS	No
2013	587	2.5	(1.8 - 3.1)	16,889	3.0	(2.8 - 3.1)	NS	236	2.0	(1.0 - 3.0)	6,889	2.3	(2.1 - 2.6)	NS	351	2.9	(2.1 - 3.7)	10,000	3.5	(3.3 - 3.8)	NS	No
2014	918	2.7	(2.2 - 3.2)	22,132	2.8	(2.6 - 2.9)	NS	401	2.0	(1.4 - 2.6)	9,483	2.3	(2.1 - 2.5)	NS	517	3.3	(2.5 - 4.1)	12,649	3.3	(3.1 - 3.5)	NS	No
2015	759	2.8	(2.3 - 3.4)	17,369	2.9	(2.7 - 3.1)	NS	327	2.4	(1.5 - 3.2)	7,491	2.3	(2.1 - 2.6)	NS	432	3.3	(2.5 - 4.1)	9,878	3.5	(3.2 - 3.7)	NS	No
2016	713	3.8	(2.9 - 4.6)	15,035	3.2	(3.0 - 3.4)	NS	296	2.3	(1.5 - 3.0)	6,568	2.4	(2.1 - 2.6)	NS	417	5.2	(3.7 - 6.7)	8,467	4.0	(3.6 - 4.3)	NS	Yes
Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)																						
2011	994	8.3%	(6.2 - 11.1)	25,036	9.2%	(8.7 - 9.7)	NS	399	6.1%	(3.9 - 9.5)	10,097	7.7%	(7.0 - 8.4)	NS	595	10.5%	(7.2 - 15.0)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	639	9.3%	(7.0 - 12.2)	18,935	9.0%	(8.4 - 9.7)	NS	264	8.6%	(5.5 - 13.1)	7,786	7.4%	(6.6 - 8.3)	NS	375	9.9%	(6.8 - 14.2)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	587	7.3%	(5.1 - 10.3)	16,889	8.9%	(8.2 - 9.6)	NS	236	6.2%	(3.4 - 11.3)	6,889	6.8%	(5.9 - 7.9)	NS	351	8.4%	(5.5 - 12.6)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	918	8.3%	(6.4 - 10.6)	22,132	8.2%	(7.6 - 8.8)	NS	401	6.7%	(4.4 - 10.2)	9,483	6.4%	(5.6 - 7.3)	NS	517	9.7%	(7.1 - 13.2)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	759	8.5%	(6.5 - 11.1)	17,369	8.9%	(8.2 - 9.6)	NS	327	6.7%	(4.2 - 10.4)	7,491	6.9%	(6.0 - 7.9)	NS	432	10.3%	(7.4 - 14.2)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	713	12.4%	(9.5 - 16.2)	15,035	9.5%	(8.7 - 10.4)	NS	296	7.6%	(4.8 - 11.7)	6,568	7.0%	(6.0 - 8.1)	NS	417	17.2%	(12.4 - 23.4)	8,467	12.0%	(10.8 - 13.3)	NS	Yes
Average days poor physical or mental health limited usual activities in past 30 days																						
2011	998	2.0	(1.5 - 2.4)	25,183	1.9	(1.8 - 2.0)	NS	399	2.0	(1.3 - 2.7)	10,136	1.7	(1.6 - 1.9)	NS	599	1.9	(1.4 - 2.4)	15,047	2.0	(1.9 - 2.1)	NS	No
2012	644	2.3	(1.6 - 2.9)	19,022	2.0	(1.8 - 2.1)	NS	262	1.6	(0.9 - 2.2)	7,819	1.7	(1.5 - 1.9)	NS	382	3.0	(1.9 - 4.1)	11,203	2.2	(2.0 - 2.4)	NS	No
2013	589	2.1	(1.5 - 2.7)	16,986	1.9	(1.7 - 2.0)	NS	238	2.1	(1.1 - 3.1)	6,936	1.7	(1.5 - 1.9)	NS	351	2.1	(1.5 - 2.7)	10,050	2.0	(1.9 - 2.2)	NS	No
2014	924	2.0	(1.6 - 2.5)	22,228	1.8	(1.7 - 1.9)	NS	405	1.9	(1.3 - 2.6)	9,541	1.6	(1.5 - 1.8)	NS	519	2.1	(1.5 - 2.7)	12,687	1.9	(1.8 - 2.1)	NS	No
2015	762	2.2	(1.6 - 2.7)	17,430	1.9	(1.7 - 2.0)	NS	328	1.7	(1.0 - 2.4)	7,529	1.6	(1.4 - 1.8)	NS	434	2.6	(1.8 - 3.4)	9,901	2.1	(1.9 - 2.3)	NS	No
2016	711	1.9	(1.4 - 2.4)	15,084	2.0	(1.8 - 2.2)	NS	296	1.6	(0.9 - 2.3)	6,592	1.7	(1.5 - 1.9)	NS	415	2.1	(1.5 - 2.8)	8,492	2.3	(2.1 - 2.6)	NS	No
Poor physical or mental health limited usual activities on 14 or more of the past 30 days																						
2011	998	6.6%	(5.1 - 8.6)	25,183	5.8%	(5.4 - 6.2)	NS	399	6.6%	(4.4 - 9.9)	10,136	5.4%	(4.8 - 6.0)	NS	599	6.6%	(4.7 - 9.3)	15,047	6.2%	(5.7 - 6.8)	NS	No
2012	644	7.5%	(5.4 - 10.3)	19,022	6.4%	(5.9 - 6.9)	NS	262	5.5%	(3.3 - 9.1)	7,819	5.3%	(4.7 - 6.0)	NS	382	9.3%	(6.1 - 14.0)	11,203	7.4%	(6.7 - 8.2)	NS	No
2013	589	6.2%	(4.3 - 8.8)	16,986	5.8%	(5.3 - 6.4)	NS	238	6.2%	(3.4 - 10.9)	6,936	5.2%	(4.4 - 6.1)	NS	351	6.2%	(4.0 - 9.4)	10,050	6.5%	(5.7 - 7.3)	NS	No
2014	924	6.4%	(5.0 - 8.2)	22,228	5.8%	(5.4 - 6.4)	NS	405	6.2%	(4.2 - 9.0)	9,541	5.3%	(4.6 - 6.1)	NS	519	6.6%	(4.7 - 9.3)	12,687	6.4%	(5.7 - 7.1)	NS	No
2015	762	7.7%	(5.8 - 10.3)	17,430	5.9%	(5.4 - 6.4)	NS	328	6.8%	(4.2 - 10.7)	7,529	5.1%	(4.5 - 5.9)	NS	434	8.6%	(5.9 - 12.4)	9,901	6.6%	(6.0 - 7.3)	NS	No
2016	711	5.1%	(3.6 - 7.2)	15,084	6.2%	(5.6 - 6.8)	NS	296	3.7%	(2.2 - 6.4)	6,592	4.9%	(4.2 - 5.7)	NS	415	6.5%	(4.1 - 10.0)	8,492	7.4%	(6.6 - 8.5)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers		State of NE		Sig ^d	Three Rivers		State of NE		Sig ^d	Three Rivers		State of NE		Sig ^d							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)				
Health Care Access and Utilization																						
No health care coverage, 18-64 year olds																						
2011	643	17.6%	(14.2 - 21.8)	16,614	19.1%	(18.3 - 20.0)	NS	275	23.4%	(17.8 - 30.3)	7,107	22.0%	(20.7 - 23.4)	NS	368	11.5%	(8.1 - 15.9)	9,507	16.2%	(15.2 - 17.3)	NS	Yes
2012	407	21.4%	(16.2 - 27.6)	12,310	18.0%	(17.0 - 19.0)	NS	180	23.7%	(15.9 - 34.0)	5,450	20.3%	(18.8 - 21.8)	NS	227	18.9%	(13.2 - 26.2)	6,860	15.7%	(14.5 - 17.0)	NS	No
2013	372	16.0%	(10.7 - 23.2)	10,939	17.6%	(16.4 - 18.9)	NS	155	18.9%	(10.6 - 31.4)	4,720	18.4%	(16.6 - 20.4)	NS	217	13.1%	(7.8 - 21.2)	6,219	16.9%	(15.3 - 18.5)	NS	No
2014	620	14.7%	(11.4 - 18.7)	14,323	15.3%	(14.3 - 16.4)	NS	279	17.3%	(12.0 - 24.2)	6,443	17.0%	(15.4 - 18.7)	NS	341	12.0%	(8.6 - 16.7)	7,880	13.5%	(12.3 - 14.9)	NS	No
2015	501	10.5%	(7.5 - 14.4)	11,342	14.4%	(13.3 - 15.5)	NS	216	13.0%	(8.4 - 19.4)	5,187	15.4%	(13.8 - 17.1)	NS	285	8.0%	(4.8 - 13.2)	6,155	13.4%	(12.0 - 14.9)	NS	No
2016	457	11.8%	(8.7 - 15.8)	9,749	14.7%	(13.6 - 16.0)	NS	189	10.5%	(6.6 - 16.4)	4,538	15.0%	(13.3 - 16.9)	NS	268	13.0%	(8.7 - 18.9)	5,211	14.4%	(12.9 - 16.2)	NS	No
Has health care coverage, 18-64 year olds^a																						
2011	643	82.4%	(78.2 - 85.8)	16,614	80.9%	(80.0 - 81.7)	NS	275	76.6%	(69.7 - 82.2)	7,107	78.0%	(76.6 - 79.3)	NS	368	88.5%	(84.1 - 91.9)	9,507	83.8%	(82.7 - 84.8)	NS	Yes
2012	407	78.6%	(72.4 - 83.8)	12,310	82.0%	(81.0 - 83.0)	NS	180	76.3%	(66.0 - 84.1)	5,450	79.7%	(78.2 - 81.2)	NS	227	81.1%	(73.8 - 86.8)	6,860	84.3%	(83.0 - 85.5)	NS	No
2013	372	84.0%	(76.8 - 89.3)	10,939	82.4%	(81.1 - 83.6)	NS	155	81.1%	(68.6 - 89.4)	4,720	81.6%	(79.6 - 83.4)	NS	217	86.9%	(78.8 - 92.2)	6,219	83.1%	(81.5 - 84.7)	NS	No
2014	620	85.3%	(81.3 - 88.6)	14,323	84.7%	(83.6 - 85.7)	NS	279	82.7%	(75.8 - 88.0)	6,443	83.0%	(81.3 - 84.6)	NS	341	88.0%	(83.3 - 91.4)	7,880	86.5%	(85.1 - 87.7)	NS	No
2015	501	89.5%	(85.6 - 92.5)	11,342	85.6%	(84.5 - 86.7)	NS	216	87.0%	(80.6 - 91.6)	5,187	84.6%	(82.9 - 86.2)	NS	285	92.0%	(86.8 - 95.2)	6,155	86.6%	(85.1 - 88.0)	NS	No
2016	457	88.2%	(84.2 - 91.3)	9,749	85.3%	(84.0 - 86.4)	NS	189	89.5%	(83.6 - 93.4)	4,538	85.0%	(83.1 - 86.7)	NS	268	87.0%	(81.1 - 91.3)	5,211	85.6%	(83.8 - 87.1)	NS	No
No personal doctor or health care provider																						
2011	1,003	16.1%	(13.3 - 19.4)	25,340	18.4%	(17.6 - 19.1)	NS	401	23.4%	(18.6 - 28.8)	10,192	25.1%	(23.8 - 26.3)	NS	602	9.1%	(6.4 - 12.9)	15,148	12.0%	(11.1 - 12.8)	NS	Yes
2012	643	13.8%	(10.2 - 18.2)	19,132	17.2%	(16.4 - 18.1)	NS	263	22.5%	(16.1 - 30.5)	7,847	23.7%	(22.3 - 25.1)	NS	380	5.4%	(3.2 - 8.9)	11,285	11.0%	(10.1 - 12.0)	-	Yes
2013	593	14.9%	(10.8 - 20.3)	17,093	20.9%	(19.8 - 22.0)	NS	239	21.8%	(14.7 - 31.2)	6,956	27.5%	(25.7 - 29.4)	NS	354	8.2%	(5.1 - 13.1)	10,137	14.4%	(13.2 - 15.7)	-	Yes
2014	931	17.4%	(14.3 - 21.1)	22,354	20.2%	(19.2 - 21.2)	NS	406	26.0%	(20.7 - 32.1)	9,569	27.0%	(25.5 - 28.5)	NS	525	9.2%	(6.3 - 13.1)	12,785	13.6%	(12.5 - 14.8)	NS	Yes
2015	766	15.5%	(12.3 - 19.3)	17,509	19.7%	(18.7 - 20.8)	NS	332	21.2%	(16.1 - 27.3)	7,542	25.7%	(24.1 - 27.5)	NS	434	10.0%	(6.6 - 14.9)	9,967	13.9%	(12.7 - 15.2)	NS	Yes
2016	715	15.9%	(12.2 - 20.5)	15,138	19.1%	(18.0 - 20.2)	NS	298	17.8%	(12.2 - 25.1)	6,617	24.5%	(22.8 - 26.2)	NS	417	14.1%	(9.7 - 20.0)	8,521	13.8%	(12.5 - 15.2)	NS	No
Has a personal doctor or health care provider (one or more than one)^a																						
2011	1,003	83.9%	(80.6 - 86.7)	25,340	81.6%	(80.9 - 82.4)	NS	401	76.6%	(71.2 - 81.4)	10,192	74.9%	(73.7 - 76.2)	NS	602	90.9%	(87.1 - 93.6)	15,148	88.0%	(87.2 - 88.9)	NS	Yes
2012	643	86.2%	(81.8 - 89.8)	19,132	82.8%	(81.9 - 83.6)	NS	263	77.5%	(69.5 - 83.9)	7,847	76.3%	(74.9 - 77.7)	NS	380	94.6%	(91.1 - 96.8)	11,285	89.0%	(88.0 - 89.9)	+	Yes
2013	593	85.1%	(79.7 - 89.2)	17,093	79.1%	(78.0 - 80.2)	NS	239	78.2%	(68.8 - 85.3)	6,956	72.5%	(70.6 - 74.3)	NS	354	91.8%	(86.9 - 94.9)	10,137	85.6%	(84.3 - 86.8)	+	Yes
2014	931	82.6%	(78.9 - 85.7)	22,354	79.8%	(78.8 - 80.8)	NS	406	74.0%	(67.9 - 79.3)	9,569	73.0%	(71.5 - 74.5)	NS	525	90.8%	(86.9 - 93.7)	12,785	86.4%	(85.2 - 87.5)	NS	Yes
2015	766	84.5%	(80.7 - 87.7)	17,509	80.3%	(79.2 - 81.3)	NS	332	78.8%	(72.7 - 83.9)	7,542	74.3%	(72.5 - 75.9)	NS	434	90.0%	(85.1 - 93.4)	9,967	86.1%	(84.8 - 87.3)	NS	Yes
2016	715	84.1%	(79.5 - 87.8)	15,138	80.9%	(79.8 - 82.0)	NS	298	82.2%	(74.9 - 87.8)	6,617	75.5%	(73.8 - 77.2)	NS	417	85.9%	(80.0 - 90.3)	8,521	86.2%	(84.8 - 87.5)	NS	No
Has a personal doctor or health care provider (one or more than one), aged 65 years and older^a																						
2011	354	96.5%	(93.9 - 98.0)	8,584	95.7%	(95.1 - 96.2)	NS	125	93.9%	(87.8 - 97.0)	3,033	94.4%	(93.4 - 95.3)	NS	229	98.3%	(95.8 - 99.3)	5,551	96.6%	(95.9 - 97.1)	NS	No
2012	232	98.7%	(96.2 - 99.5)	6,711	95.6%	(94.7 - 96.3)	NS	81	99.2%	(94.6 - 99.9)	2,368	93.6%	(91.9 - 95.0)	NS	151	98.3%	(94.2 - 99.5)	4,343	97.1%	(96.3 - 97.7)	NS	No
2013	218	97.1%	(92.6 - 98.9)	6,015	93.9%	(92.9 - 94.8)	NS	82	96.8%	(87.4 - 99.2)	2,188	92.3%	(90.4 - 93.8)	NS	136	97.5%	(91.1 - 99.3)	3,827	95.2%	(93.9 - 96.2)	NS	No
2014	300	96.1%	(91.8 - 98.2)	7,833	95.1%	(94.4 - 95.7)	NS	125	94.8%	(86.8 - 98.0)	3,057	93.5%	(92.2 - 94.6)	NS	175	97.3%	(91.1 - 99.2)	4,776	96.4%	(95.7 - 96.9)	NS	No
2015	254	94.3%	(87.3 - 97.5)	6,022	94.8%	(93.9 - 95.5)	NS	111	93.7%	(80.9 - 98.1)	2,297	93.6%	(92.1 - 94.8)	NS	143	94.8%	(84.9 - 98.3)	3,725	95.7%	(94.6 - 96.6)	NS	No
2016	252	96.9%	(93.6 - 98.5)	5,270	95.1%	(94.2 - 95.9)	NS	107	97.3%	(91.7 - 99.1)	2,025	94.5%	(93.1 - 95.6)	NS	145	96.4%	(91.0 - 98.6)	3,245	95.6%	(94.4 - 96.6)	NS	No
Needed to see a doctor but could not due to cost in past year^a																						
2011	1,000	12.8%	(10.0 - 16.2)	25,350	12.5%	(11.9 - 13.2)	NS	401	12.3%	(8.6 - 17.5)	10,203	10.7%	(9.9 - 11.6)	NS	599	13.3%	(9.5 - 18.2)	15,147	14.2%	(13.4 - 15.2)	NS	No
2012	645	12.9%	(9.3 - 17.5)	19,144	12.8%	(12.1 - 13.6)	NS	264	11.8%	(6.5 - 20.6)	7,859	11.1%	(10.0 - 12.2)	NS	381	13.9%	(10.1 - 18.9)	11,285	14.4%	(13.4 - 15.5)	NS	No
2013	594	11.2%	(7.7 - 15.9)	17,103	13.0%	(12.1 - 13.9)	NS	239	10.4%	(5.1 - 19.9)	6,963	10.9%	(9.7 - 12.2)	NS	355	11.9%	(8.3 - 16.8)	10,140	15.0%	(13.8 - 16.4)	NS	No
2014	933	10.7%	(8.5 - 13.3)	22,359	11.8%	(11.1 - 12.6)	NS	409	9.1%	(6.4 - 12.8)	9,588	10.2%	(9.1 - 11.3)	NS	524	12.1%	(9.0 - 16.1)	12,771	13.4%	(12.4 - 14.6)	NS	No
2015	767	12.5%	(9.9 - 15.8)	17,522	11.5%	(10.7 - 12.3)	NS	332	9.9%	(6.7 - 14.3)	7,559	9.8%	(8.7 - 11.1)	NS	435	15.1%	(11.2 - 20.1)	9,963	13.1%	(12.0 - 14.3)	NS	No
2016	717	12.0%	(9.1 - 15.7)	15,156	12.1%	(11.2 - 13.1)	NS	298	10.3%	(6.6 - 15.6)	6,623	10.1%	(8.9 - 11.4)	NS	419	13.7%	(9.6 - 19.3)	8,533	14.0%	(12.7 - 15.5)	NS	No
Had a routine checkup in past year																						
2011	993	63.0%	(59.0 - 66.9)	24,983	57.7%	(56.8 - 58.7)	+	399	57.6%	(51.3 - 63.7)	10,049	50.6%	(49.2 - 52.0)	NS	594	68.2%	(63.1 - 72.9)	14,934	64.6%	(63.4 - 65.8)	NS	No
2012	634	62.5%	(57.7 - 67.1)	18,929	60.4%	(59.4 - 61.4)	NS	258	62.3%	(54.8 - 69.2)	7,789	55.0%	(53.5 - 56.6)	NS	376	62.7%	(56.5 - 68.5)	11,140	65.6%	(64.3 - 66.9)	NS	No
2013	591	68.8%	(63.7 - 73.5)	16,919	61.6%	(60.4 - 62.8)	+	237	66.2%	(58.2 - 73.3)	6,899	56.2%	(54.3 - 58.1)	+	354	71.4%	(64.8 - 77.3)	10,020	66.8%	(65.3 - 68.4)	NS	No
2014	926	68.4%	(64.6 - 72.0)	22,090	63.3%	(62.3 - 64.4)	+	406	64.9%	(59.0 - 70.4)	9,488	57.7%	(56.1 - 59.3)	NS	520	71.9%	(66.7 - 76.5)	12,602	68.8%	(67.4 - 70.2)	NS	No
2015	757	67.3%	(62.9 - 71.4)	17,331	63.9%	(62.8 - 65.1)	NS	324	65.9%	(59.2 - 72.0)	7,470	58.7%	(56.9 - 60.5)	NS	433	68.6%	(62.7 - 73.9)	9,861	69.1%	(67.5 - 70.6)	NS	No
2016	706	68.0%	(63.0 - 72.5)	15,060	65.4%	(64.1 - 66.6)	NS	293	66.6%	(59.1 - 73.4)	6,582	60.6%	(58.7 - 62.5)	NS	413	69.2%	(62.7 - 75.1)	8,478	70.0%	(68.4 - 71.6)	NS	No

Indicators	Overall								Men								Women								LHD Gender Diff. ^e
	Three Rivers			State of NE			Sig ^d	Three Rivers			State of NE			Sig ^d	Three Rivers			State of NE			Sig ^d				
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)					
Heart Disease and Stroke																									
Ever told they had a heart attack																									
2011	1,000	3.5%	(2.5 - 5.0)	25,292	4.3%	(4.0 - 4.7)	NS	402	4.8%	(3.0 - 7.7)	10,194	5.7%	(5.2 - 6.3)	NS	598	2.3%	(1.4 - 3.7)	15,098	2.9%	(2.6 - 3.3)	NS	No			
2012	642	3.0%	(2.0 - 4.5)	19,102	4.1%	(3.7 - 4.4)	NS	262	3.4%	(1.9 - 6.0)	7,842	5.3%	(4.8 - 6.0)	NS	380	2.6%	(1.5 - 4.6)	11,260	2.9%	(2.5 - 3.2)	NS	No			
2013	592	3.3%	(2.0 - 5.5)	17,035	4.0%	(3.6 - 4.4)	NS	239	4.7%	(2.5 - 8.9)	6,925	5.2%	(4.6 - 5.9)	NS	353	2.0%	(1.0 - 3.9)	10,110	2.9%	(2.4 - 3.4)	NS	No			
2014	928	4.6%	(3.3 - 6.3)	22,309	3.8%	(3.5 - 4.2)	NS	405	6.3%	(4.1 - 9.4)	9,541	5.1%	(4.6 - 5.6)	NS	523	3.0%	(1.8 - 4.8)	12,768	2.6%	(2.3 - 3.0)	NS	No			
2015	759	3.7%	(2.4 - 5.7)	17,455	3.9%	(3.5 - 4.3)	NS	326	5.6%	(3.3 - 9.3)	7,530	5.3%	(4.7 - 6.0)	NS	433	1.9%	(0.9 - 4.1)	9,925	2.5%	(2.2 - 2.9)	NS	No			
2016	711	6.0%	(4.2 - 8.3)	15,111	4.0%	(3.6 - 4.4)	NS	295	8.1%	(5.2 - 12.6)	6,598	5.0%	(4.4 - 5.6)	NS	416	3.8%	(2.3 - 6.2)	8,513	3.0%	(2.6 - 3.6)	NS	No			
Ever told they have coronary heart disease																									
2011	990	3.4%	(2.4 - 4.8)	25,121	3.9%	(3.6 - 4.2)	NS	398	4.7%	(2.9 - 7.4)	10,110	4.8%	(4.4 - 5.3)	NS	592	2.1%	(1.3 - 3.5)	15,011	3.1%	(2.7 - 3.4)	NS	No			
2012	642	4.0%	(2.7 - 5.8)	18,988	3.9%	(3.6 - 4.3)	NS	263	4.5%	(2.5 - 7.9)	7,796	4.9%	(4.4 - 5.5)	NS	379	3.5%	(2.2 - 5.7)	11,192	3.0%	(2.6 - 3.4)	NS	No			
2013	592	3.4%	(2.1 - 5.6)	16,942	4.1%	(3.7 - 4.5)	NS	237	4.4%	(2.2 - 8.6)	6,884	5.1%	(4.5 - 5.8)	NS	355	2.5%	(1.3 - 4.8)	10,058	3.0%	(2.6 - 3.6)	NS	No			
2014	925	4.6%	(3.3 - 6.2)	22,202	3.9%	(3.6 - 4.3)	NS	401	5.6%	(3.8 - 8.4)	9,509	4.8%	(4.3 - 5.4)	NS	524	3.5%	(2.2 - 5.7)	12,693	3.1%	(2.7 - 3.5)	NS	No			
2015	764	5.2%	(3.7 - 7.3)	17,403	4.0%	(3.6 - 4.3)	NS	329	7.0%	(4.6 - 10.5)	7,503	5.0%	(4.4 - 5.7)	NS	435	3.5%	(2.0 - 6.1)	9,900	2.9%	(2.6 - 3.3)	NS	No			
2016	713	4.8%	(3.5 - 6.6)	15,078	3.8%	(3.4 - 4.2)	NS	297	6.0%	(3.9 - 9.2)	6,590	4.4%	(3.9 - 5.0)	NS	416	3.6%	(2.2 - 5.7)	8,488	3.1%	(2.7 - 3.7)	NS	No			
Ever told they had a heart attack or coronary heart disease																									
2011	992	5.2%	(4.0 - 6.9)	25,158	6.4%	(6.0 - 6.7)	NS	399	6.8%	(4.7 - 9.9)	10,143	8.0%	(7.4 - 8.7)	NS	593	3.7%	(2.5 - 5.4)	15,015	4.8%	(4.4 - 5.2)	NS	No			
2012	642	5.8%	(4.2 - 7.9)	18,998	6.2%	(5.8 - 6.6)	NS	262	6.8%	(4.3 - 10.5)	7,806	7.8%	(7.1 - 8.5)	NS	380	4.8%	(3.2 - 7.2)	11,192	4.6%	(4.2 - 5.1)	NS	No			
2013	590	5.0%	(3.4 - 7.3)	16,935	6.2%	(5.7 - 6.7)	NS	237	6.4%	(3.7 - 10.8)	6,882	7.7%	(7.0 - 8.6)	NS	353	3.6%	(2.1 - 6.1)	10,053	4.7%	(4.1 - 5.3)	NS	No			
2014	924	7.0%	(5.4 - 9.0)	22,180	6.0%	(5.6 - 6.4)	NS	401	8.8%	(6.2 - 12.3)	9,493	7.4%	(6.8 - 8.1)	NS	523	5.3%	(3.6 - 7.7)	12,687	4.6%	(4.1 - 5.0)	NS	No			
2015	758	7.2%	(5.3 - 9.6)	17,383	5.8%	(5.4 - 6.3)	NS	325	9.6%	(6.5 - 13.9)	7,503	7.5%	(6.7 - 8.3)	NS	433	4.8%	(2.9 - 7.8)	9,880	4.3%	(3.9 - 4.8)	NS	No			
2016	708	8.7%	(6.6 - 11.4)	15,021	5.8%	(5.4 - 6.3)	+	294	12.2%	(8.5 - 17.0)	6,558	6.9%	(6.2 - 7.7)	+	414	5.4%	(3.6 - 8.0)	8,463	4.7%	(4.1 - 5.3)	NS	Yes			
Ever told they had a stroke																									
2011	1,002	2.9%	(2.0 - 4.0)	25,355	2.6%	(2.4 - 2.9)	NS	401	1.8%	(0.9 - 3.2)	10,209	2.4%	(2.1 - 2.8)	NS	601	3.9%	(2.6 - 5.9)	15,146	2.8%	(2.5 - 3.2)	NS	No			
2012	646	2.4%	(1.4 - 4.0)	19,118	2.4%	(2.2 - 2.7)	NS	264	3.4%	(1.7 - 6.6)	7,851	2.7%	(2.3 - 3.1)	NS	382	1.4%	(0.7 - 2.8)	11,267	2.2%	(1.9 - 2.6)	NS	No			
2013	591	2.2%	(1.3 - 3.4)	17,080	2.5%	(2.2 - 2.8)	NS	238	1.9%	(0.9 - 4.0)	6,954	2.2%	(1.9 - 2.6)	NS	353	2.4%	(1.3 - 4.4)	10,126	2.8%	(2.4 - 3.3)	NS	No			
2014	933	3.1%	(2.2 - 4.4)	22,359	2.6%	(2.4 - 2.9)	NS	408	3.2%	(1.9 - 5.5)	9,576	2.7%	(2.3 - 3.1)	NS	525	3.0%	(1.9 - 4.7)	12,783	2.6%	(2.2 - 3.0)	NS	No			
2015	765	1.8%	(1.0 - 3.0)	17,509	2.5%	(2.3 - 2.9)	NS	331	2.5%	(1.3 - 4.9)	7,550	2.7%	(2.2 - 3.1)	NS	434	1.0%	(0.5 - 2.3)	9,959	2.4%	(2.1 - 2.8)	NS	No			
2016	714	2.7%	(1.6 - 4.4)	15,154	2.8%	(2.5 - 3.2)	NS	296	2.4%	(1.2 - 4.6)	6,627	2.6%	(2.1 - 3.1)	NS	418	3.0%	(1.5 - 5.9)	8,527	3.0%	(2.5 - 3.6)	NS	No			
Blood Pressure and Cholesterol																									
Had blood pressure checked in past year																									
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	272	87.6%	(81.6 - 91.8)	7,804	84.6%	(83.1 - 86.0)	NS	116	86.3%	(76.4 - 92.4)	3,150	81.2%	(78.8 - 83.4)	NS	156	89.0%	(80.8 - 93.9)	4,654	87.8%	(85.8 - 89.5)	NS	No			
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	340	92.3%	(88.5 - 94.9)	7,947	88.0%	(86.6 - 89.2)	NS	144	91.2%	(85.1 - 95.0)	3,461	85.2%	(83.1 - 87.1)	NS	196	93.2%	(87.8 - 96.4)	4,486	90.6%	(88.8 - 92.2)	NS	No			
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Ever told they have high blood pressure (excluding pregnancy) ^a																									
2011	1,005	33.5%	(30.0 - 37.1)	25,356	28.5%	(27.8 - 29.3)	+	403	35.2%	(29.7 - 41.0)	10,212	30.3%	(29.1 - 31.5)	NS	602	31.9%	(27.8 - 36.3)	15,144	26.9%	(25.9 - 27.9)	NS	No			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	594	32.3%	(28.0 - 36.9)	17,085	30.3%	(29.2 - 31.4)	NS	239	34.7%	(28.0 - 42.2)	6,956	32.5%	(30.8 - 34.1)	NS	355	29.9%	(24.7 - 35.7)	10,129	28.2%	(26.9 - 29.6)	NS	No			
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	763	35.9%	(31.9 - 40.1)	17,515	29.9%	(28.9 - 30.9)	+	328	43.8%	(37.4 - 50.5)	7,546	32.6%	(31.1 - 34.2)	+	435	28.4%	(24.0 - 33.3)	9,969	27.2%	(26.0 - 28.5)	NS	Yes			
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Currently taking blood pressure medication, among those ever told they have high BP																									
2011	408	73.7%	(66.3 - 80.0)	9,505	77.9%	(76.5 - 79.2)	NS	175	68.0%	(56.3 - 77.8)	3,877	72.0%	(69.8 - 74.1)	NS	233	79.8%	(71.4 - 86.2)	5,628	84.2%	(82.5 - 85.7)	NS	No			
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2013	236	82.3%	(74.8 - 87.9)	6,747	78.5%	(76.6 - 80.3)	NS	98	78.1%	(66.8 - 86.4)	2,828	73.1%	(70.2 - 75.9)	NS	138	86.9%	(76.5 - 93.1)	3,919	84.5%	(82.3 - 86.4)	NS	No			
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
2015	312	79.6%	(72.6 - 85.2)	6,685	77.8%	(75.9 - 79.6)	NS	154	77.1%	(66.6 - 85.1)	3,016	73.0%	(70.1 - 75.7)	NS	158	83.4%	(75.0 - 89.4)	3,669	83.4%	(80.9 - 85.6)	NS	No			
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					

Indicators	Overall					Men					Women					LHD Gender Diff. ^o							
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers				State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Up-to-date on colon cancer screening, 50-75 year olds ^a																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	296	56.6%	(49.0 - 64.0)	9,022	61.1%	(59.6 - 62.5)	NS	118	50.1%	(38.3 - 61.8)	3,733	58.4%	(56.1 - 60.6)	NS	178	63.3%	(54.8 - 71.1)	5,289	63.6%	(61.7 - 65.4)	NS	No	
2013	296	64.5%	(57.7 - 70.8)	7,979	62.8%	(61.1 - 64.4)	NS	119	66.1%	(55.0 - 75.6)	3,275	61.0%	(58.5 - 63.6)	NS	177	63.1%	(54.5 - 70.9)	4,704	64.4%	(62.2 - 66.6)	NS	No	
2014	433	66.1%	(60.8 - 71.1)	10,646	64.1%	(62.8 - 65.5)	NS	196	69.7%	(62.0 - 76.5)	4,681	63.0%	(61.0 - 65.1)	NS	237	62.8%	(55.3 - 69.6)	5,965	65.2%	(63.4 - 67.0)	NS	No	
2015	363	70.6%	(64.7 - 75.9)	8,007	65.2%	(63.6 - 66.7)	NS	160	63.6%	(54.2 - 72.0)	3,446	63.7%	(61.3 - 66.1)	NS	203	78.1%	(71.2 - 83.7)	4,561	66.6%	(64.6 - 68.5)	+	No	
2016	344	74.1%	(68.2 - 79.3)	7,036	66.0%	(64.3 - 67.6)	+	152	77.7%	(69.5 - 84.2)	3,073	65.2%	(62.8 - 67.6)	+	192	70.1%	(61.3 - 77.5)	3,963	66.7%	(64.5 - 68.9)	NS	No	
Up-to-date on breast cancer screening, female 50-74 year olds ^a																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	175	73.4%	(64.7 - 80.6)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-		175	73.4%	(64.7 - 80.6)	5,200	74.9%	(73.2 - 76.5)	NS	NA	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	231	77.9%	(71.1 - 83.4)	5,904	76.1%	(74.5 - 77.7)	NS	-	-	-	-	-	-		231	77.9%	(71.1 - 83.4)	5,904	76.1%	(74.5 - 77.7)	NS	NA	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	196	78.0%	(70.0 - 84.3)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-		196	78.0%	(70.0 - 84.3)	3,914	73.4%	(71.3 - 75.4)	NS	NA	
Up-to-date on cervical cancer screening, female 21-65 year olds ^a																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	165	82.1%	(74.6 - 87.7)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-		165	82.1%	(74.6 - 87.7)	5,055	83.9%	(82.5 - 85.2)	NS	NA	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	261	85.5%	(80.0 - 89.6)	5,779	81.7%	(80.0 - 83.3)	NS	-	-	-	-	-	-		261	85.5%	(80.0 - 89.6)	5,779	81.7%	(80.0 - 83.3)	NS	NA	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	194	78.5%	(69.8 - 85.2)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-		194	78.5%	(69.8 - 85.2)	3,814	77.7%	(75.5 - 79.8)	NS	NA	
Arthritis																							
Ever told they have arthritis																							
2011	993	25.1%	(22.0 - 28.4)	25,285	23.4%	(22.8 - 24.1)	NS	400	19.9%	(15.5 - 25.2)	10,184	20.1%	(19.2 - 21.1)	NS	593	30.2%	(26.2 - 34.4)	15,101	26.6%	(25.7 - 27.6)	NS	Yes	
2012	646	25.2%	(21.7 - 29.0)	19,089	24.6%	(23.8 - 25.4)	NS	264	20.6%	(15.9 - 26.2)	7,839	21.5%	(20.3 - 22.6)	NS	382	29.6%	(24.7 - 34.9)	11,250	27.7%	(26.6 - 28.8)	NS	No	
2013	591	25.2%	(21.6 - 29.3)	17,017	24.7%	(23.8 - 25.7)	NS	236	19.4%	(14.6 - 25.3)	6,925	21.6%	(20.2 - 23.0)	NS	355	30.8%	(25.7 - 36.5)	10,092	27.8%	(26.5 - 29.2)	NS	Yes	
2014	930	29.7%	(26.5 - 33.2)	22,307	24.6%	(23.8 - 25.4)	+	408	26.3%	(21.7 - 31.4)	9,560	21.6%	(20.5 - 22.8)	NS	522	33.1%	(28.6 - 37.8)	12,747	27.4%	(26.3 - 28.6)	+	No	
2015	762	27.7%	(24.2 - 31.5)	17,472	23.4%	(22.6 - 24.3)	NS	330	23.1%	(18.3 - 28.7)	7,540	19.7%	(18.5 - 20.9)	NS	432	32.2%	(27.3 - 37.6)	9,932	27.1%	(25.9 - 28.4)	NS	No	
2016	715	29.9%	(25.7 - 34.3)	15,137	24.6%	(23.6 - 25.6)	+	297	28.3%	(22.1 - 35.5)	6,622	21.7%	(20.3 - 23.2)	NS	418	31.4%	(26.2 - 37.0)	8,515	27.4%	(26.0 - 28.8)	NS	No	
Currently have activity limitations due to arthritis, among those ever told they have arthritis ^a																							
2011	298	44.4%	(37.5 - 51.5)	7,973	45.2%	(43.6 - 46.8)	NS	85	34.4%	(23.4 - 47.4)	2,711	42.6%	(40.0 - 45.2)	NS	213	51.0%	(43.3 - 58.6)	5,262	47.1%	(45.1 - 49.2)	NS	No	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	197	43.6%	(35.7 - 52.0)	5,460	42.4%	(40.3 - 44.6)	NS	63	34.0%	(22.0 - 48.6)	1,861	41.0%	(37.4 - 44.6)	NS	134	49.6%	(39.8 - 59.5)	3,599	43.5%	(40.8 - 46.2)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	232	46.7%	(39.2 - 54.3)	5,146	44.0%	(41.9 - 46.1)	NS	77	42.6%	(30.6 - 55.5)	1,852	41.9%	(38.6 - 45.3)	NS	155	49.3%	(40.0 - 58.7)	3,294	45.5%	(42.9 - 48.1)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Asthma																							
Ever told they have asthma																							
2011	999	8.6%	(6.8 - 10.9)	25,327	11.5%	(10.9 - 12.1)	NS	399	6.8%	(4.4 - 10.5)	10,194	10.5%	(9.6 - 11.3)	NS	600	10.3%	(7.8 - 13.6)	15,133	12.4%	(11.6 - 13.3)	NS	No	
2012	644	11.1%	(8.5 - 14.3)	19,105	10.8%	(10.2 - 11.5)	NS	263	11.2%	(7.4 - 16.7)	7,847	9.7%	(8.8 - 10.7)	NS	381	10.9%	(7.7 - 15.1)	11,258	11.9%	(11.1 - 12.9)	NS	No	
2013	589	9.3%	(6.8 - 12.7)	17,068	11.2%	(10.5 - 12.0)	NS	236	6.9%	(3.7 - 12.4)	6,946	9.6%	(8.6 - 10.8)	NS	353	11.7%	(8.1 - 16.6)	10,122	12.8%	(11.7 - 13.9)	NS	No	
2014	931	8.7%	(6.8 - 11.0)	22,355	12.2%	(11.5 - 13.0)	-	408	7.5%	(5.0 - 11.1)	9,583	10.8%	(9.8 - 11.9)	NS	523	9.8%	(7.2 - 13.2)	12,772	13.6%	(12.6 - 14.7)	NS	No	
2015	766	10.1%	(7.7 - 13.1)	17,492	12.1%	(11.3 - 12.9)	NS	331	8.3%	(5.4 - 12.6)	7,554	10.7%	(9.6 - 12.0)	NS	435	11.8%	(8.3 - 16.4)	9,938	13.4%	(12.3 - 14.5)	NS	No	
2016	715	11.8%	(9.1 - 15.2)	15,144	12.4%	(11.5 - 13.4)	NS	298	9.0%	(5.7 - 13.8)	6,622	10.4%	(9.2 - 11.8)	NS	417	14.5%	(10.5 - 19.7)	8,522	14.3%	(13.1 - 15.7)	NS	No	
Currently have asthma																							
2011	998	5.9%	(4.5 - 7.7)	25,257	7.3%	(6.9 - 7.8)	NS	399	4.4%	(2.8 - 6.9)	10,170	6.0%	(5.4 - 6.7)	NS	599	7.4%	(5.4 - 10.1)	15,087	8.6%	(8.0 - 9.4)	NS	No	
2012	642	6.8%	(4.8 - 9.6)	19,053	7.4%	(6.9 - 7.9)	NS	263	7.4%	(4.4 - 12.4)	7,832	6.1%	(5.4 - 6.9)	NS	379	6.2%	(4.1 - 9.5)	11,221	8.7%	(7.9 - 9.4)	NS	No	
2013	586	5.3%	(3.4 - 8.0)	17,024	7.3%	(6.7 - 8.0)	NS	235	2.4%	(0.9 - 6.2)	6,930	5.5%	(4.8 - 6.4)	NS	351	8.1%	(5.0 - 12.7)	10,094	9.1%	(8.2 - 10.0)	NS	No	
2014	927	6.2%	(4.6 - 8.4)	22,289	7.7%	(7.2 - 8.3)	NS	408	6.0%	(3.7 - 9.6)	9,562	6.2%	(5.5 - 7.0)	NS	519	6.4%	(4.4 - 9.2)	12,727	9.2%	(8.4 - 10.1)	NS	No	
2015	766	5.2%	(3.5 - 7.5)	17,435	7.2%	(6.6 - 7.8)	NS	331	4.0%	(2.1 - 7.4)	7,533	5.4%	(4.7 - 6.2)	NS	435	6.3%	(3.8 - 10.1)	9,902	8.9%	(8.0 - 9.9)	NS	No	
2016	714	8.5%	(6.2 - 11.6)	15,116	8.3%	(7.5 - 9.1)	NS	297	5.2%	(2.8 - 9.4)	6,609	6.1%	(5.2 - 7.1)	NS	417	11.8%	(8.2 - 16.6)	8,507	10.4%	(9.3 - 11.6)	NS	No	

Indicators	Overall							Men					Women					LHD Gender Diff. ^e				
	Three Rivers			State of NE			Sig ^d	Three Rivers		State of NE			Sig ^d	Three Rivers		State of NE			Sig ^d			
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)		n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b		95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)			n ^a	mean or % ^b	95% C.I. ^c (Low - High)
Chronic Obstructive Pulmonary Disease (COPD)																						
Ever told they have COPD																						
2011	997	5.9%	(4.7 - 7.5)	25,280	5.0%	(4.6 - 5.3)	NS	400	4.1%	(2.7 - 6.2)	10,171	4.4%	(3.9 - 4.9)	NS	597	7.7%	(5.8 - 10.1)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	646	5.2%	(3.7 - 7.3)	19,075	5.3%	(4.9 - 5.8)	NS	264	5.0%	(2.8 - 9.0)	7,832	4.7%	(4.1 - 5.3)	NS	382	5.4%	(3.6 - 7.9)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	589	6.1%	(4.4 - 8.4)	17,035	5.3%	(4.9 - 5.8)	NS	236	5.2%	(3.1 - 8.6)	6,932	4.8%	(4.2 - 5.5)	NS	353	7.0%	(4.5 - 10.6)	10,103	5.8%	(5.2 - 6.6)	NS	No
2014	928	6.3%	(4.9 - 8.2)	22,313	5.8%	(5.3 - 6.2)	NS	405	4.4%	(2.9 - 6.6)	9,555	5.5%	(4.9 - 6.2)	NS	523	8.2%	(5.9 - 11.4)	12,758	6.1%	(5.5 - 6.7)	NS	No
2015	762	6.2%	(4.6 - 8.4)	17,466	5.4%	(5.0 - 5.9)	NS	328	7.3%	(4.8 - 10.8)	7,536	4.8%	(4.2 - 5.4)	NS	434	5.2%	(3.3 - 8.1)	9,930	6.1%	(5.5 - 6.7)	NS	No
2016	715	6.9%	(5.1 - 9.3)	15,119	5.8%	(5.3 - 6.4)	NS	298	4.3%	(2.6 - 7.1)	6,612	5.1%	(4.4 - 6.0)	NS	417	9.5%	(6.5 - 13.6)	8,507	6.5%	(5.7 - 7.4)	NS	No
Kidney Disease																						
Ever told they have kidney disease																						
2011	1,003	2.8%	(1.7 - 4.4)	25,345	2.2%	(2.0 - 2.4)	NS	402	3.1%	(1.4 - 6.5)	10,208	2.1%	(1.8 - 2.5)	NS	601	2.5%	(1.5 - 4.2)	15,137	2.2%	(2.0 - 2.5)	NS	No
2012	644	1.9%	(1.0 - 3.5)	19,122	2.4%	(2.2 - 2.7)	NS	262	0.2%	(0.0 - 1.3)	7,850	2.2%	(1.8 - 2.6)	-	382	3.6%	(1.9 - 6.2)	11,272	2.7%	(2.3 - 3.1)	NS	Yes
2013	590	2.4%	(1.4 - 4.0)	17,080	2.0%	(1.8 - 2.3)	NS	238	2.2%	(0.9 - 4.9)	6,953	1.9%	(1.5 - 2.4)	NS	352	2.5%	(1.3 - 4.8)	10,127	2.1%	(1.8 - 2.6)	NS	No
2014	933	3.2%	(2.2 - 4.8)	22,362	2.1%	(1.9 - 2.4)	NS	408	3.6%	(2.0 - 6.2)	9,586	2.0%	(1.7 - 2.4)	NS	525	2.9%	(1.7 - 4.9)	12,776	2.3%	(2.0 - 2.6)	NS	No
2015	765	1.7%	(1.1 - 2.8)	17,502	2.4%	(2.1 - 2.7)	NS	331	1.4%	(0.6 - 3.2)	7,550	2.2%	(1.8 - 2.7)	NS	434	2.1%	(1.2 - 3.7)	9,952	2.5%	(2.1 - 2.9)	NS	No
2016	716	3.6%	(2.3 - 5.4)	15,150	2.8%	(2.4 - 3.2)	NS	298	2.2%	(1.1 - 4.6)	6,624	2.2%	(1.8 - 2.8)	NS	418	4.8%	(2.9 - 8.0)	8,526	3.4%	(2.8 - 4.0)	NS	No
Tobacco & E-Cigarettes																						
Current cigarette smoking ^a																						
2011	1,004	22.2%	(18.6 - 26.3)	25,324	20.0%	(19.3 - 20.7)	NS	403	27.4%	(21.5 - 34.1)	10,189	22.1%	(21.0 - 23.3)	NS	601	17.2%	(13.2 - 22.1)	15,135	17.9%	(17.0 - 18.9)	NS	No
2012	635	22.1%	(18.2 - 26.6)	18,985	19.7%	(18.9 - 20.6)	NS	259	24.2%	(18.1 - 31.5)	7,801	21.4%	(20.1 - 22.7)	NS	376	20.1%	(15.5 - 25.6)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	582	16.5%	(13.0 - 20.7)	16,687	18.5%	(17.5 - 19.5)	NS	236	20.2%	(14.6 - 27.4)	6,790	19.8%	(18.3 - 21.4)	NS	346	12.9%	(9.1 - 17.9)	9,897	17.2%	(15.9 - 18.5)	NS	No
2014	917	17.9%	(14.9 - 21.3)	21,729	17.3%	(16.5 - 18.2)	NS	401	17.7%	(13.7 - 22.5)	9,311	18.5%	(17.3 - 19.9)	NS	516	18.1%	(13.9 - 23.2)	12,418	16.2%	(15.1 - 17.3)	NS	No
2015	745	16.9%	(13.8 - 20.5)	17,079	17.1%	(16.2 - 18.1)	NS	321	20.6%	(15.7 - 26.5)	7,355	18.4%	(17.0 - 19.9)	NS	424	13.4%	(10.0 - 17.9)	9,724	15.8%	(14.7 - 17.1)	NS	No
2016	704	15.7%	(12.7 - 19.2)	14,790	17.0%	(16.0 - 18.1)	NS	294	13.8%	(10.0 - 18.7)	6,463	18.6%	(17.1 - 20.3)	NS	410	17.5%	(13.2 - 22.9)	8,327	15.4%	(14.1 - 16.8)	NS	No
Attempted to quit smoking in past year, among current cigarette smokers																						
2011	168	59.0%	(48.6 - 68.6)	4,195	55.6%	(53.5 - 57.7)	NS	87	57.3%	(43.0 - 70.4)	1,914	53.4%	(50.4 - 56.3)	NS	81	61.6%	(47.4 - 74.1)	2,281	58.3%	(55.4 - 61.2)	NS	No
2012	121	58.7%	(47.7 - 68.9)	3,023	57.1%	(54.7 - 59.6)	NS	54	52.5%	(36.6 - 67.8)	1,406	55.2%	(51.7 - 58.7)	NS	67	66.0%	(52.1 - 77.5)	1,617	59.3%	(55.9 - 62.7)	NS	No
2013	90	57.6%	(44.6 - 69.6)	2,546	57.1%	(54.1 - 60.2)	NS	47	-	-	1,147	55.9%	(51.5 - 60.3)	NA	43	-	-	1,399	58.5%	(54.3 - 62.6)	NA	NA
2014	152	63.6%	(53.8 - 72.4)	3,241	58.2%	(55.5 - 60.9)	NS	76	65.2%	(51.6 - 76.7)	1,489	57.9%	(54.0 - 61.8)	NS	76	62.1%	(47.8 - 74.6)	1,752	58.5%	(54.6 - 62.2)	NS	No
2015	115	59.8%	(49.2 - 69.6)	2,476	59.1%	(56.1 - 62.0)	NS	57	61.6%	(47.4 - 74.1)	1,145	59.2%	(54.8 - 63.5)	NS	58	57.2%	(41.4 - 71.6)	1,331	58.9%	(54.8 - 62.9)	NS	No
2016	106	53.1%	(42.1 - 63.8)	2,181	54.6%	(51.2 - 58.0)	NS	47	-	-	1,049	52.7%	(47.9 - 57.5)	NA	59	56.5%	(41.5 - 70.4)	1,132	56.9%	(52.1 - 61.5)	NS	NA
Current smokeless tobacco use ^a																						
2011	1,005	8.1%	(5.6 - 11.6)	25,406	5.6%	(5.2 - 6.0)	NS	403	15.0%	(10.3 - 21.4)	10,231	10.5%	(9.7 - 11.4)	NS	602	1.5%	(0.6 - 3.6)	15,175	0.8%	(0.6 - 1.0)	NS	Yes
2012	637	4.2%	(2.5 - 6.9)	19,041	5.1%	(4.6 - 5.6)	NS	260	7.3%	(4.2 - 12.3)	7,828	9.5%	(8.7 - 10.5)	NS	377	1.2%	(0.3 - 4.7)	11,213	0.8%	(0.6 - 1.2)	NS	No
2013	584	5.1%	(3.2 - 7.9)	16,732	5.3%	(4.7 - 5.9)	NS	236	9.5%	(5.9 - 14.9)	6,813	10.1%	(9.0 - 11.2)	NS	348	0.8%	(0.2 - 2.9)	9,919	0.7%	(0.5 - 0.9)	NS	Yes
2014	918	4.5%	(2.7 - 7.2)	21,797	4.7%	(4.2 - 5.1)	NS	401	8.6%	(5.1 - 13.9)	9,340	8.5%	(7.7 - 9.3)	NS	517	0.5%	(0.2 - 1.9)	12,457	1.0%	(0.7 - 1.3)	NS	Yes
2015	747	3.9%	(2.4 - 6.3)	17,123	5.5%	(4.9 - 6.1)	NS	323	5.8%	(3.3 - 9.9)	7,372	9.9%	(8.9 - 11.1)	NS	424	2.2%	(0.8 - 5.6)	9,751	1.1%	(0.8 - 1.6)	NS	No
2016	704	6.8%	(4.5 - 10.1)	14,830	5.7%	(5.1 - 6.2)	NS	293	13.0%	(8.6 - 19.1)	6,478	10.5%	(9.5 - 11.7)	NS	411	0.7%	(0.1 - 4.7)	8,352	0.9%	(0.6 - 1.3)	NS	Yes
Has rule not allowing smoking anywhere inside their home																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2013	271	87.5%	(82.5 - 91.2)	7,750	88.7%	(87.4 - 89.8)	NS	116	88.0%	(80.3 - 93.0)	3,121	88.3%	(86.2 - 90.0)	NS	155	86.9%	(79.9 - 91.7)	4,629	89.1%	(87.5 - 90.5)	NS	No
2014	439	91.4%	(87.7 - 94.1)	10,582	89.0%	(87.9 - 90.0)	NS	196	92.4%	(87.3 - 95.5)	4,448	87.9%	(86.1 - 89.5)	NS	243	90.3%	(84.2 - 94.3)	6,134	90.0%	(88.6 - 91.2)	NS	No
2015	350	90.1%	(85.2 - 93.5)	7,816	90.1%	(88.9 - 91.1)	NS	151	89.2%	(81.1 - 94.1)	3,261	89.2%	(87.2 - 90.9)	NS	199	91.0%	(84.2 - 95.0)	4,555	90.9%	(89.6 - 92.1)	NS	No
2016	331	89.8%	(84.6 - 93.3)	7,109	90.8%	(89.6 - 91.8)	NS	144	91.7%	(84.0 - 95.9)	3,122	91.2%	(89.8 - 92.5)	NS	187	88.2%	(80.4 - 93.1)	3,987	90.4%	(88.5 - 92.0)	NS	No
Lifetime e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2016	702	19.8%	(16.0 - 24.3)	14,819	22.6%	(21.4 - 23.9)	NS	293	15.8%	(11.2 - 21.7)	6,474	25.1%	(23.3 - 27.0)	-	409	23.8%	(18.1 - 30.7)	8,345	20.2%	(18.7 - 21.9)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Current e-cigarette use																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	702	3.6%	(2.2 - 5.8)	14,819	4.9%	(4.3 - 5.6)	NS	293	1.9%	(0.8 - 4.4)	6,474	5.3%	(4.5 - 6.4)	-	409	5.3%	(3.0 - 9.3)	8,345	4.5%	(3.7 - 5.6)	NS	No	
Overweight and Obesity																							
Obese (BMI=30+) [^]																							
2011	966	27.0%	(23.8 - 30.3)	24,366	28.4%	(27.6 - 29.2)	NS	398	28.3%	(23.5 - 33.6)	10,102	29.2%	(28.0 - 30.4)	NS	568	25.6%	(21.8 - 29.8)	14,264	27.6%	(26.5 - 28.8)	NS	No	
2012	612	28.1%	(23.9 - 32.8)	18,385	28.6%	(27.7 - 29.6)	NS	261	31.3%	(24.7 - 38.7)	7,781	29.2%	(27.9 - 30.6)	NS	351	24.8%	(19.7 - 30.7)	10,604	28.1%	(26.8 - 29.3)	NS	No	
2013	568	28.7%	(24.5 - 33.4)	16,250	29.6%	(28.4 - 30.7)	NS	238	29.6%	(23.3 - 36.7)	6,860	30.8%	(29.1 - 32.5)	NS	330	27.8%	(22.4 - 34.1)	9,390	28.4%	(26.9 - 29.9)	NS	No	
2014	886	32.7%	(29.0 - 36.7)	21,130	30.2%	(29.2 - 31.3)	NS	401	32.2%	(26.8 - 38.2)	9,399	31.7%	(30.2 - 33.2)	NS	485	33.2%	(28.3 - 38.5)	11,731	28.7%	(27.4 - 30.1)	NS	No	
2015	718	33.5%	(29.3 - 37.9)	16,265	31.4%	(30.3 - 32.5)	NS	324	35.4%	(29.2 - 42.2)	7,323	32.9%	(31.3 - 34.6)	NS	394	31.4%	(26.1 - 37.1)	8,942	29.8%	(28.3 - 31.3)	NS	No	
2016	665	34.2%	(29.7 - 39.1)	14,173	32.0%	(30.8 - 33.2)	NS	294	36.2%	(29.5 - 43.6)	6,460	32.6%	(30.8 - 34.3)	NS	371	32.0%	(26.2 - 38.5)	7,713	31.4%	(29.7 - 33.1)	NS	No	
Overweight or Obese (BMI=25+)																							
2011	966	63.1%	(59.1 - 66.9)	24,366	64.9%	(64.0 - 65.8)	NS	398	70.7%	(64.3 - 76.4)	10,102	72.8%	(71.5 - 74.1)	NS	568	55.2%	(50.3 - 60.0)	14,264	56.8%	(55.5 - 58.1)	NS	Yes	
2012	612	66.3%	(61.6 - 70.7)	18,385	65.0%	(64.0 - 66.0)	NS	261	72.9%	(65.9 - 78.9)	7,781	72.3%	(70.8 - 73.7)	NS	351	59.4%	(53.0 - 65.4)	10,604	57.6%	(56.2 - 59.0)	NS	Yes	
2013	568	67.8%	(62.4 - 72.7)	16,250	65.5%	(64.2 - 66.7)	NS	238	74.3%	(65.3 - 81.6)	6,860	72.2%	(70.4 - 74.0)	NS	330	60.9%	(54.2 - 67.2)	9,390	58.5%	(56.8 - 60.2)	NS	No	
2014	886	69.4%	(65.5 - 73.1)	21,130	66.7%	(65.6 - 67.8)	NS	401	74.5%	(68.4 - 79.8)	9,399	73.8%	(72.3 - 75.3)	NS	485	64.2%	(59.1 - 69.0)	11,731	59.2%	(57.7 - 60.7)	NS	No	
2015	718	71.9%	(67.7 - 75.8)	16,265	67.0%	(65.8 - 68.2)	NS	324	79.0%	(73.2 - 83.9)	7,323	73.4%	(71.7 - 75.1)	NS	394	64.4%	(58.2 - 70.2)	8,942	60.2%	(58.6 - 61.9)	NS	Yes	
2016	665	71.1%	(66.2 - 75.7)	14,173	68.5%	(67.3 - 69.8)	NS	294	76.0%	(69.0 - 81.8)	6,460	74.9%	(73.1 - 76.6)	NS	371	65.9%	(58.7 - 72.3)	7,713	61.8%	(59.9 - 63.6)	NS	No	
Nutrition																							
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	272	23.5%	(17.0 - 31.5)	7,822	28.5%	(26.8 - 30.3)	NS	117	30.2%	(20.0 - 42.7)	3,164	35.8%	(33.1 - 38.5)	NS	155	16.5%	(9.9 - 26.1)	4,658	21.7%	(19.7 - 24.0)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	273	51.1%	(44.0 - 58.3)	7,818	46.3%	(44.6 - 48.1)	NS	117	48.8%	(38.1 - 59.5)	3,165	43.4%	(40.8 - 46.0)	NS	156	53.7%	(44.5 - 62.6)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	337	50.3%	(43.5 - 57.1)	7,892	46.8%	(45.0 - 48.5)	NS	143	51.6%	(41.3 - 61.8)	3,436	46.0%	(43.4 - 48.7)	NS	194	49.2%	(40.1 - 58.4)	4,456	47.5%	(45.2 - 49.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																							
2011	958	1.02	(0.99 - 1.15)	24,090	1.02	(1.02 - 1.04)	NS	383	0.93	(0.81 - 0.99)	9,660	0.99	(0.99 - 1.00)	-	575	1.16	(1.13 - 1.39)	14,430	1.14	(1.13 - 1.14)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	558	1.00	(0.96 - 1.13)	15,949	1.00	(1.00 - 1.00)	NS	227	0.96	(0.74 - 1.12)	6,462	0.99	(0.99 - 1.00)	NS	331	1.11	(0.98 - 1.29)	9,487	1.07	(1.06 - 1.14)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	704	0.99	(0.98 - 1.08)	16,135	1.00	(1.00 - 1.00)	NS	301	0.98	(0.85 - 1.05)	6,899	0.99	(0.98 - 1.00)	NS	403	1.04	(0.98 - 1.17)	9,236	1.03	(1.02 - 1.09)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																							
2011	958	39.4%	(35.5 - 43.4)	24,090	40.1%	(39.2 - 41.1)	NS	383	47.0%	(40.8 - 53.3)	9,660	46.2%	(44.8 - 47.6)	NS	575	32.0%	(27.6 - 36.8)	14,430	34.3%	(33.1 - 35.6)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	558	37.8%	(32.8 - 43.0)	15,949	39.7%	(38.5 - 41.0)	NS	227	44.5%	(36.6 - 52.7)	6,462	45.4%	(43.4 - 47.3)	NS	331	31.3%	(25.1 - 38.2)	9,487	34.4%	(32.8 - 36.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	704	39.4%	(35.0 - 43.9)	16,135	41.1%	(39.9 - 42.4)	NS	301	45.2%	(38.5 - 52.1)	6,899	47.4%	(45.6 - 49.3)	NS	403	33.7%	(28.1 - 39.7)	9,236	35.1%	(33.5 - 36.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Physical Activity																							
Indicators																							
Median times per day consumed vegetables																							
2011	950	1.41	(1.31 - 1.49)	23,785	1.46	(1.44 - 1.50)	NS	384	1.28	(1.18 - 1.36)	9,534	1.35	(1.33 - 1.41)	NS	566	1.57	(1.50 - 1.66)	14,251	1.57	(1.57 - 1.61)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	553	1.61	(1.53 - 1.73)	15,700	1.57	(1.55 - 1.58)	NS	224	1.46	(1.31 - 1.61)	6,373	1.43	(1.42 - 1.50)	NS	329	1.83	(1.65 - 2.00)	9,327	1.70	(1.66 - 1.73)	NS	Yes	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	685	1.57	(1.49 - 1.72)	15,850	1.53	(1.50 - 1.58)	NS	296	1.54	(1.39 - 1.70)	6,786	1.42	(1.40 - 1.46)	NS	389	1.66	(1.49 - 1.96)	9,064	1.62	(1.58 - 1.69)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Consumed vegetables less than 1 time per day																							
2011	950	26.4%	(22.9 - 30.1)	23,785	26.2%	(25.4 - 27.1)	NS	384	28.7%	(23.5 - 34.6)	9,534	29.7%	(28.4 - 31.0)	NS	566	24.0%	(19.6 - 29.1)	14,251	22.9%	(21.8 - 24.1)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	553	23.0%	(18.8 - 27.8)	15,700	23.3%	(22.2 - 24.4)	NS	224	28.2%	(21.4 - 36.2)	6,373	26.6%	(25.0 - 28.4)	NS	329	18.0%	(13.3 - 23.7)	9,327	20.1%	(18.7 - 21.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	685	22.8%	(19.3 - 26.7)	15,850	24.7%	(23.7 - 25.9)	NS	296	25.4%	(20.2 - 31.5)	6,786	28.3%	(26.6 - 30.0)	NS	389	20.2%	(15.7 - 25.6)	9,064	21.4%	(20.1 - 22.8)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
No leisure-time physical activity in past 30 days ^a																							
2011	966	27.2%	(23.7 - 30.9)	24,433	26.3%	(25.5 - 27.1)	NS	388	28.4%	(23.2 - 34.3)	9,795	27.2%	(26.0 - 28.5)	NS	578	26.0%	(21.6 - 30.8)	14,638	25.4%	(24.3 - 26.5)	NS	No	
2012	646	21.9%	(18.3 - 26.0)	19,153	21.0%	(20.2 - 21.9)	NS	264	19.9%	(14.7 - 26.2)	7,865	20.4%	(19.3 - 21.7)	NS	382	23.9%	(19.1 - 29.4)	11,288	21.6%	(20.5 - 22.8)	NS	No	
2013	563	26.4%	(21.8 - 31.6)	16,158	25.3%	(24.2 - 26.4)	NS	228	27.7%	(20.5 - 36.3)	6,567	26.3%	(24.7 - 28.1)	NS	335	25.1%	(19.7 - 31.4)	9,591	24.3%	(22.9 - 25.8)	NS	No	
2014	930	22.6%	(19.5 - 26.1)	22,397	21.3%	(20.4 - 22.1)	NS	407	20.8%	(16.2 - 26.3)	9,599	21.2%	(20.0 - 22.5)	NS	523	24.3%	(20.3 - 28.8)	12,798	21.4%	(20.2 - 22.5)	NS	No	
2015	714	25.6%	(22.0 - 29.6)	16,319	25.3%	(24.3 - 26.4)	NS	308	24.7%	(19.6 - 30.5)	6,997	25.3%	(23.8 - 26.9)	NS	406	26.5%	(21.7 - 32.0)	9,322	25.4%	(24.0 - 26.8)	NS	No	
2016	716	25.5%	(21.5 - 30.0)	15,169	22.4%	(21.4 - 23.5)	NS	297	24.0%	(18.0 - 31.2)	6,633	20.7%	(19.3 - 22.3)	NS	419	27.0%	(22.0 - 32.7)	8,536	24.1%	(22.7 - 25.6)	NS	No	
Met aerobic physical activity recommendation ^a																							
2011	940	50.2%	(46.2 - 54.3)	23,735	49.0%	(48.0 - 49.9)	NS	382	47.3%	(41.1 - 53.6)	9,544	47.2%	(45.8 - 48.6)	NS	558	53.1%	(48.0 - 58.2)	14,191	50.6%	(49.4 - 51.9)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	554	52.9%	(47.6 - 58.2)	15,730	50.1%	(48.8 - 51.4)	NS	224	52.3%	(44.0 - 60.5)	6,416	48.8%	(46.9 - 50.7)	NS	330	53.5%	(46.8 - 60.1)	9,314	51.4%	(49.7 - 53.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	684	51.6%	(46.9 - 56.2)	15,878	51.3%	(50.0 - 52.5)	NS	296	53.4%	(46.4 - 60.3)	6,832	51.1%	(49.2 - 53.0)	NS	388	49.8%	(43.7 - 55.9)	9,046	51.4%	(49.8 - 53.1)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met muscle strengthening recommendation ^a																							
2011	958	26.5%	(22.9 - 30.5)	24,204	28.1%	(27.3 - 29.0)	NS	384	31.9%	(26.0 - 38.5)	9,697	32.0%	(30.6 - 33.4)	NS	574	21.3%	(17.6 - 25.5)	14,507	24.5%	(23.4 - 25.6)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	560	30.3%	(25.6 - 35.4)	16,021	28.4%	(27.2 - 29.6)	NS	226	29.8%	(22.9 - 37.9)	6,499	31.0%	(29.2 - 32.8)	NS	334	30.7%	(24.9 - 37.2)	9,522	26.0%	(24.5 - 27.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	702	34.0%	(29.6 - 38.8)	16,117	31.2%	(30.1 - 32.5)	NS	302	38.5%	(31.7 - 45.9)	6,893	34.9%	(33.1 - 36.8)	NS	400	29.7%	(24.4 - 35.6)	9,224	27.7%	(26.2 - 29.3)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met both aerobic physical activity and muscle strengthening recommendations ^a																							
2011	934	18.1%	(14.9 - 21.9)	23,567	19.0%	(18.2 - 19.8)	NS	379	18.8%	(13.6 - 25.3)	9,477	19.7%	(18.5 - 20.9)	NS	555	17.5%	(14.1 - 21.6)	14,090	18.4%	(17.4 - 19.4)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	552	21.3%	(17.2 - 26.1)	15,635	18.8%	(17.8 - 19.9)	NS	222	20.1%	(14.1 - 27.8)	6,366	19.4%	(17.9 - 21.0)	NS	330	22.4%	(17.3 - 28.6)	9,269	18.2%	(16.8 - 19.6)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	680	23.3%	(19.4 - 27.8)	15,724	21.8%	(20.7 - 22.9)	NS	294	25.9%	(19.8 - 33.1)	6,757	23.3%	(21.6 - 25.1)	NS	386	20.8%	(16.2 - 26.3)	8,967	20.3%	(18.9 - 21.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Walk for at least 10 minutes at a time for any reason during a usual week																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	336	84.3%	(79.0 - 88.5)	7,895	84.6%	(83.3 - 85.8)	NS	143	82.9%	(74.2 - 89.1)	3,442	84.2%	(82.2 - 86.0)	NS	193	85.6%	(78.2 - 90.7)	4,453	85.1%	(83.4 - 86.6)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Frequent Mental Distress in past 30 days																						
2011	994	8.3%	(6.2 - 11.1)	25,036	9.2%	(8.7 - 9.7)	NS	399	6.1%	(3.9 - 9.5)	10,097	7.7%	(7.0 - 8.4)	NS	595	10.5%	(7.2 - 15.0)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	639	9.3%	(7.0 - 12.2)	18,935	9.0%	(8.4 - 9.7)	NS	264	8.6%	(5.5 - 13.1)	7,786	7.4%	(6.6 - 8.3)	NS	375	9.9%	(6.8 - 14.2)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	587	7.3%	(5.1 - 10.3)	16,889	8.9%	(8.2 - 9.6)	NS	236	6.2%	(3.4 - 11.3)	6,889	6.8%	(5.9 - 7.9)	NS	351	8.4%	(5.5 - 12.6)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	918	8.3%	(6.4 - 10.6)	22,132	8.2%	(7.6 - 8.8)	NS	401	6.7%	(4.4 - 10.2)	9,483	6.4%	(5.6 - 7.3)	NS	517	9.7%	(7.1 - 13.2)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	759	8.5%	(6.5 - 11.1)	17,369	8.9%	(8.2 - 9.6)	NS	327	6.7%	(4.2 - 10.4)	7,491	6.9%	(6.0 - 7.9)	NS	432	10.3%	(7.4 - 14.2)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	713	12.4%	(9.5 - 16.2)	15,035	9.5%	(8.7 - 10.4)	NS	296	7.6%	(4.8 - 11.7)	6,568	7.0%	(6.0 - 8.1)	NS	417	17.2%	(12.4 - 23.4)	8,467	12.0%	(10.8 - 13.3)	NS	Yes
Currently taking medication or receiving treatment for a mental health condition																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	295	10.9%	(7.7 - 15.2)	6,643	11.0%	(10.0 - 12.1)	NS	115	5.7%	(2.6 - 11.9)	2,693	7.4%	(6.2 - 8.9)	NS	180	15.4%	(10.5 - 22.1)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Symptoms of serious mental illness in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	291	3.9%	(1.8 - 8.5)	6,555	3.2%	(2.6 - 3.9)	NS	113	2.5%	(0.6 - 10.0)	2,657	2.5%	(1.8 - 3.7)	NS	178	5.2%	(2.0 - 12.9)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol and Drug Use																						
Any alcohol consumption in past 30 days																						
2011	959	62.1%	(58.1 - 66.0)	24,051	61.8%	(60.9 - 62.7)	NS	383	65.6%	(59.3 - 71.4)	9,597	67.7%	(66.4 - 69.1)	NS	576	58.7%	(53.5 - 63.6)	14,454	56.2%	(55.0 - 57.4)	NS	No
2012	631	60.8%	(56.1 - 65.4)	18,891	61.3%	(60.3 - 62.3)	NS	257	66.8%	(59.6 - 73.2)	7,749	68.7%	(67.2 - 70.1)	NS	374	55.1%	(48.9 - 61.2)	11,142	54.2%	(52.8 - 55.6)	NS	No
2013	580	58.2%	(52.8 - 63.3)	16,614	57.5%	(56.2 - 58.7)	NS	236	67.0%	(58.3 - 74.6)	6,754	63.3%	(61.4 - 65.2)	NS	344	49.5%	(43.0 - 56.1)	9,860	51.8%	(50.2 - 53.5)	NS	Yes
2014	912	59.1%	(55.0 - 63.0)	21,612	59.2%	(58.1 - 60.3)	NS	396	62.7%	(56.3 - 68.6)	9,246	65.2%	(63.6 - 66.8)	NS	516	55.7%	(50.5 - 60.8)	12,366	53.4%	(52.0 - 54.9)	NS	No
2015	741	60.9%	(56.5 - 65.1)	16,939	57.6%	(56.4 - 58.8)	NS	317	68.7%	(62.3 - 74.4)	7,282	63.8%	(62.0 - 65.5)	NS	424	53.5%	(47.6 - 59.3)	9,657	51.6%	(50.0 - 53.2)	NS	Yes
2016	699	57.7%	(52.8 - 62.5)	14,723	59.8%	(58.5 - 61.0)	NS	289	68.2%	(60.5 - 75.0)	6,421	68.0%	(66.1 - 69.8)	NS	410	47.5%	(41.2 - 53.9)	8,302	51.8%	(50.0 - 53.6)	NS	Yes
Binge drank in past 30 days^a																						
2011	955	21.3%	(17.9 - 25.2)	23,948	22.7%	(21.9 - 23.5)	NS	381	29.7%	(24.0 - 36.0)	9,533	30.2%	(28.9 - 31.5)	NS	574	13.3%	(9.9 - 17.6)	14,415	15.7%	(14.7 - 16.7)	NS	Yes
2012	623	20.3%	(16.5 - 24.8)	18,742	22.1%	(21.3 - 23.0)	NS	252	25.5%	(19.1 - 33.1)	7,664	29.1%	(27.6 - 30.5)	NS	371	15.4%	(11.6 - 20.3)	11,078	15.5%	(14.5 - 16.6)	NS	No
2013	575	18.5%	(14.8 - 22.9)	16,500	20.0%	(19.0 - 21.1)	NS	234	27.9%	(21.5 - 35.4)	6,687	25.2%	(23.6 - 26.9)	NS	341	9.3%	(6.1 - 13.9)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	908	15.7%	(13.0 - 18.8)	21,443	20.3%	(19.4 - 21.3)	-	393	20.0%	(15.6 - 25.3)	9,149	26.8%	(25.3 - 28.3)	-	515	11.6%	(8.7 - 15.3)	12,294	14.1%	(13.0 - 15.3)	NS	Yes
2015	737	22.7%	(18.9 - 27.1)	16,832	19.5%	(18.5 - 20.5)	NS	314	30.4%	(24.1 - 37.4)	7,216	26.0%	(24.4 - 27.8)	NS	423	15.6%	(11.4 - 20.9)	9,616	13.1%	(12.0 - 14.3)	NS	Yes
2016	697	19.4%	(15.7 - 23.7)	14,620	20.0%	(18.9 - 21.1)	NS	288	25.8%	(19.8 - 32.8)	6,367	27.2%	(25.4 - 29.0)	NS	409	13.2%	(9.4 - 18.4)	8,253	13.1%	(11.9 - 14.4)	NS	Yes
Heavy drinking in past 30 days																						
2011	950	7.1%	(4.9 - 10.2)	23,906	7.5%	(7.0 - 8.1)	NS	378	9.9%	(6.1 - 15.8)	9,514	9.2%	(8.4 - 10.2)	NS	572	4.5%	(2.8 - 7.2)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	623	7.6%	(5.4 - 10.6)	18,738	7.2%	(6.6 - 7.7)	NS	255	9.2%	(5.8 - 14.4)	7,668	8.5%	(7.7 - 9.4)	NS	368	6.1%	(3.7 - 9.8)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	576	5.2%	(3.4 - 7.9)	16,513	6.8%	(6.2 - 7.5)	NS	234	5.3%	(2.8 - 9.8)	6,698	7.3%	(6.4 - 8.3)	NS	342	5.1%	(2.9 - 8.9)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	909	4.3%	(3.0 - 6.2)	21,447	6.4%	(5.9 - 7.0)	NS	393	4.2%	(2.5 - 7.0)	9,158	7.5%	(6.7 - 8.5)	NS	516	4.4%	(2.7 - 7.2)	12,289	5.3%	(4.7 - 6.1)	NS	No
2015	732	3.9%	(2.7 - 5.7)	16,815	5.7%	(5.1 - 6.4)	NS	313	3.8%	(2.2 - 6.5)	7,214	7.0%	(6.0 - 8.1)	NS	419	4.1%	(2.4 - 6.8)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	696	7.5%	(5.2 - 10.7)	14,634	6.6%	(5.9 - 7.3)	NS	288	10.4%	(6.6 - 16.0)	6,376	8.0%	(7.0 - 9.1)	NS	408	4.7%	(2.6 - 8.3)	8,258	5.2%	(4.4 - 6.2)	NS	No
Alcohol impaired driving in past 30 days																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	631	3.3%	(2.0 - 5.6)	18,895	3.4%	(3.1 - 3.8)	NS	257	4.2%	(2.1 - 7.9)	7,741	5.5%	(4.9 - 6.3)	NS	374	2.5%	(1.0 - 6.1)	11,154	1.4%	(1.1 - 1.8)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	913	0.9%	(0.5 - 1.6)	21,627	2.5%	(2.2 - 2.9)	-	398	0.8%	(0.4 - 2.0)	9,242	4.2%	(3.5 - 4.9)	-	515	1.0%	(0.4 - 2.1)	12,385	1.0%	(0.7 - 1.3)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	699	3.4%	(2.0 - 5.8)	14,666	3.4%	(2.9 - 3.9)	NS	291	3.9%	(2.0 - 7.5)	6,383	5.1%	(4.3 - 6.0)	NS	408	2.9%	(1.2 - 7.0)	8,283	1.7%	(1.3 - 2.4)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	325	28.5%	(23.1 - 34.6)	11,767	30.2%	(29.1 - 31.4)	NS	136	24.9%	(17.3 - 34.5)	4,835	27.3%	(25.7 - 29.0)	NS	189	32.0%	(24.8 - 40.1)	6,932	33.0%	(31.5 - 34.6)	NS	No	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	352	32.6%	(26.7 - 39.0)	7,858	33.5%	(31.9 - 35.1)	NS	152	31.5%	(22.9 - 41.7)	3,283	28.9%	(26.6 - 31.4)	NS	200	33.7%	(26.2 - 42.0)	4,575	37.9%	(35.8 - 40.1)	NS	No	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	101	55.6%	(43.8 - 66.7)	3,848	49.2%	(46.9 - 51.4)	NS	33	-*	-* - *	1,423	43.9%	(40.4 - 47.4)	NA	68	60.5%	(46.5 - 73.0)	2,425	53.4%	(50.5 - 56.3)	NS	NA	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	117	47.9%	(36.6 - 59.4)	2,684	45.7%	(42.8 - 48.7)	NS	47	-*	-* - *	995	42.6%	(37.9 - 47.4)	NA	70	57.2%	(43.0 - 70.2)	1,689	48.0%	(44.4 - 51.7)	NS	NA	
2016	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	680	3.8%	(2.0 - 7.2)	14,160	4.9%	(4.2 - 5.7)	NS	281	3.8%	(1.8 - 7.9)	6,143	7.2%	(6.0 - 8.6)	NS	399	3.9%	(1.4 - 10.5)	8,017	2.7%	(2.1 - 3.5)	NS	No	
Immunization and Infectious Disease																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	959	42.9%	(39.1 - 46.9)	24,156	41.1%	(40.2 - 42.0)	NS	384	38.0%	(32.2 - 44.1)	9,663	35.1%	(33.8 - 36.5)	NS	575	47.8%	(42.8 - 52.8)	14,493	46.8%	(45.6 - 48.1)	NS	No	
2012	632	46.2%	(41.5 - 50.9)	18,903	42.2%	(41.2 - 43.2)	NS	257	41.4%	(34.3 - 48.8)	7,754	36.8%	(35.4 - 38.2)	NS	375	50.8%	(44.7 - 56.8)	11,149	47.5%	(46.1 - 48.8)	NS	No	
2013	562	50.1%	(44.8 - 55.4)	16,022	45.2%	(43.9 - 46.4)	NS	228	49.8%	(41.7 - 58.0)	6,506	41.2%	(39.4 - 43.1)	NS	334	50.4%	(43.6 - 57.0)	9,516	48.9%	(47.2 - 50.6)	NS	No	
2014	912	46.0%	(42.1 - 50.1)	21,638	43.9%	(42.9 - 45.0)	NS	397	42.6%	(36.6 - 48.8)	9,262	38.8%	(37.3 - 40.4)	NS	515	49.4%	(44.2 - 54.5)	12,376	48.9%	(47.4 - 50.3)	NS	No	
2015	704	50.2%	(45.6 - 54.8)	16,091	47.2%	(46.0 - 48.4)	NS	304	43.7%	(37.1 - 50.6)	6,883	40.8%	(39.0 - 42.6)	NS	400	56.6%	(50.5 - 62.6)	9,208	53.4%	(51.7 - 55.0)	NS	No	
2016	700	46.6%	(41.7 - 51.5)	14,685	44.4%	(43.1 - 45.7)	NS	291	40.8%	(33.7 - 48.2)	6,401	39.4%	(37.5 - 41.3)	NS	409	52.2%	(45.9 - 58.5)	8,284	49.3%	(47.6 - 51.1)	NS	No	
Had a flu vaccination in past year, aged 65 years and older ^h																							
2011	334	66.1%	(60.2 - 71.6)	8,185	61.8%	(60.3 - 63.3)	NS	114	65.8%	(55.5 - 74.8)	2,875	59.6%	(57.1 - 62.1)	NS	220	66.3%	(59.0 - 73.0)	5,310	63.4%	(61.5 - 65.3)	NS	No	
2012	229	66.2%	(58.9 - 72.7)	6,625	62.9%	(61.2 - 64.6)	NS	79	63.1%	(50.8 - 73.9)	2,327	60.9%	(58.1 - 63.6)	NS	150	68.2%	(59.2 - 76.0)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	210	63.9%	(56.2 - 70.9)	5,652	66.2%	(64.2 - 68.1)	NS	79	65.9%	(53.7 - 76.3)	2,067	67.6%	(64.4 - 70.6)	NS	131	62.1%	(52.3 - 71.0)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	297	70.3%	(63.9 - 76.0)	7,610	64.7%	(63.2 - 66.2)	NS	124	72.5%	(62.6 - 80.5)	2,971	65.9%	(63.5 - 68.3)	NS	173	68.5%	(59.8 - 76.0)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	232	67.8%	(59.9 - 74.7)	5,578	65.2%	(63.4 - 67.0)	NS	101	63.7%	(51.5 - 74.4)	2,119	64.1%	(61.1 - 66.9)	NS	131	71.9%	(62.1 - 79.9)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	248	62.0%	(53.8 - 69.5)	5,130	62.7%	(60.8 - 64.6)	NS	106	62.0%	(49.3 - 73.2)	1,967	62.8%	(59.8 - 65.6)	NS	142	61.9%	(52.2 - 70.8)	3,163	62.7%	(60.2 - 65.1)	NS	No	
Ever had a pneumonia vaccination, aged 65 years and older ^h																							
2011	329	71.7%	(65.8 - 76.9)	7,997	70.3%	(68.8 - 71.7)	NS	111	58.3%	(48.0 - 68.0)	2,772	66.7%	(64.2 - 69.1)	NS	218	80.1%	(73.4 - 85.4)	5,225	72.9%	(71.2 - 74.5)	NS	Yes	
2012	224	75.1%	(68.1 - 80.9)	6,413	70.0%	(68.4 - 71.6)	NS	77	74.9%	(63.1 - 84.0)	2,225	66.9%	(64.1 - 69.6)	NS	147	75.1%	(66.2 - 82.4)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	204	74.8%	(67.7 - 80.7)	5,478	71.7%	(69.8 - 73.4)	NS	74	76.7%	(65.3 - 85.2)	1,970	71.5%	(68.5 - 74.3)	NS	130	73.1%	(63.8 - 80.7)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	289	74.6%	(68.1 - 80.2)	7,372	72.3%	(70.9 - 73.7)	NS	120	70.5%	(59.9 - 79.3)	2,849	70.3%	(67.9 - 72.5)	NS	169	78.3%	(70.2 - 84.7)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	227	72.1%	(64.5 - 78.7)	5,452	73.8%	(72.1 - 75.4)	NS	98	70.3%	(58.2 - 80.0)	2,056	70.3%	(67.4 - 73.0)	NS	129	74.1%	(64.3 - 82.0)	3,396	76.5%	(74.5 - 78.4)	NS	No	
2016	243	73.4%	(63.7 - 81.2)	5,060	75.9%	(74.2 - 77.5)	NS	103	63.5%	(48.7 - 76.1)	1,927	73.7%	(70.9 - 76.3)	NS	140	85.2%	(77.7 - 90.5)	3,133	77.6%	(75.5 - 79.7)	NS	Yes	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2013	508	59.6%	(53.9 - 65.0)	14,650	60.2%	(58.9 - 61.5)	NS	202	64.8%	(55.2 - 73.0)	6,015	63.1%	(61.1 - 65.0)	NS	306	55.0%	(47.9 - 61.9)	8,635	57.4%	(55.6 - 59.1)	NS	No	
2014	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-	-	-	
2016	651	60.4%	(55.2 - 65.3)	13,574	64.2%	(62.9 - 65.4)	NS	270	65.1%	(56.9 - 72.5)	5,939	67.5%	(65.5 - 69.3)	NS	381	55.9%	(49.3 - 62.3)	7,635	60.9%	(59.2 - 62.7)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e				
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE							
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	
Ever had a shingles vaccination, aged 50 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	575	30.4%	(26.3 - 34.8)	14,246	27.9%	(26.9 - 28.9)	NS	245	31.5%	(25.4 - 38.4)	5,892	25.7%	(24.2 - 27.3)	NS	330	29.5%	(24.2 - 35.3)	8,354	29.8%	(28.4 - 31.3)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever been tested for HIV, 18-64 year olds (excluding blood donation)																							
2011	612	26.6%	(22.4 - 31.2)	15,561	30.8%	(29.7 - 31.8)	NS	264	24.9%	(19.1 - 31.7)	6,612	28.4%	(27.0 - 29.9)	NS	348	28.4%	(22.7 - 34.9)	8,949	33.1%	(31.7 - 34.6)	NS	No	
2012	390	23.6%	(19.1 - 28.9)	11,879	30.9%	(29.8 - 32.1)	-	171	19.5%	(13.6 - 27.0)	5,254	27.9%	(26.3 - 29.5)	NS	219	28.1%	(21.6 - 35.6)	6,625	34.0%	(32.4 - 35.7)	NS	No	
2013	342	26.9%	(21.6 - 33.0)	10,049	31.8%	(30.3 - 33.3)	NS	144	25.1%	(17.6 - 34.5)	4,304	29.1%	(27.0 - 31.3)	NS	198	28.7%	(21.8 - 36.9)	5,745	34.4%	(32.5 - 36.4)	NS	No	
2014	589	25.8%	(21.5 - 30.7)	13,474	30.9%	(29.6 - 32.2)	NS	264	24.2%	(17.8 - 31.9)	6,042	28.6%	(26.8 - 30.5)	NS	325	27.5%	(21.9 - 33.9)	7,432	33.2%	(31.4 - 35.0)	NS	No	
2015	450	27.7%	(22.9 - 33.0)	10,152	32.0%	(30.6 - 33.5)	NS	191	23.5%	(17.1 - 31.3)	4,604	29.2%	(27.2 - 31.4)	NS	259	31.6%	(24.9 - 39.2)	5,548	34.9%	(32.9 - 36.9)	NS	No	
2016	433	25.9%	(21.1 - 31.4)	9,145	31.9%	(30.4 - 33.5)	NS	176	19.8%	(13.7 - 27.8)	4,263	28.5%	(26.4 - 30.7)	NS	257	31.4%	(24.6 - 39.0)	4,882	35.4%	(33.2 - 37.6)	NS	No	
Oral Health																							
Visited a dentist or dental clinic for any reason in past year ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	642	68.6%	(63.9 - 72.9)	19,052	67.6%	(66.6 - 68.5)	NS	264	66.8%	(59.4 - 73.5)	7,827	64.2%	(62.7 - 65.6)	NS	378	70.3%	(64.4 - 75.6)	11,225	70.9%	(69.6 - 72.1)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	927	68.4%	(64.7 - 71.8)	22,258	66.4%	(65.4 - 67.4)	NS	407	66.7%	(61.0 - 72.0)	9,544	63.2%	(61.7 - 64.8)	NS	520	70.0%	(65.1 - 74.5)	12,714	69.5%	(68.1 - 70.8)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	711	68.7%	(64.0 - 73.1)	15,089	68.7%	(67.5 - 69.9)	NS	295	67.2%	(59.9 - 73.8)	6,597	65.9%	(64.1 - 67.7)	NS	416	70.2%	(64.0 - 75.7)	8,492	71.4%	(69.8 - 73.0)	NS	No	
Had any permanent teeth extracted due to tooth decay or gum disease																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	634	42.6%	(38.1 - 47.3)	18,824	39.8%	(38.8 - 40.8)	NS	259	41.0%	(34.1 - 48.3)	7,750	39.2%	(37.7 - 40.6)	NS	375	44.2%	(38.3 - 50.2)	11,074	40.4%	(39.1 - 41.7)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	917	45.1%	(41.2 - 49.1)	22,085	39.1%	(38.1 - 40.1)	+	404	43.4%	(37.6 - 49.4)	9,490	39.4%	(37.9 - 40.9)	NS	513	46.7%	(41.6 - 51.9)	12,595	38.9%	(37.5 - 40.2)	+	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	704	44.7%	(40.0 - 49.5)	14,988	38.2%	(37.0 - 39.4)	+	294	41.9%	(35.1 - 49.1)	6,559	37.6%	(35.8 - 39.3)	NS	410	47.3%	(41.0 - 53.6)	8,429	38.9%	(37.3 - 40.5)	+	No	
Had any permanent teeth extracted due to tooth decay or gum disease, 45-64 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	231	52.7%	(44.6 - 60.7)	7,138	47.7%	(46.1 - 49.3)	NS	103	51.0%	(38.8 - 63.1)	3,077	48.7%	(46.3 - 51.1)	NS	128	54.8%	(45.2 - 64.0)	4,061	46.7%	(44.6 - 48.8)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	346	47.7%	(41.7 - 53.7)	8,200	45.9%	(44.3 - 47.5)	NS	152	45.7%	(36.8 - 54.8)	3,631	47.5%	(45.1 - 50.0)	NS	194	49.4%	(41.5 - 57.3)	4,569	44.3%	(42.1 - 46.5)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	272	45.5%	(38.3 - 52.9)	5,356	45.1%	(43.1 - 47.1)	NS	115	43.4%	(32.9 - 54.5)	2,446	46.4%	(43.5 - 49.3)	NS	157	47.6%	(38.0 - 57.4)	2,910	43.8%	(41.2 - 46.5)	NS	No	
Had all permanent teeth extracted due to tooth decay or gum disease, aged 65 years and older																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	226	9.7%	(6.2 - 14.9)	6,502	13.4%	(12.3 - 14.5)	NS	78	12.3%	(6.0 - 23.3)	2,313	12.0%	(10.3 - 13.9)	NS	148	8.0%	(4.6 - 13.5)	4,189	14.4%	(13.0 - 16.0)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	289	12.9%	(9.0 - 18.1)	7,657	14.1%	(13.0 - 15.2)	NS	125	14.8%	(8.8 - 23.9)	3,010	14.4%	(12.8 - 16.3)	NS	164	11.0%	(6.8 - 17.5)	4,647	13.8%	(12.5 - 15.2)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	248	13.0%	(9.0 - 18.5)	5,179	13.2%	(11.9 - 14.6)	NS	105	8.5%	(4.3 - 16.4)	1,993	10.6%	(9.0 - 12.5)	NS	143	18.4%	(12.1 - 27.0)	3,186	15.3%	(13.5 - 17.3)	NS	No	
Had all permanent teeth extracted due to tooth decay or gum disease, 65-74 year olds ^a																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	127	4.1%	(1.8 - 9.3)	3,149	11.3%	(9.9 - 12.8)	-	44	-*	-* - *	1,268	9.3%	(7.5 - 11.4)	NA	83	4.6%	(1.9 - 10.8)	1,881	13.1%	(11.1 - 15.3)	-	NA	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	160	12.8%	(7.5 - 20.9)	4,089	10.9%	(9.6 - 12.3)	NS	80	15.0%	(7.4 - 28.3)	1,804	12.0%	(9.9 - 14.4)	NS	80	9.9%	(4.7 - 19.7)	2,285	9.8%	(8.3 - 11.7)	NS	No	
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	130	11.6%	(6.5 - 19.9)	2,815	10.4%	(9.0 - 12.0)	NS	55	7.1%	(2.5 - 18.5)	1,168	8.8%	(6.9 - 11.2)	NS	75	17.4%	(8.9 - 31.3)	1,647	11.8%	(9.9 - 14.1)	NS	No	

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Indicators																						
Had teeth cleaned by dentist/hygienist in past year, among those with 1+ permanent teeth																						
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	658	68.7%	(63.8 - 73.2)	13,764	67.4%	(66.1 - 68.6)	NS	279	66.6%	(58.9 - 73.4)	6,092	63.9%	(62.0 - 65.8)	NS	379	70.8%	(64.3 - 76.6)	7,672	70.8%	(69.1 - 72.5)	NS	No
Social Context																						
Housing insecurity in past year, among those who own or rent their home ^a																						
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	277	30.7%	(23.6 - 38.8)	6,089	26.6%	(25.0 - 28.3)	NS	111	32.3%	(20.9 - 46.4)	2,481	24.7%	(22.3 - 27.3)	NS	166	29.1%	(21.5 - 38.2)	3,608	28.5%	(26.3 - 30.8)	NS	No
2013	255	24.1%	(18.6 - 30.6)	7,324	28.8%	(27.1 - 30.5)	NS	108	20.9%	(13.8 - 30.3)	2,961	25.0%	(22.5 - 27.7)	NS	147	27.5%	(19.8 - 36.9)	4,363	32.3%	(30.0 - 34.7)	NS	No
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	329	25.9%	(20.2 - 32.5)	7,461	28.5%	(26.8 - 30.2)	NS	145	23.6%	(15.7 - 33.8)	3,109	26.6%	(24.2 - 29.2)	NS	184	28.2%	(20.8 - 37.1)	4,352	30.3%	(28.1 - 32.5)	NS	No
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Food insecurity in past year ^a																						
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	294	20.2%	(15.1 - 26.4)	6,621	17.6%	(16.2 - 19.0)	NS	114	16.6%	(10.2 - 25.8)	2,684	13.9%	(12.1 - 16.0)	NS	180	23.2%	(16.3 - 32.1)	3,937	21.1%	(19.1 - 23.2)	NS	No
2013	272	17.7%	(13.0 - 23.7)	7,828	19.0%	(17.6 - 20.6)	NS	116	13.0%	(7.8 - 21.1)	3,159	15.4%	(13.4 - 17.7)	NS	156	22.6%	(15.5 - 31.8)	4,669	22.5%	(20.5 - 24.6)	NS	No
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	356	17.5%	(12.9 - 23.3)	7,918	21.0%	(19.5 - 22.5)	NS	156	14.8%	(8.6 - 24.2)	3,309	17.9%	(15.8 - 20.2)	NS	200	20.3%	(14.1 - 28.2)	4,609	24.0%	(22.1 - 26.1)	NS	No
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caregiving																						
Provided regular care/assistance in past month to friend or family member with health issue																						
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	335	27.3%	(21.3 - 34.1)	7,883	24.7%	(23.2 - 26.2)	NS	141	33.1%	(23.6 - 44.2)	3,434	21.1%	(19.1 - 23.4)	+	194	22.4%	(15.7 - 30.7)	4,449	28.0%	(25.9 - 30.2)	NS	No
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cognitive Decline																						
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																						
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2014	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2015	242	11.6%	(6.9 - 18.8)	5,767	9.4%	(8.4 - 10.5)	NS	102	16.5%	(8.3 - 30.1)	2,436	10.2%	(8.7 - 12.0)	NS	140	7.1%	(3.7 - 13.1)	3,331	8.6%	(7.3 - 10.2)	NS	No
2016	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Inadequate Sleep																						
Get less than 7 hours of sleep per day																						
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	592	31.4%	(26.9 - 36.3)	16,972	31.8%	(30.6 - 33.0)	NS	238	31.1%	(24.4 - 38.6)	6,927	32.6%	(30.8 - 34.4)	NS	354	31.8%	(26.0 - 38.2)	10,045	31.0%	(29.5 - 32.6)	NS	No
2014	925	27.6%	(24.3 - 31.1)	22,172	30.0%	(29.0 - 31.0)	NS	404	27.5%	(22.6 - 33.0)	9,527	30.7%	(29.2 - 32.2)	NS	521	27.6%	(23.3 - 32.3)	12,645	29.4%	(28.1 - 30.7)	NS	No
2015	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	716	33.3%	(28.7 - 38.2)	15,097	29.6%	(28.4 - 30.8)	NS	298	31.1%	(24.4 - 38.8)	6,610	29.7%	(27.9 - 31.5)	NS	418	35.5%	(29.5 - 41.9)	8,487	29.5%	(27.9 - 31.2)	NS	No
Average hours of sleep per day																						
2011	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2012	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2013	592	7.1	(7.0 - 7.3)	16,972	7.1	(7.0 - 7.1)	NS	238	7.2	(7.0 - 7.4)	6,927	7.0	(7.0 - 7.1)	NS	354	7.0	(6.9 - 7.2)	10,045	7.1	(7.0 - 7.1)	NS	No
2014	925	7.2	(7.1 - 7.3)	22,172	7.1	(7.0 - 7.1)	NS	404	7.1	(6.9 - 7.2)	9,527	7.0	(7.0 - 7.1)	NS	521	7.3	(7.1 - 7.4)	12,645	7.1	(7.1 - 7.1)	NS	No
2015	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2016	716	7.0	(6.9 - 7.1)	15,097	7.1	(7.1 - 7.1)	NS	298	7.1	(6.9 - 7.2)	6,610	7.1	(7.0 - 7.2)	NS	418	6.9	(6.8 - 7.1)	8,487	7.1	(7.1 - 7.2)	-	No

Indicators	Overall						Men						Women						LHD Gender Diff. ^e			
	Three Rivers			State of NE			Three Rivers			State of NE			Three Rivers			State of NE						
	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d	n ^a	mean or % ^b	95% C.I. ^c (Low - High)	n ^a		mean or % ^b	95% C.I. ^c (Low - High)	Sig ^d
Occupational Safety and Health																						
Work-related injury or illness in past year, among employed or recently out of work																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	177	2.5%	(1.0 - 6.2)	4,952	4.8%	(3.9 - 5.8)	NS	72	3.6%	(1.1 - 11.0)	2,246	6.1%	(4.8 - 7.7)	NS	105	1.4%	(0.3 - 6.0)	2,706	3.3%	(2.2 - 4.9)	NS	No
2014	317	5.0%	(2.5 - 9.9)	6,966	4.9%	(4.1 - 5.9)	NS	144	5.8%	(2.6 - 12.4)	3,403	5.4%	(4.4 - 6.7)	NS	173	4.1%	(1.1 - 14.1)	3,563	4.3%	(3.1 - 6.0)	NS	No
2015	242	9.2%	(5.2 - 16.0)	5,434	5.7%	(4.7 - 6.8)	NS	121	10.3%	(4.6 - 21.5)	2,727	7.1%	(5.6 - 9.0)	NS	121	8.1%	(3.5 - 17.5)	2,707	3.9%	(2.9 - 5.3)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Note: Data reflect the three county LHD region of Dodge, Saunders, and Washington Counties

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being headline only

Note: The results in this table may be slightly different than results in previously published reports and tables due differences in the software used and/or how the statistical analysis code was written; these results were analyzed using SAS and SAS-callable SUDAAN software

^a Non-weighted sample size among adults 18 and older (unless different age group noted)

^b Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

^c Low and High are the lower and upper limits of the 95% confidence interval, respectively

^d Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

^e Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; note that small sample sizes for males and females can make interpreting significance difficult due to large confidence intervals

[^] Reflects a Nebraska Healthy People 2020 (HP2020) measure

* Data suppressed due to a small number of respondents (i.e., fewer than 50)

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); January 2018

