

BRFSS Detailed Summary Table for West Central District Health Department Adults 18 and Older, 2011-2016

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>o</sup>						
	West Central		State of NE		Sig <sup>d</sup>	West Central		State of NE		Sig <sup>d</sup>	West Central		State of NE		Sig <sup>d</sup>							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)			n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)			
<b>General Health Status</b>																						
General health fair or poor																						
2011	710	18.3%	(15.0 - 22.0)	25,347	14.3%	(13.7 - 14.9)	+	322	17.8%	(13.2 - 23.7)	10,198	14.8%	(13.9 - 15.7)	NS	388	18.7%	(14.4 - 23.8)	15,149	13.9%	(13.1 - 14.7)	NS	No
2012	734	14.0%	(10.9 - 17.8)	19,132	14.4%	(13.7 - 15.2)	NS	297	11.1%	(7.3 - 16.4)	7,855	14.6%	(13.5 - 15.7)	NS	437	16.8%	(12.4 - 22.4)	11,277	14.3%	(13.4 - 15.2)	NS	No
2013	852	16.2%	(13.0 - 20.0)	17,106	13.9%	(13.1 - 14.8)	NS	372	15.3%	(11.2 - 20.6)	6,963	13.4%	(12.2 - 14.7)	NS	480	17.1%	(12.6 - 22.8)	10,143	14.4%	(13.3 - 15.6)	NS	No
2014	1,093	16.7%	(14.3 - 19.6)	22,370	13.2%	(12.5 - 13.9)	+	461	14.8%	(11.6 - 18.9)	9,585	13.5%	(12.4 - 14.5)	NS	632	18.6%	(15.0 - 22.7)	12,785	12.9%	(12.0 - 13.8)	+	No
2015	707	16.4%	(13.5 - 19.9)	17,539	13.9%	(13.1 - 14.8)	NS	313	13.2%	(9.5 - 18.0)	7,564	13.7%	(12.5 - 14.9)	NS	394	19.5%	(15.2 - 24.7)	9,975	14.2%	(13.1 - 15.3)	NS	No
2016	563	15.0%	(12.0 - 18.5)	15,166	14.7%	(13.8 - 15.6)	NS	239	13.2%	(9.2 - 18.6)	6,633	13.8%	(12.6 - 15.1)	NS	324	16.7%	(12.6 - 21.8)	8,533	15.5%	(14.3 - 16.8)	NS	No
Average number of days physical health was not good in past 30 days																						
2011	694	3.6	(2.9 - 4.3)	24,901	3.2	(3.0 - 3.3)	NS	318	3.2	(2.3 - 4.1)	10,067	2.9	(2.7 - 3.1)	NS	376	4.0	(3.0 - 5.0)	14,834	3.4	(3.2 - 3.6)	NS	No
2012	717	3.0	(2.2 - 3.8)	18,819	3.2	(3.1 - 3.4)	NS	288	2.4	(1.3 - 3.5)	7,759	2.9	(2.7 - 3.1)	NS	429	3.6	(2.5 - 4.6)	11,060	3.6	(3.4 - 3.8)	NS	No
2013	840	3.1	(2.5 - 3.7)	16,808	3.1	(2.9 - 3.3)	NS	367	2.5	(1.6 - 3.3)	6,877	2.8	(2.5 - 3.0)	NS	473	3.7	(2.8 - 4.6)	9,931	3.4	(3.2 - 3.7)	NS	No
2014	1,072	3.9	(3.3 - 4.5)	22,024	3.0	(2.9 - 3.1)	+	454	3.0	(2.2 - 3.7)	9,464	2.8	(2.6 - 3.0)	NS	618	4.9	(4.0 - 5.7)	12,560	3.2	(3.0 - 3.4)	+	Yes
2015	697	4.4	(3.6 - 5.2)	17,315	3.1	(3.0 - 3.3)	+	309	3.0	(2.2 - 3.9)	7,476	2.8	(2.6 - 3.0)	NS	388	5.8	(4.4 - 7.1)	9,839	3.5	(3.3 - 3.7)	+	Yes
2016	554	3.7	(2.9 - 4.4)	14,984	3.3	(3.1 - 3.5)	NS	236	3.1	(2.0 - 4.2)	6,561	2.9	(2.6 - 3.1)	NS	318	4.2	(3.1 - 5.2)	8,423	3.7	(3.4 - 4.0)	NS	No
Physical health was not good on 14 or more of the past 30 days																						
2011	694	11.3%	(8.8 - 14.2)	24,901	9.6%	(9.1 - 10.1)	NS	318	9.3%	(6.5 - 13.2)	10,067	9.0%	(8.3 - 9.8)	NS	376	13.2%	(9.5 - 17.9)	14,834	10.1%	(9.4 - 10.8)	NS	No
2012	717	9.4%	(6.9 - 12.8)	18,819	9.8%	(9.2 - 10.4)	NS	288	7.7%	(4.6 - 12.8)	7,759	8.6%	(7.8 - 9.5)	NS	429	11.0%	(7.4 - 16.1)	11,060	11.0%	(10.1 - 11.8)	NS	No
2013	840	10.1%	(7.5 - 13.3)	16,808	9.2%	(8.5 - 9.9)	NS	367	7.6%	(4.9 - 11.7)	6,877	7.9%	(7.0 - 8.9)	NS	473	12.5%	(8.6 - 17.9)	9,931	10.4%	(9.4 - 11.5)	NS	No
2014	1,072	12.3%	(10.1 - 14.9)	22,024	9.0%	(8.4 - 9.6)	+	454	9.2%	(6.7 - 12.7)	9,464	8.3%	(7.4 - 9.1)	NS	618	15.2%	(12.0 - 19.2)	12,560	9.7%	(9.0 - 10.5)	+	No
2015	697	14.1%	(11.3 - 17.4)	17,315	9.6%	(9.0 - 10.3)	+	309	8.4%	(5.8 - 12.0)	7,476	8.6%	(7.7 - 9.6)	NS	388	19.6%	(15.1 - 25.1)	9,839	10.7%	(9.8 - 11.6)	+	Yes
2016	554	12.0%	(9.2 - 15.5)	14,984	9.8%	(9.1 - 10.6)	NS	236	10.8%	(7.0 - 16.4)	6,561	8.4%	(7.4 - 9.4)	NS	318	13.1%	(9.4 - 18.0)	8,423	11.2%	(10.2 - 12.3)	NS	No
Average number of days mental health was not good in past 30 days																						
2011	698	3.5	(2.8 - 4.2)	25,036	3.1	(2.9 - 3.2)	NS	315	2.5	(1.6 - 3.4)	10,097	2.5	(2.3 - 2.7)	NS	383	4.4	(3.3 - 5.6)	14,939	3.6	(3.4 - 3.8)	NS	No
2012	723	2.9	(2.0 - 3.9)	18,935	3.0	(2.9 - 3.2)	NS	294	2.2	(1.0 - 3.4)	7,786	2.6	(2.4 - 2.8)	NS	429	3.7	(2.2 - 5.1)	11,149	3.5	(3.3 - 3.7)	NS	No
2013	836	2.6	(2.0 - 3.3)	16,889	3.0	(2.8 - 3.1)	NS	366	2.0	(1.1 - 2.8)	6,889	2.3	(2.1 - 2.6)	NS	470	3.3	(2.3 - 4.3)	10,000	3.5	(3.3 - 3.8)	NS	No
2014	1,081	3.1	(2.5 - 3.6)	22,132	2.8	(2.6 - 2.9)	NS	453	2.0	(1.3 - 2.7)	9,483	2.3	(2.1 - 2.5)	NS	628	4.1	(3.3 - 4.9)	12,649	3.3	(3.1 - 3.5)	NS	Yes
2015	698	2.5	(1.9 - 3.0)	17,369	2.9	(2.7 - 3.1)	NS	309	2.1	(1.2 - 2.9)	7,491	2.3	(2.1 - 2.6)	NS	389	2.8	(2.0 - 3.6)	9,878	3.5	(3.2 - 3.7)	NS	No
2016	558	3.2	(2.4 - 3.9)	15,035	3.2	(3.0 - 3.4)	NS	236	2.2	(1.3 - 3.2)	6,568	2.4	(2.1 - 2.6)	NS	322	4.1	(3.0 - 5.2)	8,467	4.0	(3.6 - 4.3)	NS	No
Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)																						
2011	698	11.7%	(8.9 - 15.2)	25,036	9.2%	(8.7 - 9.7)	NS	315	8.2%	(5.1 - 13.0)	10,097	7.7%	(7.0 - 8.4)	NS	383	15.0%	(10.8 - 20.5)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	723	9.6%	(6.3 - 14.3)	18,935	9.0%	(8.4 - 9.7)	NS	294	7.0%	(3.2 - 14.4)	7,786	7.4%	(6.6 - 8.3)	NS	429	12.1%	(7.3 - 19.2)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	836	7.8%	(5.4 - 11.1)	16,889	8.9%	(8.2 - 9.6)	NS	366	6.0%	(3.2 - 11.1)	6,889	6.8%	(5.9 - 7.9)	NS	470	9.5%	(6.1 - 14.6)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	1,081	9.1%	(7.2 - 11.5)	22,132	8.2%	(7.6 - 8.8)	NS	453	5.5%	(3.4 - 8.7)	9,483	6.4%	(5.6 - 7.3)	NS	628	12.6%	(9.6 - 16.3)	12,649	9.9%	(9.0 - 10.8)	NS	Yes
2015	698	7.8%	(5.7 - 10.5)	17,369	8.9%	(8.2 - 9.6)	NS	309	6.9%	(4.3 - 11.0)	7,491	6.9%	(6.0 - 7.9)	NS	389	8.6%	(5.8 - 12.6)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	558	10.0%	(7.4 - 13.4)	15,035	9.5%	(8.7 - 10.4)	NS	236	6.1%	(3.4 - 10.5)	6,568	7.0%	(6.0 - 8.1)	NS	322	13.8%	(9.6 - 19.5)	8,467	12.0%	(10.8 - 13.3)	NS	No
Average days poor physical or mental health limited usual activities in past 30 days																						
2011	707	2.2	(1.6 - 2.7)	25,183	1.9	(1.8 - 2.0)	NS	321	2.2	(1.4 - 3.0)	10,136	1.7	(1.6 - 1.9)	NS	386	2.2	(1.4 - 2.9)	15,047	2.0	(1.9 - 2.1)	NS	No
2012	723	1.7	(1.1 - 2.3)	19,022	2.0	(1.8 - 2.1)	NS	293	1.5	(0.7 - 2.3)	7,819	1.7	(1.5 - 1.9)	NS	430	1.9	(1.0 - 2.8)	11,203	2.2	(2.0 - 2.4)	NS	No
2013	844	1.9	(1.4 - 2.4)	16,986	1.9	(1.7 - 2.0)	NS	370	1.7	(1.0 - 2.4)	6,936	1.7	(1.5 - 1.9)	NS	474	2.0	(1.4 - 2.6)	10,050	2.0	(1.9 - 2.2)	NS	No
2014	1,083	1.8	(1.4 - 2.2)	22,228	1.8	(1.7 - 1.9)	NS	458	1.2	(0.7 - 1.7)	9,541	1.6	(1.5 - 1.8)	NS	625	2.4	(1.8 - 3.1)	12,687	1.9	(1.8 - 2.1)	NS	Yes
2015	703	2.5	(2.0 - 3.1)	17,430	1.9	(1.7 - 2.0)	NS	310	1.8	(1.1 - 2.5)	7,529	1.6	(1.4 - 1.8)	NS	393	3.3	(2.4 - 4.2)	9,901	2.1	(1.9 - 2.3)	+	No
2016	560	2.0	(1.5 - 2.5)	15,084	2.0	(1.8 - 2.2)	NS	237	1.7	(0.9 - 2.5)	6,592	1.7	(1.5 - 1.9)	NS	323	2.3	(1.6 - 3.0)	8,492	2.3	(2.1 - 2.6)	NS	No
Poor physical or mental health limited usual activities on 14 or more of the past 30 days																						
2011	707	7.4%	(5.5 - 10.0)	25,183	5.8%	(5.4 - 6.2)	NS	321	7.3%	(4.7 - 11.3)	10,136	5.4%	(4.8 - 6.0)	NS	386	7.5%	(4.9 - 11.3)	15,047	6.2%	(5.7 - 6.8)	NS	No
2012	723	5.5%	(3.5 - 8.5)	19,022	6.4%	(5.9 - 6.9)	NS	293	4.9%	(2.4 - 9.6)	7,819	5.3%	(4.7 - 6.0)	NS	430	6.0%	(3.3 - 10.8)	11,203	7.4%	(6.7 - 8.2)	NS	No
2013	844	6.3%	(4.5 - 8.8)	16,986	5.8%	(5.3 - 6.4)	NS	370	5.4%	(3.2 - 9.0)	6,936	5.2%	(4.4 - 6.1)	NS	474	7.3%	(4.7 - 11.0)	10,050	6.5%	(5.7 - 7.3)	NS	No
2014	1,083	6.1%	(4.7 - 7.9)	22,228	5.8%	(5.4 - 6.4)	NS	458	3.7%	(2.2 - 6.1)	9,541	5.3%	(4.6 - 6.1)	NS	625	8.4%	(6.2 - 11.3)	12,687	6.4%	(5.7 - 7.1)	NS	Yes
2015	703	8.6%	(6.6 - 11.2)	17,430	5.9%	(5.4 - 6.4)	+	310	6.1%	(3.9 - 9.4)	7,529	5.1%	(4.5 - 5.9)	NS	393	11.1%	(8.0 - 15.2)	9,901	6.6%	(6.0 - 7.3)	+	No
2016	560	6.5%	(4.7 - 9.1)	15,084	6.2%	(5.6 - 6.8)	NS	237	6.1%	(3.4 - 10.5)	6,592	4.9%	(4.2 - 5.7)	NS	323	7.0%	(4.7 - 10.4)	8,492	7.4%	(6.6 - 8.5)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	West Central			State of NE			West Central			State of NE			West Central			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Health Care Access and Utilization</b>																						
No health care coverage, 18-64 year olds																						
2011	464	20.0%	(15.8 - 25.0)	16,614	19.1%	(18.3 - 20.0)	NS	225	21.2%	(15.4 - 28.5)	7,107	22.0%	(20.7 - 23.4)	NS	239	18.7%	(13.1 - 26.1)	9,507	16.2%	(15.2 - 17.3)	NS	No
2012	428	17.5%	(12.7 - 23.6)	12,310	18.0%	(17.0 - 19.0)	NS	182	15.5%	(9.3 - 24.5)	5,450	20.3%	(18.8 - 21.8)	NS	246	19.5%	(12.9 - 28.5)	6,860	15.7%	(14.5 - 17.0)	NS	No
2013	522	18.9%	(14.3 - 24.6)	10,939	17.6%	(16.4 - 18.9)	NS	242	17.9%	(11.9 - 26.1)	4,720	18.4%	(16.6 - 20.4)	NS	280	19.9%	(13.5 - 28.3)	6,219	16.9%	(15.3 - 18.5)	NS	No
2014	685	17.6%	(14.0 - 21.8)	14,323	15.3%	(14.3 - 16.4)	NS	306	21.1%	(15.6 - 27.9)	6,443	17.0%	(15.4 - 18.7)	NS	379	14.0%	(10.0 - 19.1)	7,880	13.5%	(12.3 - 14.9)	NS	No
2015	441	15.9%	(12.1 - 20.6)	11,342	14.4%	(13.3 - 15.5)	NS	215	15.4%	(10.4 - 22.3)	5,187	15.4%	(13.8 - 17.1)	NS	226	16.4%	(11.2 - 23.5)	6,155	13.4%	(12.0 - 14.9)	NS	No
2016	376	11.0%	(7.7 - 15.4)	9,749	14.7%	(13.6 - 16.0)	NS	171	11.0%	(6.9 - 17.1)	4,538	15.0%	(13.3 - 16.9)	NS	205	10.9%	(6.3 - 18.0)	5,211	14.4%	(12.9 - 16.2)	NS	No
Has health care coverage, 18-64 year olds <sup>a</sup>																						
2011	464	80.0%	(75.0 - 84.2)	16,614	80.9%	(80.0 - 81.7)	NS	225	78.8%	(71.5 - 84.6)	7,107	78.0%	(76.6 - 79.3)	NS	239	81.3%	(73.9 - 86.9)	9,507	83.8%	(82.7 - 84.8)	NS	No
2012	428	82.5%	(76.4 - 87.3)	12,310	82.0%	(81.0 - 83.0)	NS	182	84.5%	(75.5 - 90.7)	5,450	79.7%	(78.2 - 81.2)	NS	246	80.5%	(71.5 - 87.1)	6,860	84.3%	(83.0 - 85.5)	NS	No
2013	522	81.1%	(75.4 - 85.7)	10,939	82.4%	(81.1 - 83.6)	NS	242	82.1%	(73.9 - 88.1)	4,720	81.6%	(79.6 - 83.4)	NS	280	80.1%	(71.7 - 86.5)	6,219	83.1%	(81.5 - 84.7)	NS	No
2014	685	82.4%	(78.2 - 86.0)	14,323	84.7%	(83.6 - 85.7)	NS	306	78.9%	(72.1 - 84.4)	6,443	83.0%	(81.3 - 84.6)	NS	379	86.0%	(80.9 - 90.0)	7,880	86.5%	(85.1 - 87.7)	NS	No
2015	441	84.1%	(79.4 - 87.9)	11,342	85.6%	(84.5 - 86.7)	NS	215	84.6%	(77.7 - 89.6)	5,187	84.6%	(82.9 - 86.2)	NS	226	83.6%	(76.5 - 88.8)	6,155	86.6%	(85.1 - 88.0)	NS	No
2016	376	89.0%	(84.6 - 92.3)	9,749	85.3%	(84.0 - 86.4)	NS	171	89.0%	(82.9 - 93.1)	4,538	85.0%	(83.1 - 86.7)	NS	205	89.1%	(82.0 - 93.7)	5,211	85.6%	(83.8 - 87.1)	NS	No
No personal doctor or health care provider																						
2011	710	13.8%	(10.7 - 17.7)	25,340	18.4%	(17.6 - 19.1)	NS	321	16.6%	(12.0 - 22.6)	10,192	25.1%	(23.8 - 26.3)	-	389	11.2%	(7.3 - 16.6)	15,148	12.0%	(11.1 - 12.8)	NS	No
2012	733	12.9%	(9.1 - 18.1)	19,132	17.2%	(16.4 - 18.1)	NS	296	17.0%	(11.2 - 25.0)	7,847	23.7%	(22.3 - 25.1)	NS	437	9.0%	(4.6 - 16.7)	11,285	11.0%	(10.1 - 12.0)	NS	No
2013	852	14.2%	(11.1 - 18.0)	17,093	20.9%	(19.8 - 22.0)	-	371	15.7%	(11.6 - 21.0)	6,956	27.5%	(25.7 - 29.4)	-	481	12.7%	(8.4 - 18.8)	10,137	14.4%	(13.2 - 15.7)	NS	No
2014	1,094	15.3%	(12.5 - 18.6)	22,354	20.2%	(19.2 - 21.2)	-	461	18.8%	(14.4 - 24.3)	9,569	27.0%	(25.5 - 28.5)	-	633	11.9%	(8.9 - 15.9)	12,785	13.6%	(12.5 - 14.8)	NS	No
2015	705	16.1%	(12.5 - 20.5)	17,509	19.7%	(18.7 - 20.8)	NS	312	23.4%	(17.5 - 30.5)	7,542	25.7%	(24.1 - 27.5)	NS	393	9.0%	(5.4 - 14.6)	9,967	13.9%	(12.7 - 15.2)	NS	Yes
2016	563	14.4%	(10.7 - 19.1)	15,138	19.1%	(18.0 - 20.2)	NS	239	19.9%	(14.1 - 27.3)	6,617	24.5%	(22.8 - 26.2)	NS	324	9.2%	(5.1 - 15.8)	8,521	13.8%	(12.5 - 15.2)	NS	No
Has a personal doctor or health care provider (one or more than one) <sup>a</sup>																						
2011	710	86.2%	(82.3 - 89.3)	25,340	81.6%	(80.9 - 82.4)	NS	321	83.4%	(77.4 - 88.0)	10,192	74.9%	(73.7 - 76.2)	+	389	88.8%	(83.4 - 92.7)	15,148	88.0%	(87.2 - 88.9)	NS	No
2012	733	87.1%	(81.9 - 90.9)	19,132	82.8%	(81.9 - 83.6)	NS	296	83.0%	(75.0 - 88.8)	7,847	76.3%	(74.9 - 77.7)	NS	437	91.0%	(83.3 - 95.4)	11,285	89.0%	(88.0 - 89.9)	NS	No
2013	852	85.8%	(82.0 - 88.9)	17,093	79.1%	(78.0 - 80.2)	+	371	84.3%	(79.0 - 88.4)	6,956	72.5%	(70.6 - 74.3)	+	481	87.3%	(81.2 - 91.6)	10,137	85.6%	(84.3 - 86.8)	NS	No
2014	1,094	84.7%	(81.4 - 87.5)	22,354	79.8%	(78.8 - 80.8)	+	461	81.2%	(75.7 - 85.6)	9,569	73.0%	(71.5 - 74.5)	+	633	88.1%	(84.1 - 91.1)	12,785	88.4%	(85.2 - 87.5)	NS	No
2015	705	83.9%	(79.5 - 87.5)	17,509	80.3%	(79.2 - 81.3)	NS	312	76.6%	(69.5 - 82.5)	7,542	74.3%	(72.5 - 75.9)	NS	393	91.0%	(85.4 - 94.6)	9,967	86.1%	(84.8 - 87.3)	NS	Yes
2016	563	85.6%	(80.9 - 89.3)	15,138	80.9%	(79.8 - 82.0)	NS	239	80.1%	(72.7 - 85.9)	6,617	75.5%	(73.8 - 77.2)	NS	324	90.8%	(84.2 - 94.9)	8,521	86.2%	(84.8 - 87.5)	NS	No
Has a personal doctor or health care provider (one or more than one), aged 65 years and older <sup>a</sup>																						
2011	246	97.0%	(94.3 - 98.5)	8,584	95.7%	(95.1 - 96.2)	NS	96	95.0%	(89.1 - 97.8)	3,033	94.4%	(93.4 - 95.3)	NS	150	98.5%	(95.2 - 99.5)	5,551	96.6%	(95.9 - 97.1)	NS	No
2012	304	97.1%	(93.6 - 98.7)	6,711	95.6%	(94.7 - 96.3)	NS	114	95.6%	(87.7 - 98.5)	2,368	93.6%	(91.9 - 95.0)	NS	190	98.3%	(95.9 - 99.3)	4,343	97.1%	(96.3 - 97.7)	NS	No
2013	324	92.6%	(88.0 - 95.5)	6,015	93.9%	(92.9 - 94.8)	NS	126	90.5%	(82.0 - 95.2)	2,188	92.3%	(90.4 - 93.8)	NS	198	94.4%	(89.2 - 97.2)	3,827	95.2%	(93.9 - 96.2)	NS	No
2014	399	97.9%	(96.0 - 98.9)	7,833	95.1%	(94.4 - 95.7)	+	151	98.7%	(95.3 - 99.6)	3,057	93.5%	(92.2 - 94.6)	+	248	97.3%	(94.4 - 98.8)	4,776	96.4%	(95.7 - 96.9)	NS	No
2015	253	96.9%	(93.6 - 98.5)	6,022	94.8%	(93.9 - 95.5)	NS	89	95.8%	(88.4 - 98.6)	2,297	93.6%	(92.1 - 94.8)	NS	164	97.6%	(93.3 - 99.1)	3,725	95.7%	(94.6 - 96.6)	NS	No
2016	183	96.9%	(91.9 - 98.8)	5,270	95.1%	(94.2 - 95.9)	NS	68	97.1%	(90.6 - 99.2)	2,025	94.5%	(93.1 - 95.6)	NS	115	96.6%	(87.2 - 99.2)	3,245	95.6%	(94.4 - 96.6)	NS	No
Needed to see a doctor but could not due to cost in past year <sup>a</sup>																						
2011	710	13.3%	(10.3 - 17.0)	25,350	12.5%	(11.9 - 13.2)	NS	322	9.7%	(6.4 - 14.4)	10,203	10.7%	(9.9 - 11.6)	NS	388	16.7%	(12.1 - 22.7)	15,147	14.2%	(13.4 - 15.2)	NS	No
2012	733	15.2%	(11.3 - 20.3)	19,144	12.8%	(12.1 - 13.6)	NS	296	10.8%	(6.3 - 18.0)	7,859	11.1%	(10.0 - 12.2)	NS	437	19.4%	(13.6 - 27.0)	11,285	14.4%	(13.4 - 15.5)	NS	No
2013	852	12.2%	(9.2 - 16.0)	17,103	13.0%	(12.1 - 13.9)	NS	372	8.3%	(4.9 - 13.8)	6,963	10.9%	(9.7 - 12.2)	NS	480	16.0%	(11.5 - 21.7)	10,140	15.0%	(13.8 - 16.4)	NS	No
2014	1,089	14.4%	(11.8 - 17.5)	22,359	11.8%	(11.1 - 12.6)	NS	461	12.5%	(8.9 - 17.2)	9,588	10.2%	(9.1 - 11.3)	NS	628	16.3%	(12.7 - 20.7)	12,771	13.4%	(12.4 - 14.6)	NS	No
2015	706	9.6%	(7.2 - 12.7)	17,522	11.5%	(10.7 - 12.3)	NS	313	9.0%	(5.8 - 13.7)	7,559	9.8%	(8.7 - 11.1)	NS	393	10.1%	(6.9 - 14.8)	9,963	13.1%	(12.0 - 14.3)	NS	No
2016	562	11.6%	(8.5 - 15.5)	15,156	12.1%	(11.2 - 13.1)	NS	237	10.3%	(6.1 - 16.8)	6,623	10.1%	(8.9 - 11.4)	NS	325	12.8%	(8.9 - 18.1)	8,533	14.0%	(12.7 - 15.5)	NS	No
Had a routine checkup in past year																						
2011	697	56.9%	(52.3 - 61.4)	24,983	57.7%	(56.8 - 58.7)	NS	316	53.8%	(47.2 - 60.3)	10,049	50.6%	(49.2 - 52.0)	NS	381	59.9%	(53.5 - 66.0)	14,934	64.6%	(63.4 - 65.8)	NS	No
2012	725	54.6%	(48.9 - 60.2)	18,929	60.4%	(59.4 - 61.4)	NS	296	55.8%	(47.1 - 64.2)	7,789	55.0%	(53.5 - 56.6)	NS	429	53.4%	(46.0 - 60.7)	11,140	65.6%	(64.3 - 66.9)	-	No
2013	844	56.6%	(51.8 - 61.2)	16,919	61.6%	(60.4 - 62.8)	NS	371	57.6%	(50.8 - 64.1)	6,899	56.2%	(54.3 - 58.1)	NS	473	55.6%	(49.0 - 62.0)	10,020	66.8%	(65.3 - 68.4)	-	No
2014	1,076	58.8%	(55.1 - 62.5)	22,090	63.3%	(62.3 - 64.4)	NS	456	55.7%	(50.0 - 61.2)	9,488	57.7%	(56.1 - 59.3)	NS	620	61.9%	(57.0 - 66.7)	12,602	68.8%	(67.4 - 70.2)	-	No
2015	693	61.3%	(56.6 - 65.8)	17,331	63.9%	(62.8 - 65.1)	NS	303	51.9%	(44.9 - 58.8)	7,470	58.7%	(56.9 - 60.5)	NS	390	70.3%	(64.5 - 75.4)	9,861	69.1%	(67.5 - 70.6)	NS	Yes
2016	558	62.7%	(57.6 - 67.6)	15,060	65.4%	(64.1 - 66.6)	NS	237	58.2%	(50.7 - 65.3)	6,582	60.6%	(58.7 - 62.5)	NS	321	67.1%	(60.1 - 73.5)	8,478	70.0%	(68.4 - 71.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	West Central			State of NE			West Central			State of NE			West Central			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Heart Disease and Stroke</b>																						
Ever told they had a heart attack																						
2011	709	4.9%	(3.4 - 6.9)	25,292	4.3%	(4.0 - 4.7)	NS	321	7.9%	(5.2 - 11.8)	10,194	5.7%	(5.2 - 6.3)	NS	388	2.0%	(1.0 - 3.8)	15,098	2.9%	(2.6 - 3.3)	NS	Yes
2012	732	3.6%	(2.4 - 5.4)	19,102	4.1%	(3.7 - 4.4)	NS	297	3.8%	(2.2 - 6.3)	7,842	5.3%	(4.8 - 6.0)	NS	435	3.5%	(1.9 - 5.3)	11,260	2.9%	(2.5 - 3.2)	NS	No
2013	848	5.6%	(4.1 - 7.5)	17,035	4.0%	(3.6 - 4.4)	NS	370	7.7%	(5.3 - 11.2)	6,925	5.2%	(4.6 - 5.9)	NS	478	3.5%	(2.2 - 5.6)	10,110	2.9%	(2.4 - 3.4)	NS	No
2014	1,091	5.4%	(4.1 - 7.0)	22,309	3.8%	(3.5 - 4.2)	NS	460	7.4%	(5.2 - 10.3)	9,541	5.1%	(4.6 - 5.6)	NS	631	3.5%	(2.2 - 5.5)	12,768	2.6%	(2.3 - 3.0)	NS	No
2015	700	6.8%	(5.0 - 9.3)	17,455	3.9%	(3.5 - 4.3)	+	310	7.8%	(5.0 - 12.2)	7,530	5.3%	(4.7 - 6.0)	NS	390	5.8%	(3.8 - 8.8)	9,925	2.5%	(2.2 - 2.9)	+	No
2016	563	7.1%	(5.0 - 10.0)	15,111	4.0%	(3.6 - 4.4)	+	239	9.2%	(5.8 - 14.3)	6,598	5.0%	(4.4 - 5.6)	+	324	5.1%	(3.0 - 8.4)	8,513	3.0%	(2.6 - 3.6)	NS	No
Ever told they have coronary heart disease																						
2011	706	4.5%	(3.1 - 6.4)	25,121	3.9%	(3.6 - 4.2)	NS	321	5.7%	(3.5 - 9.3)	10,110	4.8%	(4.4 - 5.3)	NS	385	3.3%	(2.0 - 5.4)	15,011	3.1%	(2.7 - 3.4)	NS	No
2012	727	3.5%	(2.5 - 5.1)	18,988	3.9%	(3.6 - 4.3)	NS	294	4.5%	(2.7 - 7.4)	7,796	4.9%	(4.4 - 5.5)	NS	433	2.6%	(1.6 - 4.3)	11,192	3.0%	(2.6 - 3.4)	NS	No
2013	839	3.9%	(2.8 - 5.6)	16,942	4.1%	(3.7 - 4.5)	NS	369	5.1%	(3.1 - 8.1)	6,884	5.1%	(4.5 - 5.8)	NS	470	2.8%	(1.7 - 4.6)	10,058	3.0%	(2.6 - 3.6)	NS	No
2014	1,076	5.4%	(4.2 - 6.9)	22,202	3.9%	(3.6 - 4.3)	NS	456	5.3%	(3.7 - 7.6)	9,509	4.8%	(4.3 - 5.4)	NS	620	5.4%	(3.8 - 7.8)	12,693	3.1%	(2.7 - 3.5)	+	No
2015	695	4.4%	(3.0 - 6.5)	17,403	4.0%	(3.6 - 4.3)	NS	310	4.6%	(2.6 - 8.1)	7,503	5.0%	(4.4 - 5.7)	NS	385	4.3%	(2.6 - 6.9)	9,900	2.9%	(2.6 - 3.3)	NS	No
2016	560	4.9%	(3.4 - 7.0)	15,078	3.8%	(3.4 - 4.2)	NS	239	5.0%	(2.9 - 8.4)	6,590	4.4%	(3.9 - 5.0)	NS	321	4.9%	(3.0 - 7.8)	8,488	3.1%	(2.7 - 3.7)	NS	No
Ever told they had a heart attack or coronary heart disease																						
2011	708	7.3%	(5.5 - 9.6)	25,158	6.4%	(6.0 - 6.7)	NS	323	10.1%	(7.1 - 14.3)	10,143	8.0%	(7.4 - 8.7)	NS	385	4.6%	(3.0 - 7.0)	15,015	4.8%	(4.4 - 5.2)	NS	Yes
2012	728	6.0%	(4.4 - 8.1)	18,998	6.2%	(5.8 - 6.6)	NS	296	6.6%	(4.3 - 10.0)	7,806	7.8%	(7.1 - 8.5)	NS	432	5.4%	(3.4 - 8.3)	11,192	4.6%	(4.2 - 5.1)	NS	No
2013	840	7.5%	(5.8 - 9.6)	16,935	6.2%	(5.7 - 6.7)	NS	368	9.5%	(6.8 - 13.2)	6,882	7.7%	(7.0 - 8.6)	NS	472	5.5%	(3.8 - 8.0)	10,053	4.7%	(4.1 - 5.3)	NS	No
2014	1,079	8.9%	(7.2 - 10.9)	22,180	6.0%	(5.6 - 6.4)	+	458	10.1%	(7.5 - 13.3)	9,493	7.4%	(6.8 - 8.1)	NS	621	7.8%	(5.7 - 10.5)	12,687	4.6%	(4.1 - 5.0)	+	No
2015	697	8.6%	(6.5 - 11.2)	17,383	5.8%	(5.4 - 6.3)	+	310	9.6%	(6.5 - 14.1)	7,503	7.5%	(6.7 - 8.3)	NS	387	7.5%	(5.2 - 10.7)	9,880	4.3%	(3.9 - 4.8)	+	No
2016	560	8.7%	(6.5 - 11.7)	15,021	5.8%	(5.4 - 6.3)	+	239	10.8%	(7.2 - 16.0)	6,558	6.9%	(6.2 - 7.7)	NS	321	6.7%	(4.4 - 10.2)	8,463	4.7%	(4.1 - 5.3)	NS	No
Ever told they had a stroke																						
2011	711	3.3%	(2.1 - 5.0)	25,355	2.6%	(2.4 - 2.9)	NS	322	3.7%	(1.8 - 7.1)	10,209	2.4%	(2.1 - 2.8)	NS	389	2.9%	(1.8 - 4.6)	15,146	2.8%	(2.5 - 3.2)	NS	No
2012	731	3.1%	(2.0 - 4.7)	19,118	2.4%	(2.2 - 2.7)	NS	296	1.7%	(0.8 - 3.3)	7,851	2.7%	(2.3 - 3.1)	NS	435	4.4%	(2.6 - 7.4)	11,267	2.2%	(1.9 - 2.6)	+	No
2013	850	3.6%	(2.5 - 5.1)	17,080	2.5%	(2.2 - 2.8)	NS	370	3.9%	(2.3 - 6.7)	6,954	2.2%	(1.9 - 2.6)	NS	480	3.2%	(2.0 - 5.2)	10,126	2.8%	(2.4 - 3.3)	NS	No
2014	1,094	3.8%	(2.8 - 5.2)	22,359	2.6%	(2.4 - 2.9)	NS	462	2.4%	(1.3 - 4.4)	9,576	2.7%	(2.3 - 3.1)	NS	632	5.1%	(3.6 - 7.3)	12,783	2.6%	(2.2 - 3.0)	+	No
2015	706	4.0%	(2.6 - 6.1)	17,509	2.5%	(2.3 - 2.9)	NS	312	4.3%	(2.2 - 8.2)	7,550	2.7%	(2.2 - 3.1)	NS	394	3.7%	(2.2 - 6.1)	9,959	2.4%	(2.1 - 2.8)	NS	No
2016	563	2.6%	(1.4 - 4.8)	15,154	2.8%	(2.5 - 3.2)	NS	239	3.0%	(1.2 - 7.4)	6,627	2.6%	(2.1 - 3.1)	NS	324	2.3%	(1.1 - 4.5)	8,527	3.0%	(2.5 - 3.6)	NS	No
<b>Blood Pressure and Cholesterol</b>																						
Had blood pressure checked in past year																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	396	89.4%	(83.6 - 93.3)	7,804	84.6%	(83.1 - 86.0)	NS	161	89.1%	(80.5 - 94.2)	3,150	81.2%	(78.8 - 83.4)	NS	235	89.7%	(80.5 - 94.8)	4,654	87.8%	(85.8 - 89.5)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	339	86.4%	(80.6 - 90.7)	7,947	88.0%	(86.6 - 89.2)	NS	157	84.0%	(74.9 - 90.3)	3,461	85.2%	(83.1 - 87.1)	NS	182	89.7%	(82.6 - 94.1)	4,486	90.6%	(88.8 - 92.2)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ever told they have high blood pressure (excluding pregnancy) <sup>a</sup>																						
2011	709	31.7%	(27.9 - 35.8)	25,356	28.5%	(27.8 - 29.3)	NS	323	36.8%	(30.9 - 43.2)	10,212	30.3%	(29.1 - 31.5)	NS	386	26.8%	(22.2 - 31.9)	15,144	26.9%	(25.9 - 27.9)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	852	34.7%	(30.7 - 38.9)	17,085	30.3%	(29.2 - 31.4)	NS	373	37.6%	(31.7 - 43.9)	6,956	32.5%	(30.8 - 34.1)	NS	479	31.8%	(26.6 - 37.5)	10,129	28.2%	(26.9 - 29.6)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	705	31.9%	(28.1 - 36.0)	17,515	29.9%	(28.9 - 30.9)	NS	311	30.6%	(25.1 - 36.8)	7,546	32.6%	(31.1 - 34.2)	NS	394	33.2%	(28.1 - 38.6)	9,969	27.2%	(26.0 - 28.5)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently taking blood pressure medication, among those ever told they have high BP																						
2011	277	78.7%	(71.4 - 84.5)	9,505	77.9%	(76.5 - 79.2)	NS	129	73.9%	(63.2 - 82.4)	3,877	72.0%	(69.8 - 74.1)	NS	148	84.9%	(74.8 - 91.5)	5,628	84.2%	(82.5 - 85.7)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	368	75.4%	(68.5 - 81.2)	6,747	78.5%	(76.6 - 80.3)	NS	165	71.1%	(61.1 - 79.4)	2,828	73.1%	(70.2 - 75.9)	NS	203	80.4%	(70.3 - 87.6)	3,919	84.5%	(82.3 - 86.4)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	277	83.4%	(77.0 - 88.3)	6,685	77.8%	(75.9 - 79.6)	NS	117	77.9%	(66.9 - 86.0)	3,016	73.0%	(70.1 - 75.7)	NS	160	88.4%	(80.6 - 93.3)	3,669	83.4%	(80.9 - 85.6)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	West Central			State of NE			West Central			State of NE			West Central			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Up-to-date on colon cancer screening, 50-75 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	378	60.0%	(52.9 - 66.8)	9,022	61.1%	(59.6 - 62.5)	NS	163	60.1%	(49.1 - 70.2)	3,733	58.4%	(56.1 - 60.6)	NS	215	59.9%	(50.7 - 68.5)	5,289	63.6%	(61.7 - 65.4)	NS	No
2013	409	53.0%	(46.9 - 58.9)	7,979	62.8%	(61.1 - 64.4)	-	189	50.8%	(42.0 - 59.5)	3,275	61.0%	(58.5 - 63.6)	NS	220	55.3%	(47.1 - 63.2)	4,704	64.4%	(62.2 - 66.6)	NS	No
2014	539	54.5%	(49.4 - 59.5)	10,646	64.1%	(62.8 - 65.5)	-	231	55.5%	(47.7 - 63.1)	4,681	63.0%	(61.0 - 65.1)	NS	308	53.5%	(46.9 - 59.9)	5,965	65.2%	(63.4 - 67.0)	-	No
2015	339	59.7%	(53.4 - 65.6)	8,007	65.2%	(63.6 - 66.7)	NS	138	56.2%	(46.5 - 65.4)	3,446	63.7%	(61.3 - 66.1)	NS	201	62.1%	(53.9 - 69.7)	4,561	66.6%	(64.6 - 68.5)	NS	No
2016	292	61.2%	(54.8 - 67.3)	7,036	66.0%	(64.3 - 67.6)	NS	128	59.6%	(50.0 - 68.6)	3,073	65.2%	(62.8 - 67.6)	NS	164	62.9%	(54.4 - 70.7)	3,963	66.7%	(64.5 - 68.9)	NS	No
<b>Up-to-date on breast cancer screening, female 50-74 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	215	74.0%	(65.1 - 81.4)	5,200	74.9%	(73.2 - 76.5)	NS	-	-	-	-	-	-	-	215	74.0%	(65.1 - 81.4)	5,200	74.9%	(73.2 - 76.5)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	303	65.5%	(59.0 - 71.5)	5,904	76.1%	(74.5 - 77.7)	-	-	-	-	-	-	-	-	303	65.5%	(59.0 - 71.5)	5,904	76.1%	(74.5 - 77.7)	-	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	164	66.5%	(58.3 - 73.8)	3,914	73.4%	(71.3 - 75.4)	NS	-	-	-	-	-	-	-	164	66.5%	(58.3 - 73.8)	3,914	73.4%	(71.3 - 75.4)	NS	NA
<b>Up-to-date on cervical cancer screening, female 21-65 year olds<sup>a</sup></b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	174	78.4%	(68.7 - 85.7)	5,055	83.9%	(82.5 - 85.2)	NS	-	-	-	-	-	-	-	174	78.4%	(68.7 - 85.7)	5,055	83.9%	(82.5 - 85.2)	NS	NA
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	261	70.9%	(64.0 - 76.9)	5,779	81.7%	(80.0 - 83.3)	-	-	-	-	-	-	-	-	261	70.9%	(64.0 - 76.9)	5,779	81.7%	(80.0 - 83.3)	-	NA
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	132	80.9%	(72.8 - 87.1)	3,814	77.7%	(75.5 - 79.8)	NS	-	-	-	-	-	-	-	132	80.9%	(72.8 - 87.1)	3,814	77.7%	(75.5 - 79.8)	NS	NA
<b>Arthritis</b>																						
<b>Ever told they have arthritis</b>																						
2011	707	32.7%	(28.8 - 36.8)	25,285	23.4%	(22.8 - 24.1)	+	321	29.0%	(23.8 - 34.8)	10,184	20.1%	(19.2 - 21.1)	+	386	36.2%	(30.8 - 42.1)	15,101	26.6%	(25.7 - 27.6)	+	No
2012	730	28.0%	(23.7 - 32.8)	19,089	24.6%	(23.8 - 25.4)	NS	294	27.0%	(20.5 - 34.6)	7,839	21.5%	(20.3 - 22.6)	NS	436	29.0%	(23.5 - 35.2)	11,250	27.7%	(26.6 - 28.8)	NS	No
2013	851	28.1%	(24.5 - 31.9)	17,017	24.7%	(23.8 - 25.7)	NS	371	27.3%	(22.1 - 33.1)	6,925	21.6%	(20.2 - 23.0)	NS	480	28.8%	(24.1 - 34.1)	10,092	27.8%	(26.5 - 29.2)	NS	No
2014	1,091	32.7%	(29.4 - 36.1)	22,307	24.6%	(23.8 - 25.4)	+	462	27.7%	(23.2 - 32.7)	9,560	21.6%	(20.5 - 22.8)	+	629	37.4%	(33.0 - 42.1)	12,747	27.4%	(26.3 - 28.6)	+	Yes
2015	705	28.2%	(24.6 - 32.0)	17,472	23.4%	(22.6 - 24.3)	+	313	21.2%	(16.7 - 26.5)	7,540	19.7%	(18.5 - 20.9)	NS	392	34.9%	(29.6 - 40.6)	9,932	27.1%	(25.9 - 28.4)	+	Yes
2016	562	32.8%	(28.5 - 37.4)	15,137	24.6%	(23.6 - 25.6)	+	239	29.7%	(23.6 - 36.5)	6,622	21.7%	(20.3 - 23.2)	+	323	35.8%	(29.9 - 42.2)	8,515	27.4%	(26.0 - 28.8)	+	No
<b>Currently have activity limitations due to arthritis, among those ever told they have arthritis<sup>a</sup></b>																						
2011	271	43.7%	(36.9 - 50.8)	7,973	45.2%	(43.6 - 46.8)	NS	107	39.9%	(29.6 - 51.1)	2,711	42.6%	(40.0 - 45.2)	NS	164	46.6%	(37.8 - 55.7)	5,262	47.1%	(45.1 - 49.2)	NS	No
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	302	44.7%	(37.6 - 52.0)	5,460	42.4%	(40.3 - 44.6)	NS	118	41.0%	(30.4 - 52.6)	1,861	41.0%	(37.4 - 44.6)	NS	184	48.1%	(39.2 - 57.2)	3,599	43.5%	(40.8 - 46.2)	NS	No
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	233	44.2%	(36.9 - 51.8)	5,146	44.0%	(41.9 - 46.1)	NS	86	45.9%	(34.1 - 58.3)	1,852	41.9%	(38.6 - 45.3)	NS	147	43.2%	(34.1 - 52.7)	3,294	45.5%	(42.9 - 48.1)	NS	No
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Asthma</b>																						
<b>Ever told they have asthma</b>																						
2011	711	11.4%	(8.7 - 14.9)	25,327	11.5%	(10.9 - 12.1)	NS	322	14.2%	(9.9 - 20.1)	10,194	10.5%	(9.6 - 11.3)	NS	389	8.8%	(5.9 - 12.7)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	730	12.4%	(8.8 - 17.2)	19,105	10.8%	(10.2 - 11.5)	NS	296	12.4%	(7.4 - 19.9)	7,847	9.7%	(8.8 - 10.7)	NS	434	12.5%	(7.8 - 19.4)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	849	14.7%	(11.9 - 18.1)	17,068	11.2%	(10.5 - 12.0)	NS	371	13.2%	(9.3 - 18.4)	6,946	9.6%	(8.6 - 10.8)	NS	478	16.2%	(12.4 - 21.0)	10,122	12.8%	(11.7 - 13.9)	NS	No
2014	1,092	14.2%	(11.7 - 17.1)	22,355	12.2%	(11.5 - 13.0)	NS	461	11.0%	(7.7 - 15.4)	9,583	10.8%	(9.8 - 11.9)	NS	631	17.3%	(13.8 - 21.5)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	702	10.9%	(8.4 - 13.9)	17,492	12.1%	(11.3 - 12.9)	NS	312	12.4%	(8.8 - 17.3)	7,554	10.7%	(9.6 - 12.0)	NS	390	9.3%	(6.3 - 13.5)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	563	12.6%	(9.5 - 16.4)	15,144	12.4%	(11.5 - 13.4)	NS	239	13.3%	(8.7 - 19.8)	6,622	10.4%	(9.2 - 11.8)	NS	324	11.8%	(8.3 - 16.6)	8,522	14.3%	(13.1 - 15.7)	NS	No
<b>Currently have asthma</b>																						
2011	708	7.6%	(5.5 - 10.5)	25,257	7.3%	(6.9 - 7.8)	NS	321	8.8%	(5.5 - 14.0)	10,170	6.0%	(5.4 - 6.7)	NS	387	6.4%	(4.2 - 9.7)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	729	8.6%	(5.8 - 12.6)	19,053	7.4%	(6.9 - 7.9)	NS	296	7.9%	(4.0 - 15.0)	7,832	6.1%	(5.4 - 6.9)	NS	433	9.2%	(5.8 - 14.4)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	846	9.8%	(7.6 - 12.7)	17,024	7.3%	(6.7 - 8.0)	NS	371	10.4%	(7.0 - 15.2)	6,930	5.5%	(4.8 - 6.4)	+	475	9.2%	(6.6 - 12.8)	10,094	9.1%	(8.2 - 10.0)	NS	No
2014	1,086	9.1%	(7.1 - 11.6)	22,289	7.7%	(7.2 - 8.3)	NS	459	6.6%	(4.0 - 10.6)	9,562	6.2%	(5.5 - 7.0)	NS	627	11.5%	(8.7 - 15.0)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	702	6.5%	(4.8 - 8.8)	17,435	7.2%	(6.6 - 7.8)	NS	312	5.5%	(3.3 - 8.9)	7,533	5.4%	(4.7 - 6.2)	NS	390	7.5%	(5.1 - 11.0)	9,902	8.9%	(8.0 - 9.9)	NS	No
2016	562	8.3%	(6.0 - 11.4)	15,116	8.3%	(7.5 - 9.1)	NS	239	7.2%	(4.2 - 12.2)	6,609	6.1%	(5.2 - 7.1)	NS	323	9.4%	(6.3 - 13.8)	8,507	10.4%	(9.3 - 11.6)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	West Central			State of NE			West Central			State of NE			West Central			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>																						
Ever told they have COPD																						
2011	705	6.3%	(4.5 - 8.6)	25,280	5.0%	(4.6 - 5.3)	NS	321	6.3%	(3.9 - 10.0)	10,171	4.4%	(3.9 - 4.9)	NS	384	6.3%	(4.0 - 9.6)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	734	5.5%	(3.8 - 8.0)	19,075	5.3%	(4.9 - 5.8)	NS	297	5.1%	(3.0 - 8.7)	7,832	4.7%	(4.1 - 5.3)	NS	437	5.9%	(3.5 - 9.8)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	851	9.9%	(7.6 - 12.9)	17,035	5.3%	(4.9 - 5.8)	+	373	12.1%	(8.3 - 17.4)	6,932	4.8%	(4.2 - 5.5)	+	478	7.8%	(5.4 - 11.1)	10,103	5.8%	(5.2 - 6.6)	NS	No
2014	1,090	7.3%	(5.7 - 9.3)	22,313	5.8%	(5.3 - 6.2)	NS	461	6.4%	(4.3 - 9.5)	9,555	5.5%	(4.9 - 6.2)	NS	629	8.2%	(6.0 - 11.0)	12,758	6.1%	(5.5 - 6.7)	NS	No
2015	701	6.8%	(5.0 - 9.1)	17,466	5.4%	(5.0 - 5.9)	NS	312	5.5%	(3.3 - 9.0)	7,536	4.8%	(4.2 - 5.4)	NS	389	8.1%	(5.6 - 11.5)	9,930	6.1%	(5.5 - 6.7)	NS	No
2016	563	6.5%	(4.7 - 8.9)	15,119	5.8%	(5.3 - 6.4)	NS	238	7.0%	(4.2 - 11.3)	6,612	5.1%	(4.4 - 6.0)	NS	325	6.0%	(4.1 - 8.7)	8,507	6.5%	(5.7 - 7.4)	NS	No
<b>Kidney Disease</b>																						
Ever told they have kidney disease																						
2011	710	1.9%	(1.1 - 3.3)	25,345	2.2%	(2.0 - 2.4)	NS	322	1.1%	(0.4 - 2.7)	10,208	2.1%	(1.8 - 2.5)	NS	388	2.7%	(1.3 - 5.3)	15,135	2.2%	(2.0 - 2.5)	NS	No
2012	733	3.8%	(2.3 - 6.3)	19,122	2.4%	(2.2 - 2.7)	NS	296	1.9%	(0.7 - 5.0)	7,850	2.2%	(1.8 - 2.6)	NS	437	5.6%	(3.0 - 10.1)	11,272	2.7%	(2.3 - 3.1)	NS	No
2013	852	3.1%	(1.7 - 5.4)	17,080	2.0%	(1.8 - 2.3)	NS	372	2.3%	(1.1 - 4.7)	6,953	1.9%	(1.5 - 2.4)	NS	480	3.9%	(1.8 - 8.3)	10,127	2.1%	(1.8 - 2.6)	NS	No
2014	1,094	3.6%	(2.4 - 5.2)	22,362	2.1%	(1.9 - 2.4)	+	462	3.3%	(1.7 - 6.0)	9,586	2.0%	(1.7 - 2.4)	NS	632	3.9%	(2.4 - 6.2)	12,776	2.3%	(2.0 - 2.6)	NS	No
2015	707	3.6%	(2.3 - 5.6)	17,502	2.4%	(2.1 - 2.7)	NS	313	3.1%	(1.6 - 5.8)	7,550	2.2%	(1.8 - 2.7)	NS	394	4.0%	(2.1 - 7.5)	9,952	2.5%	(2.1 - 2.9)	NS	No
2016	562	2.9%	(1.9 - 4.6)	15,150	2.8%	(2.4 - 3.2)	NS	239	1.8%	(0.7 - 4.5)	6,624	2.2%	(1.8 - 2.8)	NS	323	4.0%	(2.4 - 6.7)	8,526	3.4%	(2.8 - 4.0)	NS	No
<b>Tobacco &amp; E-Cigarettes</b>																						
Current cigarette smoking <sup>a</sup>																						
2011	707	23.6%	(19.7 - 28.1)	25,324	20.0%	(19.3 - 20.7)	NS	321	22.6%	(17.2 - 29.2)	10,189	22.1%	(21.0 - 23.3)	NS	386	24.6%	(19.2 - 31.0)	15,135	17.9%	(17.0 - 18.9)	+	No
2012	728	15.2%	(11.5 - 19.9)	18,985	19.7%	(18.9 - 20.6)	NS	296	12.9%	(8.0 - 20.0)	7,801	21.4%	(20.1 - 22.7)	-	432	17.5%	(12.3 - 24.2)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	830	18.5%	(15.0 - 22.7)	16,687	18.5%	(17.5 - 19.5)	NS	361	19.1%	(14.0 - 25.6)	6,790	19.8%	(18.3 - 21.4)	NS	469	18.0%	(13.5 - 23.5)	9,897	17.2%	(15.9 - 18.5)	NS	No
2014	1,053	24.5%	(21.1 - 28.1)	21,729	17.3%	(16.5 - 18.2)	+	445	26.2%	(21.1 - 31.9)	9,311	18.5%	(17.3 - 19.9)	+	608	22.8%	(18.6 - 27.7)	12,418	16.2%	(15.1 - 17.3)	+	No
2015	690	17.3%	(14.1 - 21.0)	17,079	17.1%	(16.2 - 18.1)	NS	305	18.2%	(13.6 - 24.1)	7,355	18.4%	(17.0 - 19.9)	NS	385	16.4%	(12.4 - 21.3)	9,724	15.8%	(14.7 - 17.1)	NS	No
2016	543	22.4%	(18.0 - 27.5)	14,790	17.0%	(16.0 - 18.1)	NS	228	23.1%	(17.0 - 30.6)	6,463	18.6%	(17.1 - 20.3)	NS	315	21.7%	(15.9 - 29.0)	8,327	15.4%	(14.1 - 16.8)	NS	No
Attempted to quit smoking in past year, among current cigarette smokers																						
2011	125	54.1%	(43.6 - 64.3)	4,195	55.6%	(53.5 - 57.7)	NS	56	47.4%	(32.5 - 62.8)	1,914	53.4%	(50.4 - 56.3)	NS	69	60.0%	(45.9 - 72.6)	2,281	58.3%	(55.4 - 61.2)	NS	No
2012	83	61.2%	(46.8 - 73.9)	3,023	57.1%	(54.7 - 59.6)	NS	36	-	-	1,406	55.2%	(51.7 - 58.7)	NA	47	-	-	1,617	59.3%	(55.9 - 62.7)	NA	NA
2013	125	66.4%	(55.3 - 75.9)	2,546	57.1%	(54.1 - 60.2)	NS	58	63.3%	(46.6 - 77.4)	1,147	55.9%	(51.5 - 60.3)	NS	67	69.6%	(55.0 - 81.1)	1,399	58.5%	(54.3 - 62.6)	NS	No
2014	188	60.2%	(51.7 - 68.1)	3,241	58.2%	(55.5 - 60.9)	NS	87	60.5%	(48.0 - 71.8)	1,489	57.9%	(54.0 - 61.8)	NS	101	59.8%	(48.3 - 70.3)	1,752	58.5%	(54.6 - 62.2)	NS	No
2015	110	60.4%	(49.5 - 70.3)	2,476	59.1%	(56.1 - 62.0)	NS	53	68.4%	(52.9 - 80.6)	1,145	59.2%	(54.8 - 63.5)	NS	57	51.7%	(37.1 - 66.0)	1,331	58.9%	(54.8 - 62.9)	NS	No
2016	94	64.0%	(51.9 - 74.5)	2,181	54.6%	(51.2 - 58.0)	NS	44	-	-	1,049	52.7%	(47.9 - 57.5)	NA	50	65.5%	(47.5 - 79.9)	1,132	56.9%	(52.1 - 61.5)	NS	NA
Current smokeless tobacco use <sup>a</sup>																						
2011	711	9.4%	(7.0 - 12.6)	25,406	5.6%	(5.2 - 6.0)	+	323	18.9%	(14.1 - 24.9)	10,231	10.5%	(9.7 - 11.4)	+	388	0.3%	(0.1 - 1.5)	15,175	0.8%	(0.6 - 1.0)	NS	Yes
2012	730	6.9%	(4.5 - 10.5)	19,041	5.1%	(4.6 - 5.6)	NS	297	13.5%	(8.7 - 20.2)	7,828	9.5%	(8.7 - 10.5)	NS	433	0.6%	(0.1 - 3.8)	11,213	0.8%	(0.6 - 1.2)	NS	Yes
2013	834	9.2%	(6.7 - 12.4)	16,732	5.3%	(4.7 - 5.9)	+	362	18.0%	(13.3 - 24.0)	6,813	10.1%	(9.0 - 11.2)	+	472	0.5%	(0.1 - 2.5)	9,919	0.7%	(0.5 - 0.9)	NS	Yes
2014	1,053	10.0%	(7.8 - 12.9)	21,797	4.7%	(4.2 - 5.1)	+	447	19.6%	(15.2 - 24.9)	9,340	8.5%	(7.7 - 9.3)	+	606	0.8%	(0.3 - 2.6)	12,457	1.0%	(0.7 - 1.3)	NS	Yes
2015	694	8.5%	(6.2 - 11.7)	17,123	5.5%	(4.9 - 6.1)	+	308	15.9%	(11.4 - 21.7)	7,372	9.9%	(8.9 - 11.1)	+	386	1.3%	(0.5 - 3.5)	9,751	1.1%	(0.8 - 1.6)	NS	Yes
2016	547	10.3%	(7.5 - 13.9)	14,830	5.7%	(5.1 - 6.2)	+	229	18.3%	(13.2 - 24.9)	6,478	10.5%	(9.5 - 11.7)	+	318	2.6%	(1.1 - 5.9)	8,352	0.9%	(0.6 - 1.3)	NS	Yes
Has rule not allowing smoking anywhere inside their home																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	396	90.0%	(85.1 - 93.5)	7,750	88.7%	(87.4 - 89.8)	NS	161	88.3%	(79.9 - 93.5)	3,121	88.3%	(86.2 - 90.0)	NS	235	91.6%	(85.0 - 95.5)	4,629	89.1%	(87.5 - 90.5)	NS	No
2014	486	88.1%	(82.2 - 92.3)	10,582	89.0%	(87.9 - 90.0)	NS	199	85.4%	(73.7 - 92.4)	4,448	87.9%	(86.1 - 89.5)	NS	287	90.7%	(86.1 - 93.9)	6,134	90.0%	(88.6 - 91.2)	NS	No
2015	295	90.7%	(85.8 - 94.0)	7,816	90.1%	(88.9 - 91.1)	NS	124	87.7%	(79.3 - 93.0)	3,261	89.2%	(87.2 - 90.9)	NS	171	93.8%	(87.8 - 96.9)	4,555	90.9%	(89.6 - 92.1)	NS	No
2016	253	89.5%	(83.1 - 93.7)	7,109	90.8%	(89.6 - 91.8)	NS	115	89.3%	(80.9 - 94.2)	3,122	91.2%	(89.8 - 92.5)	NS	138	89.8%	(78.7 - 95.4)	3,987	90.4%	(88.5 - 92.0)	NS	No
Lifetime e-cigarette use																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	547	21.8%	(17.5 - 26.7)	14,819	22.6%	(21.4 - 23.9)	NS	229	24.2%	(18.1 - 31.6)	6,474	25.1%	(23.3 - 27.0)	NS	318	19.4%	(13.9 - 26.4)	8,345	20.2%	(18.7 - 21.9)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>				
	West Central			State of NE			West Central			State of NE			West Central			State of NE							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	
Current e-cigarette use																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	547	4.8%	(2.9 - 8.0)	14,819	4.9%	(4.3 - 5.6)	NS	229	6.6%	(3.3 - 12.7)	6,474	5.3%	(4.5 - 6.4)	NS	318	3.2%	(1.7 - 6.0)	8,345	4.5%	(3.7 - 5.6)	NS	No	
<b>Overweight and Obesity</b>																							
Obese (BMI=30+) <sup>^</sup>																							
2011	691	33.9%	(29.7 - 38.4)	24,366	28.4%	(27.6 - 29.2)	+	322	36.6%	(30.5 - 43.2)	10,102	29.2%	(28.0 - 30.4)	+	369	31.2%	(25.5 - 37.4)	14,264	27.6%	(26.5 - 28.8)	NS	No	
2012	715	32.0%	(27.1 - 37.4)	18,385	28.6%	(27.7 - 29.6)	NS	295	31.2%	(24.1 - 39.5)	7,781	29.2%	(27.9 - 30.6)	NS	420	32.8%	(26.4 - 40.0)	10,604	28.1%	(26.8 - 29.3)	NS	No	
2013	814	32.0%	(27.6 - 36.6)	16,250	29.6%	(28.4 - 30.7)	NS	367	32.7%	(26.8 - 39.3)	6,860	30.8%	(29.1 - 32.5)	NS	447	31.2%	(25.1 - 38.0)	9,390	28.4%	(26.9 - 29.9)	NS	No	
2014	1,047	32.5%	(29.0 - 36.2)	21,130	30.2%	(29.2 - 31.3)	NS	453	33.1%	(28.0 - 38.7)	9,399	31.7%	(30.2 - 33.2)	NS	594	31.9%	(27.4 - 36.8)	11,731	28.7%	(27.4 - 30.1)	NS	No	
2015	660	31.6%	(27.5 - 36.0)	16,265	31.4%	(30.3 - 32.5)	NS	303	31.7%	(25.7 - 38.2)	7,323	32.9%	(31.3 - 34.6)	NS	357	31.5%	(26.0 - 37.6)	8,942	29.8%	(28.3 - 31.3)	NS	No	
2016	519	40.2%	(35.3 - 45.4)	14,173	32.0%	(30.8 - 33.2)	+	232	36.5%	(29.9 - 43.8)	6,460	32.6%	(30.8 - 34.3)	NS	287	44.2%	(37.3 - 51.4)	7,713	31.4%	(29.7 - 33.1)	+	No	
Overweight or Obese (BMI=25+)																							
2011	691	69.0%	(64.5 - 73.2)	24,366	64.9%	(64.0 - 65.8)	NS	322	78.7%	(72.7 - 83.7)	10,102	72.8%	(71.5 - 74.1)	NS	369	59.0%	(52.5 - 65.3)	14,264	56.8%	(55.5 - 58.1)	NS	Yes	
2012	715	69.6%	(64.1 - 74.5)	18,385	65.0%	(64.0 - 66.0)	NS	295	71.5%	(62.9 - 78.9)	7,781	72.3%	(70.8 - 73.7)	NS	420	67.6%	(60.6 - 73.8)	10,604	57.6%	(56.2 - 59.0)	+	No	
2013	814	73.7%	(69.5 - 77.4)	16,250	65.5%	(64.2 - 66.7)	+	367	81.2%	(75.3 - 85.9)	6,860	72.2%	(70.4 - 74.0)	+	447	65.9%	(59.7 - 71.6)	9,390	58.5%	(56.8 - 60.2)	NS	Yes	
2014	1,047	67.9%	(64.2 - 71.4)	21,130	66.7%	(65.6 - 67.8)	NS	453	71.4%	(65.7 - 76.5)	9,399	73.8%	(72.3 - 75.3)	NS	594	64.4%	(59.5 - 69.0)	11,731	59.2%	(57.7 - 60.7)	NS	No	
2015	660	70.9%	(66.2 - 75.2)	16,265	67.0%	(65.8 - 68.2)	NS	303	74.6%	(67.4 - 80.6)	7,323	73.4%	(71.7 - 75.1)	NS	357	67.0%	(60.7 - 72.8)	8,942	60.2%	(58.6 - 61.9)	NS	No	
2016	519	74.4%	(69.4 - 78.9)	14,173	68.5%	(67.3 - 69.8)	NS	232	74.5%	(66.8 - 80.9)	6,460	74.9%	(73.1 - 76.6)	NS	287	74.4%	(67.6 - 80.1)	7,713	61.8%	(59.9 - 63.6)	+	No	
<b>Nutrition</b>																							
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	399	32.8%	(26.2 - 40.2)	7,822	28.5%	(26.8 - 30.3)	NS	162	38.2%	(28.5 - 48.9)	3,164	35.8%	(33.1 - 38.5)	NS	237	27.7%	(19.4 - 38.0)	4,658	21.7%	(19.7 - 24.0)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Currently watching or reducing sodium or salt intake																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	397	46.1%	(39.2 - 53.1)	7,818	46.3%	(44.6 - 48.1)	NS	162	40.2%	(30.9 - 50.3)	3,165	43.4%	(40.8 - 46.0)	NS	235	51.7%	(42.1 - 61.2)	4,653	49.1%	(46.8 - 51.5)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	333	43.8%	(37.1 - 50.7)	7,892	46.8%	(45.0 - 48.5)	NS	153	35.7%	(27.1 - 45.5)	3,436	46.0%	(43.4 - 48.7)	NS	180	54.9%	(46.0 - 63.4)	4,456	47.5%	(45.2 - 49.8)	NS	Yes	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Median times per day consumed fruits																							
2011	675	0.99	(0.89 - 1.03)	24,090	1.02	(1.02 - 1.04)	NS	307	0.84	(0.64 - 0.99)	9,660	0.99	(0.99 - 1.00)	NS	368	1.00	(0.95 - 1.14)	14,430	1.14	(1.13 - 1.14)	NS	No	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	804	0.98	(0.97 - 1.01)	15,949	1.00	(1.00 - 1.00)	NS	349	0.96	(0.71 - 0.99)	6,462	0.99	(0.99 - 1.00)	-	455	1.00	(0.97 - 1.14)	9,487	1.07	(1.06 - 1.14)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	658	0.98	(0.97 - 1.00)	16,135	1.00	(1.00 - 1.00)	-	291	0.94	(0.72 - 0.99)	6,899	0.99	(0.98 - 1.00)	NS	367	0.97	(0.92 - 1.12)	9,236	1.03	(1.02 - 1.09)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Consumed fruits less than 1 time per day																							
2011	675	46.8%	(42.1 - 51.5)	24,090	40.1%	(39.2 - 41.1)	+	307	54.0%	(47.3 - 60.5)	9,660	46.2%	(44.8 - 47.6)	NS	368	39.8%	(33.5 - 46.5)	14,430	34.3%	(33.1 - 35.6)	NS	Yes	
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	804	43.1%	(38.4 - 48.0)	15,949	39.7%	(38.5 - 41.0)	NS	349	49.1%	(42.3 - 55.9)	6,462	45.4%	(43.4 - 47.3)	NS	455	37.4%	(31.0 - 44.2)	9,487	34.4%	(32.8 - 36.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	658	43.8%	(39.2 - 48.6)	16,135	41.1%	(39.9 - 42.4)	NS	291	50.1%	(43.1 - 57.1)	6,899	47.4%	(45.6 - 49.3)	NS	367	37.7%	(31.7 - 44.1)	9,236	35.1%	(33.5 - 36.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-







Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>			
	West Central			State of NE			West Central			State of NE			West Central			State of NE						
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>
<b>Frequent Mental Distress in past 30 days</b>																						
2011	698	11.7%	(8.9 - 15.2)	25,036	9.2%	(8.7 - 9.7)	NS	315	8.2%	(5.1 - 13.0)	10,097	7.7%	(7.0 - 8.4)	NS	383	15.0%	(10.8 - 20.5)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	723	9.6%	(6.3 - 14.3)	18,935	9.0%	(8.4 - 9.7)	NS	294	7.0%	(3.2 - 14.4)	7,786	7.4%	(6.6 - 8.3)	NS	429	12.1%	(7.3 - 19.2)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	836	7.8%	(5.4 - 11.1)	16,889	8.9%	(8.2 - 9.6)	NS	366	6.0%	(3.2 - 11.1)	6,889	6.8%	(5.9 - 7.9)	NS	470	9.5%	(6.1 - 14.6)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	1,081	9.1%	(7.2 - 11.5)	22,132	8.2%	(7.6 - 8.8)	NS	453	5.5%	(3.4 - 8.7)	9,483	6.4%	(5.6 - 7.3)	NS	628	12.6%	(9.6 - 16.3)	12,649	9.9%	(9.0 - 10.8)	NS	Yes
2015	698	7.8%	(5.7 - 10.5)	17,369	8.9%	(8.2 - 9.6)	NS	309	6.9%	(4.3 - 11.0)	7,491	6.9%	(6.0 - 7.9)	NS	389	8.6%	(5.8 - 12.6)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	558	10.0%	(7.4 - 13.4)	15,035	9.5%	(8.7 - 10.4)	NS	236	6.1%	(3.4 - 10.5)	6,568	7.0%	(6.0 - 8.1)	NS	322	13.8%	(9.6 - 19.5)	8,467	12.0%	(10.8 - 13.3)	NS	No
<b>Currently taking medication or receiving treatment for a mental health condition</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	325	13.8%	(9.3 - 20.1)	6,643	11.0%	(10.0 - 12.1)	NS	127	8.9%	(4.0 - 18.5)	2,693	7.4%	(6.2 - 8.9)	NS	198	19.3%	(12.5 - 28.5)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Symptoms of serious mental illness in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	318	4.0%	(1.5 - 10.2)	6,555	3.2%	(2.6 - 3.9)	NS	125	5.6%	(1.5 - 18.7)	2,657	2.5%	(1.8 - 3.7)	NS	193	2.1%	(1.0 - 4.6)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Alcohol and Drug Use</b>																						
<b>Any alcohol consumption in past 30 days</b>																						
2011	669	56.4%	(51.7 - 60.9)	24,051	61.8%	(60.9 - 62.7)	NS	308	65.8%	(59.4 - 71.6)	9,597	67.7%	(66.4 - 69.1)	NS	361	47.0%	(40.5 - 53.7)	14,454	56.2%	(55.0 - 57.4)	-	Yes
2012	720	52.0%	(46.4 - 57.6)	18,891	61.3%	(60.3 - 62.3)	-	292	58.6%	(49.8 - 66.8)	7,749	68.7%	(67.2 - 70.1)	-	428	45.7%	(38.6 - 53.1)	11,142	54.2%	(52.8 - 55.6)	NS	No
2013	830	52.9%	(48.2 - 57.6)	16,614	57.5%	(56.2 - 58.7)	NS	361	59.8%	(53.0 - 66.3)	6,754	63.3%	(61.4 - 65.2)	NS	469	46.2%	(39.8 - 52.8)	9,860	51.8%	(50.2 - 53.5)	NS	Yes
2014	1,048	53.7%	(49.9 - 57.4)	21,612	59.2%	(58.1 - 60.3)	-	444	62.0%	(56.3 - 67.4)	9,246	65.2%	(63.6 - 66.8)	NS	604	45.6%	(40.7 - 50.6)	12,366	53.4%	(52.0 - 54.9)	-	Yes
2015	687	52.4%	(47.8 - 56.9)	16,939	57.6%	(56.4 - 58.8)	NS	303	61.0%	(54.0 - 67.6)	7,282	63.8%	(62.0 - 65.5)	NS	384	44.0%	(38.1 - 50.1)	9,657	51.6%	(50.0 - 53.2)	NS	Yes
2016	543	55.5%	(50.5 - 60.5)	14,723	59.8%	(58.5 - 61.0)	NS	228	62.0%	(54.5 - 69.0)	6,421	68.0%	(66.1 - 69.8)	NS	315	49.3%	(42.6 - 56.1)	8,302	51.8%	(50.0 - 53.6)	NS	No
<b>Binge drank in past 30 days<sup>a</sup></b>																						
2011	666	21.0%	(17.2 - 25.5)	23,948	22.7%	(21.9 - 23.5)	NS	306	27.1%	(21.2 - 33.8)	9,533	30.2%	(28.9 - 31.5)	NS	360	15.1%	(10.5 - 21.4)	14,415	15.7%	(14.7 - 16.7)	NS	No
2012	718	18.4%	(13.8 - 24.0)	18,742	22.1%	(21.3 - 23.0)	NS	290	23.3%	(16.5 - 32.0)	7,664	29.1%	(27.6 - 30.5)	NS	428	13.7%	(8.3 - 21.7)	11,078	15.5%	(14.5 - 16.6)	NS	No
2013	821	16.4%	(13.2 - 20.2)	16,500	20.0%	(19.0 - 21.1)	NS	354	22.8%	(17.6 - 29.0)	6,687	25.2%	(23.6 - 26.9)	NS	467	10.2%	(6.9 - 14.9)	9,813	15.0%	(13.8 - 16.4)	NS	Yes
2014	1,035	16.8%	(13.9 - 20.1)	21,443	20.3%	(19.4 - 21.3)	NS	437	20.5%	(16.0 - 25.9)	9,149	26.8%	(25.3 - 28.3)	NS	598	13.2%	(9.9 - 17.5)	12,294	14.1%	(13.0 - 15.3)	NS	No
2015	676	12.6%	(9.7 - 16.1)	16,832	19.5%	(18.5 - 20.5)	-	295	20.3%	(15.2 - 26.5)	7,216	26.0%	(24.4 - 27.8)	NS	381	5.2%	(3.0 - 8.6)	9,616	13.1%	(12.0 - 14.3)	-	Yes
2016	541	12.6%	(9.5 - 16.4)	14,620	20.0%	(18.9 - 21.1)	-	227	17.5%	(12.5 - 24.1)	6,367	27.2%	(25.4 - 29.0)	-	314	7.9%	(4.9 - 12.3)	8,253	13.1%	(11.9 - 14.4)	NS	Yes
<b>Heavy drinking in past 30 days</b>																						
2011	668	6.1%	(4.1 - 9.0)	23,906	7.5%	(7.0 - 8.1)	NS	307	6.1%	(3.5 - 10.3)	9,514	9.2%	(8.4 - 10.2)	NS	361	6.2%	(3.4 - 10.7)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	717	5.1%	(3.1 - 8.2)	18,738	7.2%	(6.6 - 7.7)	NS	291	8.4%	(4.7 - 14.4)	7,668	8.5%	(7.7 - 9.4)	NS	426	1.9%	(0.8 - 4.5)	11,070	5.9%	(5.3 - 6.6)	-	Yes
2013	826	6.0%	(3.9 - 9.1)	16,513	6.8%	(6.2 - 7.5)	NS	358	7.4%	(4.2 - 12.9)	6,698	7.3%	(6.4 - 8.3)	NS	468	4.6%	(2.5 - 8.2)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	1,037	6.7%	(4.9 - 9.2)	21,447	6.4%	(5.9 - 7.0)	NS	437	6.9%	(4.3 - 10.9)	9,158	7.5%	(6.7 - 8.5)	NS	600	6.6%	(4.3 - 10.1)	12,289	5.3%	(4.7 - 6.1)	NS	No
2015	683	3.8%	(2.4 - 6.0)	16,815	5.7%	(5.1 - 6.4)	NS	301	6.2%	(3.6 - 10.3)	7,214	7.0%	(6.0 - 8.1)	NS	382	1.5%	(0.6 - 3.6)	9,601	4.6%	(3.9 - 5.3)	-	Yes
2016	538	4.3%	(2.7 - 6.6)	14,634	6.6%	(5.9 - 7.3)	NS	225	5.1%	(2.8 - 9.1)	6,376	8.0%	(7.0 - 9.1)	NS	313	3.5%	(1.8 - 6.6)	8,258	5.2%	(4.4 - 6.2)	NS	No
<b>Alcohol impaired driving in past 30 days</b>																						
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	726	4.0%	(2.0 - 7.9)	18,895	3.4%	(3.1 - 3.8)	NS	295	7.3%	(3.4 - 14.9)	7,741	5.5%	(4.9 - 6.3)	NS	431	0.9%	(0.3 - 2.6)	11,154	1.4%	(1.1 - 1.8)	NS	Yes
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	1,045	2.0%	(1.1 - 3.6)	21,627	2.5%	(2.2 - 2.9)	NS	442	2.0%	(0.9 - 4.3)	9,242	4.2%	(3.5 - 4.9)	NS	603	2.0%	(0.8 - 4.9)	12,385	1.0%	(0.7 - 1.3)	NS	No
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	540	2.0%	(1.0 - 4.1)	14,666	3.4%	(2.9 - 3.9)	NS	228	3.5%	(1.6 - 7.6)	6,383	5.1%	(4.3 - 6.0)	NS	312	0.6%	(0.1 - 2.4)	8,283	1.7%	(1.3 - 2.4)	NS	No

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>				
	West Central			State of NE			West Central			State of NE			West Central			State of NE							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	
Took pain medication prescribed by doctor in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	371	34.8%	(28.3 - 41.8)	11,767	30.2%	(29.1 - 31.4)	NS	154	30.3%	(21.5 - 40.8)	4,835	27.3%	(25.7 - 29.0)	NS	217	40.0%	(31.3 - 49.5)	6,932	33.0%	(31.5 - 34.6)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	295	43.1%	(36.3 - 50.1)	7,858	33.5%	(31.9 - 35.1)	+	123	35.1%	(26.4 - 44.9)	3,283	28.9%	(26.6 - 31.4)	NS	172	51.4%	(42.2 - 60.6)	4,575	37.9%	(35.8 - 40.1)	+	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Had leftover pain meds after last filled script, among those who took pain meds in past year																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	144	58.5%	(47.4 - 68.9)	3,848	49.2%	(46.9 - 51.4)	NS	51	57.5%	(39.2 - 74.0)	1,423	43.9%	(40.4 - 47.4)	NS	93	59.5%	(46.4 - 71.3)	2,425	53.4%	(50.5 - 56.3)	NS	No	
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	133	45.0%	(34.7 - 55.6)	2,684	45.7%	(42.8 - 48.7)	NS	51	39.6%	(25.6 - 55.5)	995	42.6%	(37.9 - 47.4)	NS	82	48.8%	(35.1 - 62.7)	1,689	48.0%	(44.4 - 51.7)	NS	No	
2016	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Used marijuana in past 30 days																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	522	4.7%	(2.5 - 8.6)	14,160	4.9%	(4.2 - 5.7)	NS	221	5.8%	(2.9 - 11.3)	6,143	7.2%	(6.0 - 8.6)	NS	301	3.7%	(1.1 - 11.2)	8,017	2.7%	(2.1 - 3.5)	NS	No	
<b>Immunization and Infectious Disease</b>																							
Had a flu vaccination in past year, aged 18 years and older																							
2011	669	35.5%	(31.3 - 39.9)	24,156	41.1%	(40.2 - 42.0)	-	308	35.1%	(29.2 - 41.5)	9,663	35.1%	(33.8 - 36.5)	NS	361	35.9%	(30.1 - 42.1)	14,493	46.8%	(45.6 - 48.1)	-	No	
2012	726	32.9%	(28.3 - 37.9)	18,903	42.2%	(41.2 - 43.2)	-	295	26.5%	(20.3 - 33.9)	7,754	36.8%	(35.4 - 38.2)	-	431	39.1%	(32.6 - 46.0)	11,149	47.5%	(46.1 - 48.8)	-	No	
2013	804	44.2%	(39.5 - 48.9)	16,022	45.2%	(43.9 - 46.4)	NS	349	42.3%	(35.7 - 49.2)	6,506	41.2%	(39.4 - 43.1)	NS	455	46.0%	(39.5 - 52.6)	9,516	48.9%	(47.2 - 50.6)	NS	No	
2014	1,048	39.1%	(35.6 - 42.7)	21,638	43.9%	(42.9 - 45.0)	-	445	38.6%	(33.4 - 44.1)	9,262	38.8%	(37.3 - 40.4)	NS	603	39.6%	(35.0 - 44.4)	12,376	48.9%	(47.4 - 50.3)	-	No	
2015	641	40.2%	(35.7 - 44.8)	16,091	47.2%	(46.0 - 48.4)	-	286	33.1%	(27.2 - 39.5)	6,883	40.8%	(39.0 - 42.6)	NS	355	47.2%	(41.1 - 53.5)	9,208	53.4%	(51.7 - 55.0)	NS	Yes	
2016	542	34.3%	(29.9 - 39.0)	14,685	44.4%	(43.1 - 45.7)	-	228	29.5%	(23.5 - 36.3)	6,401	39.4%	(37.5 - 41.3)	-	314	39.0%	(32.7 - 45.6)	8,284	49.3%	(47.6 - 51.1)	-	No	
Had a flu vaccination in past year, aged 65 years and older <sup>h</sup>																							
2011	230	52.0%	(44.7 - 59.2)	8,185	61.8%	(60.3 - 63.3)	-	90	59.8%	(48.5 - 70.3)	2,875	59.6%	(57.1 - 62.1)	NS	140	46.5%	(37.2 - 56.0)	5,310	63.4%	(61.5 - 65.3)	-	No	
2012	303	49.5%	(41.6 - 57.4)	6,625	62.9%	(61.2 - 64.6)	-	113	41.6%	(30.2 - 54.0)	2,327	60.9%	(58.1 - 63.6)	-	190	56.2%	(46.5 - 65.4)	4,298	64.4%	(62.4 - 66.5)	NS	No	
2013	304	63.5%	(55.8 - 70.6)	5,652	66.2%	(64.2 - 68.1)	NS	116	72.0%	(61.3 - 80.7)	2,067	67.6%	(64.4 - 70.6)	NS	188	56.2%	(45.9 - 65.9)	3,585	65.0%	(62.6 - 67.4)	NS	No	
2014	382	63.7%	(58.0 - 69.1)	7,610	64.7%	(63.2 - 66.2)	NS	146	66.8%	(57.7 - 74.8)	2,971	65.9%	(63.5 - 68.3)	NS	236	61.4%	(53.9 - 68.3)	4,639	63.8%	(61.8 - 65.7)	NS	No	
2015	236	61.2%	(53.7 - 68.2)	5,578	65.2%	(63.4 - 67.0)	NS	85	66.0%	(52.6 - 77.2)	2,119	64.1%	(61.1 - 66.9)	NS	151	58.2%	(49.0 - 66.9)	3,459	66.1%	(63.9 - 68.2)	NS	No	
2016	177	55.8%	(47.4 - 64.0)	5,130	62.7%	(60.8 - 64.6)	NS	64	63.5%	(49.6 - 75.5)	1,967	62.8%	(59.8 - 65.6)	NS	113	49.8%	(39.5 - 60.1)	3,163	62.7%	(60.2 - 65.1)	-	No	
Ever had a pneumonia vaccination, aged 65 years and older <sup>h</sup>																							
2011	227	67.4%	(60.1 - 74.0)	7,997	70.3%	(68.8 - 71.7)	NS	88	66.1%	(54.5 - 76.1)	2,772	66.7%	(64.2 - 69.1)	NS	139	68.3%	(58.7 - 76.6)	5,225	72.9%	(71.2 - 74.5)	NS	No	
2012	297	60.0%	(51.4 - 68.0)	6,413	70.0%	(68.4 - 71.6)	-	110	54.1%	(40.0 - 67.5)	2,225	66.9%	(64.1 - 69.6)	NS	187	64.9%	(55.5 - 73.3)	4,188	72.3%	(70.3 - 74.1)	NS	No	
2013	294	67.1%	(59.1 - 74.3)	5,478	71.7%	(69.8 - 73.4)	NS	110	68.1%	(56.4 - 78.0)	1,970	71.5%	(68.5 - 74.3)	NS	184	66.3%	(55.2 - 76.0)	3,508	71.8%	(69.4 - 74.0)	NS	No	
2014	368	71.1%	(65.6 - 76.0)	7,372	72.3%	(70.9 - 73.7)	NS	139	72.2%	(63.4 - 79.6)	2,849	70.3%	(67.9 - 72.5)	NS	229	70.2%	(63.0 - 76.6)	4,523	73.9%	(72.1 - 75.7)	NS	No	
2015	233	70.4%	(63.0 - 76.8)	5,452	73.8%	(72.1 - 75.4)	NS	84	66.3%	(53.0 - 77.5)	2,056	70.3%	(67.4 - 73.0)	NS	149	72.9%	(64.1 - 80.1)	3,396	76.5%	(74.5 - 78.4)	NS	No	
2016	174	73.6%	(65.6 - 80.3)	5,060	75.9%	(74.2 - 77.5)	NS	62	68.3%	(54.1 - 79.8)	1,927	73.7%	(70.9 - 76.3)	NS	112	77.8%	(68.8 - 84.8)	3,133	77.6%	(75.5 - 79.7)	NS	No	
Had a tetanus vaccination since 2005																							
2011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2013	732	56.9%	(51.8 - 61.8)	14,650	60.2%	(58.9 - 61.5)	NS	328	63.3%	(56.2 - 69.9)	6,015	63.1%	(61.1 - 65.0)	NS	404	50.2%	(43.1 - 57.4)	8,635	57.4%	(55.6 - 59.1)	NS	No	
2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2016	500	61.9%	(56.8 - 66.8)	13,574	64.2%	(62.9 - 65.4)	NS	212	70.5%	(63.2 - 76.9)	5,939	67.5%	(65.5 - 69.3)	NS	288	53.6%	(46.5 - 60.5)	7,635	60.9%	(59.2 - 62.7)	NS	Yes	





