

**Table 1C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**  
**Summary of Demographic Indicators**  
**Children Aged < 5 Years** (2,3)

Total Records	Number
Individual Children	48,537
Total Records (All Visits)	71,114

Source of Data	Number	%
WIC	48,537	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
<b>Total</b>	<b>48,537</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	0	0.0 %

Race/Ethnic Distribution	Number	%
White, Not Hispanic	21,954	45.2
Black, Not Hispanic	5,353	11.0
Hispanic	17,685	36.4
American Indian/Alaska Native	565	1.2
Asian/Pacific Islander	778	1.6
Multiple Races	2,198	4.5
All Other	0	0.0
<b>Total</b>	<b>48,533</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	4	* %

Age Distribution (4)	Number	%
0 - 5 Months	11,544	23.8
6 - 11 Months	6,046	12.5
12 - 23 Months	9,797	20.2
24 - 35 Months	8,124	16.7
3 - 4 Years	13,026	26.8
<b>Total</b>	<b>48,537</b>	<b>100.0</b>

% of Poverty Level	Number	%
0-50	14,699	30.3
51-100	17,030	35.1
101-130	7,627	15.7
131-150	3,888	8.0
151-185	4,052	8.4
186-200	394	0.8
Over 200	807	1.7
Adjunctive Eligibility	0	0.0
<b>Total</b>	<b>48,497</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	40	* %

Program Participation	Number	%
WIC	48,537	100.0
FoodStamps	48,537	33.0
Medicaid	48,537	83.0
TANF	48,537	10.8
<i>Excluded Unknown:</i>		
WIC	0	0.0
FoodStamps	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	35	*
No	48,481	99.9
<b>Total</b>	<b>48,516</b>	<b>100.0</b>
<i>Excluded Unknown:</i>	21	* %

(1) Reporting period is January 1 through December 31.  
(2) Analyses based on one record per child.  
(3) Excludes records with unknown data or errors.  
(4) Records rejected if date of birth and date of visit unknown.  
\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 2C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**  
**Summary of Health Indicators**  
**Children Aged < 5 Years** (2)

<b>Summary of Health Indicators</b> (3)						
			Nebraska Prevalence		National Prevalence (Prior Year)	
			Number	%	Number	%
<b>Birthweight (4)</b>						
Low	< 2500 g		11,146	8.4	1,909,620	9.0
High	> 4000 g		11,146	6.6	1,909,620	6.4
<b>Height and Weight</b>						
Short Stature (5)	< 5th		47,514	6.2	7,107,000	6.0
	< 10th		47,514	11.0	7,107,000	10.9
Underweight (6)	< 5th		47,514	3.8	7,107,000	4.5
	< 10th		47,514	6.6	7,107,000	7.7
Obese (6)	≥ 95th		47,514	13.5	7,107,000	14.1
	≥ 2 Yrs Overweight (6)	85th - < 95th	20,811	17.2	2,943,996	16.5
		≥ 95th	20,811	14.2	2,943,996	14.8
<b>Anemia (7)</b>						
Low Hb			28,252	14.6	4,543,993	15.2
Low Hct			15	*	572,674	11.2
Low Hb/Hct			28,261	14.6	4,916,523	14.9
<b>Breastfeeding (8)</b>						
Ever Breastfed			11,165	69.9	1,719,083	62.0
Breastfed At Least 6 Months			7,721	23.7	848,761	26.9
Breastfed At Least 12 Months			6,811	16.1	1,038,203	19.1
<b>Smoking in Household</b>						
≤ 2 Hours TV Viewing/ Day (9)			48,497	20.8	3,277,352	10.9
			22,220	81.1	744,697	74.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 3C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**  
**Summary of Breastfeeding Indicators**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Breastfeeding Indicators</b> <sup>(3)</sup>				
	Nebraska Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
<b>Breastfeeding Duration</b> <sup>(4,5)</sup>				
Ever Breastfed	11,165	69.9	1,719,083	62.0
Breastfed 1+ Weeks	10,116	66.9	1,438,863	58.6
Breastfed 2+ Weeks	8,579	63.7	1,130,089	55.9
Breastfed 3+ Weeks	7,456	59.3	926,949	53.1
Breastfed 4+ Weeks	6,670	53.8	809,718	50.3
Breastfed 6+ Weeks	6,045	45.8	685,195	44.3
Breastfed 2+ Months	6,134	39.7	641,174	39.1
Breastfed 3+ Months	6,795	34.8	678,922	34.2
Breastfed 4+ Months	7,589	29.4	757,778	30.7
Breastfed 5+ Months	8,449	26.1	850,698	27.9
Breastfed 6+ Months	7,721	23.7	848,761	26.9
Breastfed 9+ Months	6,493	20.4	959,723	21.4
Breastfed 12+ Months	6,811	16.1	1,038,203	19.1
Breastfed 18+ Months	5,864	8.7	785,855	10.6
<b>Exclusive Breastfeeding</b> <sup>(6)</sup>				
Exclusively Breastfed at Least 3 Months	3,753	14.2	144,421	12.9
Exclusively Breastfed at Least 6 Months	4,208	8.1	206,416	7.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 4C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**

**Comparison of Racial and Ethnic Distribution by Contributor to Nation**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Comparison of Racial and Ethnic Distribution</b>								
<b>Contributor</b>	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
<b>Nebraska</b>	<b>48,537</b>	<b>45.2</b>	<b>11.0</b>	<b>36.4</b>	<b>1.2</b>	<b>1.6</b>	<b>4.5</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>31.7</b>	<b>18.8</b>	<b>41.0</b>	<b>1.0</b>	<b>2.6</b>	<b>2.1</b>	<b>2.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 5C**  
**2009 Pediatric Nutrition Surveillance (1)**  
**Nebraska**  
**Comparison of Age Distribution by Contributor to Nation**  
**Children Aged < 5 Years (2)**

<b>Comparison of Age Distribution</b>				
<b>Contributor</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
<b>Nebraska</b>	<b>48,537</b>	<b>36.2</b>	<b>20.2</b>	<b>43.6</b>
<b>Nation (Prior Year)</b>	<b>8,164,612</b>	<b>35.8</b>	<b>23.0</b>	<b>41.3</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 6C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Comparison of Growth and Anemia Indicators by Contributor to Nation**  
**Children Aged < 5 Years** (2)

Comparison of Growth and Anemia Indicators (3)												
Contributor	Birthweight (4)			Height and Weight						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)		≥ 2 Yrs Over- weight (6)				
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th- <95th	% ≥95th	Number	%
<b>Nebraska</b>	<b>11,146</b>	<b>8.4</b>	<b>6.6</b>	<b>47,514</b>	<b>6.2</b>	<b>3.8</b>	<b>13.5</b>	<b>20,811</b>	<b>17.2</b>	<b>14.2</b>	<b>28,261</b>	<b>14.6</b>
<b>Nation (Prior Year)</b>	<b>1,909,620</b>	<b>9.0</b>	<b>6.4</b>	<b>7,107,000</b>	<b>6.0</b>	<b>4.5</b>	<b>14.1</b>	<b>2,943,996</b>	<b>16.5</b>	<b>14.8</b>	<b>4,916,523</b>	<b>14.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children..

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7C**  
**2009 Pediatric Nutrition Surveillance (1)**  
**Nebraska**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)**  
**Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		Smoking in Household			
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
<b>Nebraska</b>	<b>11,165</b>	<b>69.9</b>	<b>7,721</b>	<b>23.7</b>	<b>6,811</b>	<b>16.1</b>	<b>3,753</b>	<b>14.2</b>	<b>4,208</b>	<b>8.1</b>	<b>22,220</b>	<b>81.1</b>	<b>48,497</b>	<b>20.8</b>
<b>Nation (Prior Year)</b>	<b>1,719,083</b>	<b>62.0</b>	<b>848,761</b>	<b>26.9</b>	<b>1,038,203</b>	<b>19.1</b>	<b>144,421</b>	<b>12.9</b>	<b>206,416</b>	<b>7.2</b>	<b>744,697</b>	<b>74.8</b>	<b>3,277,352</b>	<b>10.9</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 8C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**

**Growth and Anemia Indicators by Race/Ethnicity or Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Growth and Anemia Indicators by Race/Ethnicity or Age</b> <sup>(3)</sup>												
	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature (5)	Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		<2500 g	>4000 g		<5th	<5th	≥95th	Number	% 85th-<95th	% ≥95th		
					%	%	%					
<b>Race/Ethnicity</b>												
White, Not Hispanic	5,130	8.4	7.0	21,586	6.8	4.1	11.7	9,213	16.0	11.5	12,322	11.9
Black, Not Hispanic	1,341	12.8	3.4	5,181	7.6	6.9	12.0	2,188	15.9	10.6	2,885	26.9
Hispanic	3,749	7.1	7.0	17,288	5.1	2.6	16.4	8,027	18.9	18.6	11,122	14.2
American Indian/Alaska Native	107	7.5	13.1	550	5.1	3.1	19.5	278	22.7	19.8	357	13.2
Asian/Pacific Islander	191	8.4	5.2	759	8.4	5.4	8.6	296	12.2	9.5	445	19.8
Multiple Races	628	7.2	7.3	2,147	5.8	3.7	12.3	807	18.0	11.6	1,128	15.7
All Other	0	*	*	3	*	*	*	2	*	*	2	*
<b>Total</b>	<b>11,146</b>	<b>8.4</b>	<b>6.6</b>	<b>47,514</b>	<b>6.2</b>	<b>3.8</b>	<b>13.5</b>	<b>20,811</b>	<b>17.2</b>	<b>14.2</b>	<b>28,261</b>	<b>14.6</b>
<b>Age</b>												
0 - 11 Months	-	-	-	17,031	9.2	6.2	9.6	-	*	*	2,458	21.3
12 - 23 Months	-	-	-	9,672	5.9	1.8	18.7	-	*	*	10,121	17.9
24 - 35 Months	-	-	-	8,042	4.3	2.8	13.7	8,042	17.0	13.7	6,137	15.3
36 - 47 Months	-	-	-	6,786	4.0	3.0	14.1	6,786	17.2	14.1	5,499	10.1
48 - 59 Months	-	-	-	5,983	3.5	2.9	15.1	5,983	17.6	15.1	4,046	7.4
<b>Total</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>47,514</b>	<b>6.2</b>	<b>3.8</b>	<b>13.5</b>	<b>20,811</b>	<b>17.2</b>	<b>14.2</b>	<b>28,261</b>	<b>14.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 9C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age** (2)  
**Children Aged < 5 Years** (3)

<b>Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age</b> (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
<b>Race/Ethnicity</b>										
White, Not Hispanic	5,137	67.7	3,670	17.5	3,121	11.0	9,793	83.6	21,938	29.7
Black, Not Hispanic	1,342	59.4	753	24.0	721	14.6	2,361	72.4	5,352	18.4
Hispanic	3,755	77.7	2,723	32.7	2,451	23.9	8,590	81.2	17,667	9.9
American Indian/Alaska Native	109	60.6	89	*	59	*	293	73.4	563	24.2
Asian/Pacific Islander	192	71.4	143	38.5	125	24.0	317	74.4	777	11.2
Multiple Races	630	64.9	343	13.4	334	8.1	864	81.0	2,197	28.8
All Other	0	*	0	*	0	*	2	*	3	*
<b>Total</b>	<b>11,165</b>	<b>69.9</b>	<b>7,721</b>	<b>23.7</b>	<b>6,811</b>	<b>16.1</b>	<b>22,220</b>	<b>81.1</b>	<b>48,497</b>	<b>20.8</b>
<b>Age</b>										
0 - 11 Months	-	-	-	-	-	-	0	*	17,577	21.0
12 - 23 Months	-	-	-	-	-	-	0	*	9,787	20.8
24 - 35 Months	-	-	-	-	-	-	9,267	84.4	8,118	20.6
36 - 47 Months	-	-	-	-	-	-	6,854	79.7	6,871	20.5
48 - 59 Months	-	-	-	-	-	-	6,099	77.8	6,144	20.9
<b>Total</b>	<b>11,165</b>	<b>69.9</b>	<b>7,721</b>	<b>23.7</b>	<b>6,811</b>	<b>16.1</b>	<b>22,220</b>	<b>81.1</b>	<b>48,497</b>	<b>20.8</b>

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 10C**  
**2009 Pediatric Nutrition Surveillance (1)**  
**Nebraska**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2009	48,537	45.2	11.0	36.4	1.2	1.6	4.5	0.0
2008	49,355	46.5	11.3	35.2	1.3	1.4	4.3	0.0
2007	46,446	47.6	11.2	34.5	1.5	1.3	3.9	0.0
2006	45,148	48.8	11.0	34.2	1.5	1.4	3.1	0.0
2005	44,708	50.0	10.8	33.3	1.6	1.7	2.6	0.0
2004	43,897	52.3	11.3	31.1	1.9	1.7	0.9	0.8
2003	42,823	53.9	11.5	29.7	1.8	1.7	0.0	1.3
2002	42,033	56.3	11.6	27.6	1.7	1.6	0.0	1.2
2001	39,692	58.5	11.8	25.4	1.6	1.6	0.0	1.1
2000	36,931	60.8	11.8	23.3	1.5	1.7	0.0	0.9
1999	34,702	62.9	12.1	20.9	1.4	1.6	0.0	1.1
1998	33,854	63.3	11.7	20.5	1.3	1.8	0.0	1.4
1997	33,887	65.8	10.2	19.3	1.5	1.8	0.0	1.2
1996	35,159	67.7	10.9	17.1	1.6	1.7	0.0	0.9
1995	35,974	70.0	11.7	14.5	1.6	1.7	0.0	0.6
1994	37,005	70.6	13.3	12.5	1.7	1.6	0.0	0.4
1993	35,497	72.3	13.2	10.7	1.9	1.6	0.0	0.2
1992	33,086	73.7	13.7	9.0	2.1	1.4	0.0	0.2
1991	28,057	74.3	14.6	7.3	2.4	1.2	0.0	0.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 10C**  
**2009 Pediatric Nutrition Surveillance (1)**  
**Nebraska**  
**Summary of Trends in Racial and Ethnic Distribution**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Racial and Ethnic Distribution</b>								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1990	32,174	74.1	15.0	6.9	2.3	1.1	0.0	0.6
1989	24,734	74.4	15.0	6.0	2.6	1.1	0.0	1.0
1988	24,350	74.4	15.4	5.6	2.7	1.3	0.0	0.5
1987	24,203	74.4	15.5	5.7	2.3	1.5	0.0	0.7
1986	22,855	74.9	14.6	5.2	2.2	2.1	0.0	1.0
1985	29,385	76.2	14.2	4.7	1.9	2.6	0.0	0.4
1984	18,154	74.3	15.8	5.8	2.1	2.0	0.0	0.0
1983	14,011	74.1	15.4	6.4	2.1	2.0	0.0	0.0
1982	13,632	73.5	15.3	7.0	2.0	2.2	0.0	0.1
1981	18	*	*	*	*	*	*	*
1980	2	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 11C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2009	48,537	36.2	20.2	43.6
2008	49,355	37.3	20.2	42.5
2007	46,446	38.5	19.8	41.7
2006	45,148	38.0	19.7	42.2
2005	44,708	37.7	20.1	42.1
2004	43,897	38.1	20.2	41.7
2003	42,823	39.2	19.9	40.9
2002	42,033	39.0	20.0	41.0
2001	39,692	39.3	19.7	40.9
2000	36,931	39.3	19.9	40.9
1999	34,702	37.2	20.8	42.0
1998	33,854	36.2	21.8	42.0
1997	33,887	30.7	23.4	45.8
1996	35,159	30.7	22.4	46.9
1995	35,974	31.0	22.3	46.7
1994	37,005	32.1	22.1	45.7
1993	35,497	32.7	23.4	43.9
1992	33,086	34.6	23.4	42.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 11C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**  
**Summary of Trends in Age Distribution**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Age Distribution</b> (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1991	28,057	36.3	23.5	40.2
1990	32,174	37.0	23.5	39.6
1989	24,734	42.5	20.4	37.0
1988	24,350	40.8	20.9	38.3
1987	24,203	41.0	21.4	37.6
1986	22,855	42.7	20.9	36.5
1985	29,385	39.1	22.0	38.9
1984	18,154	41.1	20.9	38.0
1983	14,011	43.3	21.2	35.5
1982	13,632	44.0	22.0	34.0
1981	18	*	*	*
1980	2	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2009 Pediatric Nutrition Surveillance (1)**  
**Nebraska**

**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Growth and Anemia Indicators (3)</b>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature (5)	Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th-<95th	% ≥95th	Number	%
2009	11,146	8.4	6.6	47,514	6.2	3.8	13.5	20,811	17.2	14.2	28,261	14.6
2008	12,246	8.5	6.7	48,403	6.2	3.7	13.4	20,658	17.0	13.9	29,322	14.3
2007	11,913	8.4	6.9	45,616	5.9	4.0	12.9	19,070	16.1	13.5	27,804	16.3
2006	11,507	8.6	6.7	44,248	5.7	4.5	12.6	18,708	15.7	13.1	27,519	16.4
2005	11,208	8.0	7.3	43,831	5.7	4.8	12.9	18,577	15.6	12.6	27,194	15.4
2004	11,119	8.3	7.4	43,068	6.0	4.1	13.6	18,007	16.1	13.5	26,678	14.0
2003	10,964	8.0	7.7	41,671	6.1	4.4	13.2	17,242	16.1	13.4	25,792	13.6
2002	10,704	8.4	8.1	40,818	6.3	4.3	13.7	17,000	15.6	13.1	25,240	12.2
2001	10,189	7.9	7.7	38,632	6.5	4.7	12.7	15,943	15.6	12.0	24,108	12.8
2000	9,706	8.2	8.3	35,887	6.3	5.0	11.7	14,807	15.1	11.4	22,468	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2009 Pediatric Nutrition Surveillance (1)**  
**Nebraska**

**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Growth and Anemia Indicators (3)</b>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥ 95th		85th-<95th	≥95th			
1999	8,763	8.1	8.5	34,012	6.0	4.9	11.2	14,346	13.9	10.4	20,668	15.5
1998	8,825	7.6	8.6	33,187	6.0	5.1	10.5	13,961	13.4	9.9	20,530	15.3
1997	7,493	8.1	8.8	33,192	6.3	5.7	10.8	15,263	14.2	9.8	18,427	18.2
1996	8,104	7.0	9.4	34,691	5.1	5.7	9.3	16,292	12.6	8.3	22,569	14.5
1995	8,142	7.5	8.7	35,553	5.5	6.1	8.7	16,692	12.4	7.3	23,359	14.1
1994	8,793	7.8	9.4	36,569	5.8	5.9	8.7	16,797	12.7	7.6	24,511	13.2
1993	8,224	7.6	9.3	34,960	5.8	5.8	8.6	15,568	13.3	7.5	23,651	11.5
1992	8,194	7.2	10.1	31,421	5.8	5.0	9.0	13,820	12.6	7.5	21,585	10.6
1991	7,491	7.9	9.4	26,528	6.1	5.6	8.4	11,138	12.1	7.2	17,904	10.0
1990	6,594	7.4	9.5	31,071	6.5	6.0	8.6	12,491	12.2	7.5	19,869	11.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 12C**  
**2009 Pediatric Nutrition Surveillance (1)**  
**Nebraska**

**Summary of Trends in Growth and Anemia Indicators**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Growth and Anemia Indicators (3)</b>												
Year	Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	>_2 Yrs Overweight (6)				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g		<5th	<5th	≥ 95th		85th-<95th	≥95th			
1989	6,937	8.9	9.5	24,245	6.9	5.6	8.5	8,998	12.8	7.8	17,478	12.4
1988	6,697	8.2	9.5	23,856	6.6	6.2	7.6	9,187	12.1	6.6	17,253	12.5
1987	6,363	8.3	10.0	23,789	6.3	7.0	7.2	9,042	11.3	6.1	17,491	11.4
1986	6,281	8.2	10.1	22,329	6.7	7.3	7.5	8,219	11.4	6.5	16,681	10.4
1985	6,096	7.9	9.5	28,296	6.7	8.7	7.5	11,224	10.6	5.9	20,360	10.8
1984	3,808	8.6	9.4	17,387	7.9	10.7	6.4	6,809	8.9	5.4	13,265	8.1
1983	2,639	8.4	8.7	13,323	9.0	11.8	7.5	4,919	11.1	7.2	10,143	13.9
1982	2,713	8.9	8.6	13,024	9.4	11.5	7.1	4,542	12.1	7.3	9,955	15.1
1981	0	*	*	16	*	*	*	0	*	*	11	*
1980	0	*	*	2	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding <sup>(4)</sup>					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2009	11,165	69.9	7,721	23.7	6,811	16.1
2008	12,265	68.8	8,654	22.8	7,644	16.9
2007	11,935	68.2	8,409	25.0	6,907	16.1
2006	11,546	67.8	7,732	24.4	6,499	16.2
2005	11,291	65.1	7,486	23.9	6,492	16.1
2004	11,215	64.8	8,047	24.1	6,710	14.8
2003	11,185	63.1	7,546	22.4	6,209	15.5
2002	11,011	60.0	7,612	21.8	6,136	14.7
2001	10,448	58.7	7,249	20.8	5,953	14.2
2000	9,949	60.0	6,699	20.4	5,449	15.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding <sup>(4)</sup>					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1999	8,968	54.7	5,705	20.2	4,893	15.3
1998	9,049	50.7	4,117	16.6	5,116	8.9
1997	6,242	47.1	2,507	12.0	4,085	5.6
1996	6,188	41.2	3,082	6.7	4,731	3.4
1995	6,274	37.4	2,923	7.3	4,603	3.7
1994	6,792	35.1	3,022	5.9	4,706	2.9
1993	6,650	37.7	3,116	6.3	4,831	3.2
1992	6,738	35.8	3,123	4.6	4,559	2.3
1991	6,144	36.6	2,610	4.2	3,931	1.4
1990	6,178	43.0	4,329	11.7	4,370	6.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 13C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**  
**Summary of Trends in Breastfeeding**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Summary of Trends in Breastfeeding</b> <sup>(3)</sup>						
Year	Breastfeeding <sup>(4)</sup>					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1989	6,762	37.1	5,088	15.6	3,877	12.1
1988	6,569	35.5	4,846	16.4	3,803	13.6
1987	6,097	38.2	4,489	18.3	3,633	14.2
1986	5,575	40.4	4,119	18.6	2,866	12.6
1985	6,713	32.8	4,341	16.3	3,035	10.1
1984	5,084	22.7	3,662	15.1	2,716	10.1
1983	4,009	24.6	2,681	13.4	2,006	8.9
1982	4,027	22.9	2,777	13.5	2,113	8.6
1981	16	*	10	*	1	*
1980	2	*	1	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C  
**2009 Pediatric Nutrition Surveillance**  
Nebraska  
Children Aged < 5 Years

Page: 20  
Run Date: 3 / 30 / 10

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

Table 15C  
**2009 Pediatric Nutrition Surveillance**  
Nebraska  
Children Aged < 5 Years

Page: 21  
Run Date: 3 / 30 / 10

**This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.**

**Table 16C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
White, Not Hispanic									
0 - 11 Months	7,974	10.0	7,974	6.4	7,974	9.0	0	0.0	0.0
12 - 23 Months	4,399	6.1	4,399	1.9	4,399	17.1	0	0.0	0.0
24 - 59 Months	9,213	4.5	9,213	3.2	9,213	11.5	9,213	16.0	11.5
<b>Total</b>	<b>21,586</b>	<b>6.8</b>	<b>21,586</b>	<b>4.1</b>	<b>21,586</b>	<b>11.7</b>	<b>9,213</b>	<b>16.0</b>	<b>11.5</b>
Black, Not Hispanic									
0 - 11 Months	1,932	12.5	1,932	11.8	1,932	9.7	0	0.0	0.0
12 - 23 Months	1,061	7.4	1,061	2.5	1,061	18.9	0	0.0	0.0
24 - 59 Months	2,188	3.3	2,188	4.6	2,188	10.6	2,188	15.9	10.6
<b>Total</b>	<b>5,181</b>	<b>7.6</b>	<b>5,181</b>	<b>6.9</b>	<b>5,181</b>	<b>12.0</b>	<b>2,188</b>	<b>15.9</b>	<b>10.6</b>
Hispanic									
0 - 11 Months	5,782	7.4	5,782	3.9	5,782	10.7	0	0.0	0.0
12 - 23 Months	3,479	4.9	3,479	1.5	3,479	20.5	0	0.0	0.0
24 - 59 Months	8,027	3.6	8,027	2.1	8,027	18.6	8,027	18.9	18.6
<b>Total</b>	<b>17,288</b>	<b>5.1</b>	<b>17,288</b>	<b>2.6</b>	<b>17,288</b>	<b>16.4</b>	<b>8,027</b>	<b>18.9</b>	<b>18.6</b>
American Indian/Alaska Native									
0 - 11 Months	170	7.6	170	6.5	170	14.1	0	0.0	0.0
12 - 23 Months	102	7.8	102	2.0	102	27.5	0	0.0	0.0
24 - 59 Months	278	2.5	278	1.4	278	19.8	278	22.7	19.8
<b>Total</b>	<b>550</b>	<b>5.1</b>	<b>550</b>	<b>3.1</b>	<b>550</b>	<b>19.5</b>	<b>278</b>	<b>22.7</b>	<b>19.8</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 16C**  
**2009 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Nebraska**  
**Growth Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** <sup>(2)</sup>

<b>Growth Indicators by Race/Ethnicity and Age</b> <sup>(3)</sup>									
	Short Stature (4)		Underweight (5)		Obese (5)		≥ 2 Yrs Overweight (5)		
	Number	% <5th	Number	% <5th	Number	% ≥ 95th	Number	% 85th - <95th	% ≥95th
<b>Asian/Pacific Islander</b>									
0 - 11 Months	294	5.8	294	8.2	294	5.4	0	0.0	0.0
12 - 23 Months	169	10.1	169	3.0	169	12.4	0	0.0	0.0
24 - 59 Months	296	10.1	296	4.1	296	9.5	296	12.2	9.5
<b>Total</b>	<b>759</b>	<b>8.4</b>	<b>759</b>	<b>5.4</b>	<b>759</b>	<b>8.6</b>	<b>296</b>	<b>12.2</b>	<b>9.5</b>
<b>Multiple Races</b>									
0 - 11 Months	878	9.0	878	6.4	878	8.9	0	0.0	0.0
12 - 23 Months	462	5.2	462	1.7	462	20.1	0	0.0	0.0
24 - 59 Months	807	2.6	807	2.0	807	11.6	807	18.0	11.6
<b>Total</b>	<b>2,147</b>	<b>5.8</b>	<b>2,147</b>	<b>3.7</b>	<b>2,147</b>	<b>12.3</b>	<b>807</b>	<b>18.0</b>	<b>11.6</b>
<b>All Other/Unknown</b>									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	2	*	2	*	2	*	2	*	*
<b>Total</b>	<b>3</b>	<b>*</b>	<b>3</b>	<b>*</b>	<b>3</b>	<b>*</b>	<b>2</b>	<b>*</b>	<b>*</b>
<b>Total All Race/Ethnic Groups</b>									
0 - 11 Months	17,031	9.2	17,031	6.2	17,031	9.6	0	0.0	0.0
12 - 23 Months	9,672	5.9	9,672	1.8	9,672	18.7	0	0.0	0.0
24 - 59 Months	20,811	4.0	20,811	2.9	20,811	14.2	20,811	17.2	14.2
<b>Total</b>	<b>47,514</b>	<b>6.2</b>	<b>47,514</b>	<b>3.8</b>	<b>47,514</b>	<b>13.5</b>	<b>20,811</b>	<b>17.2</b>	<b>14.2</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 17C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**  
**Anemia Indicators by Race/Ethnicity and Age**  
**Children Aged < 5 Years** (2)

<b>Anemia Indicators by Race/Ethnicity and Age</b> (3, 4)					
	Anemia Low Hb/Hct			Anemia Low Hb/Hct	
	Number	%		Number	%
<b>White, Not Hispanic</b>			<b>Asian/Pacific Islander</b>		
6 - 11 Months	1,146	18.6	6 - 11 Months	51	*
12 - 17 Months	2,578	15.7	12 - 17 Months	90	*
18 - 23 Months	1,938	12.8	18 - 23 Months	78	*
24 - 35 Months	2,664	11.6	24 - 35 Months	92	*
36 - 59 Months	3,996	7.4	36 - 59 Months	134	10.4
<b>Total</b>	<b>12,322</b>	<b>11.9</b>	<b>Total</b>	<b>445</b>	<b>19.8</b>
<b>Black, Not Hispanic</b>			<b>Multiple Races</b>		
6 - 11 Months	232	31.0	6 - 11 Months	104	25.0
12 - 17 Months	552	30.4	12 - 17 Months	243	22.2
18 - 23 Months	472	30.1	18 - 23 Months	193	16.6
24 - 35 Months	644	32.1	24 - 35 Months	237	19.0
36 - 59 Months	985	18.9	36 - 59 Months	351	5.7
<b>Total</b>	<b>2,885</b>	<b>26.9</b>	<b>Total</b>	<b>1,128</b>	<b>15.7</b>
<b>Hispanic</b>			<b>All Other/Unknown</b>		
6 - 11 Months	903	21.8	6 - 11 Months	0	*
12 - 17 Months	2,138	20.2	12 - 17 Months	0	*
18 - 23 Months	1,727	15.6	18 - 23 Months	0	*
24 - 35 Months	2,411	14.5	24 - 35 Months	1	*
36 - 59 Months	3,943	8.4	36 - 59 Months	1	*
<b>Total</b>	<b>11,122</b>	<b>14.2</b>	<b>Total</b>	<b>2</b>	*
<b>American Indian/Alaska Native</b>			<b>Total All Race/Ethnic Groups</b>		
6 - 11 Months	22	*	6 - 11 Months	2,458	21.3
12 - 17 Months	60	*	12 - 17 Months	5,661	19.3
18 - 23 Months	52	*	18 - 23 Months	4,460	16.1
24 - 35 Months	88	*	24 - 35 Months	6,137	15.3
36 - 59 Months	135	8.1	36 - 59 Months	9,545	9.0
<b>Total</b>	<b>357</b>	<b>13.2</b>	<b>Total</b>	<b>28,261</b>	<b>14.6</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
White, Not Hispanic	2009	5,130	8.4	7.0	21,586	6.8	4.1	11.7	9,213	16.0	11.5	12,322	11.9
	2008	5,807	8.4	7.3	22,570	6.9	3.9	11.2	9,384	15.6	10.8	13,142	11.5
	2007	5,786	8.3	7.6	21,760	6.3	4.1	10.7	8,913	15.7	10.2	12,755	12.7
	2006	5,681	8.2	7.5	21,635	6.2	4.1	10.7	9,032	15.5	10.4	13,025	11.9
	2005	5,509	8.0	8.1	22,001	6.0	4.4	11.4	9,341	15.2	10.6	13,401	11.1
	2004	5,732	8.4	8.1	22,595	6.4	3.9	11.7	9,356	15.7	10.9	13,744	10.6
	2003	5,936	8.0	8.4	22,556	6.6	4.4	11.3	9,306	15.2	10.6	13,667	10.9
	2002	5,868	8.5	8.6	23,063	6.3	4.6	11.6	9,655	14.8	10.9	14,446	9.8
	2001	5,900	7.7	8.3	22,683	6.3	4.9	10.9	9,404	15.2	10.5	14,129	11.1
	2000	5,830	8.3	8.8	21,911	6.4	5.0	9.9	9,013	14.0	9.3	13,695	11.9
Black, Not Hispanic	2009	1,341	12.8	3.4	5,181	7.6	6.9	12.0	2,188	15.9	10.6	2,885	26.9
	2008	1,455	12.9	4.2	5,405	7.3	6.6	12.7	2,225	14.2	11.0	3,087	25.2
	2007	1,474	13.5	3.5	5,034	6.9	7.3	11.0	2,001	12.8	11.0	2,924	28.1
	2006	1,439	13.3	3.8	4,810	6.4	9.0	9.9	2,004	11.9	9.5	2,866	28.9
	2005	1,270	11.8	4.5	4,666	6.1	9.0	10.7	1,877	10.6	7.5	2,871	27.7
	2004	1,396	11.6	4.3	4,810	6.7	7.5	11.6	1,862	12.2	8.5	2,741	23.9
	2003	1,343	10.8	5.0	4,776	6.5	7.5	11.7	1,829	13.1	10.1	2,787	19.7
	2002	1,330	12.0	5.3	4,669	7.3	5.1	13.7	1,868	13.4	9.9	2,733	20.0
	2001	1,257	12.0	4.0	4,514	7.7	7.1	11.7	1,781	13.0	8.7	2,709	20.8
	2000	1,230	11.1	4.9	4,178	6.4	7.4	12.6	1,687	13.8	10.0	2,440	27.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Hispanic	2009	3,749	7.1	7.0	17,288	5.1	2.6	16.4	8,027	18.9	18.6	11,122	14.2
	2008	4,048	7.2	6.8	17,048	5.1	2.3	16.5	7,747	19.4	18.6	11,117	14.6
	2007	3,725	6.4	7.2	15,734	5.0	2.7	16.6	7,028	17.5	18.4	10,365	17.4
	2006	3,612	7.0	6.9	15,122	4.9	3.6	16.0	6,728	17.2	17.6	10,039	18.6
	2005	3,614	6.9	6.9	14,582	5.2	4.0	16.0	6,413	17.4	16.8	9,479	18.0
	2004	3,328	6.9	7.5	13,371	5.1	2.9	17.7	5,914	17.8	19.0	8,835	16.1
	2003	3,117	6.6	7.4	12,356	5.2	3.2	17.4	5,346	18.4	19.5	8,146	15.8
	2002	2,997	6.4	8.0	11,271	5.9	3.1	18.1	4,766	18.3	18.5	6,984	13.9
	2001	2,559	6.0	8.1	9,793	6.5	2.9	17.3	4,128	18.0	16.5	6,278	12.9
	2000	2,220	6.6	9.0	8,339	5.9	3.3	16.3	3,523	18.7	17.2	5,450	15.5
American Indian/Alaska Native	2009	107	7.5	13.1	550	5.1	3.1	19.5	278	22.7	19.8	357	13.2
	2008	121	6.6	8.3	627	5.3	2.4	18.5	308	24.7	18.5	421	14.0
	2007	128	8.6	13.3	696	6.0	2.2	18.7	345	21.7	17.7	470	14.0
	2006	148	6.8	8.8	676	4.0	3.8	18.3	344	18.3	20.6	447	13.6
	2005	134	6.0	11.9	703	3.1	3.4	17.9	343	20.1	19.5	482	13.7
	2004	183	9.8	12.6	830	2.9	3.0	21.7	376	21.3	19.9	540	12.6
	2003	178	8.4	10.7	751	5.5	1.9	18.4	333	24.0	18.6	468	15.6
	2002	158	7.0	15.8	692	4.8	2.5	20.2	293	18.1	21.5	411	14.6
	2001	168	7.1	9.5	621	4.8	2.9	18.7	247	18.2	23.5	385	14.8
	2000	147	5.4	14.3	543	6.3	5.9	12.5	220	15.9	11.4	344	17.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
Asian/Pacific Islander	2009	191	8.4	5.2	759	8.4	5.4	8.6	296	12.2	9.5	445	19.8
	2008	178	10.7	3.4	655	9.8	6.6	7.3	278	14.4	8.6	400	14.5
	2007	167	10.8	6.0	617	7.0	5.3	8.4	251	9.6	12.0	352	16.8
	2006	161	6.2	3.7	626	6.7	5.4	10.5	259	10.0	12.7	382	14.9
	2005	187	9.1	3.7	730	7.3	5.1	9.0	299	15.4	10.0	457	12.3
	2004	197	4.6	3.6	738	6.2	5.8	7.3	271	12.2	8.5	443	16.9
	2003	220	10.0	5.0	692	7.5	4.6	8.8	241	11.2	10.8	411	14.8
	2002	192	9.9	5.7	652	6.4	8.1	8.9	246	13.4	10.6	404	12.9
	2001	187	9.6	8.0	617	7.9	5.8	7.3	220	8.6	10.9	363	13.8
	2000	188	7.4	3.7	587	7.5	7.0	8.7	238	10.1	12.2	344	16.6
Multiple Races	2009	628	7.2	7.3	2,147	5.8	3.7	12.3	807	18.0	11.6	1,128	15.7
	2008	635	6.5	6.9	2,095	5.3	4.3	13.5	714	15.1	11.9	1,155	15.2
	2007	632	7.9	6.6	1,773	5.8	5.0	12.1	531	17.1	9.8	937	17.6
	2006	466	11.2	5.8	1,377	6.1	5.3	12.4	340	15.9	11.5	759	20.0
	2005	494	6.5	8.1	1,148	5.3	5.2	11.8	303	17.8	13.9	503	14.7
	2004	211	8.1	7.1	394	7.6	6.1	10.2	103	11.7	18.4	170	10.6
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*
	2001	0	*	*	0	*	*	*	0	*	*	0	*
	2000	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 18C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity</b> (3)													
Race/Ethnicity and Year		Birthweight (4)			Height and Weight							Anemia Low Hb/Hct (7)	
		Low		High	Short Stature (5)		Under- weight (6)	Obese (6)	≥ 2 Yrs Overweight (6)				
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥ 95th	Number	% 85th - <95th	% ≥ 95th		
All Other/Unknown	2009	0	*	*	3	*	*	*	2	*	*	2	*
	2008	2	*	*	3	*	*	*	2	*	*	0	*
	2007	1	*	*	2	*	*	*	1	*	*	1	*
	2006	0	*	*	2	*	*	*	1	*	*	1	*
	2005	0	*	*	1	*	*	*	1	*	*	1	*
	2004	72	*	*	330	7.3	5.2	12.7	125	16.8	12.8	205	15.6
	2003	170	7.6	7.1	540	6.1	6.9	10.9	187	13.9	8.6	313	16.6
	2002	159	7.5	8.2	471	5.9	5.9	10.6	172	11.6	7.6	262	17.2
	2001	118	8.5	9.3	404	8.4	9.9	9.4	163	15.3	3.7	244	16.0
	2000	91	*	*	329	7.0	9.4	9.7	126	15.1	11.1	195	16.9
Total All Race/Ethnic Groups	2009	11,146	8.4	6.6	47,514	6.2	3.8	13.5	20,811	17.2	14.2	28,261	14.6
	2008	12,246	8.5	6.7	48,403	6.2	3.7	13.4	20,658	17.0	13.9	29,322	14.3
	2007	11,913	8.4	6.9	45,616	5.9	4.0	12.9	19,070	16.1	13.5	27,804	16.3
	2006	11,507	8.6	6.7	44,248	5.7	4.5	12.6	18,708	15.7	13.1	27,519	16.4
	2005	11,208	8.0	7.3	43,831	5.7	4.8	12.9	18,577	15.6	12.6	27,194	15.4
	2004	11,119	8.3	7.4	43,068	6.0	4.1	13.6	18,007	16.1	13.5	26,678	14.0
	2003	10,964	8.0	7.7	41,671	6.1	4.4	13.2	17,242	16.1	13.4	25,792	13.6
	2002	10,704	8.4	8.1	40,818	6.3	4.3	13.7	17,000	15.6	13.1	25,240	12.2
	2001	10,189	7.9	7.7	38,632	6.5	4.7	12.7	15,943	15.6	12.0	24,108	12.8
	2000	9,706	8.2	8.3	35,887	6.3	5.0	11.7	14,807	15.1	11.4	22,468	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C**  
**2009 Pediatric Nutrition Surveillance (1)**

**Nebraska**  
**Summary of Trends in Breastfeeding Indicators by Race/Ethnicity**  
**Children Aged < 5 Years (2)**

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2009	5,137	67.7	3,670	17.5	3,121	11.0
	2008	5,809	66.3	4,165	17.5	3,540	11.7
	2007	5,795	65.9	4,162	19.1	3,222	11.6
	2006	5,702	65.3	3,997	18.6	3,088	10.8
	2005	5,559	61.7	3,919	19.4	3,264	12.0
	2004	5,762	61.8	4,434	19.0	3,495	11.0
	2003	6,042	59.8	4,206	18.4	3,251	11.7
	2002	6,039	56.6	4,461	18.3	3,420	11.3
	2001	6,041	56.3	4,339	18.0	3,488	11.4
	2000	5,943	59.2	4,244	17.8	3,263	11.9
Black, Not Hispanic	2009	1,342	59.4	753	24.0	721	14.6
	2008	1,463	56.9	918	18.3	872	14.9
	2007	1,478	55.5	893	22.1	802	15.6
	2006	1,442	56.2	711	19.8	669	12.9
	2005	1,282	52.3	719	21.0	758	12.8
	2004	1,420	52.5	891	18.4	784	10.3
	2003	1,372	51.5	864	17.5	765	10.6
	2002	1,386	49.5	835	17.0	723	9.5
	2001	1,296	45.4	822	14.5	712	11.1
	2000	1,288	48.0	677	17.0	674	10.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C  
2009 Pediatric Nutrition Surveillance (1)**

**Nebraska  
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity  
Children Aged < 5 Years (2)**

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2009	3,755	77.7	2,723	32.7	2,451	23.9
	2008	4,055	77.7	2,933	32.7	2,665	25.6
	2007	3,732	78.4	2,772	35.6	2,384	23.2
	2006	3,621	76.7	2,516	35.7	2,285	25.7
	2005	3,631	76.9	2,350	34.0	2,123	24.0
	2004	3,359	76.8	2,290	36.2	2,078	22.1
	2003	3,186	76.3	2,098	32.7	1,877	24.0
	2002	3,053	72.2	1,967	32.6	1,719	23.7
	2001	2,613	72.1	1,767	30.7	1,471	22.2
	2000	2,277	70.4	1,505	29.7	1,275	25.9
American Indian/Alaska Native	2009	109	60.6	89	*	59	*
	2008	122	66.4	86	*	83	*
	2007	128	51.6	114	15.8	101	11.9
	2006	150	62.7	93	*	83	*
	2005	135	54.8	91	*	104	12.5
	2004	188	51.6	177	24.9	120	18.3
	2003	183	50.8	118	15.3	110	11.8
	2002	173	51.4	112	17.9	109	10.1
	2001	177	51.4	116	25.0	105	12.4
	2000	150	55.3	104	9.6	90	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C  
2009 Pediatric Nutrition Surveillance (1)**

**Nebraska  
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity  
Children Aged < 5 Years (2)**

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2009	192	71.4	143	38.5	125	24.0
	2008	178	72.5	117	35.0	111	24.3
	2007	168	57.7	108	26.9	97	*
	2006	163	71.2	125	32.8	93	*
	2005	189	57.1	115	26.1	106	18.9
	2004	200	61.5	154	23.4	120	15.8
	2003	230	49.6	144	20.1	105	16.2
	2002	197	52.3	133	13.5	104	10.6
	2001	198	46.5	142	15.5	113	8.8
	2000	193	44.6	102	15.7	88	*
Multiple Races	2009	630	64.9	343	13.4	334	8.1
	2008	636	62.4	434	13.4	373	8.6
	2007	633	64.8	360	21.1	301	9.6
	2006	468	66.2	290	17.2	281	8.2
	2005	495	56.4	292	13.4	137	10.2
	2004	211	56.4	47	*	54	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*
	2001	0	*	0	*	0	*
	2000	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C  
2009 Pediatric Nutrition Surveillance (1)**

**Nebraska  
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity  
Children Aged < 5 Years (2)**

<b>Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)</b>							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2009	0	*	0	*	0	*
	2008	2	*	1	*	0	*
	2007	1	*	0	*	0	*
	2006	0	*	0	*	0	*
	2005	0	*	0	*	0	*
	2004	75	*	54	*	59	*
	2003	172	60.5	116	29.3	101	19.8
	2002	163	66.9	104	21.2	61	*
	2001	123	60.2	63	*	64	*
	2000	98	*	67	*	59	*
Total All Race/Ethnic Groups	2009	11,165	69.9	7,721	23.7	6,811	16.1
	2008	12,265	68.8	8,654	22.8	7,644	16.9
	2007	11,935	68.2	8,409	25.0	6,907	16.1
	2006	11,546	67.8	7,732	24.4	6,499	16.2
	2005	11,291	65.1	7,486	23.9	6,492	16.1
	2004	11,215	64.8	8,047	24.1	6,710	14.8
	2003	11,185	63.1	7,546	22.4	6,209	15.5
	2002	11,011	60.0	7,612	21.8	6,136	14.7
	2001	10,448	58.7	7,249	20.8	5,953	14.2
	2000	9,949	60.0	6,699	20.4	5,449	15.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth Indicators by Age</b> (3)																		
Age and Year *	Height and Weight									Age and Year *	Height and Weight							
	Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under-weight (5)		Obese (5)		≥ 2 Yrs Overweight (5)	
	Number	%	%	%	Number	%	%	%			Number	%	%	%	Number	%	%	%
	<5th	<5th	_>95th		85th-<95th	_>95th			<5th	<5th	≥ 95th		85th-<95th	_>95th				
<b>0 - 11 Months</b>									<b>24 - 35 Months</b>									
2009	17,031	9.2	6.2	9.6	0	*	*	2009	8,042	4.3	2.8	13.7	8,042	17.0	13.7			
2008	17,919	8.9	5.8	9.9	0	*	*	2008	7,843	4.0	2.7	12.7	7,843	17.1	12.7			
2007	17,457	8.4	5.8	9.7	0	*	*	2007	7,229	3.8	3.1	11.9	7,229	15.3	11.9			
2006	16,722	8.2	5.9	9.9	0	*	*	2006	7,108	4.0	3.9	12.1	7,108	15.6	12.1			
2005	16,410	8.1	6.5	10.0	0	*	*	2005	7,089	4.2	4.2	11.4	7,089	15.3	11.4			
2004	16,264	8.4	5.9	11.2	0	*	*	2004	6,925	4.2	3.6	12.3	6,925	15.6	12.3			
2003	16,082	8.6	6.3	10.5	0	*	*	2003	6,528	4.3	3.2	12.7	6,528	16.5	12.7			
2002	15,578	8.9	5.8	11.6	0	*	*	2002	6,505	4.2	3.8	11.5	6,505	16.1	11.5			
2001	14,899	8.8	6.2	10.9	0	*	*	2001	6,055	4.5	4.3	11.1	6,055	15.4	11.1			
2000	13,834	8.2	6.5	10.0	0	*	*	2000	5,613	4.6	4.8	10.5	5,613	13.9	10.5			
<b>12 - 23 Months</b>									<b>36 - 47 Months</b>									
2009	9,672	5.9	1.8	18.7	0	*	*	2009	6,786	4.0	3.0	14.1	6,786	17.2	14.1			
2008	9,826	6.4	1.7	18.5	0	*	*	2008	6,811	4.0	2.8	14.3	6,811	16.1	14.3			
2007	9,089	5.7	2.0	17.9	0	*	*	2007	6,283	3.9	3.1	13.8	6,283	16.4	13.8			
2006	8,818	5.6	2.3	16.7	0	*	*	2006	6,109	3.5	4.8	13.1	6,109	15.2	13.1			
2005	8,844	5.2	2.0	18.8	0	*	*	2005	6,121	3.8	4.7	12.6	6,121	15.7	12.6			
2004	8,797	5.7	1.9	18.4	0	*	*	2004	5,852	3.8	3.4	13.8	5,852	16.4	13.8			
2003	8,347	5.9	2.3	18.1	0	*	*	2003	5,716	4.2	3.7	13.7	5,716	15.3	13.7			
2002	8,240	6.3	2.3	19.0	0	*	*	2002	5,611	3.8	3.7	13.8	5,611	15.0	13.8			
2001	7,790	6.1	2.5	17.5	0	*	*	2001	5,283	4.8	4.5	12.0	5,283	15.3	12.0			
2000	7,246	5.9	3.3	15.7	0	*	*	2000	4,881	5.2	3.9	11.6	4,881	15.7	11.6			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 20C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**  
**Summary of Trends in Growth Indicators by Age**  
**Children Aged < 5 Years** (2)

<b>Summary of Trends in Growth Indicators by Age</b> (3)																			
Age and Year *	Height and Weight								Age and Year *	Height and Weight									
	Short Stature (4)		Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)				Short Stature (4)		Under- weight (5)	Obese (5)		≥ 2 Yrs Overweight (5)				
	Number	%	%	%	%	Number	%			%	Number	%	%	%	%	Number	%	%	Number
	<5th	<5th	<5th	_>95th		85th-<95th	_>95th			<5th	<5th	≥ 95th		85th-<95th	_>95th		85th-<95th	_>95th	
<b>48 - 59 Months</b>																			
2009	5,983	3.5	2.9	15.1	5,983	17.6	15.1												
2008	6,004	3.4	2.7	15.0	6,004	17.9	15.0												
2007	5,558	3.5	3.5	15.1	5,558	16.9	15.1												
2006	5,491	3.4	4.2	14.5	5,491	16.3	14.5												
2005	5,367	3.1	4.6	14.3	5,367	16.0	14.3												
2004	5,230	3.8	3.4	14.7	5,230	16.4	14.7												
2003	4,998	3.3	4.0	14.0	4,998	16.5	14.0												
2002	4,884	3.7	3.9	14.4	4,884	15.7	14.4												
2001	4,605	4.6	3.8	13.1	4,605	16.3	13.1												
2000	4,313	4.4	4.1	12.2	4,313	15.9	12.2												
<b>Total All Age Groups</b>																			
2009	47,514	6.2	3.8	13.5	20,811	17.2	14.2												
2008	48,403	6.2	3.7	13.4	20,658	17.0	13.9												
2007	45,616	5.9	4.0	12.9	19,070	16.1	13.5												
2006	44,248	5.7	4.5	12.6	18,708	15.7	13.1												
2005	43,831	5.7	4.8	12.9	18,577	15.6	12.6												
2004	43,068	6.0	4.1	13.6	18,007	16.1	13.5												
2003	41,671	6.1	4.4	13.2	17,242	16.1	13.4												
2002	40,818	6.3	4.3	13.7	17,000	15.6	13.1												
2001	38,632	6.5	4.7	12.7	15,943	15.6	12.0												
2000	35,887	6.3	5.0	11.7	14,807	15.1	11.4												

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(5) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
<b>6 - 11 Months</b>				<b>18 - 23 Months</b>			
	2009	2,458	21.3		2009	4,460	16.1
	2008	2,521	20.2		2008	4,642	15.2
	2007	2,636	21.9		2007	4,123	18.3
	2006	2,658	21.6		2006	4,183	18.0
	2005	2,593	20.8		2005	4,211	16.4
	2004	2,543	19.1		2004	3,795	16.1
	2003	2,899	17.5		2003	3,611	14.3
	2002	2,830	16.1		2002	3,409	13.5
	2001	2,679	17.1		2001	3,076	14.8
	2000	3,146	16.2		2000	2,421	17.8
<b>12 - 17 Months</b>				<b>24 - 35 Months</b>			
	2009	5,661	19.3		2009	6,137	15.3
	2008	5,991	19.4		2008	6,120	15.6
	2007	5,597	21.8		2007	6,044	17.0
	2006	5,394	21.2		2006	5,980	17.0
	2005	5,432	19.6		2005	5,795	16.6
	2004	5,559	17.9		2004	5,866	14.1
	2003	5,216	16.8		2003	5,442	14.8
	2002	5,122	15.0		2002	5,438	13.7
	2001	4,867	15.6		2001	5,406	14.2
	2000	4,313	18.4		2000	5,033	16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 21C**  
**2009 Pediatric Nutrition Surveillance** (1)  
**Nebraska**

**Summary of Trends in Anemia by Age**  
**Children Aged < 5 Years** (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2009	9,545	9.0		2009	28,261	14.6
	2008	10,048	8.7		2008	29,322	14.3
	2007	9,404	10.2		2007	27,804	16.3
	2006	9,304	11.1		2006	27,519	16.4
	2005	9,163	10.1		2005	27,194	15.4
	2004	8,915	9.1		2004	26,678	14.0
	2003	8,624	9.3		2003	25,792	13.6
	2002	8,441	7.7		2002	25,240	12.2
	2001	8,080	7.9		2001	24,108	12.8
	2000	7,555	9.5		2000	22,468	14.7
All Other/Unknown							
	2009	0	*				
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				
	2001	0	*				
	2000	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

