

INJURY REPORT, 1999-2003


South Heartland District Health Department Coverage Area

Adams, Clay, Nuckolls, and Webster Counties

Summary

Injury is a public health problem in the South Heartland District Health Department (SHDHD) coverage area. Overall, unintentional injury is the fourth leading cause of death (*Table D1*). From 1999 to 2003, in addition to over 100 injury deaths, over 600 residents in Adams, Clay, Nuckolls, and Webster Counties were hospitalized and more than 9,000 residents were treated at hospitals for injuries (*Figure A*). Overall, motor vehicle crashes were the leading cause of injury deaths. Suicide was second, followed by falls. In contrast to deaths, falls were the leading cause of injury-related hospital discharge and struck by/against injuries were second, followed by motor vehicle crashes, cutting/piercing, and overexertion.

Figure A: Injury Pyramid, Residents of South Heartland District Health Department Coverage Area, NE, 1999-2003



The pattern of injury varied by age and gender. Injury had a greater impact on children and young adults. Of all deaths among those age 10-29, most were due to injuries. Therefore, more years of potential life were lost due to injuries. Males were more than twice as likely as females to die from an injury.

The following table highlights the SHDHD coverage area's progress towards the 2010 Nebraska Health Goals and Objectives related to deaths due to unintentional injuries, motor vehicle crashes, and suicide (*Table A*).

Table A: Injury Death Rates, South Heartland District Health Department Coverage Area, NE, 2003

Cause of Death	Age-adjusted Rate 2003	2010 Nebraska Objective (rate per 100,000 population)
Unintentional Injury	39.2	19.4
Fall	*	3.5
Motor Vehicle Crash	14.7	12
Suicide	12.6	8.2
Homicide	*	2

Source: DHHS Death Certificate Data 2003

* Fewer than five deaths

Injury Deaths

Overall

- From 1999 to 2003, injuries, including unintentional and intentional, were the fourth leading cause of death in the SHDHD coverage area (*Table D1*).

**Table D1: Five Leading Causes of Death,
South Heartland District Health Department Coverage Area, Nebraska, 1999-2003**

Rank	Cause	Total Number of Death
1	Heart Disease	850
2	Cancer	561
3	Stroke	195
4	Unintentional injury	97
5	Chronic Lung	89

Source: DHHS Death Certificate Data 2003

- An average of 25 residents died because of injury each year in the counties served by the SHDHD (*Table D2*).
- Deaths due to injuries made up 4.8% of total deaths in the SHDHD coverage area compared to 6% of total deaths in Nebraska. In the SHDHD counties, among 10-24 year olds more than 80% of deaths were due to injuries (*Table D2*).


**Table D2: Injury Deaths as a Percent of All Deaths by Age,
South Heartland District Health Department Coverage Area, NE, 1999-2003**

Age Group	Annual Average			Percent of Death due to Injury
	Injury Deaths	Injury Deaths	All Deaths	
<1	0	0	18	0.0
1-4	0	0	3	0.0
5-9	0	0	0	0.0
10-14	2	0	2	100.0
15-19	12	2	15	80.0
20-24	10	2	11	90.9
25-29	8	2	14	57.1
30-34	4	1	13	30.8
35-39	6	1	22	27.3
40-44	6	1	32	18.8
45-49	5	1	29	17.2
50-54	2	0	35	5.7
55-59	7	1	81	8.6
60-64	8	2	107	7.5
65-74	13	3	404	3.2
75-84	11	2	759	1.4
85+	30	6	1,058	2.8
Total	124	25	2,603	4.8

Source: DHHS Death Certificate Data 2003

- Years of Potential Life Lost (YPLL) from unintentional injury ranked third (15.3%), following those from cancer (24.1%) and heart disease (19.2%). Suicide ranked 4th at 5.6% (*Figure D1*).

**Figure D1: Years of Potential Life Lost (YPLL) before 75 by Cause of Death
South Heartland District Health Department Coverage Area, NE, 1999-2003**



- The SHDHD coverage counties had a higher unintentional injury rate (35.6 per 100,000) and lower suicide rate (9.4 per 100,000) when compared to Nebraska rates (33.3 and 10.6 per 100,000 respectively) (Table D3).

**Table D3: Injury Deaths, Percentage, and Age-adjusted Rates,
South Heartland District Health Department Coverage Area, NE, 1999-2003**

Intent	Male			Female			Total			State		
	N	%	Rate	N	%	Rate	N	%	Rate	N	%	Rate
Unintentional	42	64.6	47.8	27	75.0	20.8	69	68.3	33.7	3,020	68.3	33.3
Suicide	19	29.2	22.5	5	13.9	6.1	24	23.8	14.0	894	20.2	10.6
Homicide	2	3.1	*	1	2.8	*	3	3.0	*	273	6.2	3.2
Undetermined	1	1.5	*	2	5.6	*	3	3.0	*	139	3.1	1.6
Adverse Effects	1	1.5	*	1	2.8	*	2	2.0	*	93	2.1	1.0
Total	65	100.0	75.0	36	100.0	29.8	101	100.0	51.4	4,419	100.0	48.9

Source: DHHS Death Certificate Data 2003

* Fewer than five deaths

- More males (65.7%) died from all injury-related causes than females in the SHDHD coverage area (34.4%) (Table D4).


Table D4: Injury-related Deaths and Hospital Discharges by Gender, Age, and Race, South Heartland District Health Department Coverage Area, NE, 1999-2003

	South Heartland District HD				State			
	Deaths		Hospital Discharges		Deaths		Hospital Discharges	
	N	%	N	%	N	%	N	%
Gender								
Male	86	65.7	4,965	51.5	2,848	64.3	386,563	53.1
Female	45	34.4	4,676	48.5	1,581	35.7	341,506	46.9
Total	131	100.0	9,641	100.0	4,429	100.0	728,069	100.0
Age								
<1	0	0.0	48	0.5	26	0.6	7,142	1.0
1-4	0	0.0	536	5.6	58	1.3	59,764	8.2
5-14	2	1.5	1,478	15.3	107	2.4	122,382	16.8
15-24	22	16.8	1,853	19.2	699	15.8	144,001	19.8
25-34	12	9.2	886	9.2	486	11.0	84,574	11.6
35-44	12	9.2	915	9.5	593	13.4	84,445	11.6
45-54	8	6.1	805	8.4	547	12.4	66,321	9.1
55-64	15	11.5	587	6.1	292	6.6	39,540	5.4
65-74	15	11.5	810	8.4	355	8.0	40,555	5.6
75-84	14	10.7	962	10.0	575	13.0	45,135	6.2
85+	31	23.7	761	7.9	691	15.6	34,222	4.7
Total	131	100.0	9,641	100.0	4,429	100.0	728,081	100.0
Race								
Asian	0	0.0			29	0.7		
African American	0	0.0			194	4.4		
Native American	0	0.0			72	1.6		
White	131	100.0			4,123	93.1		
Other	0	0.0			11	0.3		
Total	131	100.0			4,429	100.0		

Note: Hospital discharges include hospital inpatients, outpatients, and ER visits.

- Injury death rates were the highest for the oldest age group, 85 and older. Persons in this age group in the SHDHD counties had an injury death rate of 438 per 100,000 compared to the Nebraska rate of 394 per 100,000 (*Figure D2*).

**Figure D2: All Injury Death Rates by Age,
South Heartland District Health Department Coverage Area, NE, 1999-2003**




* Fewer than five deaths
Source: DHHS Death Certificate Data 1999-2003

Leading causes

- Motor vehicle crashes were the leading cause of injury death in the counties served by the SHDHD with an age-adjusted rate of 15 per 100,000. The rate was slightly higher than the Nebraska rate (13.6 per 100,000) (Figure D3).
- Suicide was the second leading cause of injury death. The age-adjusted death rate for suicide was slightly lower than the Nebraska rate (9.4 and 10.6 per 100,000 respectively) (Figure D3).
- Falls were the third leading cause of injury death. The age-adjusted death rate due to falls was similar to the Nebraska rate (7.1 and 7.0 per 100,000 respectively) (Figure D3).

Figure D3: Age-adjusted Injury Death Rates by Cause, South Heartland District Health Department Coverage Area, NE, 1999-2003



* Fewer than five deaths

Source: DHHS Death certificate Data 1999-2003

Age

- More than half (52%) of all injury deaths for teens and young adults age 15-24 years were caused by motor vehicle crashes (*Table D5*).
- More than 62% of deaths due to fall injuries (N=15) were among persons 85 years and older (*Table D6*).
- Teens and young adults age 15-24 years had the highest percentage (30.4%) of suicide deaths compared to those in other age groups in SHDHD area (*Table D7*).

Table D5: Deaths Due to Motor Vehicle Crash by Age and Gender, South Heartland District Health Department Coverage Area, NE, 1999-2003

Age	Male		Female		Total	
	N	%	N	%	N	%
15-24	11	50.0	2	33.3	13	52.0
25-34	3	15.8	3	50.0	6	24.0
35-44	3	15.8	2	33.3	5	20.0
45-54	2	10.5	1	16.7	3	12.0
55-64	2	10.5	2	33.3	4	16.0
65-74	0	0.0	2	33.3	2	8.0
75-84	1	5.3	0	0.0	1	4.0
85+	0	0.0	2	33.3	2	8.0
Total	22	115.8	14	233.3	36	144.0

Source: DHHS Death Certificate Data 2003

**Table D6: Deaths Due to Fall by Age and Gender,
South Heartland District Health Department Coverage Area, NE, 1999-2003**

Age	Male		Female		Total	
	N	%	N	%	N	%
25-34	1	7.7	0	0.0	1	4.2
45-54	0	0.0	1	9.1	1	4.2
55-64	2	15.4	0	0.0	2	8.3
65-74	1	7.7	0	0.0	1	4.2
75-84	2	15.4	2	18.2	4	16.7
85+	7	53.8	8	72.7	15	62.5
Total	13	100.0	11	100.0	24	100.0

Source: DHHS Death Certificate Data 2003

**Table D7: Deaths Due to Suicide by Age and Gender,
South Heartland District Health Department Coverage Area, NE, 1999-2003**

Age	Male		Female		Total	
	N	%	N	%	N	%
5-14	0	0.0	1	50.0	1	4.3
15-24	6	28.6	1	50.0	7	30.4
25-34	2	9.5	0	0.0	2	8.7
35-44	2	9.5	0	0.0	2	8.7
45-54	1	4.8	0	0.0	1	4.3
55-64	5	23.8	0	0.0	5	21.7
65-74	2	9.5	0	0.0	2	8.7
75-84	2	9.5	0	0.0	2	8.7
85+	1	4.8	0	0.0	1	4.3
Total	21	100.0	2	100.0	23	100.0

Source: DHHS Death Certificate Data 2003

Gender

- More males (N=22) died from motor vehicle crashes than females (N=14) (*Table D5*).
- More males (N=13) died from falls than females (N=11) (*Table D6*).
- More males (N=21) died from suicide than females (N=2) (*Table D7*).

Hospital Discharges

Overall

- The SHDHD coverage area had a lower unintentional injury-related hospital discharge rate (3,369.7 per 100,000), suicide attempt rate (21.5 per 100,000), and homicide rate (50.3 per 100,000) compared to Nebraska rates (7,610, 75, and 204 per 100,000 respectively) (*Table H1*).

Table H1: Injury Hospital Discharges, Percentage, and Age-adjusted Rates, South Heartland District Health Department Coverage Area, NE, 1999-2003

Intent	Males			Females			Total			State		
	N	%	Rate	N	%	Rate	N	%	Rate	N	%	Rate
Unintentional	4,287	97.7	3,743.2	3,892	98.1	3,014.0	8,179	97.9	3,369.7	665,407	95.9	7,609.6
Suicide	16	0.4	13.6	30	0.8	29.1	46	0.6	21.5	6,379	0.9	75.0
Homicide	77	1.8	66.0	37	0.9	35.3	114	1.4	50.3	17,720	2.6	203.9
Undetermined	5	0.1	4.4	10	0.3	9.9	15	0.2	7.2	4,181	0.6	48.3
Other	2	0.0	*	0	0.0	*	2	0.0	*	404	0.1	4.7
Total	4,387	100.0	3,829.2	3,969	100.0	3,088.3	8,356	100.0	3,449.7	694,091	100.0	7,941.5

Source: NE Hospital Discharge Data 1999-2003

Rates per 100,000 population are age-adjusted to the 2000 U.S. standard population

* Fewer than five discharges

- More males (51.5%) than females (48.5%) were treated at a hospital for all injury-related causes (*Table D4*).

Leading causes

- Falls were the leading cause of injury-related hospital discharge for all age groups combined, with an age-adjusted rate of 1,071 per 100,000. The rate was less than half the Nebraska rate (2,184 per 100,000) (*Table H2 & Figure H1*).
- Struck by/against was the second leading cause of injury-related hospital discharge for all age groups combined. The age-adjusted hospital discharge rate for struck by/against was lower than the Nebraska rate (535 and 1,132 per 100,000 respectively) (*Table H2 & Figure H1*).
- Motor vehicle crashes were the third leading cause of injury-related hospital discharge. The age-adjusted rate was lower than the Nebraska rate (338 and 684 per 100,000) (*Table H2 & Figure H1*).
- Cutting/piercing (268 per 100,000) and overexertion (251 per 100,000) were the 4th and 5th ranking cause of injury-related hospital discharge in the SHDHD coverage area (*Table H2 & Figure H1*).

Table H2: Five Leading Causes of Hospital Discharges for Injury by Age, South Heartland District Health Department Coverage Area, NE, 1999-2003


Rank	<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	84+	All Ages
1	Falls N=23	Falls N=205	Falls N=184	Struck by/against N=254	Struck by/against N=423	Falls N=137	Falls N=180	Falls N=202	Falls N=166	Falls N=325	Falls N=494	Falls N=471	Falls N=2,878
2	Struck by/against N=5	Struck by/against N=68	Struck by/against N=117	Falls N=232	MV traffic N=297	MV traffic N=121	Cut/Pierce N=98	Cut/Pierce N=81	Cut/Pierce N=47	Overexertion N=45	MV traffic N=29	Struck by/against N=12	Struck by/against N=1,223
3	Suffocation N=4	Fire/Burn N=30	Cut/Pierce N=48	Overexertion N=72	Falls N=259	Struck by/against N=106	MV traffic N=90	MV traffic N=78	Struck by/against N=42	MV traffic N=40	Overexertion N=26	MV traffic N=6	MV traffic N=769
4	Overexertion N=4	Cut/Pierce N=25	Natural/Envir N=26	Cut/Pierce N=65	Overexertion N=160	Cut/Pierce N=76	Struck by/against N=89	Overexertion N=56	MV traffic N=31	Struck by/against N=37	Struck by/against N=17	Natural/Envir N=5	Cut/Pierce N=606
5	Fire/Burn N=3	MV traffic N=24	MV traffic N=18	Other Trans N=38	Cut/Pierce N=118	Overexertion N=71	Overexertion N=78	Struck by/against N=53	Overexertion N=28	Cut/Pierce N=33	Cut/Pierce N=12	Cut/Pierce N=3	Overexertion N=572

Hospital visits includes visits as inpatient, ER and non-ER patient

Note: Causes coded as "other specified" and "unspecified" are excluded from this matrix

Source: NE Hospital Discharge Data, 1999-2003

**Figure H1: Age-adjusted Injury Hospital Discharge Rates by Cause
South Heartland District Health Department Coverage Area, NE, 1999-2003**



Source: NE Hospital Discharge Data 1999-2003

Age

- The injury hospital discharge rate due to falls was the highest for persons age 85 and older. Among children age 14 and under, the 1-4 year age group had the highest fall injury rate (1,849.7 per 100,000), which was lower than the Nebraska rate (4,310 per 100,000). This age group had the third highest fall injury rate following the 75-84 and 85 and older age groups (*Table H3*).
- The 15-24 year age group had the highest injury hospital discharge rate (1,240.4 per 100,000) for struck by/against, which was lower than the Nebraska rate (2,135.8 per 100,000). The rate was second highest for children ages 5-14 at 1,177.9 per 100,000 (*Table H3*).
- The 15-24 year age group had the highest injury hospital discharge rate (870.9 per 100,000) for motor vehicle crash injuries, which was lower than the Nebraska rate (1,633.7 per 100,000) (*Table H3*).
- The injury hospital discharge rates for cutting/piercing (358.8 per 100,000) and overexertion (469.2 per 100,000) were also the highest for the 5-14 year age group (*Table H3*).

Gender

- Females had higher injury hospital discharge rates for falls and motor vehicle crashes than males (1,162.1 and 353.6 per 100,000 vs. 975.5 and 321.8 per 100,000). Females also had a higher overexertion injury hospital discharge rate than males (254.3 vs. 248.3 per 100,000) (*Table H3*).
- Males had higher injury hospital discharge rates for struck by/against and cutting/piercing than females (708.6 and 368.5 vs. 370.1 and 172.4 per 100,000) (*Table H3*).

Table H3: Five Leading Causes of Injury Hospital Discharges, Rates by Gender and Age, South Heartland District Health Department Coverage Area, NE, 1999-2003

Cause	Age	South Heartland District HD									State		
		Male			Female			Total			Rate		
		N	%	Rate	N	%	Rate	N	%	Rate	Male	Female	Total
Falls	<1	17	1.5	1216.9	6	0.3	438.3	23	0.8	831.5	2298.5	2139.4	2220.8
Falls	1-4	116	10.1	1998.6	89	5.2	1685.9	205	7.1	1849.7	4871.2	3721.2	4309.7
Falls	5-14	198	17.2	1248.4	218	12.6	1394.2	416	14.5	1320.8	2855.0	2404.1	2634.8
Falls	15-24	148	12.9	848.3	111	6.4	666.4	259	9	759.5	1570.9	1323.5	1449.9
Falls	25-34	59	5.1	469.4	78	4.5	653.6	137	4.8	559.1	1048.4	1303.4	1173.8
Falls	35-44	85	7.4	512	95	5.5	589.9	180	6.3	550.3	1084.2	1357.6	1220.2
Falls	45-54	87	7.6	534.8	115	6.7	710.7	202	7	622.5	1116.0	1610.3	1364.2
Falls	55-64	70	6.1	642.4	96	5.6	834.5	166	5.8	741	1337.7	1976.8	1664.3
Falls	65-74	101	8.8	1222.5	224	13	2167.6	325	11.3	1747.7	2151.5	3581.0	2926.8
Falls	75-84	171	14.9	2656.1	323	18.7	3479.5	494	17.2	3142.3	4355.2	7355.0	6138.2
Falls	85+	98	8.5	4766.5	373	21.6	7425.8	471	16.4	6653.5	10070.0	14640.0	13320.0
Total		1150	100.0	975.5	1728	100.0	1162.1	2878	100.0	1071.0	2013.8	2349.3	2184.0
Struck by/against	<1	4	0.5	*	1	0.2	*	5	0.4	180.8	836	692.9	766.1
Struck by/against	1-4	45	5.6	775.3	23	5.6	435.7	68	5.6	613.6	2812.4	1729.5	2283.7
Struck by/against	5-14	224	27.7	1412.4	147	35.5	940.1	371	30.3	1177.9	2919.3	1521.6	2236.7
Struck by/against	15-24	322	39.8	1845.7	101	24.4	606.4	423	34.6	1240.4	3069.3	1161.5	2135.8
Struck by/against	25-34	70	8.7	557	36	8.7	301.7	106	8.7	432.6	1212	676.9	948.9
Struck by/against	35-44	54	6.7	325.2	35	8.5	217.3	89	7.3	272.1	854.1	527.3	691.6
Struck by/against	45-54	29	3.6	178.3	24	5.8	148.3	53	4.3	163.3	574.9	385.7	479.9
Struck by/against	55-64	28	3.5	257	14	3.4	121.7	42	3.4	187.5	414.7	291.2	351.6
Struck by/against	65-74	21	2.6	254.2	16	3.9	154.8	37	3	199	415.7	292.7	349
Struck by/against	75-84	7	0.9	108.7	10	2.4	107.7	17	1.4	108.1	415.6	363.7	384.7
Struck by/against	85+	5	0.6	243.2	7	1.7	139.4	12	1	169.5	507.4	519.4	516
Total		809	100.0	708.6	414	100.0	370.1	1223	100.0	535.0	1488.5	786.4	1132.3
MV traffic	<1	0	0	*	1	0.2	*	1	0.1	*	128.9	121.4	125.2
MV traffic	1-4	11	3	189.5	13	3.2	246.3	24	3.1	216.5	251.0	229.3	240.4
MV traffic	5-14	18	4.9	113.5	34	8.5	217.4	52	6.8	165.1	400.0	436.0	417.6
MV traffic	15-24	134	36.5	768.1	163	40.5	978.6	297	38.6	870.9	1444.2	1831.5	1633.7
MV traffic	25-34	64	17.4	509.2	57	14.2	477.6	121	15.7	493.8	855.6	993.0	923.2
MV traffic	35-44	41	11.2	246.9	49	12.2	304.3	90	11.7	275.2	607.3	708.3	657.6
MV traffic	45-54	49	13.4	301.2	29	7.2	179.2	78	10.1	240.4	476.5	523.1	499.9
MV traffic	55-64	17	4.6	156	14	3.5	121.7	31	4	138.4	346.5	441.2	394.9
MV traffic	65-74	18	4.9	217.9	22	5.5	212.9	40	5.2	215.1	327.3	382.2	357.1
MV traffic	75-84	15	4.1	233	14	3.5	150.8	29	3.8	184.5	402.4	393.8	397.3
MV traffic	85+	0	0	*	6	1.5	119.5	6	0.8	84.8	404.8	248.5	293.6
Total		367	100.0	321.8	402	100.0	353.6	769	100.0	338.0	629.3	737.3	684.0
Cut/Pierce	<1	0	0	*	0	0	*	0	0	*	228.7	185.5	207.6
Cut/Pierce	1-4	19	4.6	327.4	6	3.1	113.7	25	4.1	225.6	925.2	609.5	771.1
Cut/Pierce	5-14	66	16	416.1	47	24.2	300.6	113	18.6	358.8	1033.2	615.8	829.4
Cut/Pierce	15-24	88	21.4	504.4	30	15.5	180.1	118	19.5	346	1399.6	650.1	1032.9
Cut/Pierce	25-34	55	13.3	437.6	21	10.8	176	76	12.5	310.2	1138.4	596.8	872.2
Cut/Pierce	35-44	69	16.7	415.6	29	14.9	180.1	98	16.2	299.6	861	517.5	690.1
Cut/Pierce	45-54	56	13.6	344.3	25	12.9	154.5	81	13.4	249.6	650.7	401.2	525.4
Cut/Pierce	55-64	32	7.8	293.7	15	7.7	130.4	47	7.8	209.8	555	309.7	429.6
Cut/Pierce	65-74	20	4.9	242.1	13	6.7	125.8	33	5.4	177.5	582.4	266.5	411.1
Cut/Pierce	75-84	5	1.2	77.7	7	3.6	75.4	12	2	76.3	448.3	214.8	309.5
Cut/Pierce	85+	2	0.5	*	1	0.5	*	3	0.5	*	333.7	194.8	234.9
Total		412	100.0	368.5	194	100.0	172.4	606	100.0	268.0	893.0	492.5	689.8
Overexertion	<1	2	0.7	*	2	0.7	*	4	0.7	*	111.1	156.8	133.4
Overexertion	1-4	9	3.1	155.1	8	2.8	151.5	17	3	153.4	352.6	519.6	434.1
Overexertion	5-14	37	12.9	233.3	49	17.2	313.4	86	15	273.1	537.1	610.3	572.9
Overexertion	15-24	81	28.2	464.3	79	27.7	474.3	160	28	469.2	1317.5	1024.1	1173.9
Overexertion	25-34	42	14.6	334.2	29	10.2	243	71	12.4	289.8	952.4	828.7	891.6
Overexertion	35-44	44	15.3	265	34	11.9	211.1	78	13.6	238.5	817.7	677.3	747.9
Overexertion	45-54	28	9.8	172.1	28	9.8	173	56	9.8	172.6	616.4	572.9	594.5
Overexertion	55-64	7	2.4	64.2	21	7.4	182.5	28	4.9	125	426.6	433.8	430.3
Overexertion	65-74	24	8.4	290.5	21	7.4	203.2	45	7.9	242	356.1	445.4	404.6
Overexertion	75-84	13	4.5	201.9	13	4.6	140	26	4.5	165.4	311.8	419.9	376.0
Overexertion	85+	0	0	*	1	0.4	*	1	0.2	*	236.9	387.2	343.8
Total		287	100.0	254.3	285	100.0	248.3	572	100.0	251.0	705.5	635.6	679.2

Source: Hospital Discharge Data 1999-2003

Rates are per 100,000 per year

* Fewer than five discharges