


INJURY REPORT, 1999-2003

Northeast Nebraska Public Health Department Coverage Area Cedar, Dixon, Thurston and Wayne Counties

Summary

Injury is a public health problem in the Northeast Nebraska Public Health Department (NNPHD) coverage area. Overall, injury is the fifth leading cause of death (*Table D1*). From 1999 to 2003, in addition to 76 injury deaths, nearly 300 residents in Cedar, Dixon, Thurston and Wayne Counties were hospitalized and almost 6,900 residents were treated at hospitals for injuries (*Figure A*). Overall, motor vehicle crashes were the leading cause of injury deaths. Suicide was second, followed by suffocation. In contrast to deaths, falls were the leading cause of injury-related hospital discharges and struck by/against injuries were second, followed by overexertion, motor vehicle crashes, and cutting/piercing.

Figure A: Injury Pyramid, Residents of Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003



The pattern of injury varied by age and gender. Injury had a greater impact on children and young adults. Of all deaths among persons age 15-34, most were due to injuries. Therefore, more years of potential life were lost due to injuries. Males were more than four times as likely as females to die from injuries. Additionally, teenagers and young adults were more likely to die from motor vehicle crashes, while older adults were more likely to die from fall injuries.

The following table highlights the NNPHD coverage area's progress towards the 2010 Nebraska Health Goals and Objectives related to deaths due to unintentional injuries, falls, motor vehicle crashes, and suicide (*Table A*).

Table A: Injury Death Rates, Northeast Nebraska Public Health Department Coverage Area, NE, 2003

Cause of Death	Death Rate 2003	2010 Nebraska Objective (rate per 100,000 population)
Unintentional Injury	59.3	19.4
Fall	2.2	3.5
Motor Vehicle Crash	39.5	12.0
Suicide	15.9	8.2

Injury Deaths

Overall

- From 1999 to 2003, injuries, including unintentional and intentional, were the fifth leading cause of death in the NNPHD coverage area (*Table D1*).

**Table D1: Five Leading Causes of Death,
Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003**

Rank	Cause	Total Number of Death
1	Heart Disease	416
2	Cancer	261
3	Stroke	131
4	Mental/Psychoses	70
5	Injury	61

Source: DHHS Death Certificate Data 1999-2003

- An average of 15 residents died from injuries each year in the NNPHD coverage area (*Table D2*).
- Deaths due to injury made up 5.9% of total deaths in the NNPHD coverage area, compared to 6% of total deaths in Nebraska. More than 75% of all deaths among teens and young adults age 15-34 were caused by injuries in the NNPHD coverage area (*Table D2*).


**Table D2: Injury Deaths as a Percent of All Deaths by Age,
Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003**

Age Group	Injury Deaths	Annual Average Injury Deaths	All Deaths	Percent of Death due to Injury
≤14	5	1	16	31.3
15-19	10	2	13	76.9
20-24	7	1	8	87.5
25-29	3	1	3	100.0
30-34	9	2	11	81.8
35-39	5	1	10	50.0
40-44	4	1	13	30.8
45-49	2	0	20	10.0
50-54	6	1	25	24.0
55-59	0	0	20	0.0
60-64	1	0	48	2.1
65-74	9	2	185	4.9
75-84	9	2	332	2.7
85+	6	1	594	1.0
Total	76	15	1,298	5.9

Source: DHHS Death Certificate Data 1999-2003

- Years of Potential Life Lost (YPLL) from unintentional injury ranked first (27.5%). Suicide ranked 6th at 4.1%, and homicide ranked 7th at 3.1% (*Figure D1*).

Figure D1: Years of Potential Life Lost (YPLL) before Age 75 by Cause of Death, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003



- The NNPHD coverage area had a higher unintentional injury rate (35.9 per 100,000), lower suicide rate (6.4 per 100,000) and similar homicide rate (3.3 per 100,000) than Nebraska rates (33.3, 10.6, and 3.2 per 100,000 respectively) (Table D3). The NNPHD has not met the 2010 Nebraska Objective of 19.4 or fewer unintentional injury deaths per 100,000 population.

Table D3: Injury Deaths, Percentage, and Age-adjusted Rates, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003

Intent	Male			Female			Total			State		
	N	%	Rate	N	%	Rate	N	%	Rate	N	%	Rate
Unintentional	48	80.0	60.7	13	81.3	11.7	61	80.3	35.9	3,020	68.3	33.3
Suicide	10	16.7	13.0	0	0.0	0.0	10	13.2	6.4	894	20.2	10.6
Homicide	2	3.3	*	3	18.8	*	5	6.6	3.3	273	6.2	3.2
Undetermined	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	139	3.1	1.6
Adverse Effects	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	93	2.1	1.0
Total	60	100.0	76.0	16	100.0	16.0	76	100.0	45.6	4,419	100.0	48.9

Source: DHHS Death Certificate Data 1999-2003

* Fewer than five deaths


- More males (79%) died from all injury-related causes than females (21%) (Table D4).
- Injury death rates were the highest for the oldest age group, 85 and older (Figure D2).

**Table D4: Injury Related Deaths and Hospital Discharges by Gender, Age, and Race,
Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003**

	Northeast HD				State			
	Deaths		Hospital Discharges		Deaths		Hospital Discharges	
	N	%	N	%	N	%	N	%
Gender								
Male	60	78.9	4,022	56.0	2,848	64.3	386,563	53.1
Female	16	21.1	3,164	44.0	1,581	35.7	341,506	46.9
Total	76	100.0	7,186	100.0	4,429	100.0	728,069	100.0
Age								
<1	1	1.3	60	0.8	26	0.6	7,142	1.0
1-4	1	1.3	437	6.1	58	1.3	59,764	8.2
5-14	3	4.0	1,021	14.2	107	2.4	122,382	16.8
15-24	17	22.4	1,926	26.8	699	15.8	144,001	19.8
25-34	12	15.8	683	9.5	486	11.0	84,574	11.6
35-44	9	11.8	666	9.3	593	13.4	84,445	11.6
45-54	8	10.5	643	9.0	547	12.4	66,321	9.1
55-64	1	1.3	436	6.1	292	6.6	39,540	5.4
65-74	9	11.8	428	6.0	355	8.0	40,555	5.6
75-84	9	11.8	426	5.9	575	13.0	45,135	6.2
85+	6	7.9	460	6.4	691	15.6	34,222	4.7
Total	76	100.0	7,186	100.0	4,429	100.0	728,081	100.0
Race								
Asian					29	0.7		
African American	1	1.3			194	4.4		
Native American	20	26.3			72	1.6		
White	55	72.4			4,123	93.1		
Other					11	0.3		
Total	76	100.0			4,429	100.0		

Note: Hospital discharges include hospital inpatients, outpatients, and ER visits.

Figure D2: All Injury Death Rates by Age, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003




* Fewer than five deaths
 Source: DHHS Death Certificate Data 1999-2003

Leading causes

- Motor vehicle crashes were the leading cause of injury deaths with an age-adjusted rate of 16.5 per 100,000. The rate was higher than the Nebraska rate (13.6 per 100,000) (Figure D3). The NNPHD has not met the 2010 Nebraska Objective of 12.0 or fewer motor vehicle crash injury deaths per 100,000 population.
- Suicide was the second leading cause of injury deaths. The age-adjusted death rate for suicide was lower than the Nebraska rate (6.4 vs. 10.6 per 100,000 respectively) (Figure D3).
- Suffocation was the third leading cause of injury deaths. The age-adjusted death rate due to suffocation was higher than the Nebraska rate (4.1 vs. 2.9 per 100,000 respectively) (Figure D3).

Figure D3: Age-adjusted Injury Death Rates by Cause, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003



* Fewer than five deaths
 Source: DHHS Death Certificate Data 1999-2003

Age

- Persons age 15-24 years (N=14) were involved in the most fatal motor vehicle crashes, accounting for 50.0% of total deaths (N=28) due to motor vehicle crashes (Table D5).

Table D5: Deaths Due to Motor Vehicle Crash by Age and Gender, Northeast Nebraska Public Health Department Coverage Area, 1999-2003

Age	Male		Female		Total	
	N	%	N	%	N	%
1-4	0	0.0	0	0.0	0	0.0
5-14	0	0.0	0	0.0	0	0.0
15-24	12	50.0	2	50.0	14	50.0
25-34	4	16.7	0	0.0	4	14.3
35-44	3	12.5	1	25.0	4	14.3
45-54	2	8.3	0	0.0	2	7.1
55-64	1	4.2	0	0.0	1	3.6
65-74	0	0.0	1	25.0	1	3.6
75-84	1	4.2	0	0.0	1	3.6
85+	1	4.2	0	0.0	1	3.6
Total	24	100.0	4	100.0	28	100.0

Source: DHHS Death Certificate Data 1999-2003

- Persons 85 years and older accounted for sixty percent (N=3) of the deaths due to fall injuries (Table D6).

**Table D6: Deaths Due to Fall by Age and Gender,
Northeast Nebraska Public Health Department Coverage Area, 1999-2003**

Age	Male		Female		Total	
	N	%	N	%	N	%
65-74	0	0.0	1	25.0	1	20.0
75-84	0	0.0	1	25.0	1	20.0
85+	1	100.0	2	50.0	3	60.0
Total	1	100.0	4	100.0	5	100.0

Source: DHHS Death Certificate Data 1999-2003

- More persons in the 35-44 year age group (30%) died from suicide than persons in other age groups (Table D7).

**Table D7: Deaths Due to Suicide by Age and Gender,
Northeast Nebraska Public Health Department Coverage Area, 1999-2003**

Age	Male		Female		Total	
	N	%	N	%	N	%
5-14	1	10.0	0	0.0	1	10.0
15-24	1	10.0	0	0.0	1	10.0
25-34	1	10.0	0	0.0	1	10.0
35-44	3	30.0	0	0.0	3	30.0
65-74	2	20.0	0	0.0	2	20.0
75-84	1	10.0	0	0.0	1	10.0
85+	1	10.0	0	0.0	1	10.0
Total	10	100.0	0	0.0	10	100.0

Source: DHHS Death Certificate Data 1999-2003

Gender

- More males (N=24) died from motor vehicle crashes than females (N=4) (Table D5).
- More females (N=4) died from fall injuries than males (N=1) (Table D6).
- Persons in these counties who died from suicide were all males (Table D7).

Hospital discharges

Overall

- The NNPHD coverage area had a lower unintentional injury hospital discharge rate (3,912 per 100,000), suicide attempt rate (27 per 100,000), and homicide rate (63 per 100,000) compared to Nebraska rates (7,610, 75, and 204 per 100,000 respectively) (*Table H1*).
- More males (N=3,850) than females (N=2,994) were treated at a hospital for all injury-related causes (*Table H1*).

Table H1: Injury Hospital Discharges, Percentage, and Age-adjusted Rates, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003

Intent	Males			Females			Total			State		
	N	%	Rate	N	%	Rate	N	%	Rate	N	%	Rate
Unintentional	3,758	97.6	4,541.5	2,926	97.7	3,298.7	6,684	97.7	3,912.0	665,407	95.9	7,609.6
Suicide	12	0.3	14.8	32	1.1	39.4	44	0.6	27.3	6,379	0.9	75.0
Homicide	71	1.8	85.5	30	1.0	40.1	101	1.5	62.5	17,720	2.6	203.9
Undetermined	9	0.2	11.5	6	0.2	7.6	15	0.2	9.5	4,181	0.6	48.3
Other	0	0.0	0.0	0	0.0	0.0	0	0.0	0.0	404	0.1	4.7
Total	3,850	100.0	4,653.2	2,994	100.0	3,385.8	6,844	100.0	4,011.3	694,091	100.0	7,941.5

Source: Nebraska Hospital Discharge Data 1999-2003

Rates per 100,000 population are age-adjusted to the 2000 U.S. standard population

Leading causes

- Falls were the leading cause of injury hospital discharges for all age groups combined, with an age-adjusted rate of 946 per 100,000. The rate was less than half of the Nebraska rate (2,184 per 100,000). Falls were also the leading cause of hospital discharges for all age groups except for the 10-14, 15-24, and 25-34 year age groups (*Table H2 & Figure H1*).
- Struck by/against was the second leading cause of injury hospital discharges for all ages combined, and the leading cause for persons age 10-14 and 15-24. The age-adjusted hospital discharge rate for struck by/against was less than half the Nebraska rate (510 vs. 1,132 per 100,000) (*Table H2 & Figure H1*).
- Overexertion was the third leading cause of injury hospital discharges. The age-adjusted rate was lower than the Nebraska rate (462 and 679 per 100,000) (*Figure H1*).
- Motor vehicle crashes (429 per 100,000) and cutting/piercing (384 per 100,000) were the 4th and 5th ranking cause of injury hospital discharges in the NNPHD coverage area (*Figure H1*).

Table H2: Five Leading Causes of Hospital Discharges for Injury by Age, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003


Rank	<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	84+	All Ages
1	Falls N=24	Falls N=125	Falls N=119	Struck by/against N=145	Struck by/against N=348	Overexertion N=102	Falls N=103	Falls N=157	Falls N=107	Falls N=170	Falls N=216	Falls N=290	Falls N=1,732
2	Struck by/against N=5	Struck by/against N=78	Struck by/against N=80	Falls N=117	MV traffic N=300	MV traffic N=88	Cut/Pierce N=86	Overexertion N=66	Overexertion N=51	Overexertion N=32	Overexertion N=28	MV traffic N=14	Struck by/against N=887
3	MV traffic N=4	Cut/Pierce N=32	Cut/Pierce N=49	Overexertion N=74	Overexertion N=291	Cut/Pierce N=87	Overexertion N=81	Cut/Pierce N=58	MV traffic N=33	MV traffic N=23	MV traffic N=22	Cut/Pierce N=7	Overexertion N=767
4	Cut/Pierce N=4	MV traffic N=24	Other Pedal CYC N=38	MV traffic N=58	Falls N=223	Falls N=81	MV traffic N=74	MV traffic N=52	Cut/Pierce N=31	Cut/Pierce N=18	Struck by/against N=13	Struck by/against N=7	MV traffic N=720
5	Overexertion N=4	Natural/Envir N=23	MV traffic N=28	Cut/Pierce N=57	Cut/Pierce N=177	Struck by/against N=63	Struck by/against N=69	Struck by/against N=36	Struck by/against N=26	Struck by/against N=17	Cut/Pierce N=11	Overexertion N=7	Cut/Pierce N=617

Hospital visits includes visits as Inpatient, ER and non-ER patient

Note: Causes coded as "other specified" and "unspecified" are excluded from this matrix

Source: Nebraska Hospital Discharge Data 1999-2003

Figure H1: Age-adjusted Injury Hospital Discharge Rates by Cause, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003



Source: Nebraska Hospital Discharge Data 1999-2003

Age

- Hospital discharge rates due to falls were the highest for persons age 85 and older (6,460 per 100,000). Among children age 14 and under, the 1-4 year age group had the highest fall injury rate (1,439 per 100,000), which was about one third the Nebraska rate (4,310 per 100,000). This age group had the third highest fall injury rate after the 75-84 and 85 and older age groups (*Table H3*).
- The 15-24 year age group had the highest hospital discharge rate (1,185 per 100,000) for struck by/against, which was much lower than the Nebraska rate (2,136 per 100,000). Children age 1-4 years had the second highest rate at 898 per 100,000 (*Table H3*).
- The hospital discharge rate for overexertion injuries was highest for the 15-24 year age group (991 per 100,000) (*Table H3*).
- Hospital discharge rates for motor vehicle crashes (1,022 per 100,000) and cutting/piercing injuries (603 per 100,000) were the highest for individuals in the 15-24 year age group (*Table H3*).

Gender

- Females had higher injury hospital discharge rates for falls than males (983 vs. 909 per 100,000) (*Table H3*).
- The injury hospital discharge rates for struck by/against and cutting/piercing for males were about twice as high as those for females (719 and 510 vs. 306 and 262 per 100,000) (*Table H3*).

- Males had a higher overexertion injury hospital discharge rate than females (499 vs. 426 per 100,000) (*Table H3*).
- Males and females had almost the same motor vehicle crash hospital discharge rates (429 vs. 430 per 100,000) (*Table H3*).

Table H3: Five Leading Causes of Injury Hospital Discharges, Rates by Gender and Age, Northeast Nebraska Public Health Department Coverage Area, NE, 1999-2003

Cause	Age	Northeast HD									State		
		Male			Female			Total			Rate		
		N	%	Rate	N	%	Rate	N	%	Rate	Male	Female	Total
Falls	<1	12	1.6	1081.1	12	1.2	1107	24	1.4	1093.9	2298.5	2139.4	2220.8
Falls	1-4	82	10.9	1843.9	43	4.4	1013.9	125	7.2	1438.8	4871.2	3721.2	4309.7
Falls	5-14	133	17.6	1033.8	103	10.5	836.8	236	13.6	937.5	2855.0	2404.1	2634.8
Falls	15-24	127	16.8	874.6	96	9.8	647	223	12.9	759.6	1570.9	1323.5	1449.9
Falls	25-34	44	5.8	541.1	37	3.8	485.4	81	4.7	514.2	1048.4	1303.4	1173.8
Falls	35-44	52	6.9	492.2	51	5.2	493.8	103	5.9	493	1084.2	1357.6	1220.2
Falls	45-54	69	9.1	672.3	88	9	929	157	9.1	795.5	1116.0	1610.3	1364.2
Falls	55-64	42	5.6	617	65	6.7	934.6	107	6.2	777.5	1337.7	1976.8	1664.3
Falls	65-74	56	7.4	982.1	114	11.7	1730.9	170	9.8	1383.5	2151.5	3581.0	2926.8
Falls	75-84	68	9	1657.3	148	15.1	2793	216	12.5	2297.4	4355.2	7355.0	6138.2
Falls	85+	70	9.3	5351.7	220	22.5	6916.1	290	16.7	6460.2	10070.0	14640.0	13320.0
Total		755	100.0	908.7	977	100.0	982.6	1732	100.0	946.0	2013.8	2349.3	2184.0
Struck by/against	<1	2	0.3	*	3	1.1	*	5	0.6	227.9	836	692.9	766.1
Struck by/against	1-4	45	7.2	1011.9	33	12.6	778.1	78	8.8	897.8	2812.4	1729.5	2283.7
Struck by/against	5-14	150	24	1166	75	28.6	609.3	225	25.4	893.8	2919.3	1521.6	2236.7
Struck by/against	15-24	267	42.7	1838.7	81	30.9	545.9	348	39.2	1185.3	3069.3	1161.5	2135.8
Struck by/against	25-34	49	7.8	602.6	14	5.3	183.7	63	7.1	399.9	1212	676.9	948.9
Struck by/against	35-44	51	8.2	482.7	18	6.9	174.3	69	7.8	330.3	854.1	527.3	691.6
Struck by/against	45-54	25	4	243.6	11	4.2	116.1	36	4.1	182.4	574.9	385.7	479.9
Struck by/against	55-64	17	2.7	249.7	9	3.4	129.4	26	2.9	188.9	414.7	291.2	351.6
Struck by/against	65-74	9	1.4	157.8	8	3.1	121.5	17	1.9	138.3	415.7	292.7	349
Struck by/against	75-84	9	1.4	219.4	4	1.5	75.5	13	1.5	138.3	415.6	363.7	384.7
Struck by/against	85+	1	0.2	*	6	2.3	188.6	7	0.8	155.9	507.4	519.4	516
Total		625	100.0	719.4	262	100.0	305.8	887	100.0	510.0	1488.5	786.4	1132.3
Overexertion	<1	3	0.7	*	1	0.3	*	4	0.5	*	111.1	156.8	133.4
Overexertion	1-4	7	1.7	157.4	11	3.1	259.4	18	2.3	207.2	352.6	519.6	434.1
Overexertion	5-14	44	10.7	342	43	12.1	349.3	87	11.3	345.6	537.1	610.3	572.9
Overexertion	15-24	169	40.9	1163.8	122	34.5	822.2	291	37.9	991.2	1317.5	1024.1	1173.9
Overexertion	25-34	61	14.8	750.2	41	11.6	537.8	102	13.3	647.5	952.4	828.7	891.6
Overexertion	35-44	44	10.7	416.5	37	10.5	358.2	81	10.6	387.7	817.7	677.3	747.9
Overexertion	45-54	37	9	360.5	29	8.2	306.1	66	8.6	334.4	616.4	572.9	594.5
Overexertion	55-64	22	5.3	323.2	29	8.2	417	51	6.6	370.6	426.6	433.8	430.3
Overexertion	65-74	12	2.9	210.5	20	5.6	303.7	32	4.2	260.4	356.1	445.4	404.6
Overexertion	75-84	11	2.7	268.1	17	4.8	320.8	28	3.7	297.8	311.8	419.9	376.0
Overexertion	85+	3	0.7	*	4	1.1	*	7	0.9	155.9	236.9	387.2	343.8
Total		413	100.0	499.3	354	100.0	425.7	767	100.0	462.0	705.5	635.6	679.2
MV traffic	<1	4	1.1	*	0	0	0	4	0.6	*	128.9	121.4	125.2
MV traffic	1-4	6	1.7	134.9	18	5	424.4	24	3.3	276.2	251	229.3	240.4
MV traffic	5-14	41	11.4	318.7	45	12.5	365.6	86	11.9	341.6	400	436	417.6
MV traffic	15-24	151	41.9	1039.9	149	41.4	1004.2	300	41.7	1021.8	1444.2	1831.5	1633.7
MV traffic	25-34	40	11.1	491.9	48	13.3	629.7	88	12.2	558.6	855.6	993	923.2
MV traffic	35-44	45	12.5	425.9	29	8.1	280.8	74	10.3	354.2	607.3	708.3	657.6
MV traffic	45-54	25	6.9	243.6	27	7.5	285	52	7.2	263.5	476.5	523.1	499.9
MV traffic	55-64	17	4.7	249.7	16	4.4	230.1	33	4.6	239.8	346.5	441.2	394.9
MV traffic	65-74	7	1.9	122.8	16	4.4	242.9	23	3.2	187.2	327.3	382.2	357.1
MV traffic	75-84	15	4.2	365.6	7	1.9	132.1	22	3.1	234	402.4	393.8	397.3
MV traffic	85+	9	2.5	688.1	5	1.4	157.2	14	1.9	311.9	404.8	248.5	293.6
Total		360	100.0	428.8	360	100.0	429.9	720	100.0	429.0	629.3	737.3	684.0
Cut/Pierce	<1	2	0.5	*	2	1	*	4	0.6	*	228.7	185.5	207.6
Cut/Pierce	1-4	22	5.3	494.7	10	4.9	235.8	32	5.2	368.3	925.2	609.5	771.1
Cut/Pierce	5-14	74	17.9	575.2	32	15.7	260	106	17.2	421.1	1033.2	615.8	829.4
Cut/Pierce	15-24	125	30.3	860.8	52	25.5	350.5	177	28.7	602.9	1399.6	650.1	1032.9
Cut/Pierce	25-34	57	13.8	701	30	14.7	393.5	87	14.1	552.2	1138.4	596.8	872.2
Cut/Pierce	35-44	53	12.8	501.7	33	16.2	319.5	86	13.9	411.6	861.0	517.5	690.1
Cut/Pierce	45-54	34	8.2	331.3	24	11.8	253.4	58	9.4	293.9	650.7	401.2	525.4
Cut/Pierce	55-64	23	5.6	337.9	8	3.9	115	31	5	225.3	555.0	309.7	429.6
Cut/Pierce	65-74	12	2.9	210.5	6	2.9	91.1	18	2.9	146.5	582.4	266.5	411.1
Cut/Pierce	75-84	9	2.2	219.4	2	1	*	11	1.8	117	448.3	214.8	309.5
Cut/Pierce	85+	2	0.5	*	5	2.5	157.2	7	1.1	155.9	333.7	194.8	234.9
Total		413	100.0	509.8	204	100.0	261.7	617	100.0	384.0	893.0	492.5	689.8

Source: Nebraska Hospital Discharge Data 1999-2003

Rates are per 100,000 per year

* No rate for the number less than five