

Table 1C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Demographic Indicators
Children Aged < 5 Years (2,3)

Total Records	Number
Individual Children	48,614
Total Records (All Visits)	75,773

Source of Data	Number	%
WIC	48,614	100.0
EPSDT	0	0.0
Child Health-MCH	0	0.0
Child Health-HMO	0	0.0
Headstart	0	0.0
School Health	0	0.0
Other	0	0.0
Total	48,614	100.0
<i>Excluded Unknown:</i>	0	0.0 %

Race/Ethnic Distribution	Number	%
White, Not Hispanic	21,733	44.7
Black, Not Hispanic	5,498	11.3
Hispanic	17,321	35.6
American Indian/Alaska Native	548	1.1
Asian/Pacific Islander	1,136	2.3
Multiple Races	2,375	4.9
All Other	0	0.0
Total	48,611	100.0
<i>Excluded Unknown:</i>	3	* %

Age Distribution (4)	Number	%
0 - 5 Months	11,011	22.6
6 - 11 Months	5,680	11.7
12 - 23 Months	9,418	19.4
24 - 35 Months	8,101	16.7
3 - 4 Years	14,404	29.6
Total	48,614	100.0

% of Poverty Level	Number	%
0-50	15,090	31.1
51-100	16,307	33.6
101-130	7,636	15.7
131-150	3,618	7.4
151-185	4,540	9.3
186-200	440	0.9
Over 200	937	1.9
Adjunctive Eligibility	0	0.0
Total	48,568	100.0
<i>Excluded Unknown:</i>	46	* %

Program Participation	Number	%
WIC	48,614	100.0
SNAP	48,614	37.6
Medicaid	48,614	80.7
TANF	48,614	9.4
<i>Excluded Unknown:</i>		
WIC	0	0.0
SNAP	0	0.0
Medicaid	0	0.0
TANF	0	0.0

Migrant Status	Number	%
Yes	26	*
No	48,572	99.9
Total	48,598	100.0
<i>Excluded Unknown:</i>	16	* %

(1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Records rejected if date of birth and date of visit unknown.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 2C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Health Indicators
Children Aged < 5 Years (2)

Summary of Health Indicators (3)				
	Nebraska Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Birthweight (4)				
Low	11,006	8.0	1,851,546	9.0
High	11,006	6.8	1,851,546	6.3
Height and Weight (5,6)				
< 5 Yrs Short Stature	47,790	6.8	8,057,124	6.3
< 5 Yrs Underweight	47,790	3.2	8,057,124	3.6
< 5 Yrs Obese	47,790	12.0	8,057,124	12.4
≥ 2 Yrs Overweight	22,201	16.8	3,572,939	16.1
≥ 2 Yrs Obese	22,201	14.3	3,572,939	14.4
Anemia (7)				
Low Hb	30,075	10.9	5,147,185	14.7
Low Hct	11	*	435,650	10.9
Low Hb/Hct	30,082	10.9	5,391,027	14.6
Breastfeeding (8)				
Ever Breastfed	11,029	74.2	1,689,615	63.2
Breastfed At Least 6 Months	8,290	22.0	908,604	25.1
Breastfed At Least 12 Months	7,149	14.7	1,069,942	16.9
Smoking in Household				
≤ 2 Hours TV Viewing/ Day (9)	48,565	10.1	4,203,554	9.4
	23,752	80.1	1,200,700	79.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis. Low birthweight is defined as < 2500 grams and high birthweight is defined as > 4000 grams.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age <= 2.3rd percentile, underweight is defined as weight-for-length <= 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as >= 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age >= 85th to < 95th percentile, and obesity is defined as >= 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

(8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(9) Children aged 2 years and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 3C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska
Summary of Breastfeeding Indicators
Children Aged < 5 Years ⁽²⁾

Summary of Breastfeeding Indicators ⁽³⁾				
	Nebraska Prevalence		National Prevalence (Prior Year)	
	Number	%	Number	%
Breastfeeding Duration ^(4,5)				
Ever Breastfed	11,029	74.2	1,689,615	63.2
Breastfed 1+ Weeks	10,219	69.8	1,377,351	60.6
Breastfed 2+ Weeks	8,557	65.4	1,047,691	57.9
Breastfed 3+ Weeks	7,529	60.5	856,066	54.5
Breastfed 4+ Weeks	6,956	54.3	754,209	51.2
Breastfed 6+ Weeks	6,488	44.2	655,027	44.1
Breastfed 2+ Months	6,673	38.2	631,752	38.2
Breastfed 3+ Months	7,291	33.0	686,347	33.3
Breastfed 4+ Months	8,102	28.3	774,371	29.7
Breastfed 5+ Months	9,000	24.8	867,746	26.8
Breastfed 6+ Months	8,290	22.0	908,604	25.1
Breastfed 9+ Months	6,974	17.8	987,191	20.4
Breastfed 12+ Months	7,149	14.7	1,069,942	16.9
Breastfed 18+ Months	6,097	9.2	794,365	10.9
Exclusive Breastfeeding ⁽⁶⁾				
Exclusively Breastfed at Least 3 Months	4,681	18.0	363,039	10.7
Exclusively Breastfed at Least 6 Months	5,437	11.9	466,279	6.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

(5) It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska

Comparison of Racial and Ethnic Distribution by Contributor to Nation
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
Contributor	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Nebraska	48,614	44.7	11.3	35.6	1.1	2.3	4.9	0.0
Nation (Prior Year)	8,672,965	32.5	19.1	39.7	0.9	2.5	2.7	2.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Comparison of Age Distribution by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Age Distribution				
Contributor	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Nebraska	48,614	34.3	19.4	46.3
Nation (Prior Year)	8,672,965	33.7	22.1	44.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Comparison of Growth and Anemia Indicators by Contributor to Nation
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3)												
Contributor	Birthweight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under- weight	Obese		\geq 2 Yrs Overweight and Obese				
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
Nebraska	11,006	8.0	6.8	47,790	6.8	3.2	12.0	22,201	16.8	14.3	30,082	10.9
Nation (Prior Year)	1,851,546	9.0	6.3	8,057,124	6.3	3.6	12.4	3,572,939	16.1	14.4	5,391,027	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor to Nation (2)
Children Aged < 5 Years (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4)														
Contributor	Breastfeeding (5)				Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)	Smoking in Household				
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	%				
Nebraska	11,029	74.2	8,290	22.0	7,149	14.7	4,681	18.0	5,437	11.9	23,752	80.1	48,565	10.1
Nation (Prior Year)	1,689,615	63.2	908,604	25.1	1,069,942	16.9	363,039	10.7	466,279	6.1	1,200,700	79.2	4,203,554	9.4

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(7) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 8C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Growth and Anemia Indicators by Race/Ethnicity or Age
Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)												
	Birthweight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Number	Low %	High %	Number	Short Stature	Under- weight	Obese	> 2 Yrs Overweight and Obese				
		<2500 g	>4000 g		%	%	%	Number	%	%		
									Overweight	Obese	Number	%
Race/Ethnicity												
White, Not Hispanic	5,231	7.1	7.4	21,416	7.2	3.0	10.4	9,502	16.1	11.8	12,917	8.9
Black, Not Hispanic	1,349	11.8	3.6	5,375	7.2	5.3	10.0	2,366	14.7	10.8	3,000	21.0
Hispanic	3,412	7.6	7.3	16,990	6.1	2.5	15.0	8,600	18.3	18.3	11,741	10.2
American Indian/Alaska Native	100	4.0	9.0	540	5.7	2.6	16.1	278	21.9	19.1	375	11.7
Asian/Pacific Islander	275	11.3	3.3	1,121	9.6	6.0	7.0	496	11.3	8.3	704	15.1
Multiple Races	639	8.1	6.6	2,346	6.4	4.1	11.5	958	17.3	13.3	1,344	10.9
All Other	0	*	*	2	*	*	*	1	*	*	1	*
Total	11,006	8.0	6.8	47,790	6.8	3.2	12.0	22,201	16.8	14.3	30,082	10.9
Age												
0 - 11 Months	-	-	-	16,276	10.4	5.4	6.8	-	*	*	2,492	17.9
12 - 23 Months	-	-	-	9,313	7.1	0.3	15.9	-	*	*	10,079	13.7
24 - 35 Months	-	-	-	8,055	4.8	2.5	12.5	8,055	16.8	12.5	6,654	11.0
36 - 47 Months	-	-	-	7,300	4.1	3.2	15.1	7,300	16.4	15.1	6,324	7.1
48 - 59 Months	-	-	-	6,846	3.2	2.7	15.6	6,846	17.2	15.6	4,533	6.0
Total	-	-	-	47,790	6.8	3.2	12.0	22,201	16.8	14.3	30,082	10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 9C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (2)
Children Aged < 5 Years (3)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age (4)										
	Breastfeeding (5)						<2 Hours TV/Video Viewing/Day (6)		Smoking in Household	
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	5,238	73.4	4,015	19.2	3,274	12.8	10,111	84.6	21,716	15.2
Black, Not Hispanic	1,355	65.5	945	20.2	813	11.6	2,508	70.0	5,493	8.0
Hispanic	3,419	80.2	2,649	27.2	2,450	18.6	9,275	78.4	17,304	4.6
American Indian/Alaska Native	99	*	82	*	85	*	291	70.4	544	9.6
Asian/Pacific Islander	276	78.6	205	33.7	176	27.8	534	75.5	1,136	2.6
Multiple Races	642	66.5	394	14.5	351	6.0	1,033	82.3	2,371	11.4
All Other	0	*	0	*	0	*	0	*	1	*
Total	11,029	74.2	8,290	22.0	7,149	14.7	23,752	80.1	48,565	10.1
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	16,674	10.0
12 - 23 Months	-	-	-	-	-	-	0	*	9,411	9.6
24 - 35 Months	-	-	-	-	-	-	9,444	83.1	8,092	10.0
36 - 47 Months	-	-	-	-	-	-	7,359	78.7	7,453	10.6
48 - 59 Months	-	-	-	-	-	-	6,949	77.7	6,935	10.5
Total	11,029	74.2	8,290	22.0	7,149	14.7	23,752	80.1	48,565	10.1

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(6) Children aged 2 years and older included in the analysis

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years (2)

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
2011	48,614	44.7	11.3	35.6	1.1	2.3	4.9	0.0
2010	50,106	44.9	11.2	36.0	1.2	2.0	4.7	0.0
2009	48,537	45.2	11.0	36.4	1.2	1.6	4.5	0.0
2008	49,355	46.5	11.3	35.2	1.3	1.4	4.3	0.0
2007	46,446	47.6	11.2	34.5	1.5	1.3	3.9	0.0
2006	45,148	48.8	11.0	34.2	1.5	1.4	3.1	0.0
2005	44,708	50.0	10.8	33.3	1.6	1.7	2.6	0.0
2004	43,897	52.3	11.3	31.1	1.9	1.7	0.9	0.8
2003	42,823	53.9	11.5	29.7	1.8	1.7	0.0	1.3
2002	42,033	56.3	11.6	27.6	1.7	1.6	0.0	1.2
2001	39,692	58.5	11.8	25.4	1.6	1.6	0.0	1.1
2000	36,931	60.8	11.8	23.3	1.5	1.7	0.0	0.9
1999	34,702	62.9	12.1	20.9	1.4	1.6	0.0	1.1
1998	33,854	63.3	11.7	20.5	1.3	1.8	0.0	1.4
1997	33,887	65.8	10.2	19.3	1.5	1.8	0.0	1.2
1996	35,159	67.7	10.9	17.1	1.6	1.7	0.0	0.9
1995	35,974	70.0	11.7	14.5	1.6	1.7	0.0	0.6
1994	37,005	70.6	13.3	12.5	1.7	1.6	0.0	0.4
1993	35,497	72.3	13.2	10.7	1.9	1.6	0.0	0.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 10C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska
Summary of Trends in Racial and Ethnic Distribution
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Racial and Ethnic Distribution								
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
1992	33,086	73.7	13.7	9.0	2.1	1.4	0.0	0.2
1991	28,057	74.3	14.6	7.3	2.4	1.2	0.0	0.2
1990	32,174	74.1	15.0	6.9	2.3	1.1	0.0	0.6
1989	24,734	74.4	15.0	6.0	2.6	1.1	0.0	1.0
1988	24,350	74.4	15.4	5.6	2.7	1.3	0.0	0.5
1987	24,203	74.4	15.5	5.7	2.3	1.5	0.0	0.7
1986	22,855	74.9	14.6	5.2	2.2	2.1	0.0	1.0
1985	29,385	76.2	14.2	4.7	1.9	2.6	0.0	0.4
1984	18,154	74.3	15.8	5.8	2.1	2.0	0.0	0.0
1983	14,011	74.1	15.4	6.4	2.1	2.0	0.0	0.0
1982	13,632	73.5	15.3	7.0	2.0	2.2	0.0	0.1
1981	18	*	*	*	*	*	*	*
1980	2	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
2011	48,614	34.3	19.4	46.3
2010	50,106	35.2	19.7	45.0
2009	48,537	36.2	20.2	43.6
2008	49,355	37.3	20.2	42.5
2007	46,446	38.5	19.8	41.7
2006	45,148	38.0	19.7	42.2
2005	44,708	37.7	20.1	42.1
2004	43,897	38.1	20.2	41.7
2003	42,823	39.2	19.9	40.9
2002	42,033	39.0	20.0	41.0
2001	39,692	39.3	19.7	40.9
2000	36,931	39.3	19.9	40.9
1999	34,702	37.2	20.8	42.0
1998	33,854	36.2	21.8	42.0
1997	33,887	30.7	23.4	45.8
1996	35,159	30.7	22.4	46.9
1995	35,974	31.0	22.3	46.7
1994	37,005	32.1	22.1	45.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 11C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Age Distribution
Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)				
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %
1993	35,497	32.7	23.4	43.9
1992	33,086	34.6	23.4	42.0
1991	28,057	36.3	23.5	40.2
1990	32,174	37.0	23.5	39.6
1989	24,734	42.5	20.4	37.0
1988	24,350	40.8	20.9	38.3
1987	24,203	41.0	21.4	37.6
1986	22,855	42.7	20.9	36.5
1985	29,385	39.1	22.0	38.9
1984	18,154	41.1	20.9	38.0
1983	14,011	43.3	21.2	35.5
1982	13,632	44.0	22.0	34.0
1981	18	*	*	*
1980	2	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Records rejected if date of birth and date of visit unknown.

(4) Excludes records with unknown data or errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low	High		Short Stature	Under-weight	Obese		> 2 Yrs Overweight and Obese				
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	%	%	Number	%
2011	11,006	8.0	6.8	47,790	6.8	3.2	12.0	22,201	16.8	14.3	30,082	10.9
2010	11,518	8.2	7.0	49,251	6.3	3.2	11.8	22,194	16.7	13.8	30,945	13.2
2009	11,146	8.4	6.6	47,564	6.6	3.2	12.4	20,811	17.2	14.2	28,261	14.6
2008	12,246	8.5	6.7	48,447	6.6	3.0	12.3	20,658	17.0	13.9	29,322	14.3
2007	11,913	8.4	6.9	45,670	6.3	3.2	11.7	19,070	16.1	13.5	27,804	16.3
2006	11,507	8.6	6.7	44,332	6.1	3.7	11.5	18,708	15.7	13.1	27,519	16.4
2005	11,208	8.0	7.3	43,889	6.0	4.1	11.8	18,577	15.6	12.6	27,194	15.4
2004	11,119	8.3	7.4	43,124	6.3	3.3	12.5	18,007	16.1	13.5	26,678	14.0
2003	10,964	8.0	7.7	41,732	6.5	3.6	12.2	17,242	16.1	13.4	25,792	13.6
2002	10,704	8.4	8.1	40,877	6.7	3.4	12.6	17,000	15.6	13.1	25,240	12.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 12C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low	High		Short Stature	Under- weight	Obese		> 2 Yrs Overweight and Obese				
	Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese	Number	%
2001	10,189	7.9	7.7	38,667	6.9	3.8	11.5	15,943	15.6	12.0	24,108	12.8
2000	9,706	8.2	8.3	35,937	6.7	4.0	10.6	14,807	15.1	11.4	22,468	14.7
1999	8,763	8.1	8.5	34,053	6.3	3.9	10.2	14,346	13.9	10.4	20,668	15.5
1998	8,825	7.6	8.6	33,223	6.3	4.2	9.7	13,961	13.4	9.9	20,530	15.3
1997	7,493	8.1	8.8	33,240	6.5	4.7	10.1	15,263	14.2	9.8	18,427	18.2
1996	8,104	7.0	9.4	34,728	5.4	4.7	8.7	16,292	12.6	8.3	22,569	14.5
1995	8,142	7.5	8.7	35,574	5.7	5.1	8.0	16,692	12.4	7.3	23,359	14.1
1994	8,793	7.8	9.4	36,607	6.0	5.0	8.0	16,798	12.7	7.6	24,511	13.2
1993	8,224	7.6	9.3	34,992	6.1	4.9	7.9	15,568	13.3	7.5	23,651	11.5
1992	8,194	7.2	10.1	31,451	6.1	4.2	8.2	13,820	12.6	7.5	21,585	10.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 12C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight (5,6)							Anemia Low Hb/Hct (7)	
	Low		High	Short Stature		Under- weight	Obese	> 2 Yrs Overweight and Obese				
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g	>4000 g					Overweight	Obese				
1991	7,491	7.9	9.4	26,560	6.4	4.4	7.7	11,138	12.1	7.2	17,904	10.0
1990	6,594	7.4	9.5	31,114	6.8	4.7	7.7	12,491	12.2	7.5	19,869	11.9
1989	6,937	8.9	9.5	24,294	7.4	4.4	7.4	8,998	12.8	7.8	17,478	12.4
1988	6,697	8.2	9.5	23,892	7.1	4.8	6.7	9,187	12.1	6.6	17,253	12.5
1987	6,363	8.3	10.0	23,824	6.8	5.5	6.3	9,041	11.3	6.1	17,491	11.4
1986	6,281	8.2	10.1	22,329	5.1	5.8	4.9	8,219	11.4	6.5	16,681	10.4
1985	6,096	7.9	9.5	28,332	7.1	6.8	6.7	11,212	10.7	6.0	20,360	10.8
1984	3,808	8.6	9.4	17,412	8.3	8.3	5.6	6,809	9.0	5.5	13,265	8.1
1983	2,639	8.4	8.7	13,366	9.5	9.2	6.7	4,916	11.1	7.3	10,143	13.9
1982	2,713	8.9	8.6	13,062	10.0	8.8	6.4	4,540	12.0	7.5	9,955	15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 12C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Growth and Anemia Indicators
Children Aged < 5 Years (2)

Summary of Trends in Growth and Anemia Indicators (3)												
Year	Birthweight (4)			Height and Weight (5,6)						Anemia Low Hb/Hct (7)		
	Low		High	Short Stature		Under- weight	Obese		> 2 Yrs Overweight and Obese			
	Number	%	%	Number	%	%	%	Number	%	%	Number	%
	<2500 g		>4000 g					Overweight		Obese		
1981	0	*	*	16	*	*	*	0	*	*	11	*
1980	0	*	*	2	*	*	*	0	*	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 13C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2011	11,029	74.2	8,290	22.0	7,149	14.7
2010	11,526	71.6	8,772	22.0	7,464	14.2
2009	11,165	69.9	7,721	23.7	6,811	16.1
2008	12,265	68.8	8,654	22.8	7,644	16.9
2007	11,935	68.2	8,409	25.0	6,907	16.1
2006	11,546	67.8	7,732	24.4	6,499	16.2
2005	11,291	65.1	7,486	23.9	6,492	16.1
2004	11,215	64.8	8,047	24.1	6,710	14.8
2003	11,185	63.1	7,546	22.4	6,209	15.5
2002	11,011	60.0	7,612	21.8	6,136	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
2001	10,448	58.7	7,249	20.8	5,953	14.2
2000	9,949	60.0	6,699	20.4	5,449	15.2
1999	8,968	54.7	5,705	20.2	4,893	15.3
1998	9,049	50.7	4,117	16.6	5,116	8.9
1997	6,242	47.1	2,507	12.0	4,085	5.6
1996	6,188	41.2	3,082	6.7	4,731	3.4
1995	6,274	37.4	2,923	7.3	4,603	3.7
1994	6,792	35.1	3,022	5.9	4,706	2.9
1993	6,650	37.7	3,116	6.3	4,831	3.2
1992	6,738	35.8	3,123	4.6	4,559	2.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska
Summary of Trends in Breastfeeding
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Breastfeeding ⁽³⁾						
Year	Breastfeeding ⁽⁴⁾					
	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1991	6,144	36.6	2,610	4.2	3,931	1.4
1990	6,178	43.0	4,329	11.7	4,370	6.1
1989	6,762	37.1	5,088	15.6	3,877	12.1
1988	6,569	35.5	4,846	16.4	3,803	13.6
1987	6,097	38.2	4,489	18.3	3,633	14.2
1986	5,575	40.4	4,119	18.6	2,866	12.6
1985	6,713	32.8	4,341	16.3	3,035	10.1
1984	5,084	22.7	3,662	15.1	2,716	10.1
1983	4,009	24.6	2,681	13.4	2,006	8.9
1982	4,027	22.9	2,777	13.5	2,113	8.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 13C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Breastfeeding
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding (3)						
Year	Breastfeeding (4)					
	Number	%	Number	%	Number	%
		Ever Breastfed		Breastfed At Least 6 Months		Breastfed At Least 12 Months
1981	16	*	10	*	1	*
1980	2	*	1	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 14C
2011 Pediatric Nutrition Surveillance
Nebraska
Children Aged < 5 Years

Page: 22
Run Date: 3 / 14 / 12

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2011 Pediatric Nutrition Surveillance
Nebraska
Children Aged < 5 Years

Page: 23
Run Date: 3 / 14 / 12

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 16C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
White, Not Hispanic									
0 - 11 Months	7,728	11.0	7,728	4.7	7,728	6.5	0	0.0	0.0
12 - 23 Months	4,186	7.4	4,186	0.3	4,186	14.4	0	0.0	0.0
24 - 59 Months	9,502	4.0	9,502	2.7	9,502	11.8	9,502	16.1	11.8
Total	21,416	7.2	21,416	3.0	21,416	10.4	9,502	16.1	11.8
Black, Not Hispanic									
0 - 11 Months	1,957	13.3	1,957	8.8	1,957	6.4	0	0.0	0.0
12 - 23 Months	1,052	6.3	1,052	0.3	1,052	14.8	0	0.0	0.0
24 - 59 Months	2,366	2.5	2,366	4.6	2,366	10.8	2,366	14.7	10.8
Total	5,375	7.2	5,375	5.3	5,375	10.0	2,366	14.7	10.8
Hispanic									
0 - 11 Months	5,145	8.7	5,145	4.6	5,145	7.5	0	0.0	0.0
12 - 23 Months	3,245	6.7	3,245	0.3	3,245	18.3	0	0.0	0.0
24 - 59 Months	8,600	4.4	8,600	2.1	8,600	18.3	8,600	18.3	18.3
Total	16,990	6.1	16,990	2.5	16,990	15.0	8,600	18.3	18.3
American Indian/Alaska Native									
0 - 11 Months	156	9.0	156	5.8	156	7.1	0	0.0	0.0
12 - 23 Months	106	7.5	106	0.0	106	21.7	0	0.0	0.0
24 - 59 Months	278	3.2	278	1.8	278	19.1	278	21.9	19.1
Total	540	5.7	540	2.6	540	16.1	278	21.9	19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
Asian/Pacific Islander									
0 - 11 Months	389	9.0	389	9.0	389	4.6	0	0.0	0.0
12 - 23 Months	236	10.2	236	1.3	236	8.1	0	0.0	0.0
24 - 59 Months	496	9.9	496	5.8	496	8.3	496	11.3	8.3
Total	1,121	9.6	1,121	6.0	1,121	7.0	496	11.3	8.3
Multiple Races									
0 - 11 Months	900	10.1	900	7.2	900	6.6	0	0.0	0.0
12 - 23 Months	488	6.6	488	0.2	488	17.0	0	0.0	0.0
24 - 59 Months	958	2.9	958	3.2	958	13.3	958	17.3	13.3
Total	2,346	6.4	2,346	4.1	2,346	11.5	958	17.3	13.3
All Other/Unknown									
0 - 11 Months	1	*	1	*	1	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	2	*	2	*	2	*	1	*	*
Total All Race/Ethnic Groups									
0 - 11 Months	16,276	10.4	16,276	5.4	16,276	6.8	0	0.0	0.0
12 - 23 Months	9,313	7.1	9,313	0.3	9,313	15.9	0	0.0	0.0
24 - 59 Months	22,201	4.1	22,201	2.8	22,201	14.3	22,201	16.8	14.3
Total	47,790	6.8	47,790	3.2	47,790	12.0	22,201	16.8	14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 17C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Anemia Indicators by Race/Ethnicity and Age
Children Aged < 5 Years (2)

Page: 26
Run Date: 3 / 14 / 12

Anemia Indicators by Race/Ethnicity and Age (3, 4)					
	Anemia Low Hb/Hct %			Anemia Low Hb/Hct %	
	Number		Number		
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	1,100	17.2	6 - 11 Months	62	*
12 - 17 Months	2,614	13.2	12 - 17 Months	131	14.5
18 - 23 Months	1,893	8.8	18 - 23 Months	119	16.0
24 - 35 Months	2,767	8.1	24 - 35 Months	174	18.4
36 - 59 Months	4,543	5.0	36 - 59 Months	218	12.4
Total	12,917	8.9	Total	704	15.1
Black, Not Hispanic			Multiple Races		
6 - 11 Months	259	23.2	6 - 11 Months	102	12.7
12 - 17 Months	524	26.3	12 - 17 Months	261	19.9
18 - 23 Months	466	22.7	18 - 23 Months	230	11.7
24 - 35 Months	688	22.5	24 - 35 Months	294	9.9
36 - 59 Months	1,063	16.2	36 - 59 Months	457	5.5
Total	3,000	21.0	Total	1,344	10.9
Hispanic			All Other/Unknown		
6 - 11 Months	942	17.9	6 - 11 Months	0	*
12 - 17 Months	2,050	14.5	12 - 17 Months	0	*
18 - 23 Months	1,674	11.4	18 - 23 Months	0	*
24 - 35 Months	2,649	10.7	24 - 35 Months	0	*
36 - 59 Months	4,426	5.9	36 - 59 Months	1	*
Total	11,741	10.2	Total	1	*
American Indian/Alaska Native			Total All Race/Ethnic Groups		
6 - 11 Months	27	*	6 - 11 Months	2,492	17.9
12 - 17 Months	65	*	12 - 17 Months	5,645	15.3
18 - 23 Months	52	*	18 - 23 Months	4,434	11.7
24 - 35 Months	82	*	24 - 35 Months	6,654	11.0
36 - 59 Months	149	6.7	36 - 59 Months	10,857	6.7
Total	375	11.7	Total	30,082	10.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾																
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾				
		Low	High		Short Stature		Under-weight		Obese					\geq 2 Yrs Overweight and Obese		
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese			Number	%	
White, Not Hispanic	2011	5,231	7.1	7.4	21,416	7.2	3.0	10.4	9,502	16.1	11.8	12,917	8.9			
	2010	5,391	8.5	8.0	22,184	6.6	3.2	10.3	9,682	16.2	11.7	13,363	10.3			
	2009	5,130	8.4	7.0	21,604	7.2	3.2	10.6	9,213	16.0	11.5	12,322	11.9			
	2008	5,807	8.4	7.3	22,591	7.2	3.1	10.1	9,384	15.6	10.8	13,142	11.5			
	2007	5,786	8.3	7.6	21,785	6.8	3.2	9.5	8,913	15.7	10.2	12,755	12.7			
	2006	5,681	8.2	7.5	21,670	6.6	3.2	9.6	9,032	15.5	10.4	13,025	11.9			
	2005	5,509	8.0	8.1	22,022	6.4	3.5	10.4	9,341	15.2	10.6	13,401	11.1			
	2004	5,732	8.4	8.1	22,613	6.7	3.1	10.5	9,356	15.7	10.9	13,744	10.6			
	2003	5,936	8.0	8.4	22,585	7.0	3.4	10.3	9,306	15.2	10.6	13,667	10.9			
	2002	5,868	8.5	8.6	23,091	6.7	3.6	10.5	9,655	14.8	10.9	14,446	9.8			
Black, Not Hispanic	2011	1,349	11.8	3.6	5,375	7.2	5.3	10.0	2,366	14.7	10.8	3,000	21.0			
	2010	1,392	12.9	3.7	5,435	7.1	5.5	10.4	2,314	14.2	11.1	3,139	24.2			
	2009	1,341	12.8	3.4	5,187	7.8	5.9	10.9	2,188	15.9	10.6	2,885	26.9			
	2008	1,455	12.9	4.2	5,417	7.5	6.2	11.6	2,225	14.2	11.0	3,087	25.2			
	2007	1,474	13.5	3.5	5,046	7.4	6.6	9.9	2,001	12.8	11.0	2,924	28.1			
	2006	1,439	13.3	3.8	4,827	6.9	8.2	9.3	2,004	11.9	9.5	2,866	28.9			
	2005	1,270	11.8	4.5	4,678	6.5	8.4	9.6	1,877	10.6	7.5	2,871	27.7			
	2004	1,396	11.6	4.3	4,826	7.2	7.0	10.3	1,862	12.2	8.5	2,741	23.9			
	2003	1,343	10.8	5.0	4,788	6.8	6.9	10.5	1,829	13.1	10.1	2,787	19.7			
	2002	1,330	12.0	5.3	4,679	8.0	4.6	12.4	1,868	13.4	9.9	2,733	20.0			

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
		Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
		Number	% <2500 g	% >4000 g				Number	%	%	%	Number	% Overweight
Hispanic	2011	3,412	7.6	7.3	16,990	6.1	2.5	15.0	8,600	18.3	18.3	11,741	10.2
	2010	3,754	6.2	7.2	17,717	5.4	2.4	14.4	8,553	18.2	17.1	12,065	12.8
	2009	3,749	7.1	7.0	17,306	5.4	2.1	15.2	8,027	18.9	18.6	11,122	14.2
	2008	4,048	7.2	6.8	17,058	5.5	1.9	15.4	7,747	19.4	18.6	11,117	14.6
	2007	3,725	6.4	7.2	15,747	5.3	2.1	15.3	7,028	17.5	18.4	10,365	17.4
	2006	3,612	7.0	6.9	15,148	5.2	2.9	14.9	6,728	17.2	17.6	10,039	18.6
	2005	3,614	6.9	6.9	14,604	5.4	3.5	14.9	6,413	17.4	16.8	9,479	18.0
	2004	3,328	6.9	7.5	13,388	5.4	2.4	16.5	5,914	17.8	19.0	8,835	16.1
	2003	3,117	6.6	7.4	12,373	5.5	2.6	16.2	5,346	18.4	19.5	8,146	15.8
	2002	2,997	6.4	8.0	11,288	6.3	2.5	16.9	4,766	18.3	18.5	6,984	13.9
American Indian/Alaska Native	2011	100	4.0	9.0	540	5.7	2.6	16.1	278	21.9	19.1	375	11.7
	2010	128	5.5	7.8	591	5.1	3.0	17.3	298	22.1	20.5	410	15.6
	2009	107	7.5	13.1	551	5.6	2.9	17.4	278	22.7	19.8	357	13.2
	2008	121	6.6	8.3	627	5.9	1.8	17.5	308	24.7	18.5	421	14.0
	2007	128	8.6	13.3	697	6.2	2.0	18.4	345	21.7	17.7	470	14.0
	2006	148	6.8	8.8	676	4.1	3.4	17.3	344	18.3	20.6	447	13.6
	2005	134	6.0	11.9	704	3.6	3.0	16.6	343	20.1	19.5	482	13.7
	2004	183	9.8	12.6	832	3.5	2.5	20.0	376	21.3	19.9	540	12.6
	2003	178	8.4	10.7	752	6.4	1.7	17.7	333	24.0	18.6	468	15.6
	2002	158	7.0	15.8	693	5.2	1.7	18.6	293	18.1	21.5	411	14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight ^(5,6)							Anemia Low Hb/Hct ⁽⁷⁾	
		Low		High	Short Stature		Under-weight	Obese	≥ 2 Yrs Overweight and Obese				
		Number	% <2500 g	% >4000 g	Number	%	%	%	Number	% Overweight	% Obese		
Asian/Pacific Islander	2011	275	11.3	3.3	1,121	9.6	6.0	7.0	496	11.3	8.3	704	15.1
	2010	247	8.1	5.3	976	10.3	5.0	5.7	418	9.8	7.2	607	21.6
	2009	191	8.4	5.2	760	8.7	4.2	7.5	296	12.2	9.5	445	19.8
	2008	178	10.7	3.4	655	10.2	5.5	6.4	278	14.4	8.6	400	14.5
	2007	167	10.8	6.0	616	7.5	4.5	7.3	251	9.6	12.0	352	16.8
	2006	161	6.2	3.7	629	7.0	5.1	9.9	259	10.0	12.7	382	14.9
	2005	187	9.1	3.7	730	7.7	4.7	7.4	299	15.4	10.0	457	12.3
	2004	197	4.6	3.6	739	6.4	4.2	7.3	271	12.2	8.5	443	16.9
	2003	220	10.0	5.0	693	8.5	3.9	8.1	241	11.2	10.8	411	14.8
	2002	192	9.9	5.7	652	7.1	5.5	8.4	246	13.4	10.6	404	12.9
Multiple Races	2011	639	8.1	6.6	2,346	6.4	4.1	11.5	958	17.3	13.3	1,344	10.9
	2010	603	8.1	5.8	2,341	5.8	4.1	10.4	926	15.7	13.4	1,359	14.9
	2009	628	7.2	7.3	2,153	6.2	3.7	11.4	807	18.0	11.6	1,128	15.7
	2008	635	6.5	6.9	2,096	5.8	3.2	12.1	714	15.1	11.9	1,155	15.2
	2007	632	7.9	6.6	1,777	6.2	4.2	10.6	531	17.1	9.8	937	17.6
	2006	466	11.2	5.8	1,380	6.8	4.6	10.9	340	15.9	11.5	759	20.0
	2005	494	6.5	8.1	1,150	5.7	4.6	9.9	303	17.8	13.9	503	14.7
	2004	211	8.1	7.1	394	8.6	5.6	9.9	103	11.7	18.4	170	10.6
	2003	0	*	*	0	*	*	*	0	*	*	0	*
	2002	0	*	*	0	*	*	*	0	*	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 18C
2011 Pediatric Nutrition Surveillance ⁽¹⁾
Nebraska

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity
Children Aged < 5 Years ⁽²⁾

Summary of Trends in Growth and Anemia Indicators by Race/Ethnicity ⁽³⁾													
Race/Ethnicity and Year		Birthweight ⁽⁴⁾			Height and Weight ^(5,6)						Anemia Low Hb/Hct ⁽⁷⁾		
		Low	High		Short Stature	Under- weight	Obese	≥ 2 Yrs Overweight and Obese					
		Number	% <2500 g	% >4000 g				Number	%	%			%
All Other/Unknown	2011	0	*	*	2	*	*	*	1	*	*	1	*
	2010	3	*	*	7	*	*	*	3	*	*	2	*
	2009	0	*	*	3	*	*	*	2	*	*	2	*
	2008	2	*	*	3	*	*	*	2	*	*	0	*
	2007	1	*	*	2	*	*	*	1	*	*	1	*
	2006	0	*	*	2	*	*	*	1	*	*	1	*
	2005	0	*	*	1	*	*	*	1	*	*	1	*
	2004	72	*	*	332	7.2	3.9	12.0	125	16.8	12.8	205	15.6
	2003	170	7.6	7.1	541	6.7	7.0	10.2	187	13.9	8.6	313	16.6
	2002	159	7.5	8.2	474	6.3	4.4	10.1	172	11.6	7.6	262	17.2
Total All Race/Ethnic Groups	2011	11,006	8.0	6.8	47,790	6.8	3.2	12.0	22,201	16.8	14.3	30,082	10.9
	2010	11,518	8.2	7.0	49,251	6.3	3.2	11.8	22,194	16.7	13.8	30,945	13.2
	2009	11,146	8.4	6.6	47,564	6.6	3.2	12.4	20,811	17.2	14.2	28,261	14.6
	2008	12,246	8.5	6.7	48,447	6.6	3.0	12.3	20,658	17.0	13.9	29,322	14.3
	2007	11,913	8.4	6.9	45,670	6.3	3.2	11.7	19,070	16.1	13.5	27,804	16.3
	2006	11,507	8.6	6.7	44,332	6.1	3.7	11.5	18,708	15.7	13.1	27,519	16.4
	2005	11,208	8.0	7.3	43,889	6.0	4.1	11.8	18,577	15.6	12.6	27,194	15.4
	2004	11,119	8.3	7.4	43,124	6.3	3.3	12.5	18,007	16.1	13.5	26,678	14.0
	2003	10,964	8.0	7.7	41,732	6.5	3.6	12.2	17,242	16.1	13.4	25,792	13.6
	2002	10,704	8.4	8.1	40,877	6.7	3.4	12.6	17,000	15.6	13.1	25,240	12.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the analysis.

(5) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(6) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

(7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Page: 31
Run Date: 3 / 14 / 12

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2011	5,238	73.4	4,015	19.2	3,274	12.8
	2010	5,395	69.4	4,155	18.4	3,339	11.1
	2009	5,137	67.7	3,670	17.5	3,121	11.0
	2008	5,809	66.3	4,165	17.5	3,540	11.7
	2007	5,795	65.9	4,162	19.1	3,222	11.6
	2006	5,702	65.3	3,997	18.6	3,088	10.8
	2005	5,559	61.7	3,919	19.4	3,264	12.0
	2004	5,762	61.8	4,434	19.0	3,495	11.0
	2003	6,042	59.8	4,206	18.4	3,251	11.7
	2002	6,039	56.6	4,461	18.3	3,420	11.3
Black, Not Hispanic	2011	1,355	65.5	945	20.2	813	11.6
	2010	1,395	62.2	993	19.3	820	13.2
	2009	1,342	59.4	753	24.0	721	14.6
	2008	1,463	56.9	918	18.3	872	14.9
	2007	1,478	55.5	893	22.1	802	15.6
	2006	1,442	56.2	711	19.8	669	12.9
	2005	1,282	52.3	719	21.0	758	12.8
	2004	1,420	52.5	891	18.4	784	10.3
	2003	1,372	51.5	864	17.5	765	10.6
	2002	1,386	49.5	835	17.0	723	9.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2011	3,419	80.2	2,649	27.2	2,450	18.6
	2010	3,757	79.1	2,873	28.7	2,688	19.0
	2009	3,755	77.7	2,723	32.7	2,451	23.9
	2008	4,055	77.7	2,933	32.7	2,665	25.6
	2007	3,732	78.4	2,772	35.6	2,384	23.2
	2006	3,621	76.7	2,516	35.7	2,285	25.7
	2005	3,631	76.9	2,350	34.0	2,123	24.0
	2004	3,359	76.8	2,290	36.2	2,078	22.1
	2003	3,186	76.3	2,098	32.7	1,877	24.0
	2002	3,053	72.2	1,967	32.6	1,719	23.7
American Indian/Alaska Native	2011	99	*	82	*	85	*
	2010	128	58.6	92	*	86	*
	2009	109	60.6	89	*	59	*
	2008	122	66.4	86	*	83	*
	2007	128	51.6	114	15.8	101	11.9
	2006	150	62.7	93	*	83	*
	2005	135	54.8	91	*	104	12.5
	2004	188	51.6	177	24.9	120	18.3
	2003	183	50.8	118	15.3	110	11.8
	2002	173	51.4	112	17.9	109	10.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



**Table 19C
2011 Pediatric Nutrition Surveillance (1)**

**Nebraska
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)**

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2011	276	78.6	205	33.7	176	27.8
	2010	246	76.8	193	36.3	144	26.4
	2009	192	71.4	143	38.5	125	24.0
	2008	178	72.5	117	35.0	111	24.3
	2007	168	57.7	108	26.9	97	*
	2006	163	71.2	125	32.8	93	*
	2005	189	57.1	115	26.1	106	18.9
	2004	200	61.5	154	23.4	120	15.8
	2003	230	49.6	144	20.1	105	16.2
	2002	197	52.3	133	13.5	104	10.6
Multiple Races	2011	642	66.5	394	14.5	351	6.0
	2010	602	67.6	466	13.3	387	5.4
	2009	630	64.9	343	13.4	334	8.1
	2008	636	62.4	434	13.4	373	8.6
	2007	633	64.8	360	21.1	301	9.6
	2006	468	66.2	290	17.2	281	8.2
	2005	495	56.4	292	13.4	137	10.2
	2004	211	56.4	47	*	54	*
	2003	0	*	0	*	0	*
	2002	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 19C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Breastfeeding Indicators by Race/Ethnicity
Children Aged < 5 Years (2)

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity (3)							
Race/Ethnicity and Year		Breastfeeding (4)					
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
All Other/Unknown	2011	0	*	0	*	0	*
	2010	3	*	0	*	0	*
	2009	0	*	0	*	0	*
	2008	2	*	1	*	0	*
	2007	1	*	0	*	0	*
	2006	0	*	0	*	0	*
	2005	0	*	0	*	0	*
	2004	75	*	54	*	59	*
	2003	172	60.5	116	29.3	101	19.8
	2002	163	66.9	104	21.2	61	*
Total All Race/Ethnic Groups	2011	11,029	74.2	8,290	22.0	7,149	14.7
	2010	11,526	71.6	8,772	22.0	7,464	14.2
	2009	11,165	69.9	7,721	23.7	6,811	16.1
	2008	12,265	68.8	8,654	22.8	7,644	16.9
	2007	11,935	68.2	8,409	25.0	6,907	16.1
	2006	11,546	67.8	7,732	24.4	6,499	16.2
	2005	11,291	65.1	7,486	23.9	6,492	16.1
	2004	11,215	64.8	8,047	24.1	6,710	14.8
	2003	11,185	63.1	7,546	22.4	6,209	15.5
	2002	11,011	60.0	7,612	21.8	6,136	14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																	
Age and Year *	Height and Weight (4,5)								Age and Year *	Height and Weight (4,5)							
	Short Stature		Under- Obese weight			≥ 2 Yrs Overweight and Obese				Short Stature		Under- Obese weight			≥ 2 Yrs Overweight and Obese		
	Number	%	%	%	Number	%	%	%		Number	%	%	%	Number	%	%	%
0 - 11 Months									24 - 35 Months								
2011	16,276	10.4	5.4	6.8	0	*	*	2011	8,055	4.8	2.5	12.5	8,055	16.8	12.5		
2010	17,318	9.6	5.6	7.1	0	*	*	2010	8,393	3.9	2.6	12.0	8,393	16.8	12.0		
2009	17,059	10.0	5.2	7.4	0	*	*	2009	8,042	4.3	2.8	13.7	8,042	17.0	13.7		
2008	17,944	9.7	4.9	7.8	0	*	*	2008	7,843	4.0	2.7	12.7	7,843	17.1	12.7		
2007	17,482	9.3	4.8	7.5	0	*	*	2007	7,229	3.8	3.1	11.9	7,229	15.3	11.9		
2006	16,763	9.0	4.9	7.8	0	*	*	2006	7,108	4.0	3.9	12.1	7,108	15.6	12.1		
2005	16,439	8.9	5.7	8.1	0	*	*	2005	7,089	4.2	4.2	11.4	7,089	15.3	11.4		
2004	16,292	9.1	4.8	9.0	0	*	*	2004	6,925	4.2	3.6	12.3	6,925	15.6	12.3		
2003	16,117	9.5	5.2	8.5	0	*	*	2003	6,528	4.3	3.2	12.7	6,528	16.5	12.7		
2002	15,610	9.8	4.6	9.4	0	*	*	2002	6,505	4.2	3.8	11.5	6,505	16.1	11.5		
12 - 23 Months									36 - 47 Months								
2011	9,313	7.1	0.3	15.9	0	*	*	2011	7,300	4.1	3.2	15.1	7,300	16.4	15.1		
2010	9,739	6.3	0.3	15.6	0	*	*	2010	7,306	3.4	2.7	15.2	7,306	16.1	15.2		
2009	9,694	6.1	0.3	17.1	0	*	*	2009	6,786	4.0	3.0	14.1	6,786	17.2	14.1		
2008	9,845	6.7	0.2	17.0	0	*	*	2008	6,811	4.0	2.8	14.3	6,811	16.1	14.3		
2007	9,118	6.0	0.4	16.0	0	*	*	2007	6,283	3.9	3.1	13.8	6,283	16.4	13.8		
2006	8,861	5.9	0.4	15.3	0	*	*	2006	6,109	3.5	4.8	13.1	6,109	15.2	13.1		
2005	8,873	5.6	0.2	17.1	0	*	*	2005	6,121	3.8	4.7	12.6	6,121	15.7	12.6		
2004	8,825	5.9	0.4	16.8	0	*	*	2004	5,852	3.8	3.4	13.8	5,852	16.4	13.8		
2003	8,373	6.2	0.5	16.7	0	*	*	2003	5,716	4.2	3.7	13.7	5,716	15.3	13.7		
2002	8,267	6.7	0.4	17.7	0	*	*	2002	5,611	3.8	3.7	13.8	5,611	15.0	13.8		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 20C
2011 Pediatric Nutrition Surveillance (1)
Nebraska
Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Summary of Trends in Growth Indicators by Age (3)																			
Age and Year *	Height and Weight (4,5)					Age and Year *	Height and Weight (4,5)												
	Short Stature		Under- weight		Obese		Short Stature		Under- weight		Obese								
	Number	%	%	%	≥ 2 Yrs Overweight and Obese			Number	%	%	%	≥ 2 Yrs Overweight and Obese							
48 - 59 Months																			
2011	6,846	3.2	2.7	15.6	6,846	17.2	15.6												
2010	6,495	3.5	2.8	14.6	6,495	17.2	14.6												
2009	5,983	3.5	2.9	15.1	5,983	17.6	15.1												
2008	6,004	3.4	2.7	15.0	6,004	17.9	15.0												
2007	5,558	3.5	3.5	15.1	5,558	16.9	15.1												
2006	5,491	3.4	4.2	14.5	5,491	16.3	14.5												
2005	5,367	3.1	4.6	14.3	5,367	16.0	14.3												
2004	5,230	3.8	3.4	14.7	5,230	16.4	14.7												
2003	4,998	3.3	4.0	14.0	4,998	16.5	14.0												
2002	4,884	3.7	3.9	14.4	4,884	15.7	14.4												
Total All Age Groups																			
2011	47,790	6.8	3.2	12.0	22,201	16.8	14.3												
2010	49,251	6.3	3.2	11.8	22,194	16.7	13.8												
2009	47,564	6.6	3.2	12.4	20,811	17.2	14.2												
2008	48,447	6.6	3.0	12.3	20,658	17.0	13.9												
2007	45,670	6.3	3.2	11.7	19,070	16.1	13.5												
2006	44,332	6.1	3.7	11.5	18,708	15.7	13.1												
2005	43,889	6.0	4.1	11.8	18,577	15.6	12.6												
2004	43,124	6.3	3.3	12.5	18,007	16.1	13.5												
2003	41,732	6.5	3.6	12.2	17,242	16.1	13.4												
2002	40,877	6.7	3.4	12.6	17,000	15.6	13.1												

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2011	2,492	17.9		2011	4,434	11.7
	2010	2,554	20.8		2010	4,670	14.6
	2009	2,458	21.3		2009	4,460	16.1
	2008	2,521	20.2		2008	4,642	15.2
	2007	2,636	21.9		2007	4,123	18.3
	2006	2,658	21.6		2006	4,183	18.0
	2005	2,593	20.8		2005	4,211	16.4
	2004	2,543	19.1		2004	3,795	16.1
	2003	2,899	17.5		2003	3,611	14.3
	2002	2,830	16.1		2002	3,409	13.5
12 - 17 Months				24 - 35 Months			
	2011	5,645	15.3		2011	6,654	11.0
	2010	6,027	17.6		2010	7,075	13.4
	2009	5,661	19.3		2009	6,137	15.3
	2008	5,991	19.4		2008	6,120	15.6
	2007	5,597	21.8		2007	6,044	17.0
	2006	5,394	21.2		2006	5,980	17.0
	2005	5,432	19.6		2005	5,795	16.6
	2004	5,559	17.9		2004	5,866	14.1
	2003	5,216	16.8		2003	5,442	14.8
	2002	5,122	15.0		2002	5,438	13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 21C
2011 Pediatric Nutrition Surveillance (1)
Nebraska

Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
36 - 59 Months				Total All Age Groups			
	2011	10,857	6.7		2011	30,082	10.9
	2010	10,619	8.1		2010	30,945	13.2
	2009	9,545	9.0		2009	28,261	14.6
	2008	10,048	8.7		2008	29,322	14.3
	2007	9,404	10.2		2007	27,804	16.3
	2006	9,304	11.1		2006	27,519	16.4
	2005	9,163	10.1		2005	27,194	15.4
	2004	8,915	9.1		2004	26,678	14.0
	2003	8,624	9.3		2003	25,792	13.6
	2002	8,441	7.7		2002	25,240	12.2
All Other/Unknown							
	2011	0	*				
	2010	0	*				
	2009	0	*				
	2008	0	*				
	2007	0	*				
	2006	0	*				
	2005	0	*				
	2004	0	*				
	2003	0	*				
	2002	0	*				

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

