

# Midpoint Progress Data Packet For 5 Year Joint Goals

Use this data packet to help complete:

- Part I of your Local Agency Plans,
- Due November 18, 2011

# Nebraska WIC Program – Joint Goal Overview

- NE WIC previously developed 2 Joint Goals as a result of our joint planning process
- Each goal includes 2 joint strategies
- Our joint goals fall into the topic areas of:
  - over weight children
  - exclusive BF
- Both are 5 year goals, ending in August 2013
- Each year we review progress on these goals as part of our LA plan
- The data needed for your progress review is included in this packet along with any instructions needed for calculating your percentages

# Joint Nutrition Goal

- **Topic** – Overweight Children
- **5 Year Goal:** By August 1, 2013 reduce the % of NE WIC children ages 2-4 that are at or above the 85<sup>th</sup> percentile BMI for age. (Original Baseline – 29.6%)
- **Progress Data:** 2010 LA PedNSS – Table 6F  $\geq$  2 years over-weight column

# Instructions for Locating your progress data

1. Refer to PedNSS Table 6F (next page)
  2. Calculate your own LA percentage by ADDING the percentages together for 85<sup>th</sup>-95<sup>th</sup> percentiles & > 95<sup>th</sup> percentiles
- For example, for the progress State Figures refer to the green highlighted area

**Joint Nutrition Goal Data:  
For Overweight Children**

Table 6F  
**2010 Pediatric Nutrition Surveillance (1)**  
Nebraska  
Comparison of Growth and Anemia Indicators by Local Agency  
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
BVCA	267	6.0 (2)	9.0 (13)	1,208	6.3 (8)	2.5 (4)	14.4 (12)	585	17.9 (10)	14.5 (8)	759	6.6 (3)
CAPMID	928	7.0 (5)	8.4 (11)	4,076	5.9 (6)	2.1 (2)	13.8 (9)	1,875	18.5 (12)	14.2 (7)	2,533	4.2 (1)
CDHD	645	6.0 (2)	7.1 (8)	2,859	6.5 (10)	1.5 (1)	14.2 (10)	1,352	17.7 (7)	17.5 (14)	1,976	9.0 (8)
CNCS	306	7.5 (7)	8.2 (10)	1,643	5.9 (6)	3.0 (8)	11.6 (3)	861	16.7 (6)	12.0 (3)	1,129	6.7 (4)
DCHD	4,566	9.2 (11)	7.0 (7)	18,084	6.3 (8)	5.5 (14)	12.6 (7)	7,693	16.2 (4)	13.7 (6)	10,580	21.0 (14)
ECDHD	409	7.1 (6)	6.6 (6)	1,772	4.4 (1)	3.3 (9)	15.0 (13)	781	18.4 (11)	15.0 (9)	1,179	5.7 (2)
FHS	402	7.7 (8)	10.9 (14)	1,798	6.7 (11)	2.5 (4)	16.9 (14)	826	17.7 (7)	17.4 (13)	1,171	19.3 (13)
FS	690	8.3 (9)	6.5 (5)	3,097	4.7 (3)	4.4 (12)	10.2 (1)	1,413	14.3 (1)	10.1 (1)	2,059	11.7 (10)
GRH	840	5.8 (1)	7.1 (8)	3,767	4.4 (1)	2.5 (4)	14.2 (10)	1,743	17.8 (9)	15.0 (9)	2,543	7.1 (5)
LLCH	1,045	9.5 (12)	5.4 (3)	4,282	5.2 (4)	4.6 (13)	10.5 (2)	1,950	14.6 (2)	10.9 (2)	2,768	9.1 (9)
NNFHS	416	6.3 (4)	8.7 (12)	1,949	5.4 (5)	2.1 (2)	12.5 (6)	909	14.6 (2)	16.2 (12)	1,191	14.7 (12)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.  
\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Calculate your LA progress percentage by adding the percentages together for 85<sup>th</sup>-95<sup>th</sup> and >95<sup>th</sup> percentiles for your LA.



**Joint Nutrition Goal Data:  
For Overweight Children**

Table 6F  
**2010 Pediatric Nutrition Surveillance (1)**  
Nebraska  
**Comparison of Growth and Anemia Indicators by Local Agency**  
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
Local Agency	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
PCS	433	8.3 (9)	4.6 (1)	1,883	7.4 (14)	2.5 (4)	12.4 (5)	861	19.6 (14)	12.3 (4)	1,208	13.2 (11)
PFHS	391	9.5 (12)	5.4 (3)	1,933	7.1 (12)	3.6 (10)	12.6 (7)	943	19.0 (13)	13.3 (5)	1,290	7.5 (6)
WCHR	178	10.1 (14)	5.1 (2)	806	7.1 (12)	4.2 (11)	11.9 (4)	370	16.2 (4)	15.1 (11)	521	8.3 (7)
Unknown Local Ag.	4	* *	* *	44	* *	* *	* *	32	* *	* *	38	* *
<b>Nebraska</b>	<b>11,518</b>	<b>8.2</b>	<b>7.0</b>	<b>49,201</b>	<b>5.9</b>	<b>3.9</b>	<b>12.8</b>	<b>22,194</b>	<b>16.7</b>	<b>13.8</b>	<b>30,945</b>	<b>13.2</b>
<b>Nation (Prior Year)</b>	<b>1,961,342</b>	<b>8.9</b>	<b>6.4</b>	<b>8,451,215</b>	<b>6.0</b>	<b>4.3</b>	<b>14.0</b>	<b>3,678,355</b>	<b>16.4</b>	<b>14.7</b>	<b>5,524,196</b>	<b>14.9</b>

2010 State Progress: 16.7 + 13.8 = 30.5%

Calculate your LA progress percentage by adding the percentages together for 85<sup>th</sup>-95<sup>th</sup> and >95<sup>th</sup> percentiles for your LA.

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this local agency's rate to other local agencies. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- \* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



# Joint BF Goal

- **Topic** – Exclusive BF
- **5 Year Goal:** By August 1, 2013 increase the % of exclusively BF infants at 6 months of age  
(Original State Baseline: 5.3%)
- **Progress Data**– Exclusive BF rates from PedNSS table 7 are *no longer available*
- **A New Data Source** will be used to look at breastfeeding trends

# New Data Source: Joint BF Goal

	% of all infants fully breastfed	% of all infants partially breastfed	% of all infants formula fed		% of all infants fully breastfed	% of all infants partially breastfed	% of all infants formula fed
<b>STATE</b>				<b>035 CDHD</b>			
Oct-09	6.7%	19.3%	74.0%	Oct-09	10.0%	26.5%	63.4%
Sep-10	9.5%	16.1%	74.5%	Sep-10	11.8%	24.3%	64.0%
May-11	10.2%	15.0%	74.9%	May-11	10.3%	19.3%	70.4%
<b>005 CNCS</b>				<b>040 BVCA</b>			
Oct-09	8.3%	16.7%	75.0%	Oct-09	7.3%	19.5%	73.2%
Sep-10	14.7%	12.3%	73.0%	Sep-10	9.3%	18.2%	72.5%
May-11	16.5%	7.6%	75.9%	May-11	7.3%	13.0%	79.7%
<b>010 DCHD</b>				<b>045 CAP-MID</b>			
Oct-09	5.5%	24.0%	70.6%	Oct-09	6.1%	17.2%	76.7%
Sep-10	8.2%	20.3%	71.5%	Sep-10	9.2%	14.5%	76.3%
May-11	8.7%	19.4%	72.0%	May-11	11.3%	15.9%	72.8%
<b>010 DCHD Subagency 00</b>				<b>050 CAP-WN</b>			
Oct-09	4.8%	20.8%	74.4%	Oct-09	7.1%	13.9%	79.0%
Sep-10	8.1%	15.9%	76.0%	Sep-10	9.8%	11.4%	78.7%
May-11	9.0%	15.3%	75.7%	May-11	8.6%	5.0%	86.4%
<b>010 DCHD Subagency 16</b>				<b>065 PFHS</b>			
Oct-09	2.1%	21.1%	76.8%	Oct-09	8.4%	12.5%	79.0%
Sep-10	4.6%	17.9%	77.6%	Sep-10	9.8%	9.8%	80.3%
May-11	5.4%	16.5%	78.1%	May-11	8.6%	9.8%	81.6%
<b>010 DCHD Subagency 30</b>				<b>070 ECDH</b>			
Oct-09	3.6%	43.9%	52.5%	Oct-09	4.0%	12.1%	84.0%
Sep-10	11.4%	30.8%	57.9%	Sep-10	6.4%	9.9%	83.7%
May-11	10.2%	29.5%	60.3%	May-11	7.4%	11.4%	81.3%
<b>020 FHS</b>				<b>075 WCHR</b>			
Oct-09	5.8%	6.8%	87.4%	Oct-09	8.3%	18.6%	73.1%
Sep-10	9.9%	1.9%	88.1%	Sep-10	11.3%	7.9%	80.8%
May-11	8.3%	5.3%	86.4%	May-11	15.5%	10.1%	74.4%
<b>025 NNFHS</b>				<b>260 FS</b>			
Oct-09	5.6%	11.0%	83.4%	Oct-09	11.4%	18.0%	70.6%
Sep-10	10.5%	9.9%	79.6%	Sep-10	14.0%	12.1%	73.9%
May-11	13.0%	11.7%	75.3%	May-11	16.3%	10.6%	73.1%
<b>030 GHCA</b>				<b>280 LLCHD</b>			
Oct-09	6.2%	13.3%	80.5%	Oct-09	8.3%	19.7%	72.0%
Sep-10	7.8%	10.6%	81.6%	Sep-10	10.7%	17.6%	71.7%
May-11	9.1%	10.2%	80.7%	May-11	12.0%	15.9%	72.1%