
Purpose	To provide guidance on the formula and medical nutritional products approved by the Nebraska WIC Program. This list is intended to serve as a reference.
Information In The Product List	For easy reference, the alphabetized product list contains the following information: <ul style="list-style-type: none">• Product description• Manufacturer• Recommended uses• Caloric density and Iron content• Nutrient source• Osmolality/Osmolarity• Cautions• WIC issuance information• Product size and available packaging
Source of Information	The product list provides information on formula and medical nutritional products and was adapted from the manufacturer's formula literature whenever available. Refer to product labels or contact company representatives for the most current product information.
Iron Content	Iron content is listed in the text as milligrams per quart. Formulas containing at least 9.5 mg of iron per quart meet the WIC requirements of 10 mg of iron per liter of formula at standard dilution. For healthy infants, only iron-fortified formulas are authorized for use in the WIC program.
Osmolality	Osmolality information has been included because it is an important determinant of formula tolerance. See additional information provided in the section; Common Terms-Demystifying formulas.
Availability	Most standard WIC approved formulas, special formulas and medical products are available at approved WIC vendors throughout Nebraska. Some products are only available on a limited basis, at select vendors depending on location. Please contact your local agency vendor manager for more specific information. If there is difficulty locating a product, please call the State WIC Food Operations Coordinator or Vendor Management Coordinator.

PRODUCT LIST – Formula and Medical Nutritional Products

Product / Description	Indication	WIC Issuance	Packaging
<p>ACIDOPHILUS COW'S MILK</p> <ul style="list-style-type: none"> ◆ 15.12 kcal / fl oz (2% milk fat) ◆ Pro: <ul style="list-style-type: none"> - Casein ◆ Fat: <ul style="list-style-type: none"> - Milk fat ◆ CHO: <ul style="list-style-type: none"> - Contains somewhat less lactose than unfermented milk. ◆ Pasteurized and enriched with vitamins A and D. 	<p>Considered to have therapeutic benefits in the gastrointestinal tract</p> <p>For children and adults who do not have an allergy to cow's milk protein. May be helpful for lactose intolerance.</p> <p>Can be purchased with WIC checks that specify "milk." A prescription is not needed.</p> <p>Low fat (2%) is WIC approved for children over 1 year of age who have adequate growth and other sources of fat in their diet.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ WIC does not recommend 2% milk for children under 2 years of age. ◆ Not approved for infants under 1 year of age. 	<p>Approved for adults and children</p> <p>Authorized by CPA</p> <p>Document in client's file specific indication for use.</p>	<p>Ready to use:</p> <ul style="list-style-type: none"> ◆ Half-gallon ◆ Quart
<p>ALIMENTUM (Ross) See Similac Alimentum Advance</p>			
<p>BOOST (Novartis)</p> <ul style="list-style-type: none"> ◆ 30 kcal / oz; ◆ Pro: <ul style="list-style-type: none"> - 17% of total kcal - Milk protein concentrate ◆ Fat: <ul style="list-style-type: none"> - 16% of total kcal - Canola, high oleic sunflower oil and corn oils ◆ CHO: <ul style="list-style-type: none"> - 67% of total kcal - Corn syrup solids, sugar - Lactose-free - Low-residue ◆ Osmolality: 610-670 mOsm/kg water 	<p>Nutritionally complete oral supplement designed for patients with general oral supplement needs because they are not consuming meals or may need more than a meal.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For children 1-10 years of age, use Kindercal or PediaSure. ◆ Not suitable for persons with galactosemia 	<p>Approved for adults</p> <p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p><i>RTF:</i> 8 fl oz can packaged in 4-packs; 24 cans / case</p> <p>Flavors: vanilla, chocolate, strawberry, chocolate mocha, butter pecan, chocolate malt</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>COW'S MILK, PASTEURIZED</p> <p>Supplies calcium, phosphorus, and vitamin D for healthy bones and teeth plus protein for growth.</p> <p>Whole milk (3.5 % fat):</p> <ul style="list-style-type: none"> ◆ Pro: 21% total kcal ◆ Fat: 49% total kcal ◆ CHO: 29% total kcal <p>2% Milk:</p> <ul style="list-style-type: none"> ◆ Pro: 27% total kcal ◆ Fat: 35% total kcal ◆ CHO: 38% total kcal <p>1% Milk:</p> <ul style="list-style-type: none"> ◆ Pro: 31% total kcal ◆ Fat: 23% total kcal ◆ CHO: 46% total kcal <p>Skim (Non-fat):</p> <ul style="list-style-type: none"> ◆ Pro: 39% total kcal ◆ Fat: 4% total kcal ◆ CHO: 55% total kcal 	<p>WIC Approved for children over 1 year of age and adults who do not have an allergy to cow milk protein.</p> <p>All types of cow's milk are approved for adults and children over 2 years of age.</p> <p>WIC recommends whole milk for children until the age of 2 years to ensure sufficient energy and to provide linoleic acid, an essential fatty acid needed for growth and development of body tissues</p> <p>Lowfat (2%) milk is approved for children less than 2 years of age who have other sources of fat in their diet, such as meat, cheese, peanut butter, ice cream, added margarine or vegetable oils and have appropriate growth. Low fat milk is recommended for all children over 2 years of age and for overweight postpartum women.</p> <p>CAUTION:</p> <p>Cow's milk is not recommended for infants because;</p> <ul style="list-style-type: none"> ◆ It can cause gastrointestinal blood loss ◆ The solute load is too heavy for the infant's renal system to handle ◆ It is low in vitamin C and iron ◆ The early introduction of cow's milk may increase the incidence of cow's milk allergy. ◆ A specific form of eczema has been observed in infants deficient in linoleic acid. <p>- WIC does not recommend the use of unpasteurized milk. Ingestion of unpasteurized dairy products is associated with illness caused by bacterial contamination.</p>	<p>Not WIC approved for infants</p>	<p><i>Gallon:</i> whole, skim, lowfat</p> <p><i>Half gallon:</i> whole, skim, low fat, buttermilk, acidophilus</p> <p><i>Quart:</i> whole, skim, lowfat, buttermilk, lactose reduced, acidophilus</p> <p><i>Powdered:</i> 3 or 8 quart boxes</p> <p><i>Evaporated:</i> 12 oz cans</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>DAIRY EASE (Land O Lakes)</p> <ul style="list-style-type: none"> ◆ Kcal / fl oz: <ul style="list-style-type: none"> - Nonfat – 10 kcal - Reduced-fat (2%) – 16.25 kcal - Whole – 18.75 kcal ◆ Pro: <ul style="list-style-type: none"> - 1 g / fl oz ◆ Fat: Milk fat ◆ CHO: <ul style="list-style-type: none"> - Hydrolyzed Lactose ◆ Pasteurized, with vitamins A and D fortified. 	<p>For children and adults with intolerance to lactose. Lactase has been added to reduce lactose content.</p> <p>No prescription needed for adults and children.</p> <p>CAUTION: WIC does not recommend 2%, or nonfat milk for children under 2 years of age. Soy formula or Lactose Free formula may be more appropriate for infants and 1 year olds with lactose intolerance.</p>	<p>Approved for lactose intolerant adults and children</p> <p>Not approved for infants</p> <p>Authorized by CPA</p>	<p><i>Quart</i> Half-gallon</p> <p>Can be purchased in:</p> <ul style="list-style-type: none"> ◆ Fat-Free ◆ Reduced Fat 2% ◆ Whole Milk
<p>ELECCARE (Ross)</p> <p>A nutritionally complete amino acid-based medical food.</p> <ul style="list-style-type: none"> ◆ Standard dilution <ul style="list-style-type: none"> - Infants: 20 kcal / fl oz - Children: 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 15% of total kcal - 100% free L-amino acids - 3.01 g pro - Milk protein-free - Soy protein-free - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 42% of total kcal - 4.76 g fat - 33% MCT, part of an easily digested fat blend ◆ CHO: <ul style="list-style-type: none"> - 43% of total kcal - 10.7 g CHO - 100% corn syrup solids - Lactose-free, fructose-free, galactose-free ◆ Iron: 1.77 mg ◆ Osmolality: 596 mOsm/kg water 	<p>Nutritionally complete free amino acid-based formula for infants and children who cannot tolerate intact proteins. Used with severe food allergies, GI impairment or other conditions in which an elemental (amino acid) formula is required.</p> <p>Can be fed orally or by tube. Not for parenteral use.</p> <p>See manufacturer's instructions for preparation.</p> <p>Evaluate if formula is mixed, used and stored properly.</p> <p>CAUTION: Do not heat EleCare mixture.</p>	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p> <p>Verify physicians dilution instructions</p>	<p><i>Pow:</i> 14.1 oz can; 6 cans / case</p> <p>Standard dilution for infants (20 kcal/fl oz) yields 95 fl oz</p> <p>Standard dilution for Children (30 kcal/fl oz) yields 64 fl oz</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENFAMIL A.R. LIPIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Whey: casein ratio of 18:82 ◆ Fat: <ul style="list-style-type: none"> - 46% of total kcal - 45% palm olein oil, 20% soy oil, 20% coconut oil and 15% high oleic sunflower oil - DHA and ARA added to all forms in this product line ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal - 57% lactose, 30% pregelatinized rice starch, 13% maltodextrin - Nutrient ratios of Enfamil A.R. are unaffected by the use of rice starch. ◆ Osmolality: 230 mOsm/kg water ◆ Similar in composition and nutrient profile to Enfamil with Iron except for its unique CHO blend ◆ Provides a daily prophylactic intake of iron. ◆ Designed to flow through standard nipple. 	<p>Nutritionally complete, milk-based, iron fortified infant formula with Added Rice starch, causing it to thicken as it comes in contact with stomach acid.</p> <p>May be useful for infants or children with uncomplicated gastroesophageal reflux.</p> <p>For term infants who do not have special nutritional requirements.</p> <p>Modified Standard Infant Formula</p> <p>CAUTION: Not recommended for use in pre-term infants as they may be at risk of developing gastrointestinal complications.</p>	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p><i>Pow:</i> 12.9 oz can</p> <p><i>RTF:</i> 32 oz can; 6 cans / case</p>
<p>ENFAMIL ENFACARE LIPIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 22 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Provides 2.8 gm /100Kcal - Casein, Whey (60:40) ◆ Fat: <ul style="list-style-type: none"> - 47% of total kcal - Well-absorbed fat blend with 20% MCT oil, 35% high oleic sunflower oil, 30% soy oil and 15% coconut oil. - DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 43% of total kcal - Blend of 60% glucose polymers (corn syrup solids) and 40% lactose ◆ Protein and many vitamin and mineral levels are higher than in Enfamil. <p>Similar to NeoSure Advance (Ross)</p>	<p>Nutritionally complete, milk-based formula specially designed for premature infants who have reached a weight of 1800 grams.</p> <p>Appropriate for use through the first year of life. Is typically used until 3-4 months corrected age.</p>	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p><i>Pow:</i> 12.8 oz can (Reconstitutes to 82 fl oz)</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENFAMIL LACTOFREE LIPIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 8% of total kcal - Whole milk protein ◆ Fat: <ul style="list-style-type: none"> - 48% of total kcal - Contains 45% palm olein, 20% soy oil, 20% coconut oil, 15% high oleic sunflower oil - DHA and ARA added to entire product line ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal - 100% glucose polymers (as corn syrup solids) ◆ Iron: 11.5 mg per quart 	<p>Infants up to one year and older with suspected sensitivity to lactose. Formula is lactose-free but does provide milk protein and can be helpful in ruling out or confirming lactose intolerance versus a milk protein sensitivity or allergy. Can be used short-term following secondary lactose intolerance caused by a viral illness or food sensitivity.</p> <p>Symptoms suggesting a sensitivity to lactose are:</p> <ul style="list-style-type: none"> ◆ Abdominal cramping ◆ Bloating ◆ Gas ◆ Mild diarrhea <p>Some infants using LactoFree may not be lactose intolerant long term and may be able to use a regular cow's milk-based formula after 1 or 2 months treatment with a lactose-free formula.</p>	<p>Contract Formula</p> <p>Prescription not required for infants</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Pow:</i> 12.9 oz can (Reconstitutes to 95 fl oz)</p> <p><i>Concentrate:</i> 13 fl oz (Reconstitutes to 26 fl oz)</p> <p><i>RTF:</i> 32 fl oz can</p>
<p>ENFAMIL LIPIL LOW IRON (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Ratio: 60 whey: 40 casein ◆ Fat: <ul style="list-style-type: none"> - 48% of total kcal - 45% palm olein, 20% soy oil, 20% coconut oil, 15% high oleic sunflower oil - DHA and ARA added to all forms of this product line ◆ CHO: <ul style="list-style-type: none"> - 42% of total kcal - Primarily lactose ◆ Iron: 4.5 mg / quart 	<p>Feeding full term, sick infants who do not have special nutritional requirements and who have a medical condition that will benefit from the use of a low-iron formula. Examples: hemolytic anemia, iron overload secondary to chronic blood transfusion, inherited blood disorders, e.g., thalassemia, and other symptoms of iron intolerance that improve or resolve when low-iron formula is used.</p> <p>Spitting up, vomiting, diarrhea, constipation, and colic are not caused by iron-fortification. Other causes of these symptoms need to be evaluated.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Infants are encouraged to use iron-fortified formula to prevent depletion of iron stores. ◆ Continued long-term use by infants may cause iron deficiency anemia, poor growth and development. 	<p>Prescription Required for specific, approved, diagnosis</p> <p>Not approved for normal, healthy infants</p> <p>State WIC RD approval required</p> <p>Renew Rx as directed by State WIC RD</p>	<p><i>Pow:</i> 12.9 oz can</p> <p><i>RTF:</i> 32 fl oz can</p> <p><i>RTF:</i> 8 fl oz can</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENFAMIL NEXT STEP LIPIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - nonfat milk - 20:80 whey to casein ◆ Fat: <ul style="list-style-type: none"> - 48% of total kcal - palm olein, soy oil, coconut oil, high oleic sunflower oil - DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 42% of total kcal - lactose and corn syrup solids ◆ Iron: 12.8 mg per quart 	<p>Milk based formula designed to help meet the nutritional need of toddlers 12-24 months of age as an alternative to cow's milk or infant formula. Contains calcium in levels similar to cows milk.</p> <p>Enfamil Next Step Lipil is the contract milk-based "toddler formula".</p>	<p>Contract "Toddler" formula</p> <p>Not Approved for infants</p> <p>Prescription Required</p> <p>State WIC RD approval required</p> <p>Renew Rx as directed by State WIC RD</p>	<p>Pow: 12 oz can</p> <p>(Reconstitutes to 86 fl oz)</p>
<p>ENFAMIL NEXT STEP PROSOBEE LIPIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 13% of total kcal - soy protein isolate ◆ Fat: <ul style="list-style-type: none"> - 40% of total kcal - palm olein, soy oil, coconut oil, high oleic sunflower oil - DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 47% of total kcal - corn syrup solids ◆ lactose-free, gluten-free, galactose-free ◆ Iron: 12.8 mg per quart 	<p>Soy-based formula designed to meet the nutritional needs of toddlers 12-24 months of age as an alternative to using cow's milk or soy infant formula. Contains calcium in levels similar to cows milk.</p> <p>Enfamil Next Step ProSobee Lipil is the contract soy-based "toddler formula".</p>	<p>Contract "Toddler" formula</p> <p>Not Approved for infants</p> <p>Prescription Required</p> <p>State WIC RD approval required</p> <p>Renew Rx as directed by State WIC RD</p>	<p>Pow: 12 oz can</p> <p>(Reconstitutes to 81 fl oz)</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENFAMIL NUTRAMIGEN LIPIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 11% of total kcal - Enzymatically hydrolyzed casein, supplemented with L-cystine, L-tyrosine and L-tryptophan - Contains a high percentage of free amino acids and a lower percentage of small peptides. ◆ Fat: <ul style="list-style-type: none"> - 45% of total kcal - 45% palm olein, 20% soy, 20% coconut, 15% high oleic sunflower oil - DHA and ARA added to all forms ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal - Glucose polymers (corn syrup solids) and modified cornstarch. - Lactose-free; sucrose-free ◆ Osmolality: 320 mOsm / kg water <p>Similar to Similac Alimentum Advance (Ross)</p>	<p>Hypoallergenic formula for feeding:</p> <ul style="list-style-type: none"> ◆ Infants and children sensitive to intact proteins of milk and of other foods ◆ Infants with severe or multiple food allergies ◆ Infants with sensitivity to soy protein ◆ Infants with persistent diarrhea or other gastrointestinal disturbances due to milk protein allergy ◆ Infants with galactosemia ◆ It is not for those with problems relating to fat absorption. <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Can be unpalatable to some infants and can cause looser stools. ◆ Not recommended for routine use in highly stressed, low birth weight infants as these infants may be at increased risk of developing gastrointestinal complications. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Pow</i>: 16 oz can (Reconstitutes to 112 fl oz)</p> <p><i>Concentrate</i>: 13 fl oz can</p> <p><i>RTF</i>: 32 fl oz can</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENFAMIL PREGESTIMIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 11% total kcal - Enzymatically hydrolyzed casein supplemented with 3 amino acids: L-cystine, L-tyrosine and L-tryptophan ◆ Fat: <ul style="list-style-type: none"> - 48% of total kcal - Fat blend of 55% MCT, 25% soy oil, 10% corn oil and 10% high oleic safflower or sunflower oil. ◆ CHO: <ul style="list-style-type: none"> - 41% of total kcal - Contains glucose polymers (corn syrup solids), glucose (dextrose), and modified cornstarch. - Sucrose- and lactose-free. ◆ Increased levels of the fat-soluble vitamins A, D, E and K, as well as vitamin C and zinc to offset possible loss due to malabsorption. ◆ Osmolality: 320 mOsm/kg water ◆ Low renal solute load 	<p>For infants with severe malabsorption disorders including chronic diarrhea, intestinal resection, cystic fibrosis, lactase and sucrase deficiency, steatorrhea, and food allergies.</p> <p>The protein source is hypoallergenic in comparison to the intact proteins used in other formulas. This is helpful in managing infants sensitive to intact protein, following severe and persistent diarrhea, and following intestinal illness or trauma.</p> <p>MCT oil is valuable in the nutritional management of malabsorption disorders.</p> <p>The carbohydrate source is non-antigenic and thus hypoallergenic and is helpful following intestinal disorders.</p> <p>Can provide a sole source of nutrition for infants up to age 4 to 6 months and provide a major source of nutrition through 12 months of age when indicated.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For use only under medical supervision. ◆ Not recommended for routine use in very low birth weight infants as some may be at increased risk of developing gastrointestinal complications. ◆ There are no data on the long-term effects of MCT oil in infants without fat malabsorption. In adults, unneeded MCT oil has caused cramping and bloating. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p>Pow: 16 oz can</p> <p>(Reconstitutes to 112 fl oz)</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENFAMIL PREMATURE LIPIL (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 or 24 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 12% of total kcal (20 Kcal/oz and 24 Kcal/oz) - nonfat milk and whey protein concentrate - 60:40 whey to casein ratio ◆ Fat: <ul style="list-style-type: none"> - 44% of total kcal (20 Kcal/oz and 24 Kcal/oz) - MCT oil, soy oil and high oleic vegetable oil) - DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal (20 and 24 Kcal/oz) - corn syrup solids and lactose 	<p>Milk based infant formula designed specifically for feeding rapidly growing premature and low-birth-weight infants and contains a higher concentration of some nutrients that these infants require.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For use only under medical supervision. ◆ Shake bottle vigorously before feeding to suspend minerals. 	<p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p> <p>Be sure to specify the exact formulation indicated on the Rx</p>	<p><i>RTF:</i> 3 fl oz nursette bottles</p> <p>20 or 24 Kcal/oz</p> <p>48 bottles/case</p> <p>Maximum issuance 268 bottles (5½ cases)</p>
<p>ENFAMIL PROSOBEE LIPIL</p> <p>ENFAMIL PROSOBEE (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal per fl oz ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Soy protein isolate supplemented with L-methionine - Low renal solute load ◆ Fat: <ul style="list-style-type: none"> - 38% of total kcal - 45% palm olein; 20% soy, 20% coconut, 15% high oleic sunflower oil - LIPIL: enhanced with long chain fatty acids DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 52% of total kcal - Sucrose- and lactose-free - Contains 100% glucose polymers (corn syrup solids) 	<p>A soy-based infant formula.</p> <p>Infant formula for infants and children with an allergy or sensitivity to cow's milk or disorders for which lactose should be avoided: lactase deficiency, lactose intolerance, and galactosemia. The glucose polymers are compatible with the digestive capacity of the infant recovering from gastrointestinal illness.</p> <p>Can be used for vegetarian diets when animal protein formula is not desired.</p> <p>When used as a milk substitute for children \geq year of age, the total calcium content of the diet should be assessed.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Avoid use for anyone with an allergy to soy protein. ◆ Not recommended for very-low-birth-weight infants. 	<p>WIC Contract Formula</p> <p>Prescription not required for infants</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Pow:</i> 14.3 oz can (Reconstitutes to 102 fl. oz)</p> <p><i>Concentrate:</i> 13 fluid oz can</p> <p><i>RTF:</i> 32 fluid oz</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENFAMIL LIPIL WITH IRON</p> <p>ENFAMIL WITH IRON (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 20 kcal/fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Whey : casein ratio (60:40) ◆ Fat: <ul style="list-style-type: none"> - 48% of total kcal - 45% palm olein, 20% soy oil, 20% coconut oil, 15% high oleic sunflower oil - LIPIL: enhanced with long chain fatty acids DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 42% of total kcal - Primarily lactose ◆ Iron fortified 	<p>For the routine feeding of full term, healthy infants and for sick infants who do not have special nutritional requirements.</p>	<p>WIC Contract Formula</p> <p>Prescription not required for infants</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Pow:</i> 14.3 oz can (Reconstitutes to 105 fl oz)</p> <p><i>Concentrate:</i> 13 oz can</p> <p><i>RTF:</i> 32 oz can</p> <p><i>RTF:</i> 8 oz</p>
<p>ENSURE (Ross)</p> <p>Complete, balanced nutrition:</p> <ul style="list-style-type: none"> ◆ 31 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 14.1% of total kcal - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 22% of total kcal - Low in saturated fat and cholesterol ◆ CHO: <ul style="list-style-type: none"> - 64% of total kcal - Lactose-free ◆ Source of 24 essential vitamins and minerals 	<p>For supplemental use with or between meals or as a sole source of nutrition for adults. Useful whenever the patient's medical, surgical, or psychological state causes inadequate dietary intake.</p> <p>May be fed orally or by tube.</p> <p>CAUTION: Not to be used for children under 4 years of age.</p>	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8 fl oz can – 6 pack; 24 cans / case</p> <p>Flavors: vanilla, chocolate, butter pecan, coffee latte, and strawberry</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ENSURE WITH FIBER (Ross)</p> <p>Complete, balanced nutrition:</p> <ul style="list-style-type: none"> ◆ 44 kcal / fl oz ◆ 3.4 g dietary fiber ◆ Pro: <ul style="list-style-type: none"> - 14.6% of total kcal - Gluten-free - 83% sodium and calcium caseinates, 17% soy protein isolate ◆ Fat: <ul style="list-style-type: none"> - 29% of total kcal - Low in saturated fat and cholesterol - 50% canola oil, 25% corn oil and 25% high-oleic safflower oils ◆ CHO: <ul style="list-style-type: none"> - 56.4% of total kcal - Combination of corn syrup, maltodextrin and sucrose. - Lactose-free 	<p>A fiber-containing, nutritionally complete liquid used for children over 4 years of age and adults who can benefit from increased dietary fiber and supplemental nutrition. Fiber helps maintain normal bowel function and is useful for those who need to increase the dietary fiber content of the diet. Primarily intended for oral feedings, but can be fed by tube.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For use only under medical supervision. Not to be used for children under 4 years of age. PediaSure or Kindercal are more appropriate for children. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF</i>: 8 fl oz cans / 24 case</p> <p>Flavors: vanilla, chocolate, strawberry and butter pecan.</p>
<p>GOAT'S MILK (Meyenberg)</p> <ul style="list-style-type: none"> ◆ 17.7 kcal / fl oz (142 kcal / 8 fl oz) ◆ Pro: <ul style="list-style-type: none"> - 24% of total kcal - Contains only trace amounts of the major protein in cow milk - Does not contain soy proteins ◆ Fat: <ul style="list-style-type: none"> - 46% of total kcal - Predominance of short and medium chain fatty acids may be easier to digest and absorb than cow's milk. ◆ CHO: <ul style="list-style-type: none"> - 30% of total kcal - Contains lactose ◆ Contains 13% more calcium, 25% more vitamin B6, 47% more vitamin A, 134% more potassium and 350% more niacin when compared to cow milk. 	<p>Can be used by women and children. May be helpful when there is a cow's milk sensitivity and/or intolerance or adverse reaction to soymilk.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Not WIC-approved for infants under one year of age because of the high potassium and chloride content, and inadequate amounts of vitamin C, D, B₆, iron, and folate. ◆ Evaporated goat's milk product is fortified with folate and vitamin D 	<p>Prescription required</p> <p>Not approved for infants</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Evaporated</i> - 12 fl oz can</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>GOOD START SUPREME SOY DHA & ARA (Nestlé)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 11% total kcal - Soy protein - Supplemented with methionine ◆ Fat: <ul style="list-style-type: none"> - 45% total kcal - Blend of vegetable oils: palm olein (47%), soybean oil (26%), coconut oil (21%), and high oleic safflower oil (6%). - DHA and ARA added ◆ Levels of minerals and vitamins are within the ranges of AAP/CON recommendations. 	<p>For full-term infants with an allergy or sensitivity to cow's milk, lactose intolerance, or galactosemia. Also used when parents seek a vegetarian-based diet for their full-term infant.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Avoid use for anyone with an allergy to soy protein. ◆ Does not provide the USRDA for calcium for adults and children over 1 year of age. ◆ Not recommended for very-low-birth-weight infants whose birth weight is <1,8000 grams (4 pounds). 	<p>Non Contract Formula</p> <p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p><i>Pow:</i> 14 oz (reconstitutes to 99.9 fl. oz)</p> <p><i>Concentrate:</i> 13 fl oz</p> <p><i>RTF:</i> 32 fl oz</p>
<p>GOOD START SUPREME (Nestlé)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 9% of total kcal - 100% whey protein that is partially hydrolyzed into smaller peptide chains for ease of digestion. ◆ Fat: <ul style="list-style-type: none"> - 46% of total kcal - Blend of vegetable oils (47% palm olein; 26% soybean oil; 21% coconut oil; 6% high-oleic safflower oil) ◆ CHO: <ul style="list-style-type: none"> - 45% of total kcal - Lactose and corn maltodextrin (70:30) ◆ Osmolality: 265 mOsm/kg water 	<p>Feeding full term, healthy infants and for sick infants who do not have special nutritional requirements.</p> <p>Designed to be well tolerated by infants at high risk for formula intolerance based on a family history of allergy (infants who are not themselves diagnosed as allergic to milk).</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ This formula is not hypoallergenic with completely hydrolyzed protein like Nutramigen and Pregestimil. It is made with cow's milk protein and is not suitable for infants allergic to milk. ◆ A pork-derived enzyme is used to hydrolyze the protein – may make product unacceptable to participants who observe certain religious dietary laws. 	<p>Non Contract Formula</p> <p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p><i>Pow:</i> 12 oz can (Reconstitutes to 87.2 fl oz)</p> <p><i>Concentrate:</i> 13 fl oz can</p> <p><i>RTF:</i> 32 fl oz can</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>HUMAN MILK FORTIFIER</p> <p>ENFAMIL HUMAN MILK FORTIFIER (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ Pro: <ul style="list-style-type: none"> - 1.1 g per 4 packets - milk protein isolate, whey protein isolate hydrolysate ◆ Fat: <ul style="list-style-type: none"> - 1 g fat per 4 packets - MCT oil, soybean oil ◆ CHO: <ul style="list-style-type: none"> - < 0.4 g carbohydrate per 4 packets <p>Note: There are differences in nutrient composition between Enfamil Human Milk Fortifier and Similac Human Milk Fortifier</p>	<p>Intended for low-birth-weight infants as a nutritional supplement to breast milk.</p> <p>A powder supplement that is mixed with breast milk to increase the levels of protein, energy, calcium, phosphorus, and other nutrients to produce a diet more suited to the nutritional needs of the rapidly growing premature infant.</p> <p>CAUTION: Not nutritionally complete. To be used only under medical supervision.</p> <p>Follow Physician directions for number of packets to mix per ounce of breast milk.</p> <p>Maximum issuance is 1 packet/oz</p>	<p>Prescription Required</p> <p>State WIC RD approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p>Powdered Packets</p> <p>100 (.71 g) packets per carton</p> <p>2 cartons per case</p> <p>200 packets per case</p> <p>Maximum issuance is 800 packets</p>
<p>HUMAN MILK FORTIFIER</p> <p>SIMILAC HUMAN MILK FORTIFIER (Ross)</p> <ul style="list-style-type: none"> ◆ Pro: <ul style="list-style-type: none"> - 1 g per 4 packets - nonfat milk, whey protein concentrate, ◆ Fat: <ul style="list-style-type: none"> - .36 g fat per 4 packets - Medium Chain Triglycerides ◆ CHO: <ul style="list-style-type: none"> - 1.8 g carbohydrate per 4 packets - corn syrup solids <p>Note: There are differences in nutrient composition between Similac Human Milk Fortifier and Enfamil Human Milk Fortifier</p>	<p>Intended for low-birth-weight infants as a nutritional supplement to breastmilk.</p> <p>CAUTION: Not nutritionally complete. To be used only under medical supervision.</p> <p>Follow Physician directions for number of packets to mix per ounce of breast milk.</p> <p>Maximum issuance is 1 packet/oz</p>	<p>Prescription Required</p> <p>State WIC RD approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p>Powdered Packets</p> <p>50 (.9 g) packets per inner carton</p> <p>3 inner cartons per case</p> <p>150 packets per case</p> <p>Maximum issuance is 800 packets</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>ISOCAL (Novartis)</p> <ul style="list-style-type: none"> ◆ 31.25 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 13% of total kcal - Moderate level of high-quality protein - Blend of calcium and sodium caseinate, soy protein isolate ◆ Fat: <ul style="list-style-type: none"> - 37% of total kcal - Readily absorbable fat blend with MCT oil and soy oil (20:80) ◆ CHO: <ul style="list-style-type: none"> - 50% of total kcal - Maltodextrin - Lactose-free, low residue ◆ Osmolality: 270 mOsm kg water 	<p>It is a nutritionally complete, unflavored formula to be used as a tube feeding with:</p> <ul style="list-style-type: none"> ◆ Inadequate voluntary oral intake ◆ Barriers to normal ingestion ◆ Postoperative feeding <p>CAUTION: Use only under medical supervision. Evaluate if formula is used and stored properly.</p>	<p>Prescription Required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8 fl oz can- 6-packs; 24 cans / case</p>
<p>ISOMIL (Ross) See Similac Isomil</p>			
<p>ISOMIL 2 (Ross) See Similac Isomil 2</p>			
<p>KINDERCAL / KINDERCAL with FIBER (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 11% of total kcal - 100% milk protein concentrate ◆ Fat: <ul style="list-style-type: none"> - 37% of total kcal - 40% canola oil, 20% MCT oil, 12% corn oil and 28% high oleic sunflower oil ◆ CHO: <ul style="list-style-type: none"> - 52% of total kcal - 50% maltodextrin; 50% sugar - Lactose-free ◆ Fiber: Vanilla With Fiber contains 6.3 gm of dietary fiber / 1000mL ◆ Provides 100% of the NAS-NRC RDA for protein, vitamins, and minerals for children 1 to 10 years of age / 950 mL. ◆ Osmolality: vanilla 440; chocolate 520 <p>Similar to PediaSure and PediaSure with Fiber (both Ross)</p>	<p>Oral supplementation for nutritional support of children 1 to 10 years of age who need supplemental nutrition, or have chronic illness, injury or trauma, or failure to thrive.</p> <p>CAUTION: When used as the sole source of nutrition, additional water may be required to meet adequate fluid needs.</p>	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8 fl oz cans- 24 cans / case</p> <p>Flavors: Kindercal - vanilla, chocolate</p> <p>Kindercal with Fiber- vanilla</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>LACTAID and LACTAID 100 (McNeil)</p> <ul style="list-style-type: none"> ◆ Kcal / fl oz: <ul style="list-style-type: none"> - Nonfat – 10 kcal - Lowfat (1%) – 13.75 kcal - Reduced-fat (2%) – 16.25 kcal - Whole – 18.75 kcal ◆ Pro: <ul style="list-style-type: none"> - 1 g / fl oz in all 4 types ◆ Fat: Milk fat ◆ CHO: <ul style="list-style-type: none"> - Lactaid has 3.6 g lactose / 8 fl oz - Lactaid 100 is lactose free ◆ Pasteurized, with vitamins A and D enriched. 	<p>For children and adults with intolerance to lactose. Lactase has been added to reduce lactose content.</p> <p>No prescription needed for adults and children. Participants are free to choose the level of fat content.</p> <p>CAUTION: WIC does not recommend 2%, 1%, or nonfat milk for children under 2 years of age. Soy formula or Lactose Free formula may be more appropriate for infants and 1 year olds with lactose intolerance.</p>	<p>Approved for lactose intolerant adults and children</p> <p>Not approved for infants</p> <p>Authorized by CPA</p>	<p><i>Quart</i> Half-gallon</p> <p>Can be purchased in:</p> <ul style="list-style-type: none"> ◆ Fat-Free ◆ Lactaid 100 1% Lowfat Milk ◆ Lactaid 100 2% Reduced Fat Milk ◆ Lactaid 100 Whole Milk
<p>LACTOFREE LIPIL (Mead Johnson) See Enfamil LactoFree Lipil</p>			
<p>LACTOSE FREE ADVANCE (Ross) See Similac Lactose Free Advance</p>			
<p>NEOCATE (Scientific Hospital Supplies)</p> <ul style="list-style-type: none"> ◆ 20 kcal/ fl oz ◆ Pro: <ul style="list-style-type: none"> - 12% of total kcal - 100% free amino acids including taurine and carnitine - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 41% of total kcal - 11% hybrid safflower oil; refined vegetable oil (coconut 6.1%, soy 3.1%) - 5% of fat is MCT oil ◆ CHO: <ul style="list-style-type: none"> - 47% of total kcal - Corn syrup solids - Lactose-free ◆ Osmolality: 342 mOsm /kg 	<p>Neocate is a nutritionally complete elemental formula for infants with severe cow's milk allergy and multiple food protein intolerance. Some medical conditions may necessitate issuing to children.</p> <p>Is hypoallergenic, containing 100% synthetic free amino acids and is proven safe for use in infants who cannot tolerate soy formulas (e.g. Isomil) or protein hydrolysates (e.g. Alimentum, Nutramigen and Pregestimil.)</p> <p>Can be used orally or as a tube feeding. Not for parenteral use.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Dosage should be determined by a physician and is dependent on the age, body weight and medical condition. ◆ Special directions for preparation and use are on label and on web site 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Pow:</i> 14 oz (400 gm) can 4 cans / case</p> <p>(Reconstitute s to 85 fl oz standard dilution)</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>NEOCATE JUNIOR (Scientific Hospital Supplies)</p> <ul style="list-style-type: none"> ◆ Pro: <ul style="list-style-type: none"> - 12% of total kcal - Contains 100% free amino acids - Contains carnitine, taurine and free glutamine. - Whey-, soy-, milk- and gluten-free ◆ Fat: <ul style="list-style-type: none"> - 46% of total kcal - 35% of fat from MCT; 65% from LCT ◆ CHO: <ul style="list-style-type: none"> - 42% of total kcal - Lactose-free ◆ Osmolalities: <ul style="list-style-type: none"> - 607mOsm/kg unflavored - 690 mOsm/kg tropical fruit 	<p>A nutritionally complete, powdered amino acid-based medical food for children ages 1 to 10 years. It contains 100% synthetic free amino acids, making it ideal for the dietary management of protein hypersensitivity and allergy, gastrointestinal tract impairment, multiple food protein intolerance and other medical conditions where an elemental diet is indicated.</p> <p>Can be used orally or for tube feeding. It is bland tasting and easily flavored. Not suitable for parenteral use.</p> <p>Formula dilution depends on the child's age, body weight and medical condition.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ High osmolality for very young children. ◆ The WIC nutritionist or nurse should work closely with the physician and/or clinical dietitian working with the participant on issuance and transition feeding. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Pow:</i> 14 oz</p> <p>Unflavored or Tropical Fruit flavored powder</p>
<p>NEOSURE ADVANCE (Ross) See Similac NeoSure Advance</p>			
<p>NUTRAMIGEN LIPIL (Mead Johnson) See Enfamil Nutramigen Lipil</p>			

Product / Description	Indication	WIC Issuance	Packaging
<p>NUTREN JUNIOR NUTREN JUNIOR WITH FIBER (Nestlé Clinical Nutrition)</p> <ul style="list-style-type: none"> ◆ 29.58 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 12% of total kcal - Contains milk protein concentrate, whey protein concentrate (50% whey, 50% casein) - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 44% of total kcal - Soybean oil, MCT (21%) (fractionated coconut and palm kernel oil), canola oil, soy lecithin ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal - Maltodextrin, sucrose - Lactose-free and low residue - Fiber blend (Nutren with Fiber) supplies 2.2 g soluble and 3.8 g insoluble fiber / L ◆ Iron: 3.5 mg ◆ Osmolality: 350 mOsm/kg H₂O <p>Similar to PediaSure (Ross) and Kindercal/with Fiber/TF (Mead Johnson)</p>	<p>A complete liquid nutrition or use as a supplement for children ages 1-10. Contains intact proteins and is intended for children with a stable functioning gastrointestinal tract. Use for chronic illness, injury or trauma, or failure to thrive.</p> <p>For use as oral or tube feeding. Not for parenteral use.</p> <p>Available with or without fiber to provide flexibility in bowel management.</p> <p>Nor recommended for infants under one year of age.</p>	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8.45 fl oz (250ml) 24 cans / case</p> <p>Flavor: Nutren Junior and Nutren Junior with Fiber – Vanilla</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>NUTREN 1.0 NUTREN 1.0 WITH FIBER (Nestlé Clinical Nutrition)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 16% of total kcal - Calcium-potassium caseinate - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 33% of total kcal - Contains 25% MCT source, canola oil and corn oil ◆ CHO: <ul style="list-style-type: none"> - 51% of total kcal - Maltodextrin and corn syrup solids - Lactose-free and low-residue - Nutren 1.0 with Fiber: 14 g dietary fiber/1000 mL (1000 kcal) ◆ Meets 100% of the RDI for most vitamins and minerals in 1500 mL (1500 kcal) ◆ Contains taurine, carnitine and ultra-trace minerals for long-term feeding requirements ◆ Osmolality: 315 mOsm/kg water (unflavored, without fiber); 320 mOsm/kg water (unflavored, with fiber) 	<p>A nutritionally complete, isotonic, balanced formula used for complete or supplemental nutrition support. Is ideal for short/long term tube or oral feeding for adults with normal protein and calorie requirements.</p> <p>Nestlé Flavor Packets are available to enhance oral supplement compliance.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Not recommended for infants and children under 10 years of age. ◆ Not for parenteral use 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8.45 fl oz (or 250 mL) can 24 cans / case</p> <p>Flavors: Nutren 1.0 / with Fiber - unflavored or vanilla</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>NUTREN 1.5 (Nestlé Clinical Nutrition)</p> <ul style="list-style-type: none"> ◆ 45 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 16% of total kcal - Calcium-potassium caseinate - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 39% of total kcal - Contains 50% of fat source as MCT. Also contains canola oil and corn oil ◆ CHO: <ul style="list-style-type: none"> - 45% of total kcal - Maltodextrin - Lactose-free and low-residue ◆ Meets 100% of the RDI for 21 key vitamins and minerals in 1000 mL (1500 kcal) ◆ Contains taurine, carnitine and ultra-trace minerals for long-term feeding requirements ◆ Osmolality: 430 mOsm/kg water (unflavored) 	<p>A nutritionally complete, high-calorie, balanced formula especially designed for oral or tube feeding of children (over 10 years) and adults with a fluid restriction or high-calorie needs. May be used as the sole source of nutrition or as a supplement.</p> <p>Nestlé Flavor Packets are available to enhance oral supplement compliance.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Not recommended for infants and children under 10 years or age. ◆ Not for parenteral use 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8.45 fl oz (or 250 mL) can</p> <p>24 cans / case</p> <p>Flavors: unflavored, vanilla</p>
<p>NUTREN 2.0 (Nestlé Clinical Nutrition)</p> <ul style="list-style-type: none"> ◆ 60 kcal / fl oz (2.0 kcal / mL) ◆ Pro: <ul style="list-style-type: none"> - 16% of total kcal - Calcium-potassium caseinate - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 45% of total kcal - Contains 75% of fat source as MCT. Also contains canola oil, corn oil and soy lecithin ◆ CHO: <ul style="list-style-type: none"> - 39% of total kcal - Corn syrup solids, maltodextrin, and sugar ◆ Contains taurine, carnitine and ultra-trace minerals for long-term feeding requirements. ◆ Meets or exceeds 100% RDI for 21 key vitamins and minerals in 750 mL (1500 kcal). ◆ Lactose-free, low-residue. ◆ Osmolality: 745 mOsm/kg water 	<p>A nutritionally complete, <u>very</u> high-calorie, balanced formula especially designed for oral or tube feeding for older children and adults needing concentrated caloric, high quality nutrition in a limited volume. May be used as the sole source of nutrition or as a supplement.</p> <p>Nestlé Flavor Packets are available to enhance oral supplement compliance.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Not recommended for infants and children under 10 years of age unless specified by a physician. ◆ Not for parenteral use 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8.45 fl oz (or 250 mL) can</p> <p>24 cans / case</p> <p>Flavor: vanilla</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>PEDIASURE (Ross)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 12% of total kcal - 82% casein, 18% whey - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 44% of total kcal - 50% high-oleic safflower oil, 30% soy oil, 20% MCT ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal - Sucrose and maltodextrin - Lactose-free ◆ Meets 100% RDA in 1000 ml for children 1-6 years of age. ◆ Osmolality (Non-chocolate only): 308 mOsm/kg water <p><u>Note:</u> PediaSure Enteral is specially designed for tube feedings. It contains less sucrose and is lower in osmolality than other forms of PediaSure. Similar to Kindercal (Mead Johnson)</p>	<p>A nutritionally complete, milk-based, enteral formula specially designed for tube or oral feeding of children 1 to 10 years of age.</p> <p>May be used as the sole source of nutrition or as a supplement. For example, if one can / day is prescribed as a supplement, a PediaSure food package can be issued for the first month and a food package issued for the following two months.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Not recommended for infants under 1 year of age unless specified by a physician. ◆ Not for children with galactosemia ◆ Not for parenteral use 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8 fl oz can 24 cans / case</p> <p>Flavors: vanilla, chocolate, strawberry, orange cream and banana cream</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>PEDIASURE WITH FIBER (Ross)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 12% of total kcal - Casein, whey (82:18) - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 44% of total kcal - High-oleic safflower oil, soy oil, MCT oil (50:30:20) ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal - Sucrose, maltodextrin (62:38) - Dietary fiber: 1.2 g / 8 fl oz - Lactose-free ◆ Calcium/ phosphorus ratio of 1.2:1 meets recommendations by the American Academy of Pediatrics Committee on Nutrition for growing children. ◆ Meets 100% RDA in 1000 ml for children 1-6 years of age. ◆ Osmolality (Non-chocolate only): 308 mOsm/kg water <p><u>Note:</u> PediaSure with Fiber Enteral is specially designed for tube feedings. It contains less sucrose and is lower in osmolality than other forms of PediaSure.</p> <p>Similar to Kindercal with Fiber (Mead Johnson)</p>	<p>A nutritionally complete, balanced, enteral formula especially designed for tube or oral feeding of children 1 to 10 years of age. Contains fiber which helps normalize bowel function.</p> <p>May be used as the sole source of nutrition or as a supplement, oral or by tube. For example, if one can / day is prescribed as a supplement, a PediaSure food package can be issued for the first month and a food package issued for the following two months.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Not recommended for infants under 1 year of age unless specified by a physician. ◆ Not for children with galactosemia. ◆ Not for parenteral use 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8 fl oz can 24 cans / case</p> <p>Flavor: vanilla</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>PEDIATRIC EO28 (Scientific Hospital Supplies)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Contains 100% free amino acids - Whey, soy and milk protein-free - Contains carnitine, taurine and free glutamine. ◆ Fat: <ul style="list-style-type: none"> - 32% of total kcal - 35% of fat from MCT; 65% from LCT ◆ CHO: <ul style="list-style-type: none"> - 58% of total kcal - Maltodextrin, sucrose - Lactose- and fructose-free ◆ Osmolality: 820 mOsm/kg <p><u>Formerly Neocate One + RTF</u></p>	<p>A nutritionally complete, elemental formula for children ages 1 to 10 years of age with intact protein sensitivity and/or compromised gastrointestinal function. It contains 100% synthetic free amino acids and can be used orally or for tube feeding. Not for parenteral use.</p> <p>Intake to be determined by a medical professional and is dependent on the child's age, body weight, and medical condition.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ High osmolality for very young children. ◆ Not intended for use in children under one year of age. ◆ Use only under strict medical supervision. The WIC nutritionist or nurse should work closely with the physician and/or clinical dietitian working with the participant on issuance and transitional feeding. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF</i>: 8 fl oz ready-to-use cartons.</p> <p>Flavor: orange-pineapple</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>PEPTAMEN (Nestlé Clinical Nutrition)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 16% of total kcal - Peptide-based for better absorption - Partially hydrolyzed whey protein, a cow's milk protein - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 33% of total kcal - 70% MCT, 30% LCT ◆ CHO: <ul style="list-style-type: none"> - 51% of total kcal - Maltodextrin, corn starch (unflavored) - Lactose-free ◆ Meets or exceeds 100% of the RDI for 22 key vitamins and minerals in 1500 mL (1500 kcal) ◆ Low-residue ◆ Osmolality: 270 mOsm/kg water (unflavored) 380 mOsm/kg water (vanilla flavored) 	<p>Nutritionally complete, isotonic, elemental formulas for adults.</p> <p>Use for Inflammatory Bowel Disease (Crohn's Disease, ulcerative colitis), short bowel syndrome, pancreatitis, HIV, and chronic diarrhea.</p> <p>Peptamen (unflavored) should be used only for tube feeding. Nestle Flavor Packets Extra Strength (cherry, grape and lemonade) are available for flavor enhancement.</p> <p>Peptamen (vanilla flavored) can be used orally. Flavor packets are available to enhance compliance. Flavors are Chocolate Deluxe, Orange Dream, French Vanilla, Cappuccino and Irish Cream.</p> <p>Approved with prescription for adults.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For use only under medical supervision. ◆ Not for parenteral use ◆ Contains ingredients (cow's milk protein) that may not be appropriate for individuals with food allergies. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>RTF:</i> 8.45 fl oz can</p> <p>24 cans / case</p> <p>Flavors: Unflavored (tube feeding) Vanilla (oral) additional flavor packets available</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>PEPTAMEN JR (Nestlé Clinical Nutrition)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 12% of total calories - Peptide-based for better absorption - Enzymatically hydrolyzed whey protein - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 33% of total kcal - 70% MCT, 30% LCT - Blend of MCT, soybean oil, high oleic sunflower oil, soy lecithin ◆ CHO: <ul style="list-style-type: none"> - 55% of total kcal - Maltodextrin, sugar, potato starch - Lactose-free - Low-residue ◆ Osmolality: 305 mOsm/kg water (vanilla) 	<p>Ready-to-use elemental diet for elevated caloric requirements.</p> <p>Nutritionally complete, elemental diet for children ages 1-10 with impaired gastrointestinal function. May be indicated for inflammatory bowel disease, short bowel syndrome, cystic fibrosis, chronic diarrhea, cerebral palsy, pancreatitis and malabsorption.</p> <p>Nestle Flavor Packets for Kids can be mixed with chilled Peptamen Junior (vanilla) for flavor enhancement. Flavors are Chocolate Deluxe, Orange Dream, French Vanilla, and Banana Cream.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Use only under strict medical supervision. ◆ Not for infants under 1 year of age. ◆ Not for parenteral use ◆ Contains cow's milk protein that may not be appropriate for individuals with food allergies. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p>RTF: 8.45 fl oz can 24 cans / case</p> <p>Flavors: Unflavored (tube feeding)</p> <p>Vanilla (oral use)</p>
<p>PEPDITE ONE+ (Scientific Hospitals)</p> <ul style="list-style-type: none"> ◆ Pro: <ul style="list-style-type: none"> - 12% of total calories - 44% free amino acids, 56% low molecular weight peptides ◆ Fat: <ul style="list-style-type: none"> - 46% of total kcal - 35% MCT, 65% LCT - Blend of MCT, soybean oil, high oleic sunflower oil, soy lecithin ◆ CHO: <ul style="list-style-type: none"> - 42% of total kcal - Maltodextrin, sugar, potato starch - Lactose-free, galactose-free, sucrose free - Low-residue <p>Osmolality: 430 mOsm/kg water (vanilla)</p>	<p>Semi-elemental medical food containing low molecular weight peptides and free amino acids. Suitable for patients who cannot tolerate intact proteins. Formulate to provide complete or supplemental nutritional support for children with gastrointestinal impairment where a non-dairy product is needed.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Use only under strict medical supervision. ◆ Not for infants under 1 year of age. ◆ Not for parenteral use 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p>Powdered packets</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>PORTAGEN (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 14% of total kcal - Contains sodium caseinate, a milk-based protein ◆ Fat: <ul style="list-style-type: none"> - 40% of total kcal - 87% of fat from MCT oil - Corn oil provides linoleic acid ◆ CHO: <ul style="list-style-type: none"> - 46% of total kcal - Corn syrup solids, sugar - Lactose-free ◆ Osmolality: 350 mOsm/kg water 	<p>Iron fortified powder with medium chain triglycerides for children or adults when ordinary dietary fats are poorly digested, absorbed, or used. Medium Chain Triglycerides (MCT) are better hydrolyzed and absorbed than long chain fatty acids in conventional food fat.</p> <p>Not nutritionally complete; supplementation of essential fatty acids and ultra trace minerals should be considered if used long-term.</p> <p>Can be used as a portion of the diet or as a beverage to be consumed with each meal.</p> <p>Appropriate for such conditions cystic fibrosis, intestinal resection, pancreatic insufficiency, bile acid deficiency, lymphatic anomalies, celiac disease, steatorrhea, and biliary atresia.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Portagen powder is not recommended for use as an infant formula ◆ For use only under medical supervision. ◆ Do not store in plastic containers as oil may escape. ◆ Contains milk protein ◆ Need to maintain normal water intake when used as a sole source of nutrition. ◆ Powdered products are not commercially sterile. Immunocompromised patients should use commercially sterile liquid formulas where available. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p>Pow: 16 oz can (Reconstitutes to 106 fl oz)</p> <p>6 cans / case</p>
<p>PROSOBEE (Mead Johnson) See Enfamil ProSobee</p>			

Product / Description	Indication	WIC Issuance	Packaging
<p>PRODUCT 3232A (Mead Johnson)</p> <ul style="list-style-type: none"> ◆ 12.7 kcal/fl oz with no added carbohydrate ◆ 20 Kcal/fl oz with added carbohydrate ◆ Pro: <ul style="list-style-type: none"> - 11% of total kcal (no added carbohydrate) - 13% of total kcal (added carbohydrate) - hydrolyzed casein plus added amino acids ◆ Fat: <ul style="list-style-type: none"> - 55% of total kcal (no added carbohydrate) - 35% of total kcal (added carbohydrate) - 85% of fat from MCT oil, 15% corn oil provides ◆ CHO: <ul style="list-style-type: none"> - 27% of total kcal (no added carbohydrate) - 54% of total kcal (added carbohydrate) - carbohydrate source in formula base is modified tapioca starch as a stabilizer <p>Osmolality: 350 mOsm/kg water</p>	<p>A protein hydrolysate formula base for use in the dietary management of infants and children with intractable diarrhea. For use in individuals with disaccharidase deficiencies, impaired glucose transport or study of fructose utilization.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For use with added carbohydrate source ◆ For use only under strict and continuing medical supervision 	<p>Prescription Required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p>Pow: 16 oz can (reconstituted yield varies)</p>
<p>RESOURCE JUST FOR KIDS (Novartis)</p> <ul style="list-style-type: none"> ◆ 30 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 12% of total calories - sodium and calcium caseinates, whey protein concentrate ◆ Fat: <ul style="list-style-type: none"> - 44% of total kcal - Blend of MCT, soybean oil, high oleic sunflower oil ◆ CHO: <ul style="list-style-type: none"> - 44% of total kcal - hydrolyzed corn starch, sucrose - Lactose-free - Gluten free - Low-residue <p>Osmolality: 390 mOsm/kg water (vanilla)</p>	<p>A complete nutritional formula specifically designed for children ages 1-10. Indicated for children with inadequate oral intake, failure-to-thrive, chronic illness, injury or trauma, or pre/post surgery. For use orally or as a tube feeding. May be used as total diet or as a supplement.</p> <p>CAUTION: Not for use by children under 1 year of age</p>	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p><i>RTF</i>: 8 fl oz Tetra Brik® Paks</p> <p>27 paks/case</p> <p>Flavors: vanilla, chocolate, strawberry</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>SIMILAC ALIMENTUM ADVANCE (Ross)</p> <ul style="list-style-type: none"> ◆ 20 kcal / oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 11% of total Kcal - Partially predigested protein (casein hydrolysate) supplemented with free amino acids ◆ Fat: <ul style="list-style-type: none"> - 48% of total kcal - Readily digested and absorbed fat blend, including medium chain triglycerides, safflower oil, and soy oil (33:39:28) - DHA and ARA added to all forms in this product line ◆ CHO: <ul style="list-style-type: none"> - 41% of total kcal - Sucrose and modified tapioca starch (70:30) - Both powder and RTF are lactose-free ◆ Alimentum powder is not corn-free and has a different carbohydrate composition. <p>Similar to Nutramigen Lipil (Mead Johnson)</p>	<p>Formulated for infants with sensitivity to cow's milk protein, colic due to protein sensitivity, chronic intractable diarrhea, multiple food allergies, carbohydrate or fat malabsorption, and galactosemia, or cystic fibrosis.</p> <p>Alimentum Advance does not look or taste like milk or soy formulas. It may separate in the refrigerator. Shake well before using.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Does not contain levels of protein, vitamins, and minerals needed by premies. 	<p>Prescription required</p> <p>Authorized by CPA</p> <p>Renew Rx/ 6 months</p>	<p><i>Pow:</i> 16 oz Can (Reconstitutes to 115 fl oz)</p> <p>6 cans / case</p> <p><i>RTF:</i> 32 fl oz plastic bottle</p> <p>6 plastic bottles / case</p>
<p>SIMILAC ISOMIL</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Soy protein isolate and L-Methionine ◆ Fat: <ul style="list-style-type: none"> - 49% of total kcal - High-oleic safflower, coconut and soy oils (40:30:30) - RTF: only available with DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 41% of total kcal - Corn syrup and sucrose (80:20) ◆ Calcium: 105 mg / 100 kcal ◆ Iron: 1.8 mg / 100 kcal ◆ Osmolality: 200 mOsm/kg water 	<p>Oral feeding for infants, children, and adults with an allergy or sensitivity to cow's milk. A feeding for patients with disorders for which lactose should be avoided including lactase deficiency, lactose intolerance, and galactosemia. Also used for vegetarian diets when animal protein formula is not desired.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ Avoid use by anyone with an allergy to soy protein. ◆ Not recommended for very-low-birth-weight infants. 	<p>Non Contract Formula</p> <p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p><i>Pow:</i> 12.9 oz can Isomil (Reconstitutes to 94 fl oz)</p> <p><i>Concentrate:</i> 13 fl oz can Isomil</p> <p><i>RTF:</i> 32 fl oz can Isomil Advance</p>

Product / Description	Indication	WIC Issuance	Packaging
<p><u>SIMILAC ISOMIL 2</u> (Ross)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Soy proteins ◆ Fat: <ul style="list-style-type: none"> - 49% of total kcal - High-oleic safflower, coconut and soy oils ◆ CHO: <ul style="list-style-type: none"> - 41% of total kcal - Corn syrup and sucrose (80:20) ◆ Calcium: 135 mg / 100 kcal 	<p>Iron fortified, milk-free, lactose-free soy formula designed to help meet the nutritional needs of milk protein-sensitive toddlers.</p>	<p>Non Contract "Toddler Formula"</p> <p>Not approved for infants</p> <p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p><i>Pow:</i> 14 oz can (Reconstitutes to 102 fl oz)</p>
<p><u>SIMILAC LACTOSE FREE ADVANCE</u> (Ross)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 9% of total kcal - 100% milk protein isolate ◆ Fat: <ul style="list-style-type: none"> - 49% of total kcal - Soy & coconut oils (60:40) ◆ CHO: <ul style="list-style-type: none"> - 43% of total kcal - Corn syrup solids & sucrose (55:45) ◆ Osmolality: 200 mOsm/kg water 	<p>Infants up to one year and older with lactose intolerance or lactase deficiency. Contains a milk protein so can be helpful in evaluating for lactose intolerance versus a milk protein sensitivity or allergy.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ True lactose intolerance is uncommon in infants. ◆ Do not use with milk protein allergy. ◆ Not intended for infants or children with galactosemia. 	<p>Non Contract Formula</p> <p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p><i>Pow:</i> 12.9 oz can (Reconstitutes to 95 fl oz)</p> <p><i>Concentrate:</i> 13 fl oz can</p> <p><i>RTF:</i> 32 fl oz</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>SIMILAC NEOSURE ADVANCE (Ross)</p> <ul style="list-style-type: none"> ◆ 22 kcal / fl oz standard dilution ◆ Powder mixable to various caloric concentrations: 20, 22, 24 and 27 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 10% of total kcal - Source: nonfat milk and whey protein concentrate ◆ Fat: <ul style="list-style-type: none"> - 50% of total kcal - Source: Soy, high-oleic safflower, MCT oil and coconut oil (28:27:25:18) ◆ CHO: <ul style="list-style-type: none"> - 41% of total kcal - Source: Maltodextrin (corn) and lactose (50:50) - Contains the long chain polyunsaturated fatty acids of DHA and ARA ◆ More calcium and phosphorus than term formula ◆ Osmolality: 250 mOsm/kg water ◆ Potential renal solute load: 24.0 mOsm <p>Similar to Enfamil EnfaCare Lipil (Mead Johnson)</p>	<p>A preterm discharge formula for infants. Meets the special nutritional needs for formula-fed premature and low-birth-weight infants up through the first year of life.</p> <p>CAUTION:</p> <p>There must be a physician's order for any dilution different from that stated on the label.</p>	<p>Prescription Required</p> <p>Authorized by CPA</p> <p>Renew Rx 6/Months</p>	<p>Pow: 12.8 oz can (Reconstitutes to 85 fl oz standard dilution)</p>
<p>SIMILAC PM 60/40 (Ross)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 9 % of total kcal - 2.71 g pro - Whey protein concentrate & sodium caseinate (60:40) ◆ Fat: <ul style="list-style-type: none"> - 50% of total kcal - 5.43 g fat - Corn, coconut & soy oils (50:38:12) ◆ CHO: <ul style="list-style-type: none"> - 41% of total kcal - 10.6 g CHO - 100% Lactose ◆ Iron: 1.8 mg ◆ Osmolality: 280 mOsm/kg water 	<p>A low-iron formula for infants who are predisposed to hypocalcemia, or those with renal, digestive or cardiovascular impaired functions that would benefit from lowered mineral levels (such as calcium, phosphorus, potassium and sodium). Includes use with calcium absorption/retention disease, e.g. Williams syndrome.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For use only under medical supervision. ◆ May be necessary to supply electrolytes and iron from other sources under medical supervision. ◆ Infants under 1500 g may need additional nutrients. 	<p>Prescription Required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p>Pow: 16 oz can 6 cans / case (Reconstitutes to 116 fl oz)</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>SIMILAC WITH IRON (Ross)</p> <ul style="list-style-type: none"> ◆ 20 kcal / fl oz ◆ Pro: <ul style="list-style-type: none"> - 8% of total kcal - Nonfat milk & whey protein concentrate - Whey : casein ratio (48:52) ◆ Fat: <ul style="list-style-type: none"> - 49% of total kcal - High-oleic safflower, coconut & soy oils (40:30:30) ◆ CHO: <ul style="list-style-type: none"> - 43% of total kcal - 100% Lactose ◆ Osmolality: 300 mOsm/kg water 	<p>For the routine feeding of full term, healthy infants and for sick infants who do not have special nutritional requirements.</p> <p>Comparable formulation with Similac Advance except Similac Advance has DHA and ARA added.</p> <p>Similac Advance is not WIC approved</p>	<p>Non Contract Formula</p> <p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p>	<p><i>Pow</i>: 12.9 oz can (Reconstitutes to 96 fl oz)</p> <p><i>Concentrate</i>: 13 fl oz can</p> <p><i>RTF</i>: 32 fl oz bottle</p>
<p>SIMILAC SPECIAL CARE ADVANCE WITH IRON 20</p> <p>SIMILAC SPECIAL CARE ADVANCE WITH IRON 24 (Ross)</p> <ul style="list-style-type: none"> ◆ 20 or 24 kcal / fl oz standard dilution ◆ Pro: <ul style="list-style-type: none"> - 11% of total kcal (20 Kcal/oz) - 12% of total kcal (24 Kcal/oz) - nonfat milk and whey protein concentrate ◆ Fat: <ul style="list-style-type: none"> - 49% of total kcal (20 Kcal/oz and 24 Kcal/oz) - MCT oil, soy and coconut oil - DHA and ARA added ◆ CHO: <ul style="list-style-type: none"> - 41% of total kcal (20 and 24 Kcal/oz) - 50:50 Blend of corn syrup solids and lactose 	<p>Growing, healthy, low birth weight infants under 2000 grams.</p> <p>CAUTION:</p> <ul style="list-style-type: none"> ◆ For use only under medical supervision. ◆ Shake bottle vigorously to suspend minerals. 	<p>Prescription Required</p> <p>State WIC RD Approval Required</p> <p>Renew Rx as directed by State WIC RD</p> <p>Be sure to specify the exact formulation indicated on the Rx</p>	<p><i>RTF</i>: 2 fl oz bottles Or 4 fl oz. Bottles</p> <p>20 or 24 Kcal/oz</p> <p>Maximum issuance (806 fl. Ounces):</p> <p>2 fl oz bottles: 403</p> <p>4 fl oz bottles: 201</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>TOLEREX (Novartis)</p> <ul style="list-style-type: none"> ◆ 30 kcal / oz ◆ 300 kcal / 300 mL (1 reconstituted packet) ◆ Pro: <ul style="list-style-type: none"> - 8% of total kcal - 100% free amino acids - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 1% of total kcal - Safflower oil ◆ CHO: <ul style="list-style-type: none"> - 91% of total kcal - Maltodextrin, modified corn starch - Lactose-free - Low residue ◆ Osmolality: 550 mOsm/kg water 	<p>Nutritionally complete truly elemental diet for tube feeding or beverage for adults when an easily absorbed form of nutrition is needed for the following conditions: intractable diarrhea, impaired digestion and absorption, inflammatory bowel disease, limited gut function, enterocutaneous fistula, partial function or narrowing of the GI tract, short bowel syndrome.</p> <p>CAUTION: For use only under medical supervision</p>	<p>Prescription Required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p>(60) 80 g packets / case</p> <p>Each 80 g (2.82 oz) dry packet when reconstituted with 255 mL water delivers 300 mL of formula</p>
<p>VIVONEX PEDIATRIC (Novartis)</p> <ul style="list-style-type: none"> ◆ 24 kcal / oz; 0.8 kcal / mL ◆ 200 kcal / 250 mL (1 reconstituted packet) ◆ Pro: <ul style="list-style-type: none"> - 12% of total kcal - 100% free Amino Acids - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 25% of total kcal - MCT oil, soybean oil ◆ CHO: <ul style="list-style-type: none"> - 63% of total kcal - Maltodextrin, modified cornstarch - Lactose-free - Low residue ◆ Osmolality: 360 mOsm/kg water 	<p>Nutritionally complete elemental formula for children ages 1-10 years when an easily absorbed form of nutrition is needed for the following conditions: Crohn's disease, intractable diarrhea, impaired digestion and absorption, inflammatory bowel disease, limited gut function, enterocutaneous fistula, partial function or narrowing of the GI tract, short bowel syndrome.</p> <p>Can be used as a tube feeding or consumed orally and flavored with Vivonex Flavor Packets or using Vivonex recipe booklet.</p> <p>Approved with prescription for children 1-10 years of age.</p> <p>CAUTION: For use only under medical supervision.</p>	<p>Prescription Required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p>(36) 48.5 g (1.7 oz) packets / case</p> <p>Each 48.5 g packet reconstituted with 22 ml water delivers 250 ml of formula</p> <p>Flavor packets not included</p>

Product / Description	Indication	WIC Issuance	Packaging
<p>VIVONEX T.E.N. (Novartis)</p> <ul style="list-style-type: none"> ◆ 30 kcal / oz ◆ 300 kcal / 300 mL (1 reconstituted packet) ◆ Pro: <ul style="list-style-type: none"> - 15% of total kcal - 100% free amino acids - Enriched with glutamine - Gluten-free ◆ Fat: <ul style="list-style-type: none"> - 3% of total kcal - Safflower oil ◆ CHO: <ul style="list-style-type: none"> - 82% of total kcal - Maltodextrin, modified cornstarch - Lactose-free - Low residue ◆ Osmolality: 630mOsm/kg water 	<p>An elemental tube feeding or beverage for adults with the conditions listed for Tolerex but who also require higher protein. Indicated for bowel resection, irritated bowel, malabsorption, pancreatic disorders, Crohn's disease, and trauma/surgery. If taken orally, improve taste by adding Vivonex Flavor Packets or using Vivonex recipe booklet.</p> <p>Approved with prescription for adults.</p> <p>CAUTION: For use only under medical supervision.</p>	<p>Prescription Required</p> <p>Authorized by CPA</p> <p>Renew Rx/6 months</p>	<p>(60) 2.84 oz packets / case</p> <p>Each 2.84 oz dry packet reconstituted with 250 mL water delivers 300 mL of formula</p>