

BRFSS Detailed Summary Table for Dakota County Health Department Adults 18 and Older, 2011-2020

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>a</sup>
	Dakota County		State of NE		Sig <sup>d</sup>	Dakota County		State of NE		Sig <sup>d</sup>	Dakota County		State of NE		Sig <sup>d</sup>	
	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup> (Low - High)	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup> (Low - High)		mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup> (Low - High)	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup> (Low - High)		mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup> (Low - High)	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup> (Low - High)		
<b>General Health Status</b>																
General health fair or poor																
2011	929	22.7% (17.0 - 29.6)	25,347	14.3% (13.7 - 14.9)	+	386	24.4%* (15.7 - 35.9)	10,198	14.8% (13.9 - 15.7)	NS	543	20.9% (14.4 - 29.5)	15,149	13.9% (13.1 - 14.7)	NS	No
2012	732	25.1%* (16.9 - 35.7)	19,132	14.4% (13.7 - 15.2)	+	307	30.2%* (17.0 - 47.7)	7,855	14.6% (13.5 - 15.7)	+	425	20.2%* (12.2 - 31.5)	11,277	14.3% (13.4 - 15.2)	NS	No
2013	594	22.7% (18.2 - 28.0)	17,106	13.9% (13.1 - 14.8)	+	212	24.9% (17.7 - 33.9)	6,963	13.4% (12.2 - 14.7)	+	382	20.5% (15.5 - 26.6)	10,143	14.4% (13.3 - 15.6)	NS	No
2014	546	19.5% (14.7 - 25.3)	22,370	13.2% (12.5 - 13.9)	+	214	16.1% (9.5 - 25.9)	9,585	13.5% (12.4 - 14.5)	NS	332	22.8% (16.7 - 30.5)	12,785	12.9% (12.0 - 13.8)	+	No
2015	513	19.7% (15.3 - 24.8)	17,539	13.9% (13.1 - 14.8)	+	190	20.7% (14.0 - 29.4)	7,564	13.7% (12.5 - 14.9)	NS	323	18.6% (13.7 - 24.8)	9,975	14.2% (13.1 - 15.3)	NS	No
2016	536	16.0% (11.7 - 21.5)	15,166	14.7% (13.8 - 15.6)	NS	202	12.4% (7.2 - 20.3)	6,633	13.8% (12.6 - 15.1)	NS	334	19.6% (13.4 - 27.7)	8,533	15.5% (14.3 - 16.8)	NS	No
2017	569	19.5% (15.8 - 23.7)	15,331	14.9% (14.1 - 15.8)	+	254	18.5% (13.4 - 25.1)	6,956	14.1% (13.0 - 15.3)	NS	315	20.4% (15.5 - 26.3)	8,368	15.8% (14.6 - 17.0)	NS	No
2018	560	24.1% (19.7 - 29.2)	14,611	14.5% (13.7 - 15.4)	+	243	26.1% (19.5 - 34.2)	6,550	13.8% (12.7 - 15.1)	+	317	22.2% (16.7 - 28.9)	8,047	15.2% (14.0 - 16.4)	+	No
2019	533	23.3% (19.3 - 27.9)	15,843	14.6% (13.8 - 15.3)	+	233	23.2% (17.4 - 30.3)	7,139	13.7% (12.7 - 14.8)	+	300	23.4% (18.1 - 29.8)	8,704	15.4% (14.3 - 16.5)	+	No
2020	568	18.7% (15.5 - 22.4)	14,768	10.8% (10.1 - 11.5)	+	244	18.2% (13.6 - 23.8)	6,796	10.3% (9.3 - 11.4)	+	324	19.3% (15.0 - 24.4)	7,972	11.3% (10.3 - 12.4)	+	No
<b>Average number of days physical health was not good in past 30 days</b>																
2011	913	2.8 (1.9 - 3.6)	24,901	3.2 (3.0 - 3.3)	NS	379	2.6 (1.3 - 3.8)	10,067	2.9 (2.7 - 3.1)	NS	534	3.0 (1.8 - 4.1)	14,834	3.4 (3.2 - 3.6)	NS	No
2012	721	5.3 (2.6 - 8.1)	18,819	3.2 (3.1 - 3.4)	NS	306	5.5* (0.6 - 10.4)	7,759	2.9 (2.7 - 3.1)	NS	415	5.2 (2.6 - 7.7)	11,060	3.6 (3.4 - 3.8)	NS	No
2013	585	3.1 (2.3 - 4.0)	16,808	3.1 (2.9 - 3.3)	NS	209	3.3 (1.9 - 4.7)	6,877	2.8 (2.5 - 3.0)	NS	376	3.0 (2.2 - 3.8)	9,931	3.4 (3.2 - 3.7)	NS	No
2014	531	3.4 (2.5 - 4.3)	22,024	3.0 (2.9 - 3.1)	NS	210	2.7 (1.5 - 3.9)	9,464	2.8 (2.6 - 3.0)	NS	321	4.1 (2.8 - 5.5)	12,560	3.2 (3.0 - 3.4)	NS	No
2015	503	3.8 (2.8 - 4.8)	17,315	3.1 (3.0 - 3.3)	NS	185	3.5 (1.8 - 5.2)	7,476	2.8 (2.6 - 3.0)	NS	318	4.1 (2.9 - 5.2)	9,839	3.5 (3.3 - 3.7)	NS	No
2016	528	3.6 (2.5 - 4.7)	14,984	3.3 (3.1 - 3.5)	NS	196	3.2 (1.6 - 4.8)	6,561	2.9 (2.6 - 3.1)	NS	332	4.0 (2.6 - 5.4)	8,423	3.7 (3.4 - 4.0)	NS	No
2017	562	3.1 (2.3 - 3.8)	15,127	3.3 (3.2 - 3.5)	NS	251	2.6 (1.6 - 3.6)	6,876	2.9 (2.7 - 3.2)	NS	311	3.5 (2.3 - 4.7)	8,244	3.7 (3.5 - 4.0)	NS	No
2018	552	2.8 (2.1 - 3.4)	14,442	3.4 (3.2 - 3.6)	NS	241	2.3 (1.5 - 3.1)	6,481	3.0 (2.7 - 3.2)	NS	311	3.3 (2.3 - 4.2)	7,951	3.7 (3.5 - 4.0)	NS	No
2019	527	3.4 (2.6 - 4.2)	15,672	3.4 (3.3 - 3.6)	NS	231	3.0 (1.9 - 4.2)	7,069	3.1 (2.8 - 3.3)	NS	296	3.8 (2.7 - 4.8)	8,603	3.8 (3.6 - 4.0)	NS	No
2020	558	2.8 (2.2 - 3.4)	14,597	2.6 (2.4 - 2.7)	NS	238	2.5 (1.6 - 3.3)	6,716	2.6 (2.3 - 2.8)	NS	320	3.2 (2.3 - 4.0)	7,881	2.6 (2.4 - 2.8)	NS	No
<b>Physical health was not good on 14 or more of the past 30 days</b>																
2011	913	8.6% (5.9 - 12.3)	24,901	9.6% (9.1 - 10.1)	NS	379	8.9% (5.0 - 15.3)	10,067	9.0% (8.3 - 9.8)	NS	534	8.3% (5.1 - 13.2)	14,834	10.1% (9.4 - 10.8)	NS	No
2012	721	17.0%* (9.4 - 28.8)	18,819	9.8% (9.2 - 10.4)	NS	306	17.5%* (6.3 - 40.0)	7,759	8.6% (7.8 - 9.5)	NS	415	16.6%* (9.0 - 28.6)	11,060	11.0% (10.1 - 11.8)	NS	No
2013	585	10.0% (7.1 - 13.9)	16,808	9.2% (8.5 - 9.9)	NS	209	11.0% (6.3 - 18.5)	6,877	7.9% (7.0 - 8.9)	NS	376	9.1% (6.4 - 12.8)	9,931	10.4% (9.4 - 11.5)	NS	No
2014	531	10.9% (7.8 - 15.0)	22,024	9.0% (8.4 - 9.6)	NS	210	7.1% (4.0 - 12.5)	9,464	8.3% (7.4 - 9.1)	NS	321	14.8% (10.0 - 21.3)	12,560	9.7% (9.0 - 10.5)	NS	No
2015	503	11.8% (8.2 - 16.6)	17,315	9.6% (9.0 - 10.3)	NS	185	9.5%* (5.1 - 17.0)	7,476	8.6% (7.7 - 9.6)	NS	318	13.9% (9.0 - 21.0)	9,839	10.7% (9.8 - 11.6)	NS	No
2016	528	11.8% (7.7 - 17.6)	14,984	9.8% (9.1 - 10.6)	NS	196	8.9%* (4.6 - 16.3)	6,561	8.4% (7.4 - 9.4)	NS	332	14.5% (8.4 - 23.9)	8,423	11.2% (10.2 - 12.3)	NS	No
2017	562	9.6% (7.2 - 12.8)	15,127	10.3% (9.6 - 11.1)	NS	251	7.6% (5.0 - 11.5)	6,876	8.8% (7.9 - 9.8)	NS	311	11.5% (7.8 - 16.7)	8,244	11.8% (10.8 - 13.0)	NS	No
2018	552	8.8% (6.6 - 11.5)	14,442	10.2% (9.5 - 11.0)	NS	241	7.1% (4.6 - 10.8)	6,481	8.7% (7.7 - 9.7)	NS	311	10.4% (7.3 - 14.7)	7,951	11.8% (10.8 - 12.9)	NS	No
2019	527	10.6% (8.1 - 13.8)	15,672	10.4% (9.8 - 11.1)	NS	231	9.7% (6.3 - 14.5)	7,069	9.2% (8.3 - 10.2)	NS	296	11.6% (8.1 - 16.3)	8,603	11.6% (10.7 - 12.6)	NS	No
2020	558	9.1% (6.8 - 12.0)	14,597	7.9% (7.3 - 8.6)	NS	238	8.8% (5.7 - 13.4)	6,716	7.8% (6.9 - 8.7)	NS	320	9.3% (6.4 - 13.4)	7,881	8.1% (7.3 - 9.0)	NS	No
<b>Average number of days mental health was not good in past 30 days</b>																
2011	912	2.6 (1.7 - 3.5)	25,036	3.1 (2.9 - 3.2)	NS	375	1.9* (0.6 - 3.2)	10,097	2.5 (2.3 - 2.7)	NS	537	3.3 (2.1 - 4.5)	14,939	3.6 (3.4 - 3.8)	NS	No
2012	722	3.0 (1.9 - 4.1)	18,935	3.0 (2.9 - 3.2)	NS	307	2.6* (1.1 - 4.2)	7,786	2.6 (2.4 - 2.8)	NS	415	3.3 (1.8 - 4.9)	11,149	3.5 (3.3 - 3.7)	NS	No
2013	584	2.4 (1.5 - 3.2)	16,889	3.0 (2.8 - 3.1)	NS	208	1.9* (0.4 - 3.4)	6,889	2.3 (2.1 - 2.6)	NS	376	2.8 (1.9 - 3.7)	10,000	3.5 (3.3 - 3.8)	NS	No
2014	538	3.5 (2.2 - 4.7)	22,132	2.8 (2.6 - 2.9)	NS	213	3.5* (1.3 - 5.7)	9,483	2.3 (2.1 - 2.5)	NS	325	3.4 (2.3 - 4.6)	12,649	3.3 (3.1 - 3.5)	NS	No
2015	507	2.1 (1.5 - 2.7)	17,369	2.9 (2.7 - 3.1)	-	187	1.9 (1.1 - 2.6)	7,491	2.3 (2.1 - 2.6)	NS	320	2.4 (1.5 - 3.2)	9,878	3.5 (3.2 - 3.7)	-	No
2016	530	2.4 (1.5 - 3.3)	15,035	3.2 (3.0 - 3.4)	NS	200	2.2* (0.7 - 3.7)	6,568	2.4 (2.1 - 2.6)	NS	330	2.6 (1.5 - 3.6)	8,467	4.0 (3.6 - 4.3)	-	No
2017	562	2.5 (1.8 - 3.2)	15,179	3.4 (3.3 - 3.6)	-	252	2.6 (1.4 - 3.8)	6,894	2.7 (2.4 - 2.9)	NS	310	2.4 (1.6 - 3.2)	8,278	4.2 (3.9 - 4.5)	-	No
2018	556	2.2 (1.7 - 2.7)	14,490	3.6 (3.4 - 3.8)	-	242	2.2 (1.5 - 3.0)	6,498	2.9 (2.7 - 3.2)	NS	314	2.1 (1.4 - 2.9)	7,979	4.2 (3.9 - 4.5)	-	No
2019	526	2.8 (2.2 - 3.5)	15,699	3.7 (3.5 - 3.9)	-	232	2.1 (1.3 - 3.0)	7,076	2.9 (2.7 - 3.2)	NS	294	3.5 (2.5 - 4.5)	8,623	4.5 (4.2 - 4.8)	NS	No
2020	559	2.9 (2.3 - 3.6)	14,624	3.8 (3.6 - 4.0)	-	239	2.0 (1.2 - 2.8)	6,735	3.0 (2.8 - 3.3)	NS	320	3.8 (2.8 - 4.8)	7,889	4.6 (4.3 - 4.9)	NS	Yes
<b>Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)</b>																
2011	912	7.8% (5.0 - 11.9)	25,036	9.2% (8.7 - 9.7)	NS	375	6.2%* (2.6 - 14.0)	10,097	7.7% (7.0 - 8.4)	NS	537	9.2% (5.7 - 14.5)	14,939	10.7% (9.9 - 11.5)	NS	No
2012	722	10.2% (6.1 - 16.5)	18,935	9.0% (8.4 - 9.7)	NS	307	8.3%* (4.3 - 15.6)	7,786	7.4% (6.6 - 8.3)	NS	415	12.1%* (5.9 - 23.3)	11,149	10.6% (9.7 - 11.5)	NS	No
2013	584	7.4% (4.8 - 11.2)	16,889	8.9% (8.2 - 9.6)	NS	208	5.4%* (2.0 - 13.8)	6,889	6.8% (5.9 - 7.9)	NS	376	9.3% (6.4 - 13.5)	10,000	10.9% (9.8 - 12.0)	NS	No
2014	538	10.8% (7.1 - 16.0)	22,132	8.2% (7.6 - 8.8)	NS	213	10.5%* (5.0 - 20.6)	9,483	6.4% (5.6 - 7.3)	NS	325	11.0% (7.1 - 16.8)	12,649	9.9% (9.0 - 10.8)	NS	No
2015	507	5.1% (3.2 - 7.9)	17,369	8.9% (8.2 - 9.6)	-	187	3.4%* (1.6 - 7.0)	7,491	6.9% (6.0 - 7.9)	NS	320	6.7% (3.8 - 11.7)	9,878	10.8% (9.8 - 11.9)	NS	No
2016	530	7.9% (4.8 - 12.8)	15,035	9.5% (8.7 - 10.4)	NS	200	7.4%* (3.2 - 15.9)	6,568	7.0% (6.0 - 8.1)	NS	330	8.5%* (4.7 - 15.1)	8,467	12.0% (10.8 - 13.3)	NS	No
2017	562	8.8% (5.8 - 13.2)	15,179	10.5% (9.7 - 11.4)	NS	252	10.3%* (5.4 - 18.7)	6,894	7.6% (6.7 - 8.6)	NS	310	7.3% (4.6 - 11.5)	8,278	13.4% (12.2 - 14.7)	-	No
2018	556	7.1% (5.1 - 9.9)	14,490	11.2% (10.4 - 12.1)	-	242	6.8% (4.1 - 11.2)	6,498	9.2% (8.1 - 10.4)	NS	314	7.4% (4.8 - 11.4)	7,979	13.2% (12.0 - 14.5)	-	No
2019	526	8.2% (5.8 - 11.4)	15,699	11.3% (10.5 - 12.1)	NS	232	5.7%* (3.0 - 10.5)	7,076	8.6% (7.7 - 9.6)	NS	294	10.7% (7.2 - 15.7)	8,623	13.9% (12.7 - 15.1)	NS	No
2020	559	9.2% (6.9 - 12.3)	14,624	11.9% (11.1 - 12.8)	NS	239	5.5% (3.1 - 9.5)	6,735	9.1% (8.1 - 10.3)	NS	320	12.9% (9.2 - 17.8)	7,889	14.6% (13.3 - 15.9)	NS	No



Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>							
	Dakota County		State of NE			Dakota County		State of NE			Dakota County		State of NE										
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>								
Has a personal doctor or health care provider (one or more than one) <sup>a</sup>																							
2011	931	74.8%	(66.2 - 81.8)	25,340	81.6%	(80.9 - 82.4)	NS	386	62.4%*	(49.7 - 73.6)	-	10,192	74.9%	(73.7 - 76.2)	-	545	86.6%*	(75.9 - 93.0)	15,148	88.0%	(87.2 - 88.9)	NS	Yes
2012	732	79.4%*	(67.4 - 87.8)	19,132	82.8%	(81.9 - 83.6)	NS	308	76.3%*	(55.6 - 89.2)	7,847	76.3%	(74.9 - 77.7)	NS	424	82.5%*	(69.4 - 90.7)	11,285	89.0%	(88.0 - 89.9)	NS	No	
2013	594	81.4%	(75.6 - 86.1)	17,093	79.1%	(78.0 - 80.2)	NS	212	73.2%*	(63.1 - 81.4)	6,956	72.5%	(70.6 - 74.3)	NS	382	89.4%	(84.2 - 93.1)	10,137	85.6%	(84.3 - 86.8)	NS	Yes	
2014	543	74.4%	(67.4 - 80.3)	22,354	79.8%	(78.8 - 80.8)	NS	214	61.4%*	(50.8 - 71.1)	9,569	73.0%	(71.5 - 74.5)	-	329	87.6%	(80.1 - 92.5)	12,785	86.4%	(85.2 - 87.5)	NS	Yes	
2015	513	84.3%	(78.2 - 89.0)	17,509	80.3%	(79.2 - 81.3)	NS	190	77.5%*	(66.9 - 85.4)	7,542	74.3%	(72.5 - 75.9)	NS	323	91.1%	(85.0 - 94.9)	9,967	86.1%	(84.8 - 87.3)	NS	No	
2016	536	79.8%	(71.9 - 86.0)	15,138	80.9%	(79.8 - 82.0)	NS	202	75.5%*	(62.8 - 84.9)	6,617	75.5%	(73.8 - 77.2)	NS	334	84.1%*	(73.5 - 91.0)	8,521	86.2%	(84.8 - 87.5)	NS	No	
2017	564	68.3%	(61.5 - 74.5)	15,294	80.1%	(79.0 - 81.1)	-	252	57.3%*	(46.6 - 67.4)	6,941	74.1%	(72.4 - 75.7)	-	312	79.1%	(72.0 - 84.8)	8,346	85.8%	(84.5 - 87.1)	NS	Yes	
2018	560	69.0%	(63.5 - 74.0)	14,588	77.7%	(76.6 - 78.8)	-	244	59.0%	(50.4 - 67.0)	6,527	70.2%	(68.5 - 71.9)	-	316	79.0%	(71.8 - 84.7)	8,048	84.9%	(83.6 - 86.2)	NS	Yes	
2019	529	76.3%	(71.3 - 80.6)	15,804	79.6%	(78.6 - 80.6)	NS	230	66.9%	(58.9 - 73.9)	7,117	73.8%	(72.3 - 75.3)	NS	299	85.6%	(79.7 - 90.1)	8,687	85.3%	(84.0 - 86.5)	NS	Yes	
2020	566	75.6%	(71.2 - 79.5)	14,745	79.5%	(78.4 - 80.5)	NS	242	70.0%	(63.0 - 76.2)	6,770	72.8%	(71.2 - 74.5)	NS	324	81.2%	(75.5 - 85.8)	7,975	86.0%	(84.6 - 87.3)	NS	No	
Has a personal doctor or health care provider (one or more than one), aged 65 years and older <sup>a</sup>																							
2011	350	96.1%	(93.6 - 97.6)	8,584	95.7%	(95.1 - 96.2)	NS	129	92.0%	(86.1 - 95.6)	3,033	94.4%	(93.4 - 95.3)	NS	221	98.4%*	(95.9 - 99.4)	5,551	96.6%	(95.9 - 97.1)	NS	Yes	
2012	289	91.6%*	(83.9 - 95.8)	6,711	95.6%	(94.7 - 96.3)	NS	117	85.2%*	(71.5 - 92.9)	2,368	93.6%	(91.9 - 95.0)	NS	172	96.7%*	(84.4 - 99.4)	4,343	97.1%	(96.3 - 97.7)	NS	No	
2013	247	95.0%	(91.3 - 97.2)	6,015	93.9%	(92.9 - 94.8)	NS	86	91.4%*	(83.4 - 95.7)	2,188	92.3%	(90.4 - 93.8)	NS	161	97.7%*	(93.8 - 99.2)	3,827	95.2%	(93.9 - 96.2)	NS	No	
2014	234	95.9%*	(91.6 - 98.0)	7,833	95.1%	(94.4 - 95.7)	NS	72	91.6%*	(80.7 - 96.6)	3,057	93.5%	(92.2 - 94.6)	NS	162	98.3%*	(94.3 - 99.5)	4,776	96.4%	(95.7 - 96.9)	NS	No	
2015	241	91.5%*	(84.3 - 95.6)	6,022	94.8%	(93.9 - 95.5)	NS	75	84.7%*	(69.2 - 93.2)	2,297	93.6%	(92.1 - 94.8)	NS	166	96.2%*	(91.0 - 98.5)	3,725	95.7%	(94.6 - 96.6)	NS	No	
2016	278	97.9%*	(95.9 - 98.9)	5,270	95.1%	(94.2 - 95.9)	+	90	95.5%*	(90.3 - 98.0)	2,025	94.5%	(93.1 - 95.6)	NS	188	99.0%*	(97.0 - 99.7)	3,245	95.6%	(94.2 - 96.6)	+	No	
2017	185	91.4%	(85.2 - 95.1)	5,334	95.3%	(94.5 - 96.0)	NS	73	87.3%*	(75.6 - 93.8)	2,226	93.7%	(92.4 - 94.8)	NS	112	93.7%*	(85.2 - 97.4)	3,107	96.6%	(95.6 - 97.4)	NS	No	
2018	198	94.5%*	(88.8 - 97.4)	5,394	93.7%	(92.7 - 94.6)	NS	86	90.0%*	(77.6 - 95.9)	2,241	91.2%	(89.4 - 92.7)	NS	112	97.9%*	(94.5 - 99.2)	3,151	95.7%	(94.7 - 96.6)	NS	No	
2019	218	95.9%*	(92.1 - 97.9)	6,034	95.5%	(94.8 - 96.1)	NS	94	94.6%*	(87.4 - 97.8)	2,452	94.8%	(93.5 - 95.9)	NS	124	97.1%*	(92.0 - 99.0)	3,582	96.1%	(95.2 - 96.8)	NS	No	
2020	208	94.1%*	(89.0 - 96.9)	5,394	95.2%	(94.3 - 95.9)	NS	72	93.2%*	(80.6 - 97.8)	2,183	94.2%	(92.7 - 95.4)	NS	136	94.8%*	(89.5 - 97.5)	3,211	96.0%	(95.0 - 96.8)	NS	No	
Needed to see a doctor but could not due to cost in past year <sup>a</sup>																							
2011	930	21.5%	(15.5 - 29.1)	25,350	12.5%	(11.9 - 13.2)	+	385	21.2%*	(12.6 - 33.6)	10,203	10.7%	(9.9 - 11.6)	+	545	21.8%	(14.4 - 31.7)	15,147	14.2%	(13.4 - 15.2)	NS	No	
2012	732	18.5%*	(10.7 - 30.0)	19,144	12.8%	(12.1 - 13.6)	NS	308	18.8%*	(7.1 - 40.7)	7,859	11.1%	(10.0 - 12.2)	NS	424	18.3%*	(10.5 - 30.0)	11,285	14.4%	(13.4 - 15.5)	NS	No	
2013	593	10.3%	(7.5 - 14.1)	17,103	13.0%	(12.1 - 13.9)	NS	211	6.0%*	(3.0 - 11.6)	6,963	10.9%	(9.7 - 12.2)	NS	382	14.6%	(10.3 - 20.2)	10,140	15.0%	(13.8 - 16.4)	NS	No	
2014	546	17.4%	(12.6 - 23.5)	22,359	11.8%	(11.1 - 12.6)	+	215	16.2%*	(9.2 - 26.8)	9,588	10.2%	(9.1 - 11.3)	NS	331	18.6%	(13.0 - 25.9)	12,771	13.4%	(12.4 - 14.6)	NS	No	
2015	514	13.4%	(9.4 - 18.8)	17,522	11.5%	(10.7 - 12.3)	NS	190	16.9%	(10.3 - 26.5)	7,559	9.8%	(8.7 - 11.1)	NS	324	9.9%	(6.1 - 15.6)	9,963	13.1%	(12.0 - 14.3)	NS	No	
2016	534	7.6%	(4.3 - 13.2)	15,156	12.1%	(11.2 - 13.1)	NS	201	6.2%*	(2.2 - 16.0)	6,623	10.1%	(8.9 - 11.4)	NS	333	9.1%*	(4.6 - 17.0)	8,533	14.0%	(12.7 - 15.5)	NS	No	
2017	567	13.9%	(10.7 - 18.0)	15,315	11.7%	(10.9 - 12.6)	NS	253	10.4%	(7.0 - 15.1)	6,953	9.2%	(8.2 - 10.3)	NS	314	17.4%	(12.3 - 24.0)	8,355	14.2%	(13.0 - 15.5)	NS	No	
2018	560	13.3%	(9.7 - 18.0)	14,611	11.8%	(11.0 - 12.7)	NS	244	12.1%	(7.4 - 19.0)	6,546	10.2%	(9.1 - 11.4)	NS	316	14.6%	(9.7 - 21.5)	8,051	13.6%	(12.2 - 14.6)	NS	No	
2019	533	12.7%	(9.7 - 16.5)	15,845	12.6%	(11.8 - 13.4)	NS	233	12.2%	(8.1 - 17.8)	7,140	11.4%	(10.3 - 12.6)	NS	300	13.3%	(9.1 - 19.0)	8,705	13.7%	(12.6 - 14.9)	NS	No	
2020	565	11.0%	(8.3 - 14.4)	14,767	9.3%	(8.6 - 10.1)	NS	242	11.5%	(7.7 - 16.9)	6,786	8.5%	(7.5 - 9.6)	NS	323	10.4%	(7.0 - 15.3)	7,981	10.1%	(9.1 - 11.3)	NS	No	
Had a routine checkup in past year																							
2011	915	55.9%	(48.5 - 63.1)	24,983	57.7%	(56.8 - 58.7)	NS	377	44.6%*	(34.3 - 55.4)	10,049	50.6%	(49.2 - 52.0)	NS	538	67.1%	(58.5 - 74.7)	14,934	64.6%	(63.4 - 65.8)	NS	Yes	
2012	726	69.8%	(61.7 - 76.9)	18,929	60.4%	(59.4 - 61.4)	+	306	67.4%*	(54.3 - 78.2)	7,789	55.0%	(53.5 - 56.6)	NS	420	72.4%*	(62.2 - 80.7)	11,140	65.6%	(64.3 - 66.9)	NS	No	
2013	588	66.6%	(60.3 - 72.4)	16,919	61.6%	(60.4 - 62.8)	NS	212	61.6%*	(51.3 - 71.0)	6,899	56.2%	(54.3 - 58.1)	NS	376	71.6%	(64.5 - 77.8)	10,020	66.8%	(65.3 - 68.4)	NS	No	
2014	535	61.8%	(55.2 - 68.0)	22,090	63.3%	(62.3 - 64.4)	NS	213	53.1%*	(43.1 - 62.9)	9,488	57.7%	(56.1 - 59.3)	NS	322	70.7%	(63.1 - 77.3)	12,602	68.8%	(67.4 - 70.2)	NS	Yes	
2015	508	68.3%	(61.5 - 74.5)	17,331	63.9%	(62.8 - 65.1)	NS	186	67.7%*	(57.0 - 76.9)	7,470	58.7%	(56.9 - 60.5)	NS	322	69.0%	(60.0 - 76.7)	9,861	69.1%	(67.5 - 70.6)	NS	No	
2016	533	67.3%	(59.0 - 74.6)	15,060	65.4%	(64.1 - 66.6)	NS	202	60.6%*	(47.5 - 72.3)	6,582	60.6%	(58.7 - 62.5)	NS	331	73.9%	(64.0 - 81.8)	8,478	70.0%	(68.4 - 71.6)	NS	No	
2017	567	63.7%	(57.5 - 69.5)	15,215	66.7%	(65.4 - 67.8)	NS	254	57.8%*	(47.8 - 67.2)	6,914	61.6%	(59.8 - 63.4)	NS	313	69.4%	(62.1 - 75.9)	8,294	71.5%	(69.9 - 73.1)	NS	No	
2018	555	70.3%	(64.5 - 75.5)	14,487	72.4%	(71.2 - 73.5)	NS	240	63.0%	(53.9 - 71.2)	6,484	65.2%	(63.4 - 66.9)	NS	315	77.3%	(70.0 - 83.2)	7,990	79.5%	(78.0 - 80.8)	NS	No	
2019	526	76.0%	(70.8 - 80.5)	15,721	72.9%	(71.9 - 74.0)	NS	228	73.8%	(66.2 - 80.2)	7,075	67.9%	(66.3 - 69.4)	NS	298	78.1%	(70.5 - 84.2)	8,646	77.9%	(76.5 - 79.2)	NS	No	
2020	562	75.5%	(71.1 - 79.5)	14,646	72.8%	(71.7 - 73.9)	NS	241	71.8%	(64.9 - 77.9)	6,724	67.6%	(65.9 - 69.2)	NS	321	79.3%	(73.5 - 84.1)	7,922	78.0%	(76.5 - 79.4)	NS	No	
<b>Heart Disease and Stroke</b>																							
Ever told they had a heart attack																							
2011	927	5.1%	(3.2 - 8.1)	25,292	4.3%	(4.0 - 4.7)	NS	383	8.3%	(4.5 - 14.4)	10,194	5.7%	(5.2 - 6.3)	NS	544	2.1%	(1.4 - 3.2)	15,098	2.9%	(2.6 - 3.3)	NS	Yes	
2012	731	4.8%	(2.9 - 7.6)	19,102	4.1%	(3.7 - 4.4)	NS	308	5.3%	(3.1 - 8.7)	7,842	5.3%	(4.8 - 6.0)	NS	423	4.3%*	(1.8 - 10.0)	11,260	2.9%	(2.5 - 3.2)	NS	No	
2013	593	5.2%	(3.6 - 7.4)	17,035	4.0%	(3.6 - 4.4)	NS	212	7.2%	(4.4 - 11.4)	6,925	5.2%	(4.6 - 5.9)	NS	381	3.2%	(1.9 - 5.5)	10,110	2.9%	(2.4 - 3.4)	NS	No	
2014	545	4.4%	(2.9 - 6.4)	22,309	3.8%	(3.5 -																	

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Dakota County			State of NE		Dakota County			State of NE		Dakota County			State of NE								
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>							
Ever told they have coronary heart disease																						
2011	921	2.9%	(2.0 - 4.2)	25,121	3.9%	(3.6 - 4.2)	NS	384	4.0%	(2.4 - 6.5)	10,110	4.8%	(4.4 - 5.3)	NS	537	1.9%	(1.1 - 3.2)	15,011	3.1%	(2.7 - 3.4)	NS	No
2012	727	4.6%	(2.8 - 7.6)	18,988	3.9%	(3.6 - 4.3)	NS	307	5.5%	(3.3 - 9.0)	7,796	4.9%	(4.4 - 5.5)	NS	420	3.7%*	(1.3 - 10.0)	11,192	3.0%	(2.6 - 3.4)	NS	No
2013	592	4.3%	(3.0 - 6.3)	16,942	4.1%	(3.7 - 4.5)	NS	209	4.9%	(2.8 - 8.4)	6,884	5.1%	(4.5 - 5.8)	NS	383	3.8%	(2.3 - 6.3)	10,058	3.0%	(2.6 - 3.6)	NS	No
2014	544	3.3%	(2.1 - 5.0)	22,202	3.9%	(3.6 - 4.3)	NS	214	3.9%	(2.2 - 6.8)	9,509	4.8%	(4.3 - 5.4)	NS	330	2.6%*	(1.3 - 5.3)	12,693	3.1%	(2.7 - 3.5)	NS	No
2015	505	4.2%	(2.7 - 6.6)	17,403	4.0%	(3.6 - 4.3)	NS	186	4.8%*	(2.6 - 8.7)	7,503	5.0%	(4.4 - 5.7)	NS	319	3.6%*	(1.8 - 7.2)	9,900	2.9%	(2.6 - 3.3)	NS	No
2016	530	2.6%	(1.5 - 4.5)	15,078	3.8%	(3.4 - 4.2)	NS	199	2.0%*	(0.7 - 5.4)	6,590	4.4%	(3.9 - 5.0)	NS	331	3.1%*	(1.6 - 5.9)	8,488	3.1%	(2.7 - 3.7)	NS	No
2017	567	3.9%	(2.5 - 6.1)	15,232	3.8%	(3.5 - 4.3)	NS	253	4.5%	(2.5 - 7.8)	6,914	4.5%	(3.9 - 5.2)	NS	314	3.4%*	(1.7 - 6.7)	8,311	3.2%	(2.7 - 3.7)	NS	No
2018	559	4.0%	(2.7 - 5.9)	14,524	3.8%	(3.4 - 4.2)	NS	242	4.9%	(3.0 - 7.8)	6,523	4.5%	(3.9 - 5.1)	NS	317	3.1%*	(1.5 - 6.1)	7,987	3.1%	(2.6 - 3.6)	NS	No
2019	528	3.9%	(2.7 - 5.7)	15,723	3.7%	(3.4 - 4.0)	NS	228	4.3%	(2.7 - 6.9)	7,078	4.4%	(3.8 - 4.9)	NS	300	3.5%*	(1.9 - 6.5)	8,645	3.0%	(2.6 - 3.5)	NS	No
2020	562	2.8%	(1.8 - 4.2)	14,708	3.6%	(3.3 - 4.0)	NS	243	3.2%*	(1.8 - 5.8)	6,768	4.5%	(4.0 - 5.2)	NS	319	2.3%	(1.3 - 4.1)	7,940	2.8%	(2.4 - 3.2)	NS	No
Ever told they had a heart attack or coronary heart disease																						
2011	917	6.1%	(4.0 - 9.1)	25,024	5.9%	(5.6 - 6.3)	NS	381	9.1%	(5.3 - 15.3)	10,081	7.5%	(6.9 - 8.1)	NS	536	3.1%	(2.1 - 4.6)	14,943	4.5%	(4.1 - 4.9)	NS	Yes
2012	725	6.3%	(4.2 - 9.3)	18,930	6.0%	(5.6 - 6.4)	NS	307	7.3%	(4.7 - 11.3)	7,772	7.6%	(6.9 - 8.3)	NS	418	5.3%*	(2.5 - 10.9)	11,158	4.4%	(4.0 - 4.9)	NS	No
2013	590	7.3%	(5.3 - 9.9)	16,853	5.9%	(5.4 - 6.4)	NS	209	9.5%	(6.2 - 14.5)	6,835	7.3%	(6.6 - 8.2)	NS	381	5.0%	(3.2 - 7.8)	10,018	4.5%	(3.9 - 5.1)	NS	No
2014	542	5.8%	(4.1 - 8.1)	22,112	5.8%	(5.4 - 6.2)	NS	213	5.4%	(3.2 - 9.1)	9,450	7.2%	(6.5 - 7.8)	NS	329	6.1%	(3.9 - 9.4)	12,662	4.4%	(4.0 - 4.9)	NS	No
2015	503	6.8%	(4.8 - 9.6)	17,316	5.6%	(5.2 - 6.1)	NS	185	7.1%	(4.3 - 11.5)	7,466	7.2%	(6.5 - 8.0)	NS	318	6.5%	(4.0 - 10.4)	9,850	4.1%	(3.7 - 4.5)	NS	No
2016	526	4.0%	(2.6 - 6.0)	15,021	5.8%	(5.4 - 6.3)	NS	197	3.4%*	(1.8 - 6.6)	6,558	6.9%	(6.2 - 7.7)	NS	329	4.5%	(2.6 - 7.6)	8,463	4.7%	(4.1 - 5.3)	NS	No
2017	565	6.2%	(4.4 - 8.6)	15,160	6.1%	(5.6 - 6.6)	NS	252	8.2%	(5.3 - 12.3)	6,875	7.5%	(6.7 - 8.3)	NS	313	4.3%*	(2.4 - 7.7)	8,278	4.7%	(4.1 - 5.4)	NS	No
2018	556	6.1%	(4.4 - 8.3)	14,458	5.6%	(5.2 - 6.1)	NS	240	8.2%	(5.6 - 11.9)	6,489	7.1%	(6.3 - 7.8)	NS	316	3.9%	(2.2 - 7.0)	7,955	4.2%	(3.6 - 4.8)	NS	No
2019	524	5.1%	(3.6 - 7.1)	15,649	5.6%	(5.2 - 6.1)	NS	225	4.6%	(2.9 - 7.3)	7,043	6.6%	(6.0 - 7.3)	NS	299	5.6%	(3.4 - 9.0)	8,606	4.7%	(4.2 - 5.3)	NS	No
2020	560	4.8%	(3.5 - 6.6)	14,669	5.3%	(4.9 - 5.7)	NS	242	5.1%	(3.2 - 7.9)	6,750	6.6%	(5.9 - 7.4)	NS	318	4.6%	(2.9 - 7.1)	7,919	4.0%	(3.5 - 4.5)	NS	No
Ever told they had a stroke																						
2011	929	2.9%*	(1.5 - 5.7)	25,355	2.6%	(2.4 - 2.9)	NS	386	4.3%*	(1.7 - 10.4)	10,209	2.4%	(2.1 - 2.8)	NS	543	1.6%	(1.0 - 2.8)	15,146	2.8%	(2.5 - 3.2)	NS	No
2012	732	3.6%*	(2.0 - 6.6)	19,118	2.4%	(2.2 - 2.7)	NS	308	2.3%*	(1.1 - 4.5)	7,851	2.7%	(2.3 - 3.1)	NS	424	4.9%*	(2.2 - 10.9)	11,267	2.2%	(1.9 - 2.6)	NS	No
2013	594	3.0%	(2.0 - 4.5)	17,080	2.5%	(2.2 - 2.8)	NS	212	2.8%*	(1.4 - 5.4)	6,954	2.2%	(1.9 - 2.6)	NS	382	3.2%	(1.9 - 5.2)	10,126	2.8%	(2.4 - 3.3)	NS	No
2014	547	2.6%	(1.6 - 4.1)	22,359	2.6%	(2.4 - 2.9)	NS	215	2.1%*	(1.0 - 4.4)	9,576	2.7%	(2.3 - 3.1)	NS	332	3.1%*	(1.7 - 5.6)	12,783	2.6%	(2.2 - 3.0)	NS	No
2015	510	1.9%	(1.1 - 3.1)	17,509	2.5%	(2.3 - 2.9)	NS	187	2.0%*	(0.8 - 4.6)	7,550	2.7%	(2.2 - 3.1)	NS	323	1.8%	(1.0 - 3.0)	9,959	2.4%	(2.1 - 2.8)	NS	No
2016	535	3.8%*	(1.8 - 7.7)	15,154	2.8%	(2.5 - 3.2)	NS	202	2.7%*	(0.6 - 11.5)	6,627	2.6%	(2.1 - 3.1)	NS	333	4.8%*	(2.2 - 10.2)	8,527	3.0%	(2.5 - 3.6)	NS	No
2017	569	3.7%	(2.3 - 5.8)	15,305	2.9%	(2.6 - 3.3)	NS	254	3.0%*	(1.6 - 5.4)	6,950	2.7%	(2.2 - 3.2)	NS	315	4.4%*	(2.3 - 8.3)	8,348	3.2%	(2.7 - 3.8)	NS	No
2018	559	2.9%	(1.7 - 4.9)	14,598	2.8%	(2.4 - 3.1)	NS	243	3.3%*	(1.6 - 7.0)	6,546	2.6%	(2.2 - 3.2)	NS	316	2.5%*	(1.2 - 5.0)	8,038	2.9%	(2.4 - 3.4)	NS	No
2019	534	2.7%	(1.6 - 4.4)	15,839	2.9%	(2.5 - 3.2)	NS	233	2.0%*	(0.7 - 5.3)	7,139	2.7%	(2.3 - 3.2)	NS	301	3.3%	(2.0 - 5.7)	8,700	3.0%	(2.6 - 3.6)	NS	No
2020	568	2.9%	(2.0 - 4.2)	14,777	2.4%	(2.1 - 2.7)	NS	244	2.0%*	(1.0 - 4.0)	6,795	2.3%	(1.9 - 2.8)	NS	324	3.8%	(2.4 - 5.8)	7,982	2.4%	(2.0 - 3.0)	NS	No
Currently taking aspirin to prevent or control heart disease or stroke																						
2011																						
2012																						
2013																						
2014																						
2015																						
2016																						
2017																						
2018																						
2019	232	27.6%	(21.9 - 34.2)	7,028	21.5%	(20.3 - 22.7)	NS	97	27.9%*	(19.5 - 38.2)	3,156	22.1%	(20.4 - 23.9)	NS	135	27.4%	(20.0 - 36.3)	3,872	20.8%	(19.3 - 22.5)	NS	No
2020																						
<b>Blood Pressure and Cholesterol</b>																						
Had blood pressure checked in past year																						
2011																						
2012																						
2013	260	79.0%	(70.5 - 85.6)	7,804	84.6%	(83.1 - 86.0)	NS	98	78.4%*	(63.6 - 88.3)	3,150	81.2%	(78.8 - 83.4)	NS	162	79.5%*	(68.8 - 87.3)	4,654	87.8%	(85.8 - 89.5)	NS	No
2014																						
2015	228	88.8%	(82.5 - 93.1)	7,947	88.0%	(86.6 - 89.2)	NS	90	87.5%*	(75.9 - 94.0)	3,461	85.2%	(83.1 - 87.1)	NS	138	89.9%*	(81.7 - 94.6)	4,486	90.6%	(88.8 - 92.2)	NS	No
2016																						
2017	255	76.4%	(69.7 - 82.0)	6,960	86.3%	(84.9 - 87.6)	-	110	72.0%*	(60.5 - 81.2)	3,146	83.0%	(80.7 - 85.1)	NS	145	80.2%	(72.5 - 86.2)	3,812	89.4%	(87.7 - 91.0)	-	No
2018																						
2019																						
2020																						

Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>				
	Dakota County			State of NE			Dakota County			State of NE			Dakota County			State of NE							
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	
Ever told they have high blood pressure (excluding pregnancy) <sup>a</sup>																							
2011	927	30.5%	(24.9 - 36.7)	25,356	28.5%	(27.8 - 29.3)	NS	387	35.0%*	(25.7 - 45.7)	10,212	30.3%	(29.1 - 31.5)	NS	540	26.0%	(20.2 - 32.8)	15,144	26.9%	(25.9 - 27.9)	NS	No	
2012																							
2013	593	32.5%	(27.5 - 37.9)	17,085	30.3%	(29.2 - 31.4)	NS	211	36.2%	(27.7 - 45.7)	6,956	32.5%	(30.8 - 34.1)	NS	382	28.9%	(23.9 - 34.4)	10,129	28.2%	(26.9 - 29.6)	NS	No	
2014																							
2015	512	29.5%	(24.6 - 35.0)	17,515	29.9%	(28.9 - 30.9)	NS	190	29.9%	(22.4 - 38.7)	7,546	32.6%	(31.1 - 34.2)	NS	322	29.1%	(23.0 - 36.1)	9,969	27.2%	(26.0 - 28.5)	NS	No	
2016																							
2017	566	33.1%	(28.0 - 38.7)	15,320	30.6%	(29.6 - 31.7)	NS	253	33.5%	(25.5 - 42.6)	6,956	33.5%	(31.9 - 35.2)	NS	313	32.7%	(26.6 - 39.6)	8,357	27.8%	(26.4 - 29.2)	NS	No	
2018																							
2019	533	31.1%	(26.8 - 35.8)	15,818	31.0%	(30.0 - 31.9)	NS	232	33.0%	(26.6 - 40.1)	7,125	32.8%	(31.4 - 34.3)	NS	301	29.3%	(23.5 - 35.9)	8,693	29.2%	(27.9 - 30.5)	NS	No	
2020																							
Currently taking blood pressure medication, among those ever told they have high BP																							
2011	401	83.6%*	(72.4 - 90.9)	9,505	77.9%	(76.5 - 79.2)	NS	186	78.8%*	(61.3 - 89.7)	3,877	72.0%	(69.8 - 74.1)	NS	215	90.1%*	(76.4 - 96.3)	5,628	84.2%	(82.5 - 85.7)	NS	No	
2012																							
2013	272	73.9%*	(62.5 - 82.7)	6,747	78.5%	(76.6 - 80.3)	NS	106	65.9%*	(48.4 - 79.9)	2,828	73.1%	(70.2 - 75.9)	NS	166	83.6%	(74.7 - 89.8)	3,919	84.5%	(82.3 - 86.4)	NS	No	
2014																							
2015	240	78.0%*	(66.5 - 86.4)	6,685	77.8%	(75.9 - 79.6)	NS	88	64.1%*	(47.2 - 78.1)	3,016	73.0%	(70.1 - 75.7)	NS	152	92.3%*	(81.2 - 97.1)	3,669	83.4%	(80.9 - 85.6)	NS	Yes	
2016																							
2017	230	80.4%	(73.2 - 86.0)	5,886	78.6%	(76.8 - 80.4)	NS	104	73.8%*	(61.4 - 83.3)	2,801	74.0%	(71.3 - 76.6)	NS	126	87.0%	(78.8 - 92.3)	3,082	84.1%	(81.7 - 86.3)	NS	No	
2018																							
2019	225	81.3%	(72.9 - 87.5)	6,292	76.6%	(74.9 - 78.2)	NS	109	82.6%*	(71.2 - 90.0)	2,900	70.7%	(68.1 - 73.2)	NS	116	79.8%*	(66.3 - 88.8)	3,392	83.1%	(81.0 - 85.1)	NS	No	
2020																							
Had cholesterol checked in past 5 years <sup>a</sup>																							
2011																							
2012																							
2013																							
2014																							
2015																							
2016																							
2017	545	82.5%	(77.6 - 86.6)	14,658	84.4%	(83.4 - 85.3)	NS	244	78.0%	(69.5 - 84.7)	6,659	82.5%	(80.9 - 83.9)	NS	301	87.0%	(81.3 - 91.1)	7,992	86.2%	(84.9 - 87.5)	NS	No	
2018																							
2019	510	79.3%	(74.0 - 83.7)	14,989	83.9%	(82.9 - 84.8)	NS	222	74.4%	(66.3 - 81.1)	6,735	81.7%	(80.2 - 83.0)	NS	288	84.0%	(76.8 - 89.3)	8,254	86.1%	(84.8 - 87.3)	NS	No	
2020																							
Ever told they have high cholesterol, among those who have ever had it checked <sup>a</sup>																							
2011																							
2012																							
2013																							
2014																							
2015																							
2016																							
2017	484	33.8%	(27.5 - 40.8)	13,427	31.9%	(30.7 - 33.1)	NS	205	35.3%*	(24.8 - 47.4)	6,011	33.0%	(31.3 - 34.8)	NS	279	32.5%	(25.5 - 40.4)	7,409	30.9%	(29.3 - 32.5)	NS	No	
2018																							
2019	457	29.7%	(25.1 - 34.7)	13,735	31.1%	(30.0 - 32.1)	NS	193	33.1%	(25.9 - 41.3)	6,083	31.7%	(30.1 - 33.2)	NS	264	26.5%	(21.1 - 32.7)	7,652	30.5%	(29.1 - 31.9)	NS	No	
2020																							
Currently taking cholesterol medication, among those ever told they have high cholesterol																							
2011																							
2012																							
2013																							
2014																							
2015																							
2016																							
2017	182	68.7%*	(54.0 - 80.4)	5,083	60.7%	(58.5 - 62.8)	NS	78	71.0%*	(44.2 - 88.3)	2,274	62.6%	(59.4 - 65.8)	NS	104	66.5%*	(50.7 - 79.3)	2,806	58.7%	(55.7 - 61.6)	NS	No	
2018																							
2019	194	68.8%	(59.8 - 76.6)	5,194	63.4%	(61.5 - 65.4)	NS	89	72.9%*	(59.1 - 83.4)	2,313	66.0%	(63.1 - 68.7)	NS	105	64.1%*	(52.1 - 74.5)	2,881	60.9%	(58.2 - 63.6)	NS	No	
2020																							

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>c</sup>						
	Dakota County			State of NE			Dakota County			State of NE			Dakota County				State of NE					
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>		
<b>Diabetes</b>																						
Ever told they have diabetes (excluding pregnancy) <sup>^</sup>																						
2011	930	10.9%	(7.7 - 15.4)	25,393	8.4%	(7.9 - 8.8)	NS	385	12.5%	(7.9 - 19.3)	10,222	8.6%	(7.9 - 9.3)	NS	545	9.4%	(5.3 - 16.2)	15,171	8.2%	(7.6 - 8.8)	NS	No
2012	733	9.7%	(5.7 - 16.0)	19,156	8.1%	(7.6 - 8.6)	NS	308	7.4%	(4.2 - 12.7)	7,861	8.3%	(7.6 - 9.1)	NS	425	11.8%*	(5.4 - 23.9)	11,295	7.9%	(7.3 - 8.5)	NS	No
2013	593	11.5%	(8.3 - 15.8)	17,110	9.2%	(8.5 - 9.9)	NS	210	14.3%	(8.7 - 22.5)	6,968	10.1%	(9.0 - 11.2)	NS	383	8.9%	(6.3 - 12.3)	10,142	8.3%	(7.5 - 9.2)	NS	No
2014	547	8.4%	(6.3 - 11.0)	22,388	9.2%	(8.6 - 9.7)	NS	215	7.4%	(4.8 - 11.2)	9,598	9.7%	(8.9 - 10.6)	NS	332	9.3%	(6.4 - 13.5)	12,790	8.6%	(7.9 - 9.3)	NS	No
2015	512	10.9%	(8.2 - 14.3)	17,547	8.8%	(8.2 - 9.4)	NS	188	11.3%	(7.6 - 16.5)	7,565	9.0%	(8.2 - 9.9)	NS	324	10.5%	(7.0 - 15.4)	9,982	8.6%	(7.8 - 9.3)	NS	No
2016	536	10.8%	(7.3 - 15.6)	15,171	8.8%	(8.2 - 9.5)	NS	202	11.9%	(6.9 - 19.7)	6,630	8.7%	(7.8 - 9.7)	NS	334	9.7%	(5.6 - 16.4)	8,541	8.9%	(8.1 - 9.8)	NS	No
2017	569	10.1%	(7.5 - 13.5)	15,333	10.1%	(9.5 - 10.8)	NS	254	8.3%	(5.4 - 12.6)	6,962	10.4%	(9.5 - 11.4)	NS	315	11.8%	(7.9 - 17.3)	8,364	9.9%	(9.0 - 10.9)	NS	No
2018	559	11.9%	(9.2 - 15.2)	14,616	9.7%	(9.1 - 10.4)	NS	243	14.1%	(9.8 - 19.8)	6,550	10.2%	(9.3 - 11.2)	NS	316	9.7%	(6.9 - 13.6)	8,052	9.1%	(8.3 - 10.0)	NS	No
2019	533	15.8%	(12.6 - 19.7)	15,849	10.2%	(9.6 - 10.8)	+	232	19.8%	(14.6 - 26.3)	7,145	10.9%	(10.0 - 11.8)	+	301	12.0%	(8.6 - 16.4)	8,704	9.4%	(8.7 - 10.3)	NS	No
2020	566	13.4%	(10.7 - 16.6)	14,782	9.9%	(9.3 - 10.5)	+	243	13.9%	(10.1 - 18.9)	6,798	10.5%	(9.5 - 11.5)	NS	323	12.8%	(9.3 - 17.4)	7,984	9.3%	(8.5 - 10.2)	NS	No
Ever told they have pre-diabetes (excluding pregnancy)																						
2011																						
2012																						
2013	306	5.9%	(3.7 - 9.5)	8,549	5.5%	(4.8 - 6.3)	NS	104	6.0%*	(2.6 - 13.3)	3,452	5.9%	(4.8 - 7.2)	NS	202	5.9%	(3.4 - 10.0)	5,097	5.1%	(4.1 - 6.2)	NS	No
2014	269	4.3%	(2.4 - 7.3)	11,165	5.8%	(5.1 - 6.5)	NS	103	3.5%*	(1.6 - 7.8)	4,723	5.8%	(4.8 - 6.9)	NS	166	5.1%*	(2.4 - 10.4)	6,442	5.7%	(4.9 - 6.7)	NS	No
2015																						
2016	520	2.5%	(1.7 - 3.8)	14,986	6.0%	(5.5 - 6.6)	-	198	2.0%*	(1.0 - 4.0)	6,547	5.3%	(4.6 - 6.2)	-	322	3.1%	(1.8 - 5.1)	8,439	6.7%	(5.9 - 7.6)	-	No
2017	280	6.4%	(4.2 - 9.7)	7,661	5.9%	(5.2 - 6.7)	NS	119	5.2%*	(2.6 - 10.1)	3,497	5.0%	(4.1 - 6.1)	NS	161	7.5%	(4.4 - 12.6)	4,162	6.8%	(5.7 - 8.0)	NS	No
2018																						
2019																						
2020	271	5.8%	(3.2 - 10.1)	7,415	7.5%	(6.7 - 8.4)	NS	114	5.4%*	(2.2 - 12.6)	3,395	7.4%	(6.3 - 8.8)	NS	157	6.1%*	(2.8 - 12.8)	4,020	7.5%	(6.4 - 8.8)	NS	No
<b>Cancer</b>																						
Ever told they have skin cancer																						
2011	930	3.1%	(2.3 - 4.2)	25,359	5.6%	(5.3 - 6.0)	-	385	2.8%	(1.8 - 4.2)	10,205	6.3%	(5.8 - 6.8)	-	545	3.5%	(2.3 - 5.3)	15,154	5.0%	(4.6 - 5.5)	NS	No
2012	731	3.4%	(2.3 - 5.0)	19,133	5.6%	(5.2 - 6.0)	-	308	3.6%*	(2.0 - 6.5)	7,859	5.8%	(5.3 - 6.4)	NS	423	3.2%	(2.0 - 5.3)	11,274	5.4%	(4.9 - 6.0)	NS	No
2013	595	4.4%	(3.0 - 6.5)	17,087	5.9%	(5.5 - 6.3)	NS	212	3.4%*	(1.6 - 6.8)	6,956	6.3%	(5.7 - 7.1)	NS	383	5.4%	(3.4 - 8.5)	10,131	5.4%	(4.9 - 6.0)	NS	No
2014	547	5.0%	(3.3 - 7.6)	22,370	5.7%	(5.4 - 6.1)	NS	215	4.7%*	(2.3 - 9.3)	9,586	5.9%	(5.4 - 6.5)	NS	332	5.3%	(3.3 - 8.6)	12,784	5.6%	(5.1 - 6.1)	NS	No
2015	513	2.5%	(1.6 - 3.7)	17,512	6.0%	(5.6 - 6.4)	-	190	2.3%*	(1.1 - 4.6)	7,556	6.4%	(5.7 - 7.0)	-	323	2.6%	(1.6 - 4.3)	9,956	5.6%	(5.1 - 6.2)	-	No
2016	535	2.4%	(1.5 - 3.8)	15,150	5.5%	(5.0 - 5.9)	-	201	0.8%*	(0.4 - 1.5)	6,616	5.8%	(5.1 - 6.5)	-	334	4.0%	(2.3 - 6.7)	8,534	5.2%	(4.6 - 5.8)	NS	Yes
2017	569	3.1%	(2.1 - 4.5)	15,320	5.6%	(5.2 - 6.1)	-	255	2.6%*	(1.4 - 4.8)	6,954	5.9%	(5.3 - 6.6)	-	314	3.5%	(2.1 - 5.7)	8,359	5.3%	(4.7 - 6.0)	NS	No
2018	560	4.2%	(3.0 - 6.0)	14,604	5.6%	(5.2 - 6.1)	NS	244	3.5%	(2.1 - 5.8)	6,540	6.0%	(5.3 - 6.7)	NS	316	4.9%	(3.0 - 7.9)	8,050	5.2%	(4.7 - 5.9)	NS	No
2019	534	4.0%	(2.8 - 5.6)	15,837	6.7%	(6.3 - 7.2)	-	233	5.5%	(3.4 - 8.5)	7,138	6.8%	(6.1 - 7.4)	NS	301	2.5%	(1.5 - 4.1)	8,699	6.7%	(6.1 - 7.4)	-	No
2020	564	4.2%	(2.8 - 6.3)	14,752	5.9%	(5.5 - 6.4)	NS	241	2.5%*	(1.3 - 4.9)	6,781	6.2%	(5.6 - 7.0)	-	323	5.9%	(3.6 - 9.5)	7,971	5.6%	(5.0 - 6.2)	NS	No
Ever told they have cancer other than skin cancer																						
2011	931	5.6%	(3.8 - 8.2)	25,369	6.6%	(6.2 - 7.0)	NS	386	3.9%*	(2.0 - 7.4)	10,219	5.0%	(4.6 - 5.5)	NS	545	7.3%	(4.6 - 11.5)	15,150	8.1%	(7.5 - 8.6)	NS	No
2012	732	6.4%	(4.3 - 9.4)	19,136	6.5%	(6.0 - 6.9)	NS	308	5.6%*	(2.5 - 12.0)	7,858	5.0%	(4.5 - 5.6)	NS	424	7.1%	(5.1 - 9.9)	11,278	7.9%	(7.2 - 8.5)	NS	No
2013	595	5.0%	(3.6 - 6.9)	17,104	6.8%	(6.3 - 7.3)	NS	212	3.4%	(2.0 - 6.0)	6,965	5.6%	(5.0 - 6.4)	NS	383	6.5%	(4.4 - 9.7)	10,139	8.0%	(7.3 - 8.8)	NS	No
2014	547	4.5%	(3.0 - 6.6)	22,380	6.1%	(5.7 - 6.5)	NS	215	4.3%	(2.5 - 7.5)	9,590	4.6%	(4.1 - 5.1)	NS	332	4.6%	(2.7 - 7.8)	12,790	7.6%	(7.0 - 8.3)	NS	No
2015	512	4.7%	(3.3 - 6.6)	17,524	6.9%	(6.4 - 7.3)	NS	188	4.6%	(2.7 - 8.0)	7,557	5.2%	(4.6 - 5.8)	NS	324	4.7%	(3.0 - 7.3)	9,967	8.5%	(7.8 - 9.2)	-	No
2016	535	6.4%	(4.1 - 9.8)	15,165	6.9%	(6.3 - 7.4)	NS	201	3.9%*	(1.9 - 8.0)	6,629	5.5%	(4.9 - 6.2)	NS	334	8.7%	(5.0 - 14.7)	8,536	8.2%	(7.4 - 9.0)	NS	No
2017	570	7.9%	(5.5 - 11.3)	15,335	6.6%	(6.1 - 7.1)	NS	255	4.6%*	(2.5 - 8.2)	6,966	5.3%	(4.7 - 6.0)	NS	315	11.1%	(7.2 - 17.0)	8,362	7.8%	(7.1 - 8.6)	NS	No
2018	559	5.2%	(3.8 - 7.1)	14,615	7.1%	(6.6 - 7.6)	NS	244	3.5%	(2.1 - 5.9)	6,556	5.8%	(5.1 - 6.6)	NS	315	6.9%	(4.7 - 10.0)	8,045	8.3%	(7.6 - 9.2)	NS	No
2019	533	6.2%	(4.5 - 8.6)	15,847	7.0%	(6.5 - 7.5)	NS	232	2.7%	(1.5 - 4.6)	7,145	5.3%	(4.7 - 5.9)	-	301	9.8%	(6.6 - 14.2)	8,702	7.8%	(7.9 - 9.4)	NS	Yes
2020	567	4.8%	(3.4 - 6.7)	14,777	6.6%	(6.1 - 7.1)	NS	244	4.5%	(2.7 - 7.3)	6,800	5.6%	(5.0 - 6.3)	NS	323	5.0%	(3.1 - 8.2)	7,977	7.6%	(6.9 - 8.4)	NS	No
Ever told they have cancer (in any form)																						
2011	930	8.3%	(6.2 - 11.0)	25,315	11.2%	(10.7 - 11.7)	NS	385	6.3%	(3.9 - 9.8)	10,192	10.1%	(9.5 - 10.8)	NS	545	10.2%	(7.1 - 14.5)	15,123	12.2%	(11.5 - 12.9)	NS	No
2012	731	8.8%	(6.4 - 12.1)	19,100	10.8%	(10.3 - 11.4)	NS	308	8.0%*	(4.4 - 14.2)	7,846	9.6%	(8.9 - 10.4)	NS	423	9.6%	(7.0 - 13.1)	11,254	11.9%	(11.2 - 12.7)	NS	No
2013	595	8.8%	(6.8 - 11.5)	17,062	11.4%	(10.8 - 12.1)	NS	212	6.4%	(3.9 - 10.2)	6,946	10.6%	(9.7 - 11.6)	NS	383	11.3%	(8.2 - 15.3)	10,116	12.3%	(11.4 - 13.2)	NS	No
2014	547	8.2%	(6.1 - 11.1)	22,338	10.7%	(10.2 - 11.2)	NS	215	8.1%	(4.9 - 13.0)	9,568	9.3%	(8.6 - 10.0)	NS	332	8.4%	(5.8 - 12.1)	12,770	12.1%	(11.4 - 12.9)	NS	No
2015	511	6.7%	(5.0 - 8.9)	17,481	11.6%	(11.0 - 12.2)	-	188	6.7%	(4.3 - 10.3)	7,541	10.2%	(9.5 - 11.1)	NS	323	6.7%	(4.6 - 9.7)	9,940	12.9%	(12.1 - 13.8)	-	No
2016	534	8.3%	(5.7 - 11.8)	15,132	11.2%	(10.6 - 11.9)	NS	200	4.3%*	(2.2 - 8.3)	6,607	10.1%	(9.3 - 11.1)	-	334	12.1%	(7.9 - 18.2)	8,525	12.3%	(11.3 - 13.3)	NS	No
2017	569	10.4%	(7.8 - 13.9)	15,306	11.0%	(10.4 - 11.7)	NS	255	6.8%	(4.2 - 10.7)	6,951	10.0%	(9.1 - 10.9)	NS	314	14.0%	(9.7 - 19.8)	8,348	12.0%	(11.1 - 13.0)	NS	No
2018	558	8.2%	(6.4 - 10.5)	14,589	11.3%	(10.7 - 12.0)	-	244	6.2%	(4.2 - 9.2)	6,538	10.2%	(9.4 - 11.2)	-	314	10.2%	(7.3 - 13.9)	8,037	12.4%	(11.5 - 13.4)	NS	No
2019	533	9.9%	(7.8 - 12.6)	15,819	12.4%	(11.8 - 13.0)	NS	232	7.9%	(5.4 - 11.2)	7,131	10.8%	(10.0 - 11.6)	NS	301	12.0%	(8.6 - 16.4)	8,688	14.0%	(13.1 - 15.0)	NS	No
2020	563	8.1%	(6.2 - 10.6)	14,736	11.3%	(10.7 - 12.0)	-	241	6.2%	(4.1 - 9.3)	6,776	10.7%	(9.8 - 11.6)	-	322	10.0%	(6.9 - 14.3)	7,960	12.0%			



Indicators	Overall					Men					Women					LHD Gender Diff. <sup>g</sup>						
	Dakota County			State of NE		Sig <sup>d</sup>	Dakota County			State of NE		Sig <sup>d</sup>	Dakota County				State of NE		Sig <sup>d</sup>			
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>		95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)
<b>Asthma</b>																						
Ever told they have asthma																						
2011	929	8.0%	(5.4 - 11.7)	25,327	11.5%	(10.9 - 12.1)	NS	385	5.5%	(3.3 - 9.0)	10,194	10.5%	(9.6 - 11.3)	-	544	10.2%	(6.1 - 16.8)	15,133	12.4%	(11.6 - 13.3)	NS	No
2012	732	6.4%	(4.2 - 9.7)	19,105	10.8%	(10.2 - 11.5)	-	307	4.7%*	(2.3 - 9.1)	7,847	9.7%	(8.8 - 10.7)	NS	425	8.1%	(4.7 - 13.7)	11,258	11.9%	(11.1 - 12.9)	NS	No
2013	594	6.6%	(4.5 - 9.7)	17,068	11.2%	(10.5 - 12.0)	-	211	6.7%*	(3.5 - 12.6)	6,946	9.6%	(8.6 - 10.8)	NS	383	6.8%	(4.4 - 9.7)	10,122	12.8%	(11.7 - 13.9)	-	No
2014	543	13.1%	(8.9 - 18.8)	22,355	12.2%	(11.5 - 13.0)	NS	214	12.5%*	(6.3 - 23.2)	9,583	10.8%	(9.8 - 11.9)	NS	329	13.7%	(9.2 - 20.1)	12,772	13.6%	(12.6 - 14.7)	NS	No
2015	512	7.3%	(4.4 - 11.8)	17,492	12.1%	(11.3 - 12.9)	NS	188	3.0%*	(1.2 - 7.4)	7,554	10.7%	(9.6 - 12.0)	-	324	11.4%	(6.5 - 19.2)	9,938	13.4%	(12.3 - 14.5)	NS	No
2016	536	9.9%	(6.1 - 15.7)	15,144	12.4%	(11.5 - 13.4)	NS	202	9.8%*	(4.6 - 19.8)	6,622	10.4%	(9.2 - 11.8)	NS	334	10.1%*	(5.5 - 17.8)	8,522	14.3%	(13.1 - 15.7)	NS	No
2017	570	8.3%	(5.4 - 12.5)	15,312	12.0%	(11.2 - 12.9)	NS	255	3.9%*	(1.9 - 7.7)	6,951	10.5%	(9.4 - 11.8)	-	315	12.6%	(7.7 - 20.1)	8,354	13.5%	(12.4 - 14.7)	NS	No
2018	558	5.6%	(3.6 - 8.6)	14,597	13.2%	(12.3 - 14.1)	-	242	4.1%*	(1.7 - 10.0)	6,541	11.0%	(9.9 - 12.3)	NS	316	7.0%	(4.3 - 11.0)	8,042	15.3%	(14.0 - 16.6)	-	No
2019	532	8.0%	(5.5 - 11.5)	15,827	12.4%	(11.6 - 13.2)	-	233	8.5%*	(4.7 - 15.1)	7,134	10.2%	(9.2 - 11.2)	NS	299	7.5%	(4.9 - 11.4)	8,693	14.6%	(13.5 - 15.8)	-	No
2020	565	5.4%	(3.6 - 8.0)	14,767	10.7%	(10.0 - 11.5)	-	243	4.2%*	(2.1 - 8.0)	6,790	8.7%	(7.7 - 9.7)	NS	322	6.6%	(3.9 - 10.9)	7,977	12.8%	(11.6 - 14.0)	-	No
Currently have asthma																						
2011	925	7.0%	(4.5 - 10.7)	25,257	7.3%	(6.9 - 7.8)	NS	384	4.8%	(2.8 - 8.2)	10,170	6.0%	(5.4 - 6.7)	NS	541	9.0%	(5.0 - 15.7)	15,087	8.6%	(8.0 - 9.4)	NS	No
2012	731	5.7%	(3.5 - 9.0)	19,053	7.4%	(6.9 - 7.9)	NS	307	4.5%*	(2.2 - 8.9)	7,832	6.1%	(5.4 - 6.9)	NS	424	6.9%*	(3.7 - 12.5)	11,221	8.7%	(7.9 - 9.4)	NS	No
2013	594	4.2%	(2.7 - 6.5)	17,024	7.3%	(6.7 - 8.0)	-	211	3.3%*	(1.4 - 7.7)	6,930	5.5%	(4.8 - 6.4)	NS	383	5.1%	(3.2 - 7.9)	10,094	9.1%	(8.2 - 10.0)	-	No
2014	541	8.8%	(5.7 - 13.4)	22,289	7.7%	(7.2 - 8.3)	NS	214	5.0%*	(1.7 - 14.2)	9,562	6.2%	(5.5 - 7.0)	NS	327	12.6%	(8.1 - 18.9)	12,727	9.2%	(8.4 - 10.1)	NS	No
2015	512	6.1%	(3.5 - 10.5)	17,435	7.2%	(6.6 - 7.8)	NS	188	1.2%*	(0.4 - 3.6)	7,533	5.4%	(4.7 - 6.2)	-	324	10.8%	(6.0 - 18.7)	9,902	8.9%	(8.0 - 9.9)	NS	Yes
2016	534	6.3%	(3.6 - 10.9)	15,116	8.3%	(7.5 - 9.1)	NS	201	3.1%*	(1.0 - 9.1)	6,609	6.1%	(5.2 - 7.1)	NS	333	9.5%*	(5.0 - 17.4)	8,507	10.4%	(9.3 - 11.6)	NS	No
2017	569	4.5%	(2.8 - 7.0)	15,264	8.2%	(7.5 - 8.9)	-	254	1.9%*	(0.9 - 4.2)	6,927	6.1%	(5.3 - 7.0)	-	315	6.9%	(4.0 - 11.5)	8,330	10.3%	(9.2 - 11.4)	NS	No
2018	556	3.7%	(2.1 - 6.6)	14,559	8.9%	(8.1 - 9.6)	-	241	3.1%*	(1.0 - 9.7)	6,526	6.3%	(5.4 - 7.2)	NS	315	4.3%	(2.5 - 7.4)	8,019	11.4%	(10.3 - 12.6)	-	No
2019	528	6.5%	(4.2 - 10.0)	15,779	8.0%	(7.4 - 8.7)	NS	230	6.5%*	(3.1 - 13.2)	7,108	5.4%	(4.7 - 6.2)	NS	298	6.5%	(4.1 - 10.3)	8,671	10.6%	(9.6 - 11.7)	NS	No
2020	564	3.7%	(2.3 - 5.9)	14,733	7.8%	(7.1 - 8.5)	-	242	2.3%*	(0.9 - 5.7)	6,770	5.7%	(5.0 - 6.6)	NS	322	5.1%	(2.9 - 8.6)	7,963	9.8%	(8.8 - 10.9)	-	No
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>																						
Ever told they have COPD																						
2011	924	4.6%	(2.9 - 7.3)	25,280	5.0%	(4.6 - 5.3)	NS	382	3.9%*	(2.0 - 7.2)	10,171	4.4%	(3.9 - 4.9)	NS	542	5.3%*	(2.8 - 9.9)	15,109	5.5%	(5.0 - 6.0)	NS	No
2012	729	4.6%	(3.0 - 7.0)	19,075	5.3%	(4.9 - 5.8)	NS	307	4.4%*	(2.2 - 8.6)	7,832	4.7%	(4.1 - 5.3)	NS	422	4.9%	(3.0 - 8.0)	11,243	6.0%	(5.4 - 6.6)	NS	No
2013	593	7.1%	(4.7 - 10.6)	17,035	5.3%	(4.9 - 5.8)	NS	211	8.9%*	(4.9 - 15.8)	6,932	4.8%	(4.2 - 5.5)	NS	382	5.4%	(3.5 - 8.3)	10,103	5.8%	(5.2 - 6.6)	NS	No
2014	545	4.9%	(3.1 - 7.8)	22,313	5.8%	(5.3 - 6.2)	NS	215	4.6%*	(2.2 - 9.4)	9,555	5.5%	(4.9 - 6.2)	NS	330	5.3%	(2.9 - 9.4)	12,758	6.1%	(5.5 - 6.7)	NS	No
2015	511	4.1%	(2.7 - 6.0)	17,466	5.4%	(5.0 - 5.9)	NS	188	3.1%	(1.8 - 5.5)	7,536	4.8%	(4.2 - 5.4)	NS	323	5.0%	(2.9 - 8.3)	9,930	6.1%	(5.5 - 6.7)	NS	No
2016	533	5.6%	(3.4 - 9.1)	15,119	5.8%	(5.3 - 6.4)	NS	202	2.2%*	(1.0 - 4.6)	6,612	5.1%	(4.4 - 6.0)	NS	331	9.0%	(5.0 - 15.6)	8,507	6.5%	(5.7 - 7.4)	NS	Yes
2017	569	6.8%	(4.6 - 9.8)	15,296	5.7%	(5.2 - 6.2)	NS	254	7.2%	(4.0 - 12.4)	6,941	4.9%	(4.3 - 5.7)	NS	315	6.4%	(3.8 - 10.4)	8,348	6.5%	(5.7 - 7.3)	NS	No
2018	559	6.3%	(4.6 - 8.6)	14,572	6.3%	(5.8 - 6.9)	NS	243	5.4%	(3.3 - 8.6)	6,534	6.1%	(5.4 - 7.0)	NS	316	7.2%	(4.7 - 10.7)	8,024	6.5%	(5.7 - 7.3)	NS	No
2019	533	6.0%	(4.2 - 8.5)	15,792	5.7%	(5.2 - 6.2)	NS	232	6.6%	(3.9 - 11.0)	7,117	4.7%	(4.1 - 5.3)	NS	301	5.4%	(3.5 - 8.4)	8,675	6.7%	(6.0 - 7.5)	NS	No
2020	566	5.4%	(3.8 - 7.6)	14,749	5.2%	(4.7 - 5.7)	NS	244	5.6%	(3.4 - 9.0)	6,782	4.6%	(4.0 - 5.3)	NS	322	5.3%	(3.2 - 8.4)	7,967	5.7%	(5.0 - 6.4)	NS	No
<b>Kidney Disease</b>																						
Ever told they have kidney disease																						
2011	929	2.5%*	(1.2 - 5.3)	25,345	2.2%	(2.0 - 2.4)	NS	386	3.3%*	(1.1 - 9.8)	10,208	2.1%	(1.8 - 2.5)	NS	543	1.8%	(1.0 - 3.1)	15,137	2.2%	(2.0 - 2.5)	NS	No
2012	731	1.4%	(0.9 - 2.3)	19,122	2.4%	(2.2 - 2.7)	NS	307	0.8%*	(0.4 - 1.8)	7,850	2.2%	(1.8 - 2.6)	-	424	2.1%*	(1.1 - 3.7)	11,272	2.7%	(2.3 - 3.1)	NS	No
2013	595	3.0%	(1.9 - 4.9)	17,080	2.0%	(1.8 - 2.3)	NS	212	2.3%*	(0.9 - 6.0)	6,953	1.9%	(1.5 - 2.4)	NS	383	3.7%	(2.2 - 6.2)	10,127	2.1%	(1.8 - 2.6)	NS	No
2014	545	3.8%	(2.2 - 6.7)	22,362	2.1%	(1.9 - 2.4)	NS	215	2.4%*	(1.1 - 4.9)	9,586	2.0%	(1.7 - 2.4)	NS	330	5.3%*	(2.5 - 10.8)	12,776	2.3%	(2.0 - 2.6)	NS	No
2015	509	4.1%	(2.6 - 6.5)	17,502	2.4%	(2.1 - 2.7)	NS	187	3.1%*	(1.6 - 5.9)	7,550	2.2%	(1.8 - 2.7)	NS	322	5.1%*	(2.8 - 9.3)	9,952	2.5%	(2.1 - 2.9)	NS	No
2016	534	1.6%*	(0.9 - 2.9)	15,150	2.8%	(2.4 - 3.2)	NS	200	1.5%*	(0.6 - 3.6)	6,624	2.2%	(1.8 - 2.8)	NS	334	1.7%*	(0.8 - 3.8)	8,526	3.4%	(2.8 - 4.0)	NS	No
2017	567	3.0%	(1.8 - 4.7)	15,295	2.9%	(2.5 - 3.3)	NS	254	2.5%*	(1.1 - 5.7)	6,944	2.2%	(1.8 - 2.7)	NS	313	3.4%	(2.0 - 5.9)	8,344	3.5%	(3.0 - 4.2)	NS	No
2018	558	3.5%	(2.3 - 5.4)	14,588	2.7%	(2.3 - 3.1)	NS	242	2.3%*	(1.1 - 4.8)	6,540	2.5%	(2.1 - 3.1)	NS	316	4.7%	(2.7 - 8.1)	8,034	2.8%	(2.4 - 3.4)	NS	No
2019	533	2.8%	(1.8 - 4.4)	15,818	2.4%	(2.1 - 2.7)	NS	232	2.6%*	(1.4 - 4.9)	7,130	2.1%	(1.7 - 2.5)	NS	301	3.1%*	(1.7 - 5.5)	8,688	2.7%	(2.3 - 3.3)	NS	No
2020	568	4.5%	(2.9 - 6.8)	14,766	2.6%	(2.3 - 3.0)	NS	244	1.7%*	(0.8 - 3.6)	6,795	2.5%	(2.0 - 3.0)	NS	324	7.3%	(4.5 - 11.7)	7,971	2.7%	(2.3 - 3.3)	+	Yes
<b>Tobacco &amp; E-Cigarettes</b>																						
Current cigarette smoking <sup>a</sup>																						
2011	927	23.1%	(17.7 - 29.5)	25,324	20.0%	(19.3 - 20.7)	NS	387	21.8%	(14.7 - 31.1)	10,189	22.1%	(21.0 - 23.3)	NS	540	24.4%	(16.9 - 33.7)	15,135	17.9%	(17.0 - 18.9)	NS	No
2012	728	16.3%	(11.1 - 23.4)	18,985	19.7%	(18.9 - 20.6)	NS	306	12.7%	(7.8 - 20.0)	7,801	21.4%	(20.1 - 22.7)	-	422	19.9%*	(11.5 - 32.0)	11,184	18.1%	(17.0 - 19.2)	NS	No
2013	580	21.8%	(17.0 - 27.5)	16,687	18.5%	(17.5 - 19.5)	NS	206	25.4%*	(17.5 - 35.4)	6,790	19.8%	(18.3 - 21.4)	NS	374	18.2%	(13.5 - 24.1)	9,897	17.2%	(15.9 - 18.5)	NS	No
2014	529	19.8%	(14.8 - 26.0)	21,729	17.3%	(16.5 - 18.2)	NS	210	24.2%*	(16.0 - 34.9)	9,311	18.5%	(17.3 - 19.9)	NS	319	15.3%	(10.6 - 21.6)	12,418	16.2%	(15.1 - 17.3)	NS	No
2015	501	15.5%	(11.2 - 21.1)	17,079	17.1%	(16.2 - 18.1)	NS	186	16.9%	(10.2 - 26.7)	7,355	18.4%	(17.0 - 19.9)	NS	315	14.1%	(9.4 - 20.5)	9,724	15.8%	(14.7 - 17.1)	NS	No
2016	520	18.6%	(13.4 - 25.3)	14,790	17.0%	(16.0 - 18.1)	NS	196	20.8%*	(12.7 - 32.1)	6,463	18.6%	(17.1 - 20.3)	NS	324	16.3%	(10.6 - 24.3)	8,327	15.4%	(14.1 - 16.8)	NS	No
2017	549	18.4%	(13.4 - 24.8)	14,849	15.4%	(14.5 - 16.4)	NS	247	22.1%*	(13.8 - 33.3)	6,729	16.4%	(15.0 - 17.8)									

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>								
	Dakota County		State of NE			Dakota County		State of NE			Dakota County		State of NE											
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>									
Attempted to quit smoking in past year, among current cigarette smokers																								
2011	178	56.6%*	(42.8 - 69.5)	4,195	55.6%	(53.5 - 57.7)	NS	82	61.3%*	(43.0 - 76.9)		1,914	53.4%	(50.4 - 56.3)	NS	96	52.5%*	(32.6 - 71.6)	2,281	58.3%	(55.4 - 61.2)	NS	No	
2012	123	57.6%*	(39.2 - 74.1)	3,023	57.1%	(54.7 - 59.6)	NS	52	63.2%*	(43.0 - 79.7)		1,406	55.2%	(51.7 - 58.7)	NS	71	54.0%*	(27.5 - 78.4)	1,617	59.3%	(55.9 - 62.7)	NS	No	
2013	117	61.4%*	(47.4 - 73.7)	2,546	57.1%	(54.1 - 60.2)	NS	51	69.6%*	(46.6 - 85.7)		1,147	55.9%	(51.5 - 60.3)	NS	66	50.0%*	(34.5 - 65.4)	1,399	58.5%	(54.3 - 62.6)	NS	No	
2014	85	65.8%*	(50.7 - 78.2)	3,241	58.2%	(55.5 - 60.9)	NS	**	**	**	**	1,489	57.9%	(54.0 - 61.8)		**	**	**	**	1,752	58.5%	(54.6 - 62.2)		
2015	68	41.3%*	(25.2 - 59.5)	2,476	59.1%	(56.1 - 62.0)	NS	**	**	**	**	1,145	59.2%	(54.8 - 63.5)		**	**	**	**	1,331	58.9%	(54.8 - 62.9)		
2016	81	40.9%*	(25.6 - 58.2)	2,181	54.6%	(51.2 - 58.0)	NS	**	**	**	**	1,049	52.7%	(47.9 - 57.5)		**	**	**	**	1,132	56.9%	(52.1 - 61.5)		
2017	88	45.2%*	(29.4 - 62.1)	2,047	55.6%	(52.2 - 58.9)	NS	**	**	**	**	975	55.8%	(51.1 - 60.5)		**	**	**	**	1,072	55.3%	(50.5 - 59.9)		
2018	63	52.9%*	(36.9 - 68.3)	1,911	58.3%	(55.0 - 61.5)	NS	**	**	**	**	964	55.8%	(51.3 - 60.3)		**	**	**	**	946	61.1%	(56.3 - 65.6)		
2019	68	49.7%*	(36.1 - 63.3)	2,063	52.6%	(49.5 - 55.7)	NS	**	**	**	**	1,012	50.8%	(46.5 - 55.0)		**	**	**	**	1,051	54.7%	(50.2 - 59.1)		
2020	69	56.0%*	(42.5 - 68.6)	1,859	52.8%	(49.5 - 56.2)	NS	**	**	**	**	942	52.9%	(48.4 - 57.5)		**	**	**	**	917	52.7%	(47.7 - 57.6)		
Current smokeless tobacco use <sup>a</sup>																								
2011	932	5.8%	(3.6 - 9.3)	25,406	5.6%	(5.2 - 6.0)	NS	387	11.4%	(6.9 - 18.4)		10,231	10.5%	(9.7 - 11.4)	NS	545	0.3%*	(0.0 - 1.9)	15,175	0.8%	(0.6 - 1.0)	NS	Yes	
2012	730	9.0%*	(3.2 - 23.0)	19,041	5.1%	(4.6 - 5.6)	NS	307	17.9%*	(6.6 - 40.3)		7,828	9.5%	(8.7 - 10.5)	NS	423	0.3%*	(0.1 - 1.0)	11,213	0.8%	(0.6 - 1.2)	NS	Yes	
2013	582	4.0%*	(2.1 - 7.3)	16,732	5.3%	(4.7 - 5.9)	NS	208	7.5%*	(3.9 - 14.1)		6,813	10.1%	(9.0 - 11.2)	NS	374	0.5%*	(0.2 - 1.7)	9,919	0.7%	(0.5 - 0.9)	NS	Yes	
2014	528	4.6%*	(2.5 - 8.2)	21,797	4.7%	(4.2 - 5.1)	NS	210	7.5%*	(3.7 - 14.5)		9,340	8.5%	(7.7 - 9.3)	NS	318	1.6%*	(0.6 - 4.3)	12,457	1.0%	(0.7 - 1.3)	NS	No	
2015	503	6.7%*	(3.6 - 12.1)	17,123	5.5%	(4.9 - 6.1)	NS	186	11.8%*	(6.1 - 21.7)		7,372	9.9%	(8.9 - 11.1)	NS	317	1.5%*	(0.4 - 6.3)	9,751	1.1%	(0.8 - 1.6)	NS	No	
2016	520	6.3%*	(3.4 - 11.2)	14,830	5.7%	(5.1 - 6.2)	NS	196	10.5%*	(5.3 - 19.6)		6,478	10.5%	(9.5 - 11.7)	NS	324	1.9%*	(0.5 - 7.2)	8,352	0.9%	(0.6 - 1.3)	NS	No	
2017	549	2.5%	(1.4 - 4.2)	14,875	5.3%	(4.8 - 5.9)	-	247	4.5%	(2.6 - 7.9)		6,740	9.8%	(8.9 - 10.9)	-	302	0.4%*	(0.1 - 2.9)	8,129	0.9%	(0.6 - 1.3)	NS	No	
2018	533	3.9%	(2.4 - 6.2)	14,158	5.2%	(4.7 - 5.8)	NS	235	5.9%	(3.4 - 10.1)		6,344	9.1%	(8.2 - 10.2)	NS	298	1.9%*	(0.7 - 4.7)	7,804	1.4%	(1.0 - 1.9)	NS	No	
2019	514	5.9%	(3.8 - 9.0)	15,324	5.3%	(4.8 - 5.8)	NS	224	8.9%	(5.3 - 14.4)		6,932	9.7%	(8.7 - 10.7)	NS	290	2.9%*	(1.2 - 6.9)	8,392	0.9%	(0.7 - 1.3)	NS	No	
2020	542	3.3%	(2.0 - 5.6)	14,243	5.2%	(4.6 - 5.7)	NS	231	5.5%	(3.0 - 9.8)		6,540	9.4%	(8.4 - 10.5)	NS	311	1.2%*	(0.4 - 3.7)	7,703	1.0%	(0.7 - 1.4)	NS	No	
Has rule not allowing smoking anywhere inside their home																								
2011																								
2012																								
2013	255	85.6%	(80.2 - 89.7)	7,750	88.7%	(87.4 - 89.8)	NS	96	89.8%	(83.0 - 94.1)		3,121	88.3%	(86.2 - 90.0)	NS	159	82.2%	(74.0 - 88.2)	4,629	89.1%	(87.5 - 90.5)	NS	No	
2014	259	87.4%	(81.9 - 91.5)	10,582	89.0%	(87.9 - 90.0)	NS	98	87.1%	(77.7 - 92.9)		4,448	87.9%	(86.1 - 89.5)	NS	161	87.8%	(80.7 - 92.5)	6,134	90.0%	(88.6 - 91.2)	NS	No	
2015	224	91.3%	(86.5 - 94.5)	7,816	90.1%	(88.9 - 91.1)	NS	73	96.5%*	(90.4 - 98.7)		3,261	89.2%	(87.2 - 90.9)	NS	151	86.8%	(79.0 - 92.0)	4,555	90.9%	(89.6 - 92.1)	NS	No	
2016	252	85.9%	(77.5 - 91.6)	7,109	90.8%	(89.6 - 91.8)	NS	96	86.6%*	(71.2 - 94.4)		3,122	91.2%	(89.8 - 92.5)	NS	156	85.0%	(76.8 - 90.7)	3,987	90.4%	(88.5 - 92.0)	NS	No	
2017	253	90.9%	(86.0 - 94.2)	6,929	91.8%	(90.8 - 92.8)	NS	108	91.2%*	(83.1 - 95.6)		3,135	91.3%	(89.7 - 92.7)	NS	145	90.6%	(83.6 - 94.8)	3,792	92.3%	(90.8 - 93.5)	NS	No	
2018	256	92.2%	(87.3 - 95.2)	6,671	91.6%	(90.6 - 92.5)	NS	107	89.5%*	(80.5 - 94.6)		2,968	90.1%	(88.4 - 91.6)	NS	149	94.4%*	(88.5 - 97.4)	3,696	93.0%	(91.8 - 94.1)	NS	No	
2019	227	89.4%	(84.2 - 93.1)	6,896	91.6%	(90.6 - 92.4)	NS	96	87.9%*	(78.8 - 93.4)		3,084	91.0%	(89.5 - 92.3)	NS	131	90.7%	(83.8 - 94.8)	3,812	92.1%	(90.9 - 93.2)	NS	No	
2020	237	92.2%	(88.1 - 95.0)	6,459	92.9%	(91.9 - 93.8)	NS	104	91.5%*	(84.7 - 95.4)		2,918	91.9%	(90.2 - 93.3)	NS	133	93.0%*	(87.1 - 96.3)	3,541	94.0%	(92.8 - 95.0)	NS	No	
Has rule not allowing smoking at any time inside family vehicle, among those who have a car																								
2011																								
2012																								
2013																								
2014																								
2015																								
2016																								
2017	248	86.6%	(80.4 - 91.0)	6,838	86.7%	(85.3 - 87.9)	NS	108	84.4%	(75.1 - 90.7)		3,107	85.9%	(83.8 - 87.8)	NS	140	88.5%*	(79.2 - 94.0)	3,729	87.3%	(85.5 - 89.0)	NS	No	
2018	253	88.5%	(81.9 - 92.9)	6,578	86.8%	(85.4 - 88.0)	NS	106	81.7%*	(69.1 - 89.9)		2,933	85.6%	(83.6 - 87.4)	NS	147	94.4%*	(89.3 - 97.1)	3,638	87.9%	(86.1 - 89.5)	NS	No	
2019																								
2020																								
Lifetime e-cigarette use																								
2011																								
2012																								
2013																								
2014																								
2015																								
2016	519	18.2%	(12.7 - 25.6)	14,819	22.6%	(21.4 - 23.9)	NS	196	22.1%*	(13.1 - 34.8)		6,474	25.1%	(23.3 - 27.0)	NS	323	14.3%	(9.0 - 22.0)	8,345	20.2%	(18.7 - 21.9)	NS	No	
2017	547	10.4%	(7.9 - 13.6)	14,763	20.7%	(19.6 - 21.8)	-	247	12.2%	(8.3 - 17.5)		6,690	23.8%	(22.1 - 25.6)	-	300	8.7%	(5.9 - 12.7)	8,067	17.7%	(16.2 - 19.2)	-	No	
2018	514	14.2%	(10.3 - 19.1)	13,966	22.8%	(21.7 - 24.0)	-	222	17.0%	(11.5 - 24.3)		6,242	25.8%	(24.2 - 27.6)	NS	292	11.5%	(6.7 - 18.9)	7,714	20.0%	(18.5 - 21.5)	NS	No	
2019	500	14.7%	(11.2 - 19.1)	15,127	24.7%	(23.6 - 25.8)	-	216	21.2%	(15.2 - 28.9)		6,839	28.1%	(26.5 - 29.7)	NS	284	8.6%	(5.5 - 13.1)	8,288	21.3%	(19.9 - 22.8)	-	Yes	
2020	514	17.1%	(13.4 - 21.5)	14,016	24.9%	(23.7 - 26.1)	-	216	20.9%	(15.3 - 27.8)		6,413	29.9%	(28.2 - 31.7)	-	298	13.3%	(8.9 - 19.3)	7,603	20.0%	(18.5 - 21.5)	NS	No	

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Dakota County			State of NE		Dakota County			State of NE		Dakota County			State of NE								
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>							
Current e-cigarette use																						
2011																						
2012																						
2013																						
2014																						
2015																						
2016	519	4.3%*	(2.1 - 8.7)	14,819	4.9%	(4.3 - 5.6)	NS	196	5.2%*	(1.8 - 13.9)	6,474	5.3%	(4.5 - 6.4)	NS	323	3.5%*	(1.4 - 8.2)	8,345	4.5%	(3.7 - 5.6)	NS	No
2017	547	2.2%	(1.2 - 3.8)	14,763	3.8%	(3.3 - 4.4)	NS	247	1.8%*	(0.8 - 4.2)	6,690	4.7%	(3.9 - 5.7)	NS	300	2.5%*	(1.2 - 5.3)	8,067	3.0%	(2.4 - 3.8)	NS	No
2018	514	2.5%*	(1.3 - 4.9)	13,966	5.6%	(5.0 - 6.3)	-	222	3.3%*	(1.3 - 8.4)	6,242	6.7%	(5.7 - 7.9)	NS	292	1.7%*	(0.8 - 3.7)	7,714	4.6%	(3.8 - 5.5)	-	No
2019	500	2.2%*	(0.9 - 5.2)	15,127	5.9%	(5.3 - 6.6)	-	216	4.1%*	(1.6 - 10.2)	6,839	6.7%	(5.8 - 7.8)	NS	284	0.5%*	(0.1 - 1.9)	8,288	5.2%	(4.4 - 6.2)	-	No
2020	514	2.6%*	(1.3 - 5.2)	14,016	5.9%	(5.2 - 6.6)	-	216	2.9%*	(1.1 - 7.9)	6,413	7.4%	(6.4 - 8.5)	NS	298	2.3%*	(0.9 - 5.7)	7,603	4.4%	(3.6 - 5.3)	NS	No
<b>Overweight and Obesity</b>																						
Obese (BMI=30+) <sup>^</sup>																						
2011	872	29.5%	(23.7 - 36.1)	24,366	28.4%	(27.6 - 29.2)	NS	377	28.7%*	(20.1 - 39.3)	10,102	29.2%	(28.0 - 30.4)	NS	495	30.3%	(23.2 - 38.6)	14,264	27.6%	(26.5 - 28.8)	NS	No
2012	708	34.2%	(26.7 - 42.5)	18,385	28.6%	(27.7 - 29.6)	NS	305	42.7%*	(30.1 - 56.3)	7,781	29.2%	(27.9 - 30.6)	NS	403	24.8%	(17.7 - 33.6)	10,604	28.1%	(26.8 - 29.3)	NS	No
2013	553	31.7%	(26.5 - 37.5)	16,250	29.6%	(28.4 - 30.7)	NS	205	31.5%	(23.5 - 40.8)	6,860	30.8%	(29.1 - 32.5)	NS	348	31.9%	(25.7 - 38.8)	9,390	28.4%	(26.9 - 29.9)	NS	No
2014	507	36.1%	(30.0 - 42.7)	21,130	30.2%	(29.2 - 31.3)	NS	209	37.5%*	(28.3 - 47.6)	9,399	31.7%	(30.2 - 33.2)	NS	298	34.6%	(27.0 - 43.1)	11,731	28.7%	(27.4 - 30.1)	NS	No
2015	458	31.5%	(25.8 - 37.8)	16,265	31.4%	(30.3 - 32.5)	NS	177	26.7%	(19.5 - 35.5)	7,323	32.9%	(31.3 - 34.6)	NS	281	36.5%	(28.4 - 45.5)	8,942	29.8%	(28.3 - 31.3)	NS	No
2016	488	44.8%	(36.8 - 53.0)	14,173	32.0%	(30.8 - 33.2)	+	186	53.1%*	(40.3 - 65.6)	6,460	32.6%	(30.8 - 34.3)	+	302	37.0%*	(27.8 - 47.4)	7,713	31.4%	(29.7 - 33.1)	NS	No
2017	502	37.1%	(31.0 - 43.6)	14,330	32.8%	(31.6 - 34.0)	NS	236	37.5%*	(28.2 - 47.9)	6,753	33.2%	(31.5 - 34.9)	NS	266	36.6%	(29.3 - 44.5)	7,574	32.3%	(30.6 - 34.0)	NS	No
2018	509	34.1%	(29.0 - 39.6)	13,669	34.1%	(32.9 - 35.3)	NS	231	35.4%	(27.7 - 43.9)	6,334	34.5%	(32.8 - 36.2)	NS	278	32.8%	(26.4 - 39.8)	7,331	33.7%	(32.1 - 35.4)	NS	No
2019	472	42.9%	(37.3 - 48.7)	14,710	34.1%	(33.0 - 35.2)	+	213	41.5%	(33.7 - 49.9)	6,891	33.6%	(32.1 - 35.1)	NS	259	44.4%	(36.6 - 52.4)	7,819	34.7%	(33.2 - 36.3)	+	No
2020	500	40.5%	(35.5 - 45.7)	13,601	34.0%	(32.8 - 35.2)	+	222	43.2%	(36.0 - 50.8)	6,503	34.7%	(33.0 - 36.4)	NS	278	37.4%	(30.8 - 44.5)	7,098	33.3%	(31.6 - 35.0)	NS	No
Overweight or Obese (BMI=25+)																						
2011	872	70.1%	(63.2 - 76.2)	24,366	64.9%	(64.0 - 65.8)	NS	377	82.7%*	(72.7 - 89.6)	10,102	72.8%	(71.5 - 74.1)	NS	495	56.9%	(48.0 - 65.4)	14,264	56.8%	(55.5 - 58.1)	NS	Yes
2012	708	76.6%	(68.0 - 83.4)	18,385	65.0%	(64.0 - 66.0)	+	305	87.4%*	(77.5 - 93.3)	7,781	72.3%	(70.8 - 73.7)	+	403	64.7%*	(52.1 - 75.6)	10,604	57.6%	(56.2 - 59.0)	NS	Yes
2013	553	69.9%	(63.6 - 75.5)	16,250	65.5%	(64.2 - 66.7)	NS	205	76.7%*	(65.8 - 84.9)	6,860	72.2%	(70.4 - 74.0)	NS	348	62.6%	(55.4 - 69.3)	9,390	58.5%	(56.8 - 60.2)	NS	No
2014	507	69.6%	(63.3 - 75.3)	21,130	66.7%	(65.6 - 67.8)	NS	209	73.9%*	(63.4 - 82.3)	9,399	73.8%	(72.3 - 75.3)	NS	298	64.9%	(57.2 - 72.0)	11,731	59.2%	(57.7 - 60.7)	NS	No
2015	458	71.3%	(64.0 - 77.6)	16,265	67.0%	(65.8 - 68.2)	NS	177	71.6%*	(59.9 - 81.0)	7,323	73.4%	(71.7 - 75.1)	NS	281	70.9%	(62.0 - 78.5)	8,942	60.2%	(58.6 - 61.9)	+	No
2016	488	73.8%	(66.2 - 80.1)	14,173	68.5%	(67.3 - 69.8)	NS	186	81.9%*	(69.5 - 90.0)	6,460	74.9%	(73.1 - 76.6)	NS	302	66.3%	(56.4 - 75.0)	7,713	61.8%	(59.9 - 63.6)	NS	No
2017	502	72.7%	(66.2 - 78.3)	14,330	69.0%	(67.8 - 70.2)	NS	236	78.8%*	(68.0 - 86.6)	6,753	75.2%	(73.5 - 76.8)	NS	266	66.2%	(58.2 - 73.4)	7,574	62.4%	(60.6 - 64.2)	NS	No
2018	509	71.3%	(65.4 - 76.5)	13,669	68.9%	(67.6 - 70.1)	NS	231	78.3%	(70.8 - 84.4)	6,334	73.9%	(72.2 - 75.5)	NS	278	63.9%	(55.3 - 71.7)	7,331	63.7%	(61.9 - 65.4)	NS	No
2019	472	77.5%	(72.4 - 82.0)	14,710	69.0%	(67.9 - 70.1)	+	213	81.3%	(74.6 - 86.5)	6,891	73.4%	(71.8 - 74.9)	NS	259	73.6%	(65.5 - 80.4)	7,819	64.4%	(62.8 - 66.0)	NS	No
2020	500	76.7%	(72.3 - 80.7)	13,601	69.8%	(68.6 - 71.0)	+	222	80.0%	(73.5 - 85.2)	6,503	75.3%	(73.6 - 76.8)	NS	278	73.1%	(66.8 - 78.7)	7,098	64.0%	(62.2 - 65.7)	+	No
<b>Nutrition</b>																						
Consumed sugar-sweetened beverages 1 or more times per day in past 30 days																						
2011																						
2012																						
2013	261	36.2%	(28.8 - 44.2)	7,822	28.5%	(26.8 - 30.3)	NS	97	48.3%*	(36.4 - 60.5)	3,164	35.8%	(33.1 - 38.5)	NS	164	26.8%	(18.9 - 36.6)	4,658	21.7%	(19.7 - 24.0)	NS	No
2014																						
2015																						
2016																						
2017																						
2018																						
2019																						
2020																						
Currently watching or reducing sodium or salt intake																						
2011																						
2012																						
2013	263	51.8%	(44.3 - 59.2)	7,818	46.3%	(44.6 - 48.1)	NS	99	51.8%*	(39.6 - 63.7)	3,165	43.4%	(40.8 - 46.0)	NS	164	51.8%	(42.6 - 60.8)	4,653	49.1%	(46.8 - 51.5)	NS	No
2014																						
2015	226	52.9%	(44.7 - 60.9)	7,892	46.8%	(45.0 - 48.5)	NS	89	58.5%*	(46.2 - 69.8)	3,436	46.0%	(43.4 - 48.7)	NS	137	48.7%*	(38.0 - 59.5)	4,456	47.5%	(45.2 - 49.8)	NS	No
2016																						
2017																						
2018	235	41.9%	(33.9 - 50.3)	6,616	44.0%	(42.3 - 45.8)	NS	105	37.9%*	(26.2 - 51.2)	2,950	43.0%	(40.4 - 45.6)	NS	130	46.1%*	(36.3 - 56.2)	3,663	45.0%	(42.6 - 47.4)	NS	No
2019	232	50.4%	(42.9 - 57.9)	7,009	40.4%	(38.8 - 42.0)	+	97	47.2%*	(36.2 - 58.4)	3,144	38.4%	(36.1 - 40.8)	NS	135	53.0%*	(43.0 - 62.8)	3,865	42.3%	(40.1 - 44.6)	NS	No
2020																						



Indicators	Overall				Men				Women				LHD Gender Diff. <sup>e</sup>									
	Dakota County		State of NE		Dakota County		State of NE		Dakota County		State of NE											
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>		mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>						
Met aerobic physical activity recommendation <sup>a</sup>																						
2011	883	35.1%	(29.1 - 41.6)	23,735	49.0%	(48.0 - 49.9)	-	362	34.1%*	(24.5 - 45.1)	9,544	47.2%	(45.8 - 48.6)	-	521	36.1%	(29.2 - 43.7)	14,191	50.6%	(49.4 - 51.9)	-	No
2012																						
2013	545	45.8%	(39.7 - 52.0)	15,730	50.1%	(48.8 - 51.4)	NS	196	44.9%*	(35.2 - 55.0)	6,416	48.8%	(46.9 - 50.7)	NS	349	46.6%	(39.4 - 54.0)	9,314	51.4%	(49.7 - 53.1)	NS	No
2014																						
2015	464	45.8%	(39.0 - 52.7)	15,878	51.3%	(50.0 - 52.5)	NS	171	48.2%*	(37.6 - 59.1)	6,832	51.1%	(49.2 - 53.0)	NS	293	43.3%	(35.1 - 52.0)	9,046	51.4%	(49.8 - 53.1)	NS	No
2016																						
2017	503	42.1%	(35.8 - 48.6)	13,922	49.4%	(48.1 - 50.7)	NS	225	41.5%*	(31.8 - 52.0)	6,309	48.8%	(46.9 - 50.7)	NS	278	42.6%	(34.9 - 50.7)	7,613	49.9%	(48.1 - 51.7)	NS	No
2018																						
2019	499	32.6%	(27.9 - 37.8)	14,579	48.0%	(46.8 - 49.2)	-	215	30.0%	(23.3 - 37.6)	6,607	47.3%	(45.6 - 49.0)	-	284	35.2%	(28.7 - 42.4)	7,972	48.7%	(47.1 - 50.4)	-	No
2020																						
Met muscle strengthening recommendation <sup>a</sup>																						
2011	896	19.5%	(14.7 - 25.4)	24,204	28.1%	(27.3 - 29.0)	-	366	24.9%*	(16.6 - 35.6)	9,697	32.0%	(30.6 - 33.4)	NS	530	14.4%	(9.9 - 20.6)	14,507	24.5%	(23.4 - 25.6)	-	No
2012																						
2013	557	20.7%	(15.6 - 26.8)	16,021	28.4%	(27.2 - 29.6)	-	201	27.8%*	(19.2 - 38.5)	6,499	31.0%	(29.2 - 32.8)	NS	356	13.6%	(9.4 - 19.3)	9,522	26.0%	(24.5 - 27.6)	-	No
2014																						
2015	470	17.9%	(12.8 - 24.5)	16,117	31.2%	(30.1 - 32.5)	-	171	18.4%*	(10.7 - 29.9)	6,893	34.9%	(33.1 - 36.8)	-	299	17.5%	(11.7 - 25.3)	9,224	27.7%	(26.2 - 29.3)	-	No
2016																						
2017	512	23.1%	(17.9 - 29.2)	14,103	29.8%	(28.6 - 31.1)	NS	229	28.9%*	(20.5 - 39.1)	6,366	32.2%	(30.4 - 34.0)	NS	283	17.4%	(11.8 - 24.7)	7,732	27.5%	(25.9 - 29.2)	-	No
2018																						
2019	500	23.8%	(19.3 - 28.9)	14,648	34.8%	(33.7 - 35.9)	-	219	28.7%	(21.7 - 36.8)	6,634	37.5%	(35.9 - 39.2)	NS	281	18.9%	(13.8 - 25.2)	8,014	32.1%	(30.5 - 33.7)	-	No
2020																						
Met both aerobic physical activity and muscle strengthening recommendations <sup>a</sup>																						
2011	878	10.5%	(7.4 - 14.8)	23,567	19.0%	(18.2 - 19.8)	-	360	11.4%	(6.5 - 19.3)	9,477	19.7%	(18.5 - 20.9)	NS	518	9.7%	(6.3 - 14.6)	14,090	18.4%	(17.4 - 19.4)	-	No
2012																						
2013	540	15.5%	(11.1 - 21.1)	15,635	18.8%	(17.8 - 19.9)	NS	194	19.4%*	(12.1 - 29.5)	6,366	19.4%	(17.9 - 21.0)	NS	346	11.6%	(7.6 - 17.4)	9,269	18.2%	(16.8 - 19.6)	NS	No
2014																						
2015	461	12.8%	(8.9 - 18.2)	15,724	21.8%	(20.7 - 22.9)	-	169	11.8%	(6.6 - 20.1)	6,757	23.3%	(21.6 - 25.1)	-	292	13.9%	(8.5 - 21.8)	8,967	20.3%	(18.9 - 21.7)	NS	No
2016																						
2017	500	16.2%	(11.5 - 22.2)	13,779	19.1%	(18.0 - 20.1)	NS	225	22.4%*	(14.5 - 32.8)	6,239	19.7%	(18.3 - 21.3)	NS	275	10.0%	(6.0 - 16.3)	7,540	18.4%	(17.0 - 19.9)	-	No
2018																						
2019	490	12.9%	(9.7 - 16.8)	14,226	20.9%	(20.0 - 21.9)	-	214	13.9%	(9.2 - 20.5)	6,461	21.0%	(19.6 - 22.4)	NS	276	11.8%	(8.2 - 16.7)	7,765	20.9%	(19.5 - 22.3)	-	No
2020																						
Walk for at least 10 minutes at a time for any reason during a usual week																						
2011																						
2012																						
2013																						
2014																						
2015	226	80.1%	(73.2 - 85.5)	7,895	84.6%	(83.3 - 85.8)	NS	90	85.1%*	(74.9 - 91.7)	3,442	84.2%	(82.2 - 86.0)	NS	136	76.2%	(66.4 - 83.9)	4,453	85.1%	(83.4 - 86.6)	NS	No
2016																						
2017	250	74.6%	(67.5 - 80.6)	6,914	84.8%	(83.5 - 86.0)	-	108	71.0%*	(59.4 - 80.4)	3,134	84.0%	(82.0 - 85.8)	-	142	77.6%	(68.8 - 84.5)	3,778	85.6%	(83.9 - 87.2)	NS	No
2018																						
2019																						
2020																						
Have access to safe places to walk in their neighborhood																						
2011																						
2012																						
2013																						
2014																						
2015	226	87.4%	(80.9 - 91.9)	7,893	88.4%	(87.2 - 89.4)	NS	89	81.8%*	(69.4 - 90.0)	3,439	88.8%	(87.2 - 90.3)	NS	137	91.5%*	(84.8 - 95.4)	4,454	87.9%	(86.3 - 89.3)	NS	No
2016																						
2017	253	86.0%	(80.1 - 90.3)	6,927	88.3%	(87.3 - 89.2)	NS	108	86.9%*	(76.4 - 93.1)	3,137	89.2%	(87.7 - 90.5)	NS	145	85.2%	(77.6 - 90.6)	3,788	87.4%	(85.9 - 88.7)	NS	No
2018																						
2019																						
2020																						

Indicators	Overall					Men					Women					LHD Diff. <sup>e</sup>							
	Dakota County			State of NE		Dakota County			State of NE		Dakota County			State of NE									
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>								
<b>Injury</b>																							
Always wear a seatbelt when driving or riding in a car <sup>a</sup>																							
2011	891	78.3%	(71.8 - 83.7)	24,208	71.3%	(70.5 - 72.1)	NS	363	71.6%*	(60.3 - 80.7)	9,683	63.7%	(62.4 - 65.0)	NS	528	84.7%	(77.4 - 89.9)	14,525	78.6%	(77.5 - 79.5)	NS	No	
2012	719	76.6%	(67.8 - 83.6)	18,851	69.7%	(68.7 - 70.6)	NS	300	72.6%*	(60.5 - 82.1)	7,731	61.7%	(60.2 - 63.2)	NS	419	80.5%*	(65.8 - 89.8)	11,120	77.3%	(76.1 - 78.4)	NS	No	
2013	558	82.1%	(77.0 - 86.2)	16,053	74.1%	(73.0 - 75.2)	+	203	78.4%	(69.7 - 85.2)	6,520	67.0%	(65.3 - 68.7)	+	355	85.8%	(80.2 - 90.0)	9,533	80.8%	(79.5 - 82.1)	NS	No	
2014	523	76.3%	(70.1 - 81.6)	21,599	72.4%	(71.5 - 73.3)	NS	208	70.9%*	(60.7 - 79.3)	9,241	64.7%	(63.2 - 66.2)	NS	315	81.8%	(74.7 - 87.2)	12,358	79.8%	(78.7 - 80.9)	NS	No	
2015	469	75.9%	(68.9 - 81.8)	16,136	75.4%	(74.4 - 76.4)	NS	172	67.7%*	(56.2 - 77.5)	6,900	68.2%	(66.5 - 69.9)	NS	297	83.8%	(76.2 - 89.4)	9,236	82.3%	(81.1 - 83.4)	NS	No	
2016	514	80.4%	(72.7 - 86.3)	14,628	73.8%	(72.7 - 74.9)	NS	195	70.8%*	(57.7 - 81.1)	6,370	66.8%	(65.0 - 68.5)	NS	319	90.4%	(84.5 - 94.2)	8,258	80.6%	(79.2 - 81.8)	+	Yes	
2017	513	80.6%	(74.4 - 85.6)	14,160	76.3%	(75.2 - 77.3)	NS	230	73.4%*	(62.5 - 82.0)	6,393	70.4%	(68.8 - 72.0)	NS	283	87.6%	(82.0 - 91.7)	7,762	82.0%	(80.7 - 83.3)	NS	No	
2018	527	79.6%	(74.5 - 83.9)	13,968	75.2%	(74.1 - 76.2)	NS	233	74.0%	(65.5 - 81.0)	6,256	69.0%	(67.4 - 70.6)	NS	294	85.2%	(79.4 - 89.6)	7,702	81.1%	(79.8 - 82.4)	NS	No	
2019																							
2020	535	86.2%	(82.5 - 89.2)	14,029	76.7%	(75.7 - 77.7)	+	229	86.0%	(80.5 - 90.1)	6,434	70.2%	(68.6 - 71.7)	+	306	86.4%	(81.0 - 90.5)	7,595	83.0%	(81.8 - 84.2)	NS	No	
Texted while driving in past 30 days																							
2011																							
2012	449	11.8%	(7.7 - 17.6)	11,451	26.8%	(25.6 - 27.9)	-	179	12.9%	(7.7 - 20.9)	4,757	29.2%	(27.5 - 31.0)	-	270	11.0%*	(5.7 - 20.1)	6,694	24.4%	(22.8 - 26.0)	-	No	
2013																							
2014																							
2015	212	14.9%*	(8.4 - 25.1)	7,620	24.9%	(23.3 - 26.6)	NS	73	19.2%*	(8.8 - 36.8)	3,209	27.6%	(25.0 - 30.3)	NS	139	11.2%*	(4.8 - 24.0)	4,411	22.3%	(20.3 - 24.4)	NS	No	
2016																							
2017	222	12.5%	(8.2 - 18.7)	6,452	26.6%	(24.9 - 28.4)	-	99	14.3%	(8.1 - 24.1)	2,894	29.9%	(27.4 - 32.6)	-	123	10.5%*	(5.4 - 19.5)	3,555	23.4%	(21.2 - 25.8)	-	No	
2018																							
2019																							
2020																							
Talked on a cell phone while driving in past 30 days																							
2011																							
2012	450	54.5%	(46.6 - 62.1)	11,424	69.1%	(68.0 - 70.2)	-	181	57.2%*	(44.7 - 68.9)	4,742	71.5%	(69.9 - 73.2)	-	269	52.4%*	(42.3 - 62.2)	6,682	66.7%	(65.2 - 68.2)	-	No	
2013																							
2014																							
2015	214	48.7%	(39.6 - 57.8)	7,604	67.0%	(65.3 - 68.6)	-	72	51.3%*	(36.4 - 66.0)	3,203	71.0%	(68.5 - 73.3)	-	142	46.5%*	(35.9 - 57.3)	4,401	63.1%	(60.8 - 65.2)	-	No	
2016																							
2017	219	43.7%*	(34.0 - 53.9)	6,436	66.5%	(64.8 - 68.2)	-	98	44.8%*	(30.3 - 60.2)	2,888	71.2%	(68.7 - 73.6)	-	121	42.4%*	(30.4 - 55.4)	3,545	61.9%	(59.5 - 64.3)	-	No	
2018																							
2019																							
2020																							
Had a fall in past year, aged 45 years and older																							
2011																							
2012	566	31.6%	(25.1 - 38.9)	13,738	28.8%	(27.7 - 29.9)	NS	229	21.7%	(15.3 - 29.8)	5,384	26.9%	(25.3 - 28.5)	NS	337	39.1%*	(29.3 - 50.0)	8,354	30.5%	(29.1 - 31.9)	NS	No	
2013																							
2014	416	23.4%	(18.5 - 29.1)	15,671	26.1%	(25.1 - 27.1)	NS	160	23.4%	(16.1 - 32.7)	6,513	24.5%	(23.0 - 26.1)	NS	256	23.4%	(17.3 - 30.7)	9,158	27.6%	(26.2 - 29.0)	NS	No	
2015																							
2016	436	30.7%	(23.9 - 38.5)	10,369	29.0%	(27.7 - 30.3)	NS	159	24.8%*	(16.2 - 36.1)	4,333	28.1%	(26.2 - 30.1)	NS	277	35.6%*	(26.3 - 46.0)	6,036	29.7%	(28.0 - 31.5)	NS	No	
2017																							
2018	359	23.0%	(18.3 - 28.4)	9,873	25.3%	(24.0 - 26.5)	NS	160	21.3%	(14.9 - 29.5)	4,281	23.3%	(21.5 - 25.1)	NS	199	24.8%	(18.7 - 32.1)	5,586	27.1%	(25.4 - 28.9)	NS	No	
2019																							
2020	360	21.0%	(16.8 - 25.9)	9,698	23.7%	(22.5 - 24.9)	NS	140	18.0%	(12.3 - 25.5)	4,173	22.7%	(21.0 - 24.5)	NS	220	23.5%	(17.8 - 30.3)	5,525	24.5%	(23.0 - 26.2)	NS	No	
Injured due to a fall in past year, aged 45 years and older																							
2011																							
2012	565	13.6%	(8.9 - 20.2)	13,719	9.9%	(9.2 - 10.6)	NS	229	8.3%	(4.9 - 13.9)	5,377	7.7%	(6.7 - 8.7)	NS	336	17.6%*	(10.3 - 28.5)	8,342	11.8%	(10.9 - 12.9)	NS	No	
2013																							
2014	415	9.0%	(6.1 - 13.1)	15,647	8.8%	(8.2 - 9.5)	NS	159	8.4%	(4.7 - 14.7)	6,502	6.8%	(6.0 - 7.7)	NS	256	9.6%	(5.7 - 15.6)	9,145	10.6%	(9.7 - 11.6)	NS	No	
2015																							
2016	436	13.8%	(8.6 - 21.3)	10,367	10.1%	(9.3 - 11.0)	NS	159	7.1%*	(3.4 - 14.3)	4,333	7.8%	(6.8 - 9.0)	NS	277	19.3%*	(11.2 - 31.2)	6,034	12.2%	(11.0 - 13.6)	NS	No	
2017																							
2018	358	5.1%	(3.3 - 7.7)	9,865	9.7%	(8.8 - 10.6)	-	160	3.9%*	(2.0 - 7.7)	4,279	7.7%	(6.6 - 9.1)	NS	198	6.3%	(3.7 - 10.4)	5,580	11.5%	(10.3 - 12.9)	NS	No	
2019																							
2020	359	7.9%	(5.4 - 11.5)	9,687	8.0%	(7.3 - 8.8)	NS	139	7.6%*	(4.2 - 13.6)	4,166	6.8%	(5.8 - 7.9)	NS	220	8.2%	(5.0 - 13.1)	5,521	9.1%	(8.1 - 10.3)	NS	No	

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Dakota County		State of NE			Dakota County		State of NE			Dakota County		State of NE									
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>							
<b>Mental Health</b>																						
Ever told they have depression																						
2011	929	17.4%	(12.8 - 23.3)	25,333	16.8%	(16.2 - 17.5)	NS	385	11.9%*	(6.3 - 21.2)	10,198	11.5%	(10.7 - 12.4)	NS	544	22.9%	(16.3 - 31.0)	15,135	22.0%	(21.0 - 23.0)	NS	No
2012	729	24.2%*	(15.8 - 35.2)	19,115	16.7%	(16.0 - 17.5)	NS	308	23.5%*	(10.7 - 44.0)	7,853	12.4%	(11.4 - 13.5)	NS	421	24.9%*	(16.4 - 36.0)	11,262	20.9%	(19.8 - 22.1)	NS	No
2013	593	14.3%	(10.9 - 18.7)	17,065	18.2%	(17.3 - 19.2)	NS	212	11.3%	(6.6 - 18.8)	6,940	12.9%	(11.6 - 14.2)	NS	381	17.3%	(12.9 - 22.8)	10,125	23.4%	(22.0 - 24.8)	NS	No
2014	545	17.6%	(13.2 - 23.1)	22,346	17.7%	(16.9 - 18.6)	NS	215	13.8%	(8.0 - 22.7)	9,582	13.0%	(11.8 - 14.2)	NS	330	21.5%	(15.7 - 28.8)	12,764	22.3%	(21.1 - 23.5)	NS	No
2015	511	15.7%	(11.4 - 21.3)	17,485	17.5%	(16.7 - 18.5)	NS	189	15.6%	(9.2 - 25.1)	7,534	12.4%	(11.3 - 13.7)	NS	322	15.9%	(10.9 - 22.6)	9,951	22.5%	(21.2 - 23.8)	NS	No
2016	534	11.8%	(7.9 - 17.2)	15,138	17.8%	(16.8 - 18.8)	NS	201	10.5%*	(5.1 - 20.3)	6,609	12.1%	(10.9 - 13.4)	NS	333	13.1%	(8.4 - 19.9)	8,529	23.4%	(21.8 - 25.0)	-	No
2017	568	14.8%	(10.8 - 19.9)	15,299	19.4%	(18.5 - 20.5)	NS	255	14.2%	(8.2 - 23.5)	6,937	13.0%	(11.8 - 14.2)	NS	313	15.3%	(10.8 - 21.2)	8,355	25.8%	(24.3 - 27.3)	-	No
2018	559	8.9%	(6.7 - 11.8)	14,608	17.3%	(16.3 - 18.3)	-	243	5.3%	(3.2 - 8.7)	6,549	11.5%	(10.3 - 12.8)	-	316	12.5%	(8.9 - 17.4)	8,045	22.9%	(21.5 - 24.5)	-	Yes
2019	534	9.5%	(6.9 - 12.9)	15,813	16.2%	(15.4 - 17.1)	-	233	6.7%*	(3.4 - 12.5)	7,126	10.6%	(9.7 - 11.7)	NS	301	12.3%	(8.8 - 17.0)	8,687	21.7%	(20.4 - 23.1)	-	No
2020	566	12.8%	(10.0 - 16.3)	14,748	16.8%	(15.8 - 17.7)	NS	243	6.1%	(3.5 - 10.4)	6,785	11.4%	(10.3 - 12.5)	NS	323	19.6%	(15.0 - 25.2)	7,963	22.1%	(20.6 - 23.6)	NS	Yes
Frequent Mental Distress in past 30 days																						
2011	912	7.8%	(5.0 - 11.9)	25,036	9.2%	(8.7 - 9.7)	NS	375	6.2%*	(2.6 - 14.0)	10,097	7.7%	(7.0 - 8.4)	NS	537	9.2%	(5.7 - 14.5)	14,939	10.7%	(9.9 - 11.5)	NS	No
2012	722	10.2%	(6.1 - 16.5)	18,935	9.0%	(8.4 - 9.7)	NS	307	8.3%*	(4.3 - 15.6)	7,786	7.4%	(6.6 - 8.3)	NS	415	12.1%*	(5.9 - 23.3)	11,149	10.6%	(9.7 - 11.5)	NS	No
2013	584	7.4%	(4.8 - 11.2)	16,889	8.9%	(8.2 - 9.6)	NS	208	5.4%*	(2.0 - 13.8)	6,889	6.8%	(5.9 - 7.9)	NS	376	9.3%	(6.4 - 13.5)	10,000	10.9%	(9.8 - 12.0)	NS	No
2014	538	10.8%	(7.1 - 16.0)	22,132	8.2%	(7.6 - 8.8)	NS	213	10.5%*	(5.0 - 20.6)	9,483	6.4%	(5.6 - 7.3)	NS	325	11.0%	(7.1 - 16.8)	12,649	9.9%	(9.0 - 10.8)	NS	No
2015	507	5.1%	(3.2 - 7.9)	17,369	8.9%	(8.2 - 9.6)	-	187	3.4%*	(1.6 - 7.0)	7,491	6.9%	(6.0 - 7.9)	NS	320	6.7%	(3.8 - 11.7)	9,878	10.8%	(9.8 - 11.9)	NS	No
2016	530	7.9%	(4.8 - 12.8)	15,035	9.5%	(8.7 - 10.4)	NS	200	7.4%*	(3.2 - 15.9)	6,568	7.0%	(6.0 - 8.1)	NS	330	8.5%*	(4.7 - 15.1)	8,467	12.0%	(10.8 - 13.3)	NS	No
2017	562	8.8%	(5.8 - 13.2)	15,179	10.5%	(9.7 - 11.4)	NS	252	10.3%*	(5.4 - 18.7)	6,894	7.6%	(6.7 - 8.6)	NS	310	7.3%	(4.6 - 11.5)	8,278	13.4%	(12.2 - 14.7)	-	No
2018	556	7.1%	(5.1 - 9.9)	14,490	11.2%	(10.4 - 12.1)	-	242	6.8%	(4.1 - 11.2)	6,498	9.2%	(8.1 - 10.4)	NS	314	7.4%	(4.8 - 11.4)	7,979	13.2%	(12.0 - 14.5)	-	No
2019	526	8.2%	(5.8 - 11.4)	15,699	11.3%	(10.5 - 12.1)	NS	232	5.7%*	(3.0 - 10.5)	7,076	8.6%	(7.7 - 9.6)	NS	294	10.7%	(7.2 - 15.7)	8,623	13.9%	(12.7 - 15.1)	NS	No
2020	559	9.2%	(6.9 - 12.3)	14,624	11.9%	(11.1 - 12.8)	NS	239	5.5%	(3.1 - 9.5)	6,735	9.1%	(8.1 - 10.3)	NS	320	12.9%	(9.2 - 17.8)	7,889	14.6%	(13.3 - 15.9)	NS	No
Currently taking medication or receiving treatment for a mental health condition																						
2011																						
2012	245	10.6%	(6.5 - 17.0)	6,643	11.0%	(10.0 - 12.1)	NS	109	6.0%*	(2.2 - 15.6)	2,693	7.4%	(6.2 - 8.9)	NS	136	14.7%	(8.7 - 23.9)	3,950	14.5%	(12.9 - 16.2)	NS	No
2013																						
2014																						
2015																						
2016																						
2017																						
2018																						
2019																						
2020																						
Symptoms of serious mental illness in past 30 days																						
2011																						
2012	242	1.4%*	(0.5 - 3.8)	6,555	3.2%	(2.6 - 3.9)	NS	107	1.1%*	(0.2 - 5.1)	2,657	2.5%	(1.8 - 3.7)	NS	135	1.7%*	(0.5 - 5.7)	3,898	3.8%	(2.9 - 4.9)	NS	No
2013																						
2014																						
2015																						
2016																						
2017																						
2018																						
2019																						
2020																						
<b>Alcohol and Drug Use</b>																						
Any alcohol consumption in past 30 days																						
2011	886	47.7%	(40.7 - 54.8)	24,051	61.8%	(60.9 - 62.7)	-	360	54.7%*	(42.6 - 66.2)	9,597	67.7%	(66.4 - 69.1)	-	526	41.0%	(33.1 - 49.5)	14,454	56.2%	(55.0 - 57.4)	-	No
2012	726	46.2%	(37.3 - 55.3)	18,891	61.3%	(60.3 - 62.3)	-	306	60.2%*	(46.7 - 72.3)	7,749	68.7%	(67.2 - 70.1)	NS	420	32.3%	(24.2 - 41.6)	11,142	54.2%	(52.8 - 55.6)	-	Yes
2013	573	46.0%	(40.0 - 52.1)	16,614	57.5%	(56.2 - 58.7)	-	204	52.3%*	(42.2 - 62.3)	6,754	63.3%	(61.4 - 65.2)	NS	369	39.9%	(33.3 - 47.0)	9,860	51.8%	(50.2 - 53.5)	-	No
2014	523	44.9%	(38.7 - 51.3)	21,612	59.2%	(58.1 - 60.3)	-	207	53.1%*	(43.0 - 63.0)	9,246	65.2%	(63.6 - 66.8)	-	316	36.7%	(29.7 - 44.4)	12,366	53.4%	(52.0 - 54.9)	-	No
2015	496	43.4%	(36.8 - 50.2)	16,939	57.6%	(56.4 - 58.8)	-	185	53.5%*	(43.1 - 63.6)	7,282	63.8%	(62.0 - 65.5)	NS	311	33.1%	(25.2 - 42.1)	9,657	51.6%	(50.0 - 53.2)	-	Yes
2016	514	45.2%	(37.4 - 53.3)	14,723	59.8%	(58.5 - 61.0)	-	191	61.3%*	(47.7 - 73.3)	6,421	68.0%	(66.1 - 69.8)	NS	323	29.3%	(21.9 - 38.0)	8,302	51.8%	(50.0 - 53.6)	-	Yes
2017	537	42.7%	(36.4 - 49.2)	14,640	60.2%	(58.9 - 61.4)	-	240	50.1%*	(39.8 - 60.4)	6,630	66.2%	(64.5 - 68.0)	-	297	35.4%	(28.2 - 43.4)	8,004	54.3%	(52.5 - 56.0)	-	No
2018	529	44.1%	(38.4 - 49.9)	14,055	58.8%	(57.5 - 60.0)	-	232	57.5%	(49.1 - 65.5)	6,289	64.2%	(62.5 - 66.0)	NS	297	30.8%	(24.8 - 37.5)	7,756	53.5%	(51.8 - 55.3)	-	Yes
2019	510	43.7%	(38.3 - 49.2)	15,159	59.5%	(58.3 - 60.6)	-	221	53.0%	(44.9 - 60.8)	6,844	64.2%	(62.6 - 65.8)	-	289	34.6%	(27.9 - 41.9)	8,315	54.9%	(53.3 - 56.5)	-	Yes
2020	536	41.4%	(36.6 - 46.4)	14,047	60.0%	(58.8 - 61.2)	-	229	52.9%	(45.6 - 60.0)	6,439	64.1%	(62.4 - 65.8)	-	307	30.0%	(24.3 - 36.4)	7,608	56.0%	(54.3 - 57.7)	-	Yes

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Dakota County			State of NE			Dakota County			State of NE			Dakota County				State of NE					
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>		n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>		
Binge drank in past 30 days <sup>a</sup>																						
2011	883	19.8%	(14.7 - 26.1)	23,948	22.7%	(21.9 - 23.5)	NS	360	22.5%	(15.2 - 32.0)	9,533	30.2%	(28.9 - 31.5)	NS	523	17.2%	(10.6 - 26.7)	14,415	15.7%	(14.7 - 16.7)	NS	No
2012	721	20.8%*	(13.0 - 31.7)	18,742	22.1%	(21.3 - 23.0)	NS	301	31.8%*	(18.2 - 49.4)	7,664	29.1%	(27.6 - 30.5)	NS	420	10.1%	(5.6 - 17.6)	11,078	15.5%	(14.5 - 16.6)	NS	Yes
2013	570	15.6%	(11.7 - 20.6)	16,500	20.0%	(19.0 - 21.1)	NS	203	18.1%	(12.0 - 26.4)	6,687	25.2%	(23.6 - 26.9)	NS	367	13.3%	(8.7 - 19.7)	9,813	15.0%	(13.8 - 16.4)	NS	No
2014	521	17.9%	(13.2 - 23.8)	21,443	20.3%	(19.4 - 21.3)	NS	206	29.7%*	(21.2 - 39.9)	9,149	26.8%	(25.3 - 28.3)	NS	315	6.3%*	(3.4 - 11.2)	12,294	14.1%	(13.0 - 15.3)	-	Yes
2015	490	12.7%	(8.6 - 18.4)	16,832	19.5%	(18.5 - 20.5)	-	180	13.9%	(8.3 - 22.4)	7,216	26.0%	(24.4 - 27.8)	-	310	11.5%*	(6.2 - 20.3)	9,616	13.1%	(12.0 - 14.3)	NS	No
2016	510	13.8%	(8.8 - 21.1)	14,620	20.0%	(18.9 - 21.1)	NS	191	22.1%*	(13.0 - 35.0)	6,367	27.2%	(25.4 - 29.0)	NS	319	5.5%*	(2.7 - 10.9)	8,253	13.1%	(11.9 - 14.4)	-	Yes
2017	528	14.0%	(9.5 - 20.3)	14,534	20.6%	(19.5 - 21.7)	NS	235	20.7%*	(12.7 - 31.9)	6,562	27.3%	(25.6 - 29.0)	NS	293	7.7%	(4.5 - 13.1)	7,966	14.2%	(12.9 - 15.6)	NS	No
2018	525	17.6%	(12.8 - 23.7)	13,940	21.2%	(20.1 - 22.2)	NS	231	29.7%*	(21.3 - 39.8)	6,215	27.7%	(26.0 - 29.4)	NS	294	5.6%	(3.3 - 9.6)	7,715	14.9%	(13.7 - 16.3)	-	Yes
2019	505	12.4%	(9.3 - 16.5)	15,025	20.9%	(19.9 - 21.9)	-	217	18.3%	(12.9 - 25.3)	6,763	26.1%	(24.7 - 27.7)	NS	288	6.8%	(4.0 - 11.2)	8,262	15.7%	(14.4 - 17.1)	-	Yes
2020	526	13.6%	(10.4 - 17.7)	13,926	20.4%	(19.4 - 21.5)	-	226	18.6%	(13.5 - 25.0)	6,374	26.6%	(25.0 - 28.3)	-	300	8.6%	(5.0 - 14.3)	7,552	14.4%	(13.1 - 15.7)	NS	No
Heavy drinking in past 30 days																						
2011	883	5.0%	(2.9 - 8.4)	23,906	7.5%	(7.0 - 8.1)	NS	358	6.1%*	(2.8 - 12.6)	9,514	9.2%	(8.4 - 10.2)	NS	525	3.9%*	(1.9 - 7.9)	14,392	5.9%	(5.2 - 6.6)	NS	No
2012	720	5.0%	(2.8 - 8.5)	18,738	7.2%	(6.6 - 7.7)	NS	300	6.2%*	(3.3 - 11.4)	7,668	8.5%	(7.7 - 9.4)	NS	420	3.8%*	(1.3 - 10.4)	11,070	5.9%	(5.3 - 6.6)	NS	No
2013	568	5.9%	(3.6 - 9.5)	16,513	6.8%	(6.2 - 7.5)	NS	201	6.4%*	(3.0 - 13.4)	6,698	7.3%	(6.4 - 8.3)	NS	367	5.4%*	(3.0 - 9.7)	9,815	6.3%	(5.5 - 7.2)	NS	No
2014	518	4.3%*	(2.3 - 8.0)	21,447	6.4%	(5.9 - 7.0)	NS	205	7.4%*	(3.6 - 14.8)	9,158	7.5%	(6.7 - 8.5)	NS	313	1.3%*	(0.5 - 3.1)	12,289	5.3%	(4.7 - 6.1)	-	Yes
2015	493	6.8%*	(3.6 - 12.3)	16,815	5.7%	(5.1 - 6.4)	NS	184	10.8%*	(5.3 - 20.9)	7,214	7.0%	(6.0 - 8.1)	NS	309	2.7%*	(0.9 - 7.8)	9,601	4.6%	(3.9 - 5.3)	NS	No
2016	511	8.6%*	(4.5 - 16.0)	14,634	6.6%	(5.9 - 7.3)	NS	190	14.6%*	(6.9 - 28.3)	6,376	8.0%	(7.0 - 9.1)	NS	321	2.8%*	(1.0 - 7.6)	8,258	5.2%	(4.4 - 6.2)	NS	No
2017	529	4.0%	(2.3 - 6.9)	14,534	7.0%	(6.3 - 7.7)	NS	234	4.6%*	(2.3 - 9.1)	6,566	8.2%	(7.2 - 9.3)	NS	295	3.5%*	(1.5 - 8.1)	7,963	5.8%	(4.9 - 6.7)	NS	No
2018	527	4.0%	(2.4 - 6.7)	13,944	7.1%	(6.4 - 7.8)	NS	232	6.3%*	(3.5 - 11.2)	6,216	8.2%	(7.2 - 9.3)	NS	295	1.8%*	(0.6 - 5.3)	7,720	6.0%	(5.2 - 7.0)	NS	No
2019	504	3.3%	(1.9 - 5.4)	15,037	6.2%	(5.7 - 6.8)	-	216	4.7%*	(2.5 - 8.8)	6,775	7.1%	(6.3 - 7.9)	NS	288	1.9%*	(0.8 - 4.0)	8,262	5.4%	(4.7 - 6.2)	-	No
2020	531	4.6%	(2.9 - 7.2)	13,927	7.4%	(6.7 - 8.1)	NS	226	4.6%*	(2.4 - 8.7)	6,365	8.4%	(7.4 - 9.5)	NS	305	4.5%*	(2.3 - 8.8)	7,562	6.4%	(5.5 - 7.3)	NS	No
Alcohol impaired driving in past 30 days																						
2011																						
2012	723	1.6%*	(0.8 - 3.1)	18,895	3.4%	(3.1 - 3.8)	-	302	3.2%*	(1.6 - 6.3)	7,741	5.5%	(4.9 - 6.3)	NS	421	0.1%*	(0.0 - 1.0)	11,154	1.4%	(1.1 - 1.8)	-	Yes
2013																						
2014	524	0.7%*	(0.3 - 2.0)	21,627	2.5%	(2.2 - 2.9)	-	208	1.5%*	(0.5 - 4.0)	9,242	4.2%	(3.5 - 4.9)	NS	316	0.0%*	(0.0 - 0.0)	12,385	1.0%	(0.7 - 1.3)	-	Yes
2015																						
2016	516	1.4%*	(0.2 - 7.2)	14,666	3.4%	(2.9 - 3.9)	NS	196	2.7%*	(0.5 - 13.4)	6,383	5.1%	(4.3 - 6.0)	NS	320	0.0%*	(0.0 - 0.0)	8,283	1.7%	(1.3 - 2.4)	-	Yes
2017																						
2018	528	1.3%*	(0.5 - 3.3)	13,977	3.0%	(2.6 - 3.4)	NS	234	2.6%*	(1.0 - 6.6)	6,245	4.4%	(3.7 - 5.2)	NS	294	0.0%*	(0.0 - 0.0)	7,722	1.6%	(1.2 - 2.1)	-	Yes
2019																						
2020	538	1.0%*	(0.4 - 2.6)	14,048	2.5%	(2.1 - 2.9)	NS	230	1.2%*	(0.4 - 3.6)	6,437	3.7%	(3.1 - 4.4)	NS	308	0.7%*	(0.1 - 4.7)	7,611	1.3%	(0.9 - 1.8)	NS	No
Used marijuana in past 30 days																						
2011																						
2012																						
2013																						
2014																						
2015																						
2016	491	4.6%*	(1.8 - 11.7)	14,160	4.9%	(4.2 - 5.7)	NS	187	8.7%*	(3.3 - 21.0)	6,143	7.2%	(6.0 - 8.6)	NS	304	0.0%*	(0.0 - 0.0)	8,017	2.7%	(2.1 - 3.5)	-	Yes
2017																						
2018																						
2019	231	2.4%*	(1.1 - 5.3)	6,952	7.2%	(6.3 - 8.3)	-	101	2.0%*	(0.5 - 7.9)	3,129	9.3%	(7.7 - 11.1)	NS	130	2.7%*	(1.0 - 7.0)	3,823	5.3%	(4.2 - 6.6)	NS	No
2020	241	3.6%*	(1.8 - 7.0)	6,517	6.9%	(5.8 - 8.1)	NS	105	4.5%*	(1.8 - 10.7)	2,951	7.2%	(5.8 - 8.9)	NS	136	2.6%*	(0.9 - 7.6)	3,566	6.6%	(5.1 - 8.4)	NS	No
Opioid misuse in past year																						
2011																						
2012																						
2013																						
2014																						
2015																						
2016																						
2017																						
2018	250	6.2%*	(3.1 - 12.0)	6,622	4.3%	(3.6 - 5.1)	NS	104	7.3%*	(2.5 - 19.3)	2,941	4.7%	(3.6 - 6.0)	NS	146	5.3%*	(2.3 - 11.9)	3,675	3.9%	(3.0 - 5.0)	NS	No
2019	225	5.0%*	(2.3 - 10.5)	6,890	3.4%	(2.8 - 4.1)	NS	98	6.5%*	(2.1 - 18.4)	3,100	2.9%	(2.2 - 3.9)	NS	127	3.7%*	(1.4 - 9.9)	3,790	3.9%	(3.1 - 5.0)	NS	No
2020	237	7.9%	(4.9 - 12.7)	6,492	2.9%	(2.3 - 3.7)	+	104	10.6%*	(5.7 - 18.9)	2,936	2.9%	(2.0 - 4.1)	+	133	5.2%*	(2.4 - 10.8)	3,556	3.0%	(2.2 - 3.9)	NS	No

Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Dakota County		State of NE			Dakota County		State of NE			Dakota County		State of NE									
	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>	n <sup>a</sup>	mean or % <sup>b</sup>	95% C.I. <sup>c</sup> (Low - High)	Sig <sup>d</sup>							
<b>Immunization and Infectious Disease</b>																						
Had a flu vaccination in past year, aged 18 years and older																						
2011	890	39.5%	(32.9 - 46.6)	24,156	41.1%	(40.2 - 42.0)	NS	363	33.3%*	(23.2 - 45.1)	9,663	35.1%	(33.8 - 36.5)	NS	527	45.4%	(37.2 - 53.8)	14,493	46.8%	(45.6 - 48.1)	NS	No
2012	722	33.6%	(25.3 - 43.0)	18,903	42.2%	(41.2 - 43.2)	NS	303	35.6%*	(21.9 - 52.1)	7,754	36.8%	(35.4 - 38.2)	NS	419	31.7%	(24.0 - 40.4)	11,149	47.5%	(46.1 - 48.8)	-	No
2013	558	40.1%	(34.6 - 46.0)	16,022	45.2%	(43.9 - 46.4)	NS	203	29.1%	(21.7 - 37.8)	6,506	41.2%	(39.4 - 43.1)	-	355	51.2%	(43.9 - 58.4)	9,516	48.9%	(47.2 - 50.6)	NS	Yes
2014	525	33.5%	(28.2 - 39.2)	21,638	43.9%	(42.9 - 45.0)	-	208	29.2%	(21.8 - 37.8)	9,262	38.8%	(37.3 - 40.4)	NS	317	37.8%	(30.9 - 45.2)	12,376	48.9%	(47.4 - 50.3)	-	No
2015	467	42.0%	(35.4 - 48.8)	16,091	47.2%	(46.0 - 48.4)	NS	169	36.0%*	(26.6 - 46.7)	6,883	40.8%	(39.0 - 42.6)	NS	298	47.7%	(39.3 - 56.3)	9,208	53.4%	(51.7 - 55.0)	NS	No
2016	516	38.5%	(31.3 - 46.3)	14,685	44.4%	(43.1 - 45.7)	NS	196	27.2%*	(17.7 - 39.3)	6,401	39.4%	(37.5 - 41.3)	NS	320	50.4%	(40.8 - 60.0)	8,284	49.3%	(47.6 - 51.1)	NS	Yes
2017	511	45.8%	(39.3 - 52.4)	14,101	46.7%	(45.4 - 48.0)	NS	228	43.0%*	(32.9 - 53.7)	6,365	41.3%	(39.5 - 43.2)	NS	283	48.5%	(40.6 - 56.4)	7,731	51.9%	(50.1 - 53.7)	NS	No
2018	526	40.5%	(34.9 - 46.3)	14,007	39.4%	(38.2 - 40.6)	NS	231	33.3%	(25.3 - 42.3)	6,272	36.4%	(34.7 - 38.2)	NS	295	47.6%	(40.2 - 55.2)	7,725	42.2%	(40.6 - 43.9)	NS	No
2019	488	42.4%	(37.1 - 48.0)	14,470	49.0%	(47.9 - 50.2)	NS	212	36.2%	(28.8 - 44.3)	6,530	42.6%	(41.0 - 44.3)	NS	276	48.5%	(41.0 - 56.2)	7,940	55.3%	(53.7 - 56.9)	NS	No
2020	537	43.5%	(38.8 - 48.2)	14,063	53.2%	(52.0 - 54.5)	-	230	36.8%	(30.2 - 44.0)	6,446	47.0%	(45.2 - 48.8)	-	307	50.2%	(43.8 - 56.6)	7,617	59.4%	(57.6 - 61.1)	-	No
Had a flu vaccination in past year, aged 65 years and older <sup>a</sup>																						
2011	330	57.1%	(51.2 - 62.8)	8,185	61.8%	(60.3 - 63.3)	NS	119	54.8%	(45.4 - 63.9)	2,875	59.6%	(57.1 - 62.1)	NS	211	58.4%	(50.9 - 65.6)	5,310	63.4%	(61.5 - 65.3)	NS	No
2012	283	51.7%	(44.8 - 58.6)	6,625	62.9%	(61.2 - 64.6)	-	114	47.8%*	(36.6 - 58.9)	2,327	60.9%	(58.1 - 63.6)	NS	169	54.9%	(46.2 - 63.3)	4,298	64.4%	(62.4 - 66.5)	NS	No
2013	237	57.0%	(49.7 - 64.0)	5,652	66.2%	(64.2 - 68.1)	-	82	47.3%*	(35.6 - 59.2)	2,067	67.6%	(64.4 - 70.6)	-	155	64.0%	(55.1 - 72.0)	3,585	65.0%	(62.6 - 67.4)	NS	No
2014	224	61.9%	(53.9 - 69.2)	7,610	64.7%	(63.2 - 66.2)	NS	70	62.8%*	(47.9 - 75.6)	2,971	65.9%	(63.5 - 68.3)	NS	154	61.3%	(52.0 - 69.9)	4,639	63.8%	(61.8 - 65.7)	NS	No
2015	221	66.8%	(59.3 - 73.6)	5,578	65.2%	(63.4 - 67.0)	NS	67	72.5%*	(59.5 - 82.5)	2,119	64.1%	(61.1 - 66.9)	NS	154	63.0%	(53.8 - 71.4)	3,459	66.1%	(63.9 - 68.2)	NS	No
2016	270	53.6%	(44.6 - 62.2)	5,130	62.7%	(60.8 - 64.6)	NS	87	40.7%*	(26.8 - 56.3)	1,967	62.8%	(59.8 - 65.6)	-	183	60.0%*	(49.4 - 69.8)	3,163	62.7%	(60.2 - 65.1)	NS	No
2017	164	59.4%*	(48.6 - 69.3)	4,987	65.5%	(63.6 - 67.4)	NS	63	64.1%*	(45.0 - 79.5)	2,057	65.1%	(62.2 - 68.0)	NS	101	56.8%*	(43.6 - 69.1)	2,929	65.8%	(63.2 - 68.2)	NS	No
2018	188	59.1%	(50.8 - 67.0)	5,191	57.9%	(56.0 - 59.9)	NS	82	53.3%*	(40.5 - 65.7)	2,158	58.2%	(55.3 - 61.0)	NS	106	63.6%*	(52.8 - 73.2)	3,031	57.7%	(55.1 - 60.3)	NS	No
2019	206	71.3%	(64.1 - 77.6)	5,592	67.5%	(65.8 - 69.1)	NS	88	71.4%*	(60.7 - 80.2)	2,275	67.5%	(64.9 - 69.9)	NS	118	71.2%*	(61.1 - 79.5)	3,317	67.4%	(65.2 - 69.6)	NS	No
2020	198	68.5%	(60.8 - 75.2)	5,180	71.7%	(70.0 - 73.4)	NS	69	68.0%*	(55.0 - 78.7)	2,097	70.0%	(67.3 - 72.6)	NS	129	68.8%	(59.1 - 77.0)	3,083	73.1%	(70.9 - 75.3)	NS	No
Ever had a pneumonia vaccination, aged 65 years and older <sup>a</sup>																						
2011	321	65.7%	(59.9 - 71.1)	7,997	70.3%	(68.8 - 71.7)	NS	115	62.2%	(52.7 - 70.9)	2,772	66.7%	(64.2 - 69.1)	NS	206	67.6%	(60.2 - 74.2)	5,225	72.9%	(71.2 - 74.5)	NS	No
2012	274	62.4%	(55.3 - 69.0)	6,413	70.0%	(68.4 - 71.6)	NS	110	58.0%*	(46.0 - 69.1)	2,225	66.9%	(64.1 - 69.6)	NS	164	65.8%	(57.5 - 73.3)	4,188	72.3%	(70.3 - 74.1)	NS	No
2013	228	64.9%	(57.6 - 71.5)	5,478	71.7%	(69.8 - 73.4)	NS	77	60.3%*	(47.6 - 71.7)	1,970	71.5%	(68.5 - 74.3)	NS	151	68.1%	(59.6 - 75.6)	3,508	71.8%	(69.4 - 74.0)	NS	No
2014	219	63.2%	(55.1 - 70.6)	7,372	72.3%	(70.9 - 73.7)	-	67	61.2%*	(46.1 - 74.5)	2,849	70.3%	(67.9 - 72.5)	NS	152	64.3%	(54.7 - 72.8)	4,523	73.9%	(72.1 - 75.7)	NS	No
2015	217	71.8%	(64.3 - 78.2)	5,452	73.8%	(72.1 - 75.4)	NS	64	74.1%*	(59.8 - 84.6)	2,056	70.3%	(67.4 - 73.0)	NS	153	70.4%	(61.6 - 77.9)	3,396	76.5%	(74.5 - 78.4)	NS	No
2016	266	73.5%	(64.7 - 80.8)	5,060	75.9%	(74.2 - 77.5)	NS	85	76.0%*	(61.1 - 86.5)	1,927	73.7%	(70.9 - 76.3)	NS	181	72.3%*	(61.1 - 81.3)	3,133	77.6%	(75.5 - 79.7)	NS	No
2017	161	73.8%*	(63.3 - 82.2)	4,895	78.9%	(77.2 - 80.5)	NS	63	68.9%*	(48.4 - 84.0)	1,996	75.1%	(72.3 - 77.7)	NS	98	76.5%*	(65.0 - 85.1)	2,898	81.8%	(79.8 - 83.7)	NS	No
2018	183	71.8%	(63.6 - 78.8)	5,087	76.6%	(74.9 - 78.2)	NS	78	69.7%*	(55.9 - 80.7)	2,100	74.0%	(71.3 - 76.4)	NS	105	73.4%*	(63.3 - 81.5)	2,985	78.7%	(76.5 - 80.8)	NS	No
2019	200	78.5%	(71.3 - 84.2)	5,452	76.1%	(74.5 - 77.6)	NS	84	77.7%*	(66.3 - 86.1)	2,187	71.9%	(69.3 - 74.3)	NS	116	79.1%	(69.4 - 86.4)	3,265	79.4%	(77.5 - 81.3)	NS	No
2020	190	75.5%	(67.9 - 81.8)	5,040	75.3%	(73.6 - 76.9)	NS	68	75.2%*	(62.6 - 84.6)	2,024	73.2%	(70.6 - 75.7)	NS	122	75.8%	(65.8 - 83.6)	3,016	76.9%	(74.7 - 79.0)	NS	No
Had a tetanus vaccination since 2005																						
2011																						
2012																						
2013	507	53.1%	(46.6 - 59.5)	14,650	60.2%	(58.9 - 61.5)	NS	184	57.8%*	(47.2 - 67.7)	6,015	63.1%	(61.1 - 65.0)	NS	323	48.3%	(40.7 - 55.9)	8,635	57.4%	(55.6 - 59.1)	NS	No
2014																						
2015																						
2016	479	59.8%	(51.6 - 67.5)	13,574	64.2%	(62.9 - 65.4)	NS	183	66.0%*	(53.3 - 76.7)	5,939	67.5%	(65.5 - 69.3)	NS	296	53.2%*	(43.0 - 63.1)	7,635	60.9%	(59.2 - 62.7)	NS	No
2017																						
2018																						
2019	449	64.6%	(58.8 - 70.0)	13,401	75.4%	(74.4 - 76.4)	-	201	67.8%	(59.4 - 75.2)	6,120	75.7%	(74.2 - 77.2)	NS	248	61.3%	(53.0 - 68.9)	7,281	75.1%	(73.7 - 76.5)	-	No
2020																						
Ever had a shingles vaccination, aged 50 years and older																						
2011																						
2012																						
2013																						
2014	373	18.6%	(14.7 - 23.3)	14,246	27.9%	(26.9 - 28.9)	-	140	13.1%	(8.5 - 19.9)	5,892	25.7%	(24.2 - 27.3)	-	233	23.4%	(17.8 - 30.1)	8,354	29.8%	(28.4 - 31.3)	NS	No
2015																						
2016																						
2017	296	23.7%	(18.7 - 29.5)	8,982	35.2%	(33.8 - 36.7)	-	120	24.7%	(17.4 - 33.9)	3,839	32.5%	(30.4 - 34.7)	NS	176	22.9%	(16.6 - 30.8)	5,140	37.6%	(35.7 - 39.6)	-	No
2018																						
2019																						
2020	319	28.3%	(23.2 - 34.1)	8,784	36.9%	(35.5 - 38.3)	-	119	23.4%	(16.5 - 32.1)	3,749	35.2%	(33.1 - 37.3)	-	200	31.9%	(24.9 - 39.8)	5,035	38.5%	(36.6 - 40.4)	NS	No





Indicators	Overall					Men					Women					LHD Gender Diff. <sup>e</sup>						
	Dakota County		State of NE		Sig <sup>d</sup>	Dakota County		State of NE		Sig <sup>d</sup>	Dakota County		State of NE		Sig <sup>d</sup>							
	n <sup>a</sup>	mean or % <sup>b</sup> (Low - High)	95% C.I. <sup>c</sup>	n <sup>a</sup>		mean or % <sup>b</sup> (Low - High)	95% C.I. <sup>c</sup>	n <sup>a</sup>	mean or % <sup>b</sup> (Low - High)		95% C.I. <sup>c</sup>	n <sup>a</sup>	mean or % <sup>b</sup> (Low - High)	95% C.I. <sup>c</sup>			n <sup>a</sup>	mean or % <sup>b</sup> (Low - High)	95% C.I. <sup>c</sup>			
<b>Social Context</b>																						
Housing insecurity in past year, among those who own or rent their home <sup>a</sup>																						
2011																						
2012	234	47.7%*	(28.9 - 67.1)	6,089	26.6%	(25.0 - 28.3)	+	105	46.7%*	(17.2 - 78.7)	2,481	24.7%	(22.3 - 27.3)	NS	129	48.5%*	(28.7 - 68.9)	3,608	28.5%	(26.3 - 30.8)	NS	No
2013	248	29.5%	(22.7 - 37.3)	7,324	28.8%	(27.1 - 30.5)	NS	93	17.2%*	(10.1 - 27.7)	2,961	25.0%	(22.5 - 27.7)	NS	155	38.8%*	(29.3 - 49.3)	4,363	32.3%	(30.0 - 34.7)	NS	Yes
2014																						
2015	217	31.2%	(23.7 - 39.9)	7,461	28.5%	(26.8 - 30.2)	NS	70	34.1%*	(21.7 - 49.1)	3,109	26.6%	(24.2 - 29.2)	NS	147	28.9%*	(20.3 - 39.3)	4,352	30.3%	(28.1 - 32.5)	NS	No
2016																						
2017																						
2018																						
2019																						
2020																						
Food insecurity in past year <sup>a</sup>																						
2011																						
2012	243	29.4%*	(11.6 - 57.0)	6,621	17.6%	(16.2 - 19.0)	NS	107	40.8%*	(12.1 - 77.6)	2,684	13.9%	(12.1 - 16.0)	NS	136	19.3%*	(6.1 - 46.8)	3,937	21.1%	(19.1 - 23.2)	NS	No
2013	263	20.2%	(14.9 - 26.9)	7,828	19.0%	(17.6 - 20.6)	NS	98	15.0%*	(8.0 - 26.2)	3,159	15.4%	(13.4 - 17.7)	NS	165	24.2%	(17.2 - 33.1)	4,669	22.5%	(20.5 - 24.6)	NS	No
2014																						
2015	228	20.7%	(14.1 - 29.3)	7,918	21.0%	(19.5 - 22.5)	NS	74	18.9%*	(9.0 - 35.4)	3,309	17.9%	(15.8 - 20.2)	NS	154	22.2%	(14.8 - 32.0)	4,609	24.0%	(22.1 - 26.1)	NS	No
2016																						
2017																						
2018																						
2019																						
2020																						
<b>Caregiving</b>																						
Provided regular care/assistance in past month to friend or family member with health issue																						
2011																						
2012																						
2013																						
2014																						
2015	228	23.4%	(17.3 - 30.7)	7,883	24.7%	(23.2 - 26.2)	NS	90	21.9%*	(13.6 - 33.4)	3,434	21.1%	(19.1 - 23.4)	NS	138	24.5%*	(16.5 - 34.6)	4,449	28.0%	(25.9 - 30.2)	NS	No
2016																						
2017																						
2018																						
2019																						
2020																						
<b>Cognitive Decline</b>																						
Experienced more or worsening confusion or memory loss in past year, aged 45 years and older																						
2011																						
2012																						
2013																						
2014																						
2015	192	15.8%	(10.8 - 22.3)	5,767	9.4%	(8.4 - 10.5)	+	74	22.0%*	(13.5 - 33.7)	2,436	10.2%	(8.7 - 12.0)	+	118	11.1%	(6.1 - 19.2)	3,331	8.6%	(7.3 - 10.2)	NS	No
2016																						
2017																						
2018																						
2019	178	10.0%	(5.9 - 16.6)	5,060	9.6%	(8.5 - 10.7)	NS	74	9.6%*	(4.8 - 18.0)	2,169	9.3%	(7.9 - 10.9)	NS	104	10.4%*	(4.7 - 21.3)	2,891	9.8%	(8.4 - 11.4)	NS	No
2020																						
<b>Inadequate Sleep</b>																						
Get less than 7 hours of sleep per day																						
2011																						
2012																						
2013	587	32.1%	(26.8 - 38.0)	16,972	31.8%	(30.6 - 33.0)	NS	209	28.9%	(20.7 - 38.7)	6,927	32.6%	(30.8 - 34.4)	NS	378	35.3%	(28.9 - 42.3)	10,045	31.0%	(29.5 - 32.6)	NS	No
2014	543	29.6%	(24.2 - 35.6)	22,172	30.0%	(29.0 - 31.0)	NS	214	34.0%	(25.4 - 43.8)	9,527	30.7%	(29.2 - 32.2)	NS	329	25.2%	(19.2 - 32.3)	12,645	29.4%	(28.1 - 30.7)	NS	No
2015																						
2016	530	32.1%	(25.3 - 39.8)	15,097	29.6%	(28.4 - 30.8)	NS	201	33.8%*	(23.3 - 46.1)	6,610	29.7%	(27.9 - 31.5)	NS	329	30.4%	(22.3 - 39.9)	8,487	29.5%	(27.9 - 31.2)	NS	No
2017																						
2018	555	27.5%	(23.0 - 32.6)	14,535	31.6%	(30.4 - 32.8)	NS	240	27.3%	(20.4 - 35.5)	6,516	32.3%	(30.6 - 34.1)	NS	315	27.8%	(22.4 - 34.0)	8,006	30.9%	(29.3 - 32.5)	NS	No
2019																						
2020	563	25.7%	(21.7 - 30.1)	14,694	28.2%	(27.1 - 29.4)	NS	242	23.5%	(17.9 - 30.2)	6,765	29.5%	(27.9 - 31.1)	NS	321	27.9%	(22.5 - 33.9)	7,929	27.0%	(25.5 - 28.6)	NS	No



Indicators	Overall						Men						Women						LHD Gender Diff. <sup>e</sup>	
	Dakota County			State of NE			Dakota County			State of NE			Dakota County			State of NE				
	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup>	(Low - High)	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup>	(Low - High)	Sig <sup>d</sup>	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup>	(Low - High)	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup>	(Low - High)	Sig <sup>d</sup>	mean n <sup>a</sup>	95% C.I. <sup>c</sup> or % <sup>b</sup>	(Low - High)	mean n <sup>a</sup>		95% C.I. <sup>c</sup> or % <sup>b</sup>

Note: Data reflect Dakota County Nebraska

Note: Data reflect both landline and cell phone responses

Note: This table is not intended to be inclusive of all BRFSS indicators; some were excluded due to small numbers at the LHD level

Note: This table excludes 2011 BRFSS optional module and state added questions data due to the data being landline only

Note: The results in this table may be slightly different than results in previously published reports and tables due to differences in the software used, how the statistical analysis code was written, or suppression rules; these results were analyzed using SAS and SAS-callable SUDAAN software

<sup>a</sup> Non-weighted sample size among adults 18 and older (unless different age group noted)

<sup>b</sup> Weighted mean, median, or percentage (percentages are followed by the % symbol) among adults 18 and older (unless different age group noted)

<sup>c</sup> Low and High are the lower and upper limits of the 95% confidence interval, respectively

<sup>d</sup> Symbols represent: "+" = LHD value significantly higher than the state value; "-" = LHD value significantly lower than the state value; "NS" = LHD value not statistically different than the state value; significant differences based on 95% confidence interval overlap

<sup>e</sup> Indicates whether there is a significant difference by gender within the LHD region, based on non-overlapping 95% confidence intervals; Note: small sample size for males or females can make interpreting significance difficult due to large confidence intervals

<sup>^</sup> Reflects a Nebraska Healthy People 2020 (HP2020) measure

\* Unstable estimate, use data with caution; relative standard error  $\geq$  30% or confidence interval half-width  $\geq$  10.0

\*\* Data suppressed due to sample size < 50 respondents

<sup>#</sup> Visible data are not comparable to earlier years due to changes in question wording

Source: Nebraska Behavioral Risk Factor Surveillance System (BRFSS); December 2021

