

**Mortality data for Nebraska and Southeast District Health Department, 2014**

**Death Rate per 100,000 Population (age-adjusted, unless noted)**

**Source: Nebraska Vital Records**

| Indicator                             | Southeast |      | Nebraska |      |
|---------------------------------------|-----------|------|----------|------|
|                                       | # Deaths  | Rate | # Deaths | Rate |
| Injury fatalities                     | 35        | 72.9 | 1,109    | 56.1 |
| <i>Male</i>                           | 21        | 99.7 | 748      | 80.6 |
| <i>Female</i>                         | 14        | 44.2 | 361      | 33.1 |
| Unintentional drowning fatalities     | -         | -    | 20       | 1.0  |
| <i>Male</i>                           | -         | -    | -        | -    |
| <i>Female</i>                         | -         | -    | -        | -    |
| Unintentional fall-related fatalities | 11        | 13.3 | 217      | 9.4  |
| <i>Male</i>                           | -         | -    | 109      | 11.8 |
| <i>Female</i>                         | -         | -    | 108      | 7.4  |
| Unintentional fire-related fatalities | -         | -    | 17       | 0.8  |
| <i>Male</i>                           | -         | -    | 10       | 1    |
| <i>Female</i>                         | -         | -    | 7        | 0.6  |
| Firearm-related fatalities            | 7         | 15.3 | 177      | 9.4  |
| <i>Male</i>                           | -         | -    | 163      | 17.4 |
| <i>Female</i>                         | -         | -    | 14       | 1.6  |
| Homicides                             | 0         | 0.0  | 61       | 3.3  |
| <i>Male</i>                           | 0         | 0.0  | 46       | 4.8  |
| <i>Female</i>                         | 0         | 0.0  | 15       | 1.7  |
| Motor vehicle traffic fatalities      | 7         | 18.9 | 244      | 12.9 |
| <i>Male</i>                           | -         | -    | 180      | 19.5 |
| <i>Female</i>                         | -         | -    | 64       | 6.6  |
| Poisoning fatalities                  | -         | -    | 154      | 8.6  |
| <i>Male</i>                           | -         | -    | 83       | 9.2  |
| <i>Female</i>                         | -         | -    | 71       | 8.1  |
| Poisoning: drug poisoning fatalities  | -         | -    | 124      | 7.1  |
| <i>Male</i>                           | -         | -    | 60       | 6.7  |
| <i>Female</i>                         | -         | -    | 49       | 5.4  |
| Suicides                              | 10        | 25.3 | 250      | 13.3 |
| <i>Male</i>                           | -         | -    | 201      | 21.6 |
| <i>Female</i>                         | -         | -    | 49       | 5.4  |
| Traumatic brain injury fatalities     | 15        | 30.7 | 417      | 20.8 |
| <i>Male</i>                           | -         | -    | 310      | 32.9 |
| <i>Female</i>                         | -         | -    | 107      | 9.5  |

(-) Rates based on fewer than 5 cases have been suppressed. Rates based on 20 or fewer cases may be unreliable.

**Hospitalization data for Nebraska and Southeast District Health Department, 2014**  
**Hospitalization Rate per 100,000 Population (age-adjusted, unless noted)**  
**Source: Nebraska Hospital Discharge Data**

| Indicator                                   | Southeast          |           | Nebraska           |         |
|---|--------------------|-----------|--------------------|---------|
|   | # Hospitalizations | Rate      | # Hospitalizations | Rate    |
| Hospitalizations for all injuries           | 237                | 460.7     | 8,925              | 433.7   |
| <i>Male</i>                                 | 111                | 520.9     | 4,179              | 444.8   |
| <i>Female</i>                               | 126                | 368.3     | 4,746              | 409.9   |
| Drowning-related hospitalizations           | 0                  | 0.0       | 11                 | 0.6     |
| <i>Male</i>                                 | 0                  | 0.0       | -                  | -       |
| <i>Female</i>                               | 0                  | 0.0       | -                  | -       |
| Unintentional fall-related hospitalizations | 136                | 210.8     | 4,747              | 216.0   |
| <i>Male</i>                                 | 49                 | 191.9     | 1,745              | 185.9   |
| <i>Female</i>                               | 87                 | 214.0     | 3,002              | 234.0   |
| Hip fracture hospitalization in 65+         | 68                 | 856.9**   | 1,725              | 636.6** |
| <i>Male</i>                                 | 22                 | 624.1**   | 514                | 427.8** |
| <i>Female</i>                               | 46                 | 1,042.8** | 1,211              | 802.8** |
| Unintentional fire-related hospitalizations | 0                  | 0.0       | 34                 | 1.7     |
| <i>Male</i>                                 | 0                  | 0.0       | 23                 | 2.3     |
| <i>Female</i>                               | 0                  | 0.0       | 11                 | 1.0     |
| Firearm-related hospitalizations            | -                  | -         | 88                 | 4.8     |
| <i>Male</i>                                 | -                  | -         | 76                 | 8.2     |
| <i>Female</i>                               | -                  | -         | 12                 | 1.3     |
| Assault-related hospitalizations            | -                  | -         | 268                | 14.8    |
| <i>Male</i>                                 | -                  | -         | 218                | 23.7    |
| <i>Female</i>                               | -                  | -         | 50                 | 5.5     |
| Motor vehicle traffic hospitalizations      | 33                 | 81.1      | 1,054              | 55.5    |
| <i>Male</i>                                 | 20                 | 103.9     | 663                | 70.0    |
| <i>Female</i>                               | 13                 | 56.1      | 391                | 41.0    |
| Poisoning hospitalizations                  | 16                 | 39.9      | 1,151              | 61.6    |
| <i>Male</i>                                 | 8                  | 39.2      | 476                | 51.4    |
| <i>Female</i>                               | 8                  | 40.4      | 675                | 72.1    |
| Suicide attempt hospitalizations            | 13                 | 36.6      | 777                | 42.5    |
| <i>Male</i>                                 | 6                  | 35.1      | 328                | 35.6    |
| <i>Female</i>                               | 7                  | 37.3      | 449                | 49.8    |
| Traumatic brain injury hospitalizations     | 52                 | 119.4     | 1,563              | 76.8    |
| <i>Male</i>                                 | 35                 | 179.8     | 968                | 102.3   |
| <i>Female</i>                               | 17                 | 50.7      | 595                | 52.2    |

(-) Rates based on fewer than 5 cases have been suppressed. Rates based on 20 or fewer cases may be unreliable.

\*\*Hip fracture hospitalization rates are not age-adjusted

**Emergency Department (ED) data for Nebraska and Southeast District Health Department, 2014**

**ED Rate per 100,000 Population (age-adjusted, unless noted)**

**Source: Nebraska Hospital Discharge Data**

| Indicator                            | Southeast          |         | Nebraska           |         |
|--------------------------------------|--------------------|---------|--------------------|---------|
|                                      | # Hospitalizations | Rate    | # Hospitalizations | Rate    |
| ED visits for all injuries           | 2,668              | 6,990.6 | 127,524            | 6,790.9 |
| <i>Male</i>                          | 1,412              | 7,514.3 | 64,690             | 6,943.3 |
| <i>Female</i>                        | 1,256              | 6,380.3 | 62,824             | 6,601.2 |
| Drowning-related ED visits           | -                  | -       | 41                 | 2.2     |
| <i>Male</i>                          | -                  | -       | 21                 | 2.2     |
| <i>Female</i>                        | -                  | -       | 20                 | 2.1     |
| Unintentional fall-related ED visits | 912                | 2,077.2 | 40,505             | 2,072.2 |
| <i>Male</i>                          | 386                | 1,909.6 | 17,673             | 1,883.8 |
| <i>Female</i>                        | 526                | 2,223.8 | 22,828             | 2,234.6 |
| Hip fracture ED visits in 65+**      | 52                 | 655.2** | 503                | 185.6   |
| <i>Male</i>                          | 12                 | 340.4** | 165                | 137.3   |
| <i>Female</i>                        | 40                 | 906.8** | 338                | 224.1   |
| Unintentional fire-related ED visits | 17                 | 54.0    | 354                | 19.2    |
| <i>Male</i>                          | 10                 | 58.7    | 236                | 25.6    |
| <i>Female</i>                        | 7                  | 48.7    | 118                | 12.6    |
| Firearm-related ED visits            | -                  | -       | 146                | 7.9     |
| <i>Male</i>                          | -                  | -       | 127                | 13.6    |
| <i>Female</i>                        | -                  | -       | 19                 | 2.2     |
| Assault-related ED visits            | 61                 | 186.9   | 4,222              | 235.7   |
| <i>Male</i>                          | 35                 | 196.9   | 2,156              | 235.8   |
| <i>Female</i>                        | 26                 | 175.8   | 2,066              | 235.7   |
| Motor vehicle traffic ED visits      | 193                | 550.9   | 12,292             | 666.2   |
| <i>Male</i>                          | 91                 | 503.0   | 5,402              | 579.6   |
| <i>Female</i>                        | 102                | 605.7   | 6,889              | 755.7   |
| Poisoning ED visits                  | 66                 | 175.8   | 3,232              | 174.2   |
| <i>Male</i>                          | 32                 | 172.8   | 1,428              | 152.3   |
| <i>Female</i>                        | 34                 | 180.5   | 1,804              | 196.6   |
| Suicide attempt ED visits            | 48                 | 141.4   | 1,617              | 89.0    |
| <i>Male</i>                          | 27                 | 157.7   | 583                | 62.6    |
| <i>Female</i>                        | 21                 | 121.8   | 1,034              | 116.6   |
| Traumatic brain injury ED visits     | 150                | 405.1   | 10,656             | 557.2   |
| <i>Male</i>                          | 101                | 550.8   | 5,471              | 582.1   |
| <i>Female</i>                        | 49                 | 247.8   | 5,184              | 528.0   |

(-) Rates based on fewer than 5 cases have been suppressed. Rates based on 20 or fewer cases may be unreliable.

\*\*Hip fracture ED visit rates are not age-adjusted