

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Abie	68001	Butler	3	3	10.9	14.5
Adams	68301	Gage	15	29	5.5	15.3
Ainsworth	69210	Brown	12	44	3.7	19.3
Albion	68620	Boone	52	92	6.5	24.1
Alda	68810	Hall	3	6	5.3	10.0
Alexandria	68303	Thayer	2	4	5.0	9.9
Allen	68710	Dixon	14	21	7.9	34.1
Alliance	69301	Box Butte	75	238	3.5	27.7
Alma	68920	Harlan	21	28	7.6	26.0
Alvo	68304	Cass	6	7	10.8	23.2
Amelia	68711	Holt	0	3	0.9	1.7
Ames	68621	Dodge	1	6	2.5	6.7
Amherst	68812	Buffalo	2	5	3.7	5.0
Anselmo	68813	Custer	0	7	1.1	2.4
Ansley	68814	Custer	7	13	5.0	11.7
Arapahoe	68922	Furnas	17	20	6.9	13.0
Arcadia	68815	Valley	4	8	5.6	16.2
Archer	68816	Merrick	0	1	3.8	3.8
Arlington	68002	Washington	60	67	9.5	24.2
Arnold	69120	Custer	3	8	4.2	10.2
Arthur	69121	Arthur	0	4	1.4	2.6
Ashby	69333	Grant	0	3	1.7	2.4
Ashland	68003	Saunders	60	89	8.2	45.0
Ashton	68817	Sherman	6	10	5.3	11.1
Atkinson	68713	Holt	14	47	3.4	14.2
Atlanta	68923	Phelps	2	2	49.5	85.2
Auburn	68305	Nemaha	98	115	14.4	80.8
Aurora	68818	Hamilton	89	124	7.2	37.2
Avoca	68307	Cass	8	12	9.5	24.3
Axtell	68924	Kearney	8	18	3.7	11.4
Ayr	68925	Adams	18	22	9.8	41.5
Bancroft	68004	Cuming	20	24	11.2	38.1
Bartlett	68622	Wheeler	0	2	1.1	1.6
Bartley	69020	Red Willow	6	10	6.9	17.2
Bassett	68714	Rock	3	21	1.8	8.9
Battle Creek	68715	Madison	24	42	7.4	39.2
Bayard	69334	Morrill	7	17	4.3	14.7
Bazile Mills	68729	Knox	0	1	3.1	3.1
Beatrice	68310	Gage	249	303	10.3	56.0
Beaver City	68926	Furnas	8	11	8.7	27.2
Beaver Crossing	68313	Seward	8	10	7.6	15.2
Bee	68314	Seward	7	8	9.3	18.1
Beemer	68716	Cuming	21	28	9.7	26.7

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Belden	68717	Cedar	4	4	7.1	10.3
Belgrade	68623	Nance	2	3	4.5	6.1
Bellevue	68005	Sarpy	407	603	7.2	64.0
Bellevue	68113	Sarpy	24	31	7.3	19.3
Bellevue	68123	Sarpy	637	1039	6.6	40.9
Bellevue	68133	Sarpy	19	29	8.1	28.3
Bellevue	68147	Sarpy	138	214	6.5	23.2
Bellevue	68157	Sarpy	19	24	7.9	20.9
Bellwood	68624	Butler	13	20	9.4	31.6
Belvidere	68315	Thayer	1	1	4.9	4.9
Benedict	68316	York	7	12	7.5	14.8
Benkelman	69021	Dundy	4	12	3.5	6.8
Bennet	68317	Lancaster	25	39	7.5	20.1
Bennington	68007	Douglas	195	531	4.1	34.5
Bertrand	68927	Phelps	7	8	8.3	12.9
Big Springs	69122	Deuel	22	35	5.8	20.3
Bladen	68928	Webster	9	11	14.3	42.6
Blair	68008	Washington	300	419	7.8	61.0
Bloomfield	68718	Knox	49	60	9.1	41.2
Bloomington	68929	Franklin	2	2	11.5	17.7
Blue Hill	68930	Webster	19	24	9.2	22.9
Blue Springs	68318	Gage	4	6	5.7	11.0
Boelus	68820	Howard	0	4	1.6	2.3
Boys Town	68010	Douglas	3	5	5.4	12.1
Bradshaw	68319	York	10	11	8.1	16.4
Brady	69123	Lincoln	2	9	3.7	12.0
Brainard	68626	Butler	19	22	10.0	33.1
Brewster	68821	Blaine	0	5	0.9	1.6
Bridgeport	69336	Morrill	5	24	3.2	10.2
Bristow	68719	Boyd	4	11	5.1	19.5
Broadwater	69125	Morrill	0	4	1.6	2.9
Brock	68320	Nemaha	6	10	8.5	23.0
Broken Bow	68822	Custer	42	77	5.4	21.4
Brownville	68321	Nemaha	3	6	4.6	7.4
Brule	69127	Keith	9	14	4.7	12.8
Bruning	68322	Thayer	7	8	8.2	21.3
Bruno	68014	Butler	0	2	2.4	2.7
Brunswick	68720	Antelope	3	5	3.3	5.9
Burchard	68323	Pawnee	2	9	2.7	4.5
Burwell	68823	Garfield	11	40	3.1	8.2
Bushnell	69128	Kimball	3	6	4.5	8.2
Butte	68722	Boyd	8	11	6.4	13.7
Byron	68325	Thayer	4	4	14.8	23.0

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Cairo	68824	Hall	8	10	5.9	13.2
Callaway	68825	Custer	4	14	3.5	10.3
Cambridge	69022	Furnas	7	20	3.6	11.8
Campbell	68932	Franklin	13	15	8.6	17.7
Carleton	68326	Thayer	4	4	8.8	12.5
Carroll	68723	Wayne	16	17	9.8	29.0
Cedar Bluffs	68015	Saunders	20	24	11.9	40.8
Cedar Creek	68016	Cass	4	10	5.1	14.7
Cedar Rapids	68627	Boone	13	18	5.8	12.6
Center	68724	Knox	12	13	15.3	36.1
Central City	68826	Merrick	13	43	3.6	24.9
Ceresco	68017	Saunders	36	41	10.9	38.8
Chadron	69337	Dawes	109	187	6.4	54.6
Chambers	68725	Holt	2	12	2.8	8.2
Champion	69023	Chase	1	2	11.2	20.1
Chapman	68827	Merrick	2	9	2.4	7.6
Chappell	69129	Deuel	11	30	3.9	10.1
Chester	68327	Thayer	5	5	11.4	22.4
Clarks	68628	Merrick	1	8	1.8	4.5
Clarkson	68629	Colfax	24	28	8.4	17.0
Clatonia	68328	Gage	5	10	8.0	33.4
Clay Center	68933	Clay	15	20	7.9	24.8
Clearwater	68726	Antelope	3	12	2.8	10.6
Cody	69211	Cherry	0	2	2.4	3.5
Coleridge	68727	Cedar	8	11	8.6	21.4
Colon	68018	Saunders	13	19	9.5	30.1
Columbus	68601	Platte	252	584	4.7	32.0
Columbus	68602	Platte	3	6	4.2	11.4
Comstock	68828	Custer	2	2	5.9	7.7
Concord	68728	Dixon	7	11	5.6	14.7
Cook	68329	Johnson	11	14	9.3	23.3
Cordova	68330	Seward	4	6	6.8	14.6
Cornlea	68642	Platte	0	1	3.7	3.7
Cortland	68331	Gage	17	25	7.5	29.7
Cozad	69130	Dawson	12	40	4.4	52.0
Crab Orchard	68332	Johnson	2	2	11.2	15.3
Craig	68019	Burt	15	18	10.0	27.6
Crawford	69339	Dawes	13	45	3.7	17.6
Creighton	68729	Knox	42	74	5.0	16.0
Creston	68631	Platte	6	8	7.2	12.1
Crete	68333	Saline	62	110	6.5	59.6
Crofton	68730	Knox	41	55	12.9	181.7
Crookston	69212	Cherry	0	1	3.1	3.1

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Culbertson	69024	Hitchcock	18	34	4.8	13.7
Curtis	69025	Frontier	11	18	5.1	12.0
Dakota City	68731	Dakota	17	26	11.9	63.3
Dalton	69131	Cheyenne	22	42	4.8	16.5
Danbury	69026	Red Willow	4	8	3.8	8.4
Dannebrog	68831	Howard	2	8	4.5	11.8
Davenport	68335	Thayer	10	11	7.7	13.7
Davey	68336	Lancaster	11	12	11.0	20.1
David City	68632	Butler	66	81	10.4	38.6
Dawson	68337	Richardson	15	18	8.2	30.3
Daykin	68338	Jefferson	17	23	9.7	30.2
Decatur	68020	Burt	11	14	13.8	63.4
Denton	68339	Lancaster	29	42	8.0	30.6
Deshler	68340	Thayer	9	10	13.7	48.8
Deweese	68934	Clay	2	3	9.1	15.7
Dewitt	68341	Saline	30	40	11.3	43.6
Dickens	69132	Lincoln	0	2	0.8	1.2
Diller	68342	Jefferson	8	13	5.7	17.0
Dix	69133	Kimball	5	6	5.4	9.1
Dixon	68732	Dixon	3	6	4.2	10.2
Dodge	68633	Dodge	29	31	9.5	18.9
Doniphan	68832	Hall	16	31	4.5	17.7
Dorchester	68343	Saline	26	32	10.1	28.2
Douglas	68344	Otoe	1	6	2.9	4.7
Dubois	68345	Pawnee	3	7	4.5	9.0
Dunbar	68346	Otoe	8	10	16.5	46.3
Duncan	68634	Platte	1	5	2.9	5.7
Dunning	68833	Blaine	0	5	0.5	0.6
Dwight	68635	Butler	5	7	9.9	20.4
Eagle	68347	Cass	24	39	8.0	24.9
Eddyville	68834	Dawson	1	2	4.2	4.4
Edgar	68935	Clay	12	14	10.2	22.7
Edison	68936	Furnas	3	6	4.4	7.7
Elba	68835	Howard	2	6	4.4	8.7
Elgin	68636	Antelope	12	13	9.4	17.9
Elk Creek	68348	Johnson	5	6	11.4	22.3
Elkhorn	68022	Douglas	442	1008	4.5	31.0
Ellsworth	69340	Sheridan	0	4	1.2	1.6
Elm Creek	68836	Buffalo	14	18	8.0	32.8
Elmwood	68349	Cass	15	17	8.9	24.3
Elsie	69134	Perkins	1	4	3.7	5.1
Elwood	68937	Gosper	10	20	5.9	14.3
Emerson	68733	Dakota	11	14	9.0	18.1

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Emerson	68733	Dixon	4	5	6.4	10.5
Emmet	68734	Holt	2	7	3.2	6.4
Enders	69027	Chase	3	6	6.3	17.4
Endicott	68350	Jefferson	1	5	3.6	9.1
Ericson	68637	Wheeler	0	3	1.0	2.1
Eustis	69028	Frontier	9	12	5.1	8.1
Ewing	68735	Holt	5	22	2.7	13.6
Exeter	68351	Fillmore	7	10	6.5	25.1
Fairbury	68352	Jefferson	60	92	9.5	46.7
Fairfield	68938	Clay	8	9	9.4	17.3
Fairmont	68354	Fillmore	7	13	6.6	12.6
Falls City	68355	Richardson	131	161	9.7	73.0
Farnam	69029	Dawson	3	4	6.9	15.0
Farwell	68838	Howard	1	2	2.6	4.0
Filley	68357	Gage	4	7	8.7	19.5
Firth	68358	Lancaster	41	55	8.2	41.1
Fordyce	68736	Cedar	14	17	43.2	282.2
Fort Calhoun	68023	Washington	58	83	8.5	34.7
Franklin	68939	Franklin	9	16	6.5	25.7
Fremont	68025	Dodge	395	607	6.8	42.4
Fremont	68026	Dodge	5	8	7.1	16.0
Friend	68359	Saline	42	55	9.5	61.4
Fullerton	68638	Nance	18	34	5.4	17.3
Funk	68940	Phelps	4	7	4.7	11.0
Garland	68360	Seward	7	12	8.4	33.4
Geneva	68361	Fillmore	35	47	11.1	170.0
Genoa	68640	Nance	20	33	7.3	27.5
Gering	69341	Scottsbluff	60	113	5.0	17.7
Gibbon	68840	Buffalo	26	51	5.3	22.3
Gilead	68362	Thayer	1	1	7.6	7.6
Giltner	68841	Hamilton	16	18	9.7	26.3
Glenvil	68941	Clay	20	21	10.4	30.3
Goehner	68364	Seward	2	2	6.4	6.8
Gordon	69343	Sheridan	8	23	4.1	15.3
Gothenburg	69138	Dawson	18	53	3.3	10.4
Grafton	68365	Fillmore	4	6	3.9	6.0
Grand Island	68801	Hall	56	226	3.2	18.6
Grand Island	68802	Hall	5	11	4.6	12.4
Grand Island	68803	Hall	120	386	3.4	61.9
Grant	69140	Perkins	15	33	4.5	12.5
Greeley	68842	Greeley	5	15	3.9	23.3
Greenwood	68366	Cass	15	20	12.7	60.7
Gresham	68367	York	15	20	11.4	41.0

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Gretna	68028	Sarpy	575	921	6.3	34.0
Guide Rock	68942	Webster	7	8	11.8	30.2
Gurley	69141	Cheyenne	8	13	5.1	13.7
Hadar	68701	Pierce	2	3	7.5	10.9
Haigler	69030	Dundy	0	1	1.6	1.6
Hallam	68368	Lancaster	2	3	5.6	10.6
Halsey	69142	Thomas	0	1	0.6	0.6
Hampton	68843	Hamilton	7	10	7.9	15.7
Hardy	68943	Nuckolls	6	11	6.3	24.4
Harrisburg	69345	Banner	1	2	14.9	27.4
Harrison	69346	Sioux	0	11	1.7	3.8
Hartington	68739	Cedar	68	87	11.2	146.0
Harvard	68944	Clay	9	13	6.2	10.9
Hastings	68901	Adams	385	567	6.9	46.6
Hastings	68902	Adams	5	8	5.0	9.3
Hay Springs	69347	Sheridan	20	39	4.9	9.8
Hayes Center	69032	Hayes	10	13	6.9	15.7
Hazard	68844	Sherman	1	1	4.2	4.2
Heartwell	68945	Kearney	2	2	9.2	10.1
Hebron	68370	Thayer	21	28	9.4	29.0
Hemingford	69348	Box Butte	9	40	2.8	12.7
Henderson	68371	York	33	37	8.9	23.8
Hendley	68946	Furnas	0	1	3.0	3.0
Henry	69358	Sioux	0	1	1.9	1.9
Herman	68029	Washington	15	19	10.3	25.0
Hershey	69143	Lincoln	5	20	2.9	8.0
Hickman	68372	Lancaster	41	68	7.3	24.7
Hildreth	68947	Franklin	20	25	6.8	27.1
Holbrook	68948	Furnas	6	8	6.9	11.4
Holdrege	68949	Phelps	54	114	4.9	22.5
Holland	68372	Lancaster	1	1	23.2	23.2
Holmesville	68310	Gage	1	1	16.1	16.1
Holstein	68950	Adams	2	2	9.5	11.1
Homer	68030	Dakota	6	8	12.2	47.7
Hooper	68031	Dodge	27	36	7.7	26.7
Hordville	68846	Hamilton	0	1	1.5	1.5
Hoskins	68740	Wayne	5	7	7.5	22.9
Howells	68641	Colfax	24	28	10.1	22.1
Hubbard	68741	Dakota	6	8	11.8	35.8
Humboldt	68376	Richardson	34	48	10.6	123.8
Humphrey	68642	Platte	31	36	10.9	32.6
Hyannis	69350	Grant	0	5	1.0	1.3
Imperial	69033	Chase	18	30	7.2	27.5

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Inavale	68952	Webster	1	1	12.6	12.6
Indianola	69034	Red Willow	10	14	5.4	9.8
Inland	68954	Clay	4	4	8.6	11.8
Inman	68742	Holt	0	2	0.7	1.1
Ithaca	68033	Saunders	4	6	12.0	21.0
Jackson	68743	Dakota	4	7	12.9	38.7
Jansen	68377	Jefferson	12	16	5.6	16.0
Johnson	68378	Nemaha	12	17	8.9	28.8
Johnson Lake	68937	Gosper	2	3	5.8	7.8
Johnstown	69214	Brown	6	9	4.7	9.0
Julian	68379	Nemaha	2	2	10.9	11.1
Juniata	68955	Adams	38	51	8.5	33.6
Kearney	68845	Buffalo	248	447	5.1	25.4
Kearney	68847	Buffalo	255	412	5.8	25.5
Kearney	68848	Buffalo	7	11	4.7	12.4
Kenesaw	68956	Adams	8	13	5.9	16.3
Kennard	68034	Washington	24	29	10.4	47.5
Keystone	69144	Keith	1	4	2.6	6.3
Kimball	69145	Kimball	19	49	4.5	21.0
Laurel	68745	Cedar	34	46	7.0	23.1
Lavista	68128	Sarpy	375	708	5.7	44.0
Lawrence	68957	Nuckolls	13	16	8.7	24.3
Lebanon	69036	Red Willow	1	3	7.0	14.0
Leigh	68643	Colfax	13	18	7.1	16.8
Lemoyne	69146	Keith	0	2	3.6	3.8
Leshara	68064	Saunders	2	2	12.9	15.4
Lewellen	69147	Garden	4	12	2.9	9.9
Lewiston	68380	Pawnee	2	2	14.1	15.6
Lexington	68850	Dawson	20	69	3.5	15.7
Liberty	68381	Gage	4	7	5.1	7.9
Lincoln	68502	Lancaster	419	595	6.8	54.7
Lincoln	68503	Lancaster	87	125	6.6	32.5
Lincoln	68504	Lancaster	107	149	7.4	32.3
Lincoln	68505	Lancaster	272	551	5.3	51.9
Lincoln	68506	Lancaster	540	782	7.0	36.9
Lincoln	68507	Lancaster	184	263	7.0	28.2
Lincoln	68508	Lancaster	13	34	3.8	14.0
Lincoln	68509	Lancaster	1	2	4.1	6.5
Lincoln	68510	Lancaster	365	481	7.5	46.1
Lincoln	68512	Lancaster	268	430	6.1	51.0
Lincoln	68514	Lancaster	3	6	3.6	5.1
Lincoln	68516	Lancaster	703	1412	5.3	39.8
Lincoln	68517	Lancaster	17	17	9.7	19.8

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Lincoln	68520	Lancaster	29	49	6.3	27.0
Lincoln	68521	Lancaster	153	457	3.9	19.7
Lincoln	68522	Lancaster	126	205	5.9	31.1
Lincoln	68523	Lancaster	41	53	9.3	41.4
Lincoln	68524	Lancaster	39	85	5.1	17.9
Lincoln	68526	Lancaster	47	206	3.4	50.1
Lincoln	68527	Lancaster	16	28	7.0	26.7
Lincoln	68528	Lancaster	33	124	3.5	38.6
Lincoln	68529	Lancaster	1	1	13.8	13.8
Lincoln	68531	Lancaster	1	1	5.0	5.0
Lincoln	68532	Lancaster	12	18	7.8	23.3
Lincoln	68542	Lancaster	9	10	9.0	15.4
Lincoln	68583	Lancaster	1	1	6.3	6.3
Lindsay	68644	Platte	15	18	10.8	38.2
Linwood	68036	Butler	3	6	3.9	5.5
Lisco	69148	Garden	4	5	5.1	9.4
Litchfield	68852	Sherman	10	11	8.6	21.0
Lodgepole	69149	Cheyenne	11	14	6.5	11.4
Long Pine	69217	Brown	1	10	2.3	5.3
Loomis	68958	Phelps	1	4	2.7	6.4
Lorton	68382	Otoe	0	1	0.4	0.4
Louisville	68037	Cass	57	82	7.9	39.0
Loup City	68853	Sherman	16	36	4.4	20.7
Lyman	69352	Scottsbluff	3	3	6.1	6.8
Lynch	68746	Boyd	15	18	11.2	49.9
Lyons	68038	Burt	58	65	13.6	42.0
Macy	68039	Thurston	1	1	15.0	15.0
Madison	68748	Madison	52	67	9.3	38.8
Madrid	69150	Perkins	4	5	7.8	10.9
Malcolm	68402	Lancaster	23	34	8.6	32.2
Malmo	68040	Saunders	5	9	7.1	16.6
Manley	68403	Cass	6	6	12.5	27.5
Marquette	68854	Hamilton	5	8	7.7	31.0
Marsland	69354	Dawes	1	5	2.7	5.4
Martel	68404	Lancaster	21	25	11.5	26.5
Maskell	68751	Dixon	1	1	5.2	5.2
Mason City	68855	Custer	0	1	0.5	0.5
Max	69037	Dundy	1	2	4.5	5.1
Maxwell	69151	Lincoln	0	4	1.5	1.9
Maywood	69038	Frontier	3	3	9.9	16.1
Mccook	69001	Red Willow	133	211	5.5	15.9
Mccool Junction	68401	York	14	15	11.0	32.3
Mclean	68747	Pierce	6	6	8.9	21.1

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Mead	68041	Saunders	24	36	7.4	22.5
Meadow Grov	68752	Madison	8	18	6.1	29.2
Memphis	68042	Saunders	0	1	1.0	1.0
Merna	68856	Custer	6	8	4.4	7.9
Milford	68405	Seward	41	48	12.0	43.0
Miller	68858	Buffalo	1	2	6.3	12.0
Milligan	68406	Fillmore	8	12	5.4	15.2
Mills	68753	Keya Paha	2	2	5.3	6.0
Minatare	69356	Scottsbluff	4	11	3.5	6.3
Minden	68959	Kearney	41	80	5.2	21.8
Mitchell	69357	Scottsbluff	11	19	4.4	10.8
Monroe	68647	Platte	7	10	6.7	11.2
Moorefield	69039	Frontier	3	4	6.9	14.8
Morrill	69358	Scottsbluff	8	12	8.2	27.7
Morse Bluff	68648	Saunders	6	10	5.4	10.9
Mullen	69152	Hooker	0	14	1.3	2.8
Murdock	68407	Cass	18	19	9.6	26.8
Murray	68409	Cass	30	33	11.8	42.8
Naper	68755	Boyd	4	6	8.7	24.0
Naponee	68960	Franklin	4	6	5.2	10.3
Nebraska City	68410	Otoe	107	126	10.1	53.4
Nehawka	68413	Cass	10	15	13.4	65.5
Neligh	68756	Antelope	33	47	8.0	31.2
Nelson	68961	Nuckolls	18	27	7.3	17.5
Nemaha	68414	Nemaha	3	4	12.3	22.2
Newcastle	68757	Dixon	11	14	12.7	27.2
Newman Grov	68758	Madison	13	16	9.4	30.5
Newport	68759	Rock	0	4	0.7	1.2
Nickerson	68044	Dodge	10	12	8.1	17.8
Niobrara	68760	Knox	6	12	7.9	26.9
Nora	68961	Nuckolls	1	1	9.4	9.4
Norfolk	68701	Madison	456	664	8.9	203.7
Norfolk	68702	Madison	2	2	14.1	21.9
North Bend	68649	Dodge	13	21	6.7	22.4
North Loup	68859	Valley	0	1	3.8	3.8
North Platte	69101	Lincoln	131	452	3.4	23.7
Oak	68964	Nuckolls	6	6	8.1	12.2
Oakdale	68761	Antelope	2	2	12.0	13.9
Oakland	68045	Burt	61	66	10.4	48.2
Obert	68757	Cedar	1	1	6.8	6.8
Octavia	68632	Butler	1	1	9.4	9.4
Odell	68415	Gage	5	15	4.8	19.0
Odessa	68861	Buffalo	1	1	5.6	5.6

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Offutt Afb	68113	Sarpy	3	6	6.8	11.9
Ogallala	69153	Keith	44	95	4.0	8.9
Ohiowa	68416	Fillmore	1	2	6.6	12.1
Omaha	68022	Douglas	2	10	3.4	9.8
Omaha	68028	Douglas	2	4	4.2	8.2
Omaha	68101	Douglas	2	3	6.2	10.3
Omaha	68102	Douglas	12	30	3.7	12.1
Omaha	68103	Douglas	2	2	4.7	5.0
Omaha	68104	Douglas	484	743	5.6	31.2
Omaha	68105	Douglas	229	371	5.4	16.2
Omaha	68106	Douglas	493	737	6.3	37.2
Omaha	68107	Douglas	150	253	5.7	25.1
Omaha	68108	Douglas	54	111	4.9	22.1
Omaha	68109	Douglas	0	1	1.5	1.5
Omaha	68110	Douglas	53	152	4.5	48.3
Omaha	68111	Douglas	86	131	7.8	35.8
Omaha	68112	Douglas	116	183	6.6	38.7
Omaha	68113	Douglas	0	1	0.3	0.3
Omaha	68114	Douglas	435	706	6.1	63.3
Omaha	68116	Douglas	807	1513	5.3	35.5
Omaha	68117	Douglas	79	106	8.8	36.2
Omaha	68118	Douglas	250	545	4.3	30.3
Omaha	68120	Douglas	0	1	2.7	2.7
Omaha	68122	Douglas	161	525	3.8	52.4
Omaha	68123	Douglas	3	6	4.5	9.4
Omaha	68124	Douglas	556	752	7.0	68.0
Omaha	68127	Douglas	191	349	5.5	31.2
Omaha	68128	Douglas	3	4	5.4	7.7
Omaha	68130	Douglas	610	1223	4.8	71.6
Omaha	68131	Douglas	66	128	5.1	45.2
Omaha	68132	Douglas	360	613	5.3	25.4
Omaha	68133	Douglas	4	9	4.1	7.0
Omaha	68134	Douglas	389	647	6.1	43.4
Omaha	68135	Douglas	857	1572	5.1	109.0
Omaha	68136	Douglas	459	1069	4.5	90.0
Omaha	68137	Douglas	517	822	5.9	44.4
Omaha	68138	Douglas	1	1	11.1	11.1
Omaha	68138	Sarpy	246	435	5.3	51.0
Omaha	68139	Douglas	0	3	2.5	3.8
Omaha	68142	Douglas	52	156	4.4	34.4
Omaha	68144	Douglas	573	908	6.0	34.0
Omaha	68145	Douglas	1	3	3.1	4.5
Omaha	68147	Douglas	19	59	3.5	23.3

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Omaha	68152	Douglas	142	209	7.0	55.9
Omaha	68154	Douglas	627	1037	5.7	50.0
Omaha	68157	Douglas	86	155	5.2	23.7
Omaha	68157	Sarpy	3	12	2.2	8.4
Omaha	68164	Douglas	598	1126	5.2	38.5
Omaha	68165	Douglas	2	5	6.0	11.4
Omaha	68166	Douglas	4	8	3.4	6.5
Omaha	68178	Douglas	1	1	4.4	4.4
Omaha	68183	Douglas	1	1	7.6	7.6
O'Neill	68763	Holt	65	144	4.3	16.9
Ong	68452	Clay	1	2	21.7	41.8
Orchard	68764	Antelope	11	26	4.2	15.9
Ord	68862	Valley	38	77	5.9	24.7
Orleans	68966	Harlan	4	8	5.0	9.4
Osceola	68651	Polk	35	40	9.1	27.1
Oshkosh	69154	Garden	10	23	4.5	14.8
Osmond	68765	Pierce	32	41	8.8	29.4
Otoe	68417	Otoe	4	5	7.2	13.9
Overton	68863	Dawson	6	14	5.4	18.1
Oxford	68967	Furnas	9	10	7.4	15.4
Page	68766	Holt	1	11	2.7	8.6
Palisade	69040	Hitchcock	6	9	8.1	26.4
Palmer	68864	Merrick	7	13	4.8	8.9
Palmyra	68418	Otoe	14	17	9.8	26.5
Panama	68419	Lancaster	4	4	9.5	17.8
Papillion	68046	Sarpy	861	1383	6.4	81.6
Papillion	68133	Sarpy	405	612	6.7	123.2
Parks	69041	Dundy	2	2	6.3	7.1
Pawnee City	68420	Pawnee	27	39	7.5	21.9
Paxton	69155	Keith	3	11	3.9	7.2
Pender	68047	Thurston	139	163	10.6	46.5
Peru	68421	Nemaha	5	10	5.2	16.9
Petersburg	68652	Boone	7	10	6.1	13.1
Phillips	68865	Hamilton	10	16	6.0	16.0
Pickrell	68422	Gage	6	15	5.5	16.2
Pierce	68767	Pierce	10	32	3.3	7.5
Pilger	68768	Stanton	11	19	6.9	16.3
Plainview	68769	Pierce	11	21	6.1	13.7
Platte Center	68653	Platte	10	13	8.8	29.6
Plattsmouth	68048	Cass	278	369	9.5	59.1
Pleasant Dale	68423	Seward	14	20	7.7	18.6
Pleasanton	68866	Buffalo	2	9	3.0	10.2
Plymouth	68424	Jefferson	18	28	9.0	47.1

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Polk	68654	Polk	8	10	6.3	19.2
Ponca	68770	Dixon	22	31	11.1	56.3
Potter	69156	Cheyenne	9	14	6.3	14.9
Prague	68050	Saunders	6	10	7.7	32.4
Primrose	68655	Boone	2	3	5.0	9.8
Prosser	68883	Adams	1	1	4.9	4.9
Purdum	69157	Blaine	0	2	1.3	1.6
Ralston	68127	Douglas	126	173	8.0	37.5
Randolph	68771	Cedar	17	23	9.2	24.0
Ravenna	68869	Buffalo	7	16	5.7	22.7
Raymond	68428	Lancaster	28	41	7.0	29.1
Red Cloud	68970	Webster	30	38	8.9	39.9
Republican Ci	68971	Harlan	4	4	6.7	8.0
Reynolds	68429	Jefferson	1	3	3.9	6.2
Richfield	68059	Sarpy	1	1	7.2	7.2
Richland	68601	Colfax	2	3	13.1	26.1
Rising City	68658	Butler	10	13	9.3	26.6
Riverdale	68870	Buffalo	9	11	8.7	17.8
Riverton	68972	Franklin	1	1	7.9	7.9
Roca	68430	Lancaster	33	40	9.4	29.4
Rockville	68871	Sherman	1	5	3.6	8.9
Rogers	68659	Colfax	4	5	6.6	10.6
Rosalie	68055	Thurston	1	3	9.0	21.7
Roseland	68973	Adams	8	10	6.5	9.6
Royal	68773	Antelope	0	4	1.8	3.8
Rulo	68431	Richardson	4	6	5.7	10.4
Rushville	69360	Sheridan	5	11	3.7	5.4
Ruskin	68974	Nuckolls	3	5	7.8	11.2
Saint Edward	68660	Boone	9	17	5.0	15.1
Saint Helena	68774	Cedar	5	6	14.5	32.3
Saint Libory	68872	Howard	6	9	5.1	8.9
Saint Paul	68873	Howard	19	54	4.1	18.9
Salem	68433	Richardson	3	7	5.7	13.4
Sargent	68874	Custer	4	8	9.1	33.2
Saronville	68975	Clay	1	1	14.0	14.0
Schuyler	68661	Colfax	13	37	4.1	13.3
Scotia	68875	Greeley	4	7	3.8	7.9
Scottsbluff	69361	Scottsbluff	52	124	4.4	18.1
Scottsbluff	69363	Scottsbluff	8	13	6.3	19.4
Scribner	68057	Dodge	18	25	9.5	54.1
Seneca	69161	Thomas	0	2	2.7	3.9
Seward	68434	Seward	256	325	9.1	78.8
Shelby	68662	Polk	11	15	9.1	18.2

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Shelton	68876	Buffalo	12	20	4.6	13.8
Shickley	68436	Fillmore	24	29	9.9	33.4
Shubert	68437	Richardson	4	6	8.9	16.1
Sidney	69162	Cheyenne	92	220	4.2	36.6
Silver Creek	68663	Merrick	3	7	6.0	22.8
Smithfield	68976	Gosper	2	4	3.1	5.1
Snyder	68664	Dodge	3	3	14.0	21.8
South Bend	68058	Cass	1	4	8.5	29.1
South Sioux City	68776	Dakota	38	115	4.4	32.5
Spalding	68665	Greeley	35	54	6.6	22.8
Spencer	68777	Boyd	24	35	7.9	22.1
Sprague	68438	Lancaster	1	2	4.7	8.1
Springfield	68059	Sarpy	115	155	10.1	40.6
Springview	68778	Keya Paha	2	9	3.0	5.0
Stamford	68977	Harlan	0	3	2.8	3.4
Stanton	68779	Stanton	56	79	7.7	30.3
Staplehurst	68439	Seward	10	11	11.8	26.5
Stapleton	69163	Logan	2	15	2.8	9.2
Steele City	68440	Jefferson	1	3	4.7	7.8
Steinauer	68441	Pawnee	11	14	6.5	25.0
Stella	68442	Richardson	5	7	7.9	25.9
Sterling	68443	Johnson	4	9	8.0	23.7
Strang	68444	Fillmore	1	3	3.5	6.8
Stratton	69043	Hitchcock	8	14	5.3	19.4
Stromsburg	68666	Polk	24	29	8.9	17.7
Stuart	68780	Holt	13	25	4.4	11.7
Sumner	68878	Dawson	2	3	8.5	13.4
Superior	68978	Nuckolls	40	58	8.4	26.6
Surprise	68667	Butler	3	4	4.4	6.8
Sutherland	69165	Lincoln	15	25	5.1	14.3
Sutton	68979	Clay	29	43	6.9	15.6
Swanton	68445	Saline	3	5	6.3	18.0
Syracuse	68446	Otoe	56	69	9.8	36.9
Table Rock	68447	Pawnee	9	10	10.2	22.2
Talmage	68448	Otoe	3	5	5.6	10.9
Tarnov	68642	Platte	1	1	6.1	6.1
Taylor	68879	Loup	0	4	1.2	1.8
Tecumseh	68450	Johnson	24	31	13.3	47.9
Tekamah	68061	Burt	99	116	12.9	70.3
Thayer	68460	York	0	1	3.3	3.3
Theadford	69166	Thomas	0	8	1.5	2.7
Thurston	68062	Thurston	17	23	8.2	21.1
Tilden	68781	Antelope	1	9	2.5	6.3

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Tilden	68781	Madison	20	39	6.4	33.4
Tobias	68453	Saline	9	14	5.2	11.7
Trenton	69044	Hitchcock	15	27	5.0	17.9
Trumbull	68980	Clay	7	8	8.9	16.7
Tryon	69167	Mcpherson	2	7	3.4	13.6
Uehling	68063	Dodge	2	2	9.9	11.3
Ulysses	68669	Butler	12	18	8.1	29.1
Unadilla	68454	Otoe	2	4	7.2	12.4
Union	68455	Cass	9	13	8.4	21.1
Upland	68981	Franklin	3	5	4.5	6.7
Utica	68456	Seward	40	44	12.0	32.5
Valentine	69201	Cherry	5	22	3.4	23.5
Valley	68064	Douglas	14	105	2.6	26.0
Valparaiso	68065	Saunders	18	30	8.9	37.3
Venango	69168	Perkins	8	12	6.8	20.8
Verdigre	68783	Knox	21	42	7.3	41.4
Verdon	68457	Richardson	14	17	13.0	57.6
Virginia	68458	Gage	2	3	7.2	13.6
Waco	68460	York	15	15	9.5	19.9
Wahoo	68066	Saunders	162	207	10.1	67.9
Wakefield	68784	Dixon	54	60	14.0	36.3
Wallace	69169	Lincoln	2	5	3.1	6.5
Walthill	68067	Thurston	11	16	9.4	27.3
Walton	68461	Lancaster	8	11	7.5	20.5
Washington	68068	Washington	2	2	8.7	13.2
Waterbury	68785	Dixon	4	4	17.5	28.4
Waterloo	68069	Douglas	13	73	2.8	15.7
Wauneta	69045	Chase	4	8	5.3	11.5
Wausa	68786	Knox	13	16	7.9	22.1
Waverly	68462	Lancaster	56	98	6.4	26.7
Wayne	68787	Wayne	184	239	9.7	41.9
Weeping Water	68463	Cass	48	55	14.5	68.3
Wellfleet	69170	Lincoln	1	3	3.8	6.0
West Point	68788	Cuming	95	187	5.9	39.1
Western	68464	Saline	8	11	8.2	20.5
Weston	68070	Saunders	12	18	17.3	130.2
Whitman	69366	Grant	0	1	0.5	0.5
Whitney	69367	Dawes	5	7	11.2	44.3
Wilber	68465	Saline	31	52	7.9	47.8
Wilcox	68982	Kearney	3	4	15.5	30.0
Willow Island	69171	Dawson	0	1	1.6	1.6
Wilsonville	69046	Furnas	1	1	6.2	6.2
Winnebago	68071	Thurston	3	3	10.6	14.0

City	Zip code	County	Homes Tested above 4.0 pCi/L	Total Number of Homes Tested	Average radon level (pCi/L)	Highest result (pCi/L)
Winnetoon	68789	Knox	4	7	4.8	9.6
Winside	68790	Wayne	17	19	11.7	26.8
Wisner	68791	Cuming	40	50	9.5	33.4
Wolbach	68882	Greeley	6	8	9.1	29.1
Wood Lake	69221	Cherry	0	1	0.2	0.2
Wood River	68883	Hall	13	24	4.7	11.6
Wymore	68466	Gage	21	26	9.2	24.0
Wynot	68792	Cedar	14	15	14.2	41.7
York	68467	York	181	231	9.4	52.9
Yutan	68073	Saunders	48	59	9.3	36.4
Statewide			28453	48621	6.3	290.0